




CANADA

(Extract from the Canada Gazette Part II, dated
February 6, 1985)

(Extrait de la Gazette du Canada Partie II, en date du
6 février 1985)

**Regulations respecting
the handling,
offering for transport
and transporting
of dangerous goods**

**Règlement concernant
les marchandises dangereuses
ainsi que la manutention,
la demande de transport
et le transport
des marchandises dangereuses**



3 1761 10374816 6



Digitized by the Internet Archive
in 2025 with funding from
University of Toronto

<https://archive.org/details/31761103748166>

Registration

SOR/85-314 28 March, 1985

TRANSPORTATION OF DANGEROUS GOODS ACT

**Transportation of Dangerous Goods Regulations,
amendment**

P.C. 1985-1076 28 March, 1985

Her Excellency the Governor General in Council, on the recommendation of the Minister of Transport, pursuant to section 21 of the Transportation of Dangerous Goods Act*, is pleased hereby to amend the Transportation of Dangerous Goods Regulations, made by Order in Council P.C. 1985-147 of 17th January, 1985**, in accordance with the schedule hereto, marked Schedule No. 1.

SCHEDULE NO. 1

1. (1) Section 9.13 of the *Transportation of Dangerous Goods Regulations* is renumbered as subsection 9.13(1).

(2) Section 9.13 of the said Regulations is further amended by adding thereto the following subsection:

"(2) Subsection (1) does not apply to dangerous goods that are being transported by a road vehicle until July 1, 1985."

2. (1) Section 9.14 of the said Regulations is renumbered as subsection 9.14(1).

(2) Section 9.14 of the said Regulations is further amended by adding thereto the following subsection:

"(2) Subsection (1) does not apply to dangerous goods that are being transported by a road vehicle until July 1, 1985."

EXPLANATORY NOTE

(This note is not part of the Regulation.)

This amendment delays the coming into force of sections 9.13 and 9.14 from April 8, 1985 to July 1, 1985 for transportation by road vehicles.

Enregistrement

DORS/85-314 28 mars 1985

LOI SUR LE TRANSPORT DES MARCHANDISES
DANGEREUSES**Règlement sur le transport des marchandises
dangereuses—Modification**

C.P. 1985-1076 28 mars 1985

Sur avis conforme du ministre des Transports et en vertu de l'article 21 de la Loi sur le transport des marchandises dangereuses*, il plaît à Son Excellence le Gouverneur général en conseil de modifier, conformément à l'annexe n° 1 ci-après, le Règlement sur le transport des marchandises dangereuses, établi par le décret C.P. 1985-147 du 17 janvier 1985**.

ANNEXE N° 1

1. (1) Le numéro d'article 9.13 du *Règlement sur le transport des marchandises dangereuses* est remplacé par le numéro de paragraphe 9.13(1).

(2) L'article 9.13 du même règlement est modifié par adjonction de ce qui suit:

«(2) Le paragraphe (1) ne s'applique pas au transport des marchandises dangereuses par véhicule routier avant le 1^{er} juillet 1985.»

2. (1) Le numéro d'article 9.14 du *Règlement sur le transport des marchandises dangereuses* est remplacé par le numéro de paragraphe 9.14(1).

(2) L'article 9.14 du même règlement est modifié par adjonction de ce qui suit:

«(2) Le paragraphe (1) ne s'applique pas au transport des marchandises dangereuses par véhicule routier avant le 1^{er} juillet 1985.»

NOTE EXPLICATIVE

(La présente note ne fait pas partie du règlement.)

Les modifications visent à reporter au 1^{er} juillet 1985 l'entrée en vigueur des articles 9.13 et 9.14 en ce qui concerne le transport routier.

* S.C. 1980-81-82-83, c. 36

** SOR/85-77, 1985 *Canada Gazette* Part II, p. 393

* S.C. 1980-81-82-83, c. 36

** DORS/85-77, *Gazette du Canada* Partie II, 1985, p. 393



(Extract from the Canada Gazette Part II, dated
February 6, 1985)

(Extrait de la Gazette du Canada Partie II, en date du
6 février 1985)

Registration

SOR/85-77 18 January, 1985

TRANSPORTATION OF DANGEROUS GOODS ACT

Transportation of Dangerous Goods Regulations

P.C. 1985-147 17 January, 1985

Her Excellency the Governor General in Council, on the recommendation of the Minister of Transport, pursuant to section 21 of the Transportation of Dangerous Goods Act*, is pleased hereby

(a) to revoke, effective 23 January, 1985, the Dangerous Goods Protective Direction Regulations made by Order in Council P.C. 1984-834 of 8 March, 1984** and the Dangerous Goods Inspectors Regulations made by Order in Council P.C. 1984-2014 of 7 June, 1984***; and

(b) to make the annexed Regulations respecting the handling, offering for transport and transporting of dangerous goods, effective as follows:

(i) Part I, X and XIII, effective on 23 January, 1985,

(ii) Parts II to VIII and XII and sections 9.2 to 9.7, effective 1 July, 1985,

(iii) Part IX except sections 9.2 to 9.7, and Part XI, effective 8 April, 1985.

REGULATIONS RESPECTING THE HANDLING, OFFERING FOR TRANSPORT AND TRANSPORTING OF DANGEROUS GOODS

PART I

Short Title

1.1 These Regulations may be cited as the *Transportation of Dangerous Goods Regulations*.

Interpretation

1.2 In these Regulations,

“AAR” means the Association of American Railroads; (AAR)

“Act” means the *Transportation of Dangerous Goods Act*; (Loi)

“activity”, in respect of dangerous goods that are included in Class 7, means the number of nuclear transformations occurring per unit of time; (activité)

“aerosol” means a non-refillable receptacle designed to contain a liquid, powder or paste and to discharge the contents through a manually operated, integrally mounted spray head and self-closing valve by means of a gas propellant; (aérosol)

* S.C. 1980-81-82-83, c. 36

** SOR/84-225, 1984 *Canada Gazette* Part II, p. 1084

*** SOR/84-446, 1984 *Canada Gazette* Part II, p. 2739

Enregistrement

DORS/85-77 18 janvier 1985

LOI SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES

Règlement sur le transport des marchandises dangereuses

C.P. 1985-147 17 janvier 1985

Sur avis conforme du ministre des Transports et en vertu de l'article 21 de la Loi sur le transport des marchandises dangereuses*, il plaît à Son Excellence le Gouverneur général en conseil

a) d'abroger, à compter du 23 janvier 1985, le Règlement sur les ordres concernant les marchandises dangereuses pris par le décret C.P. 1984-834 du 8 mars 1984** et le Règlement sur les inspecteurs de marchandises dangereuses pris par le décret C.P. 1984-2014 du 7 juin 1984***; et

b) de prendre, à compter

(i) du 23 janvier 1985, les parties I, X et XIII,

(ii) du 1^{er} juillet 1985, les parties II à VIII et XII, et les articles 9.2 à 9.7, et

(iii) du 8 avril 1985, la partie IX sauf les articles 9.2 à 9.7 et la partie XI,

du Règlement concernant les marchandises dangereuses ainsi que la manutention, la demande de transport et le transport des marchandises dangereuses, ci-après.

RÈGLEMENT CONCERNANT LES MARCHANDISES DANGEREUSES AINSI QUE LA MANUTENTION, LA DEMANDE DE TRANSPORT ET LE TRANSPORT DES MARCHANDISES DANGEREUSES

PARTIE I

Titre abrégé

1.1 *Règlement sur le transport des marchandises dangereuses*.

Définitions

1.2 Les définitions et les abréviations qui suivent s'appliquent au présent règlement.

«AAR» Sigle désignant l'*Association of American Railroads*. (AAR)

«ACNOR» Sigle désignant l'Association canadienne de normalisation. (CSA)

«activité» Dans le cas d'une marchandise dangereuse de la classe 7, le nombre de transformations nucléaires se produisant par unité de temps. (activité)

«aéroglesseur» Véhicule conçu pour se maintenir dans l'atmosphère principalement grâce à la réaction, sur une surface, de l'air expulsé par la machine. (air cushion vehicle)

* S.C. 1980-81-82-83, c. 36

** DORS/84-225, *Gazette du Canada* Partie II, 1984, p. 1084

*** DORS/84-446, *Gazette du Canada* Partie II, 1984, p. 2739

“aircraft” means any machine used or designed for navigation of the air but does not include an air cushion vehicle; (*aéronef*)

“air cushion vehicle” means a machine designed to derive support in the atmosphere primarily from reactions of air expelled from the machine against a surface; (*aéroglesseur*)

“allowable number”, in respect of packages containing dangerous goods with a primary classification of Class 7, has the same meaning as in the *Transport Packaging of Radioactive Materials Regulations*; (*nombre admissible*)

“ANSI” means the American National Standards Institute; (*ANSI*)

“ASME” means the American Society of Mechanical Engineers; (*ASME*)

“ASTM” means the American Society for Testing and Materials; (*ASTM*)

“CANUTEC” means Canadian Transport Emergency Centre of the Department of Transport; (*CANUTEC*)

“cargo aircraft” means an aircraft that is not a passenger aircraft and that is designed to carry goods; (*aéronef cargo*)

“cargo compartment” means that part of a means of transport designed to contain or support goods that are packaged or non-packaged cargo; (*compartiment à marchandises*)

“carrier” means any person engaged in the transport of goods or passengers, whether or not for hire or reward; (*transporteur*)

“CFR 49” or “49 CFR” means Title 49 of the *Code of Federal Regulations* of the United States revised as of October 1, 1982; (*CFR 49 ou 49 CFR*)

“CGA” means the Compressed Gas Association; (*CGA*)

“CGSB” means the Canadian General Standards Board; (*ONGC*)

“chassis trailer” means a trailer that is designed to carry a freight container that is secured to the chassis of the trailer by twistlock tie-down devices or pin securing devices; (*remorque-châssis*)

“combination packaging” means a combination of packagings consisting of one or more inner packagings secured in an outer packaging; (*emballage combiné*)

“combustible liquid” means a liquid that has a flash point not less than 37.8°C, and not greater than 93.3°C; (*liquide combustible*)

“composite packaging” means a packaging that consists of an outer packaging and an inner receptacle so constructed that the inner receptacle and the outer packaging form an integral packaging and, once assembled, the packaging remains thereafter an integrated single unit and it is filled, stored, transported and emptied as such; (*emballage composite*)

“consignee” means a person to whom a consignment is being or is intended to be transported; (*destinataire*)

“consignment” means the quantity of dangerous goods transported in a means of transport from one consignor at one location to one consignee at another location; (*envoi*)

“consignor” means a person who offers a consignment for transport; (*expéditeur*)

“consumer commodity”, in respect of transportation by any means of transport other than by aircraft, means dangerous goods,

«aéronef» Tout appareil utilisé ou conçu pour la navigation aérienne. La présente définition exclut les aéroglesseurs. (*aircraft*)

«aéronef cargo» Aéronef, autre qu'un aéronef de passagers, conçu pour transporter des marchandises. (*cargo aircraft*)

«aéronef de passagers» Aéronef transportant un ou plusieurs passagers. (*passenger aircraft*)

«aérosol» Récipient non réutilisable conçu pour contenir et décharger, par une soupape et un poussoir-vaporisateur et à l'aide d'un gaz propulsif, un liquide, une poudre ou une pâte. (*aerosol*)

«ANSI» Sigle désignant l'*American National Standards Institute*. (*ANSI*)

«appellation réglementaire» Dans le cas d'une matière ou d'un produit visé à un article d'une liste, les mots qui ne figurent pas en italique à la colonne I de cet article. (*shipping name*)

«appellation technique» Nom chimique ou toute autre désignation couramment utilisée dans les manuels, les revues ou les articles scientifiques ou techniques pour décrire la composition chimique d'une substance. La présente définition exclut les marques de commerce. (*technical name*)

«ASME» Sigle désignant l'*American Society of Mechanical Engineers*. (*ASME*)

«ASTM» Sigle désignant l'*American Society for Testing and Materials*. (*ASTM*)

«bien de consommation» Dans le cas du transport par tout moyen de transport autre qu'un aéronef, marchandise dangereuse

a) offerte au public à la vente au détail,

(i) qui est contenue dans un emballage conforme aux normes pour emballages intérieurs et aux normes pour emballages extérieurs, prévues à l'annexe VIII pour cette marchandise, et

(ii) dont la concentration n'est pas supérieure à celle normalement disponible à la vente au détail; ou

b) qui possède des propriétés et des caractéristiques semblables à celles d'une marchandise dangereuse offerte au public à la vente au détail, est d'une concentration semblable à celle d'une telle marchandise et est contenue dans un emballage d'un format, d'un genre et d'une qualité semblables à ceux d'un emballage d'une telle marchandise.

Sont exclus de la présente définition:

c) tout engrais à base de nitrate d'ammonium;

d) tout peroxyde organique, sauf celui emballé dans un emballage intérieur hermétiquement fermé d'une capacité d'au plus 50 mL;

e) l'arsenic, le cyanure, la strychnine, leurs composés et les composés de cadmium ou de plomb, sauf ceux de ces composés ou substances

(i) qui doivent être exposés et distribués pour usage à l'intérieur et autour des habitations et sont conformes au *Règlement sur les produits anti-parasitaires*, ou

(ii) qui sont énumérés à l'annexe G de la *Loi des aliments et drogues*;

f) le mercure et ses composés, sauf ceux

(i) qui sont contenus dans un appareil ou un instrument et en font partie intégrante,

(a) that are readily available to the general public through retail distribution and

(i) that are in packagings that meet the standards for inner packagings and the standards for outer packagings set out for the dangerous goods in Schedule VIII, and

(ii) that are not in a concentration greater than the concentration in which they are readily available to the general public through retail distribution, or

(b) that have similar characteristics and properties, are in a similar concentration and are in packagings of a similar size, nature and quality as dangerous goods that are readily available to the general public through retail distribution,

but does not include

(c) an ammonium nitrate fertilizer,

(d) an organic peroxide other than an organic peroxide that is packaged in a securely closed inner packaging the capacity of which is not greater than 50 mL,

(e) arsenic, cyanide, strychnine or a compound thereof or any compound of cadmium or lead unless the arsenic, cyanide, strychnine or a compound thereof or a compound of cadmium or lead

(i) is to be displayed and distributed for use in and around a dwelling and complies with the *Pest Control Products Regulations*, or

(ii) is listed in Schedule G to the *Food and Drugs Act*,
(f) mercury or any compound thereof unless the mercury or compound thereof

(i) is contained within and forms an integral part of a device or an instrument,

(ii) is to be displayed and distributed for use in and around a dwelling and complies with the *Pest Control Products Regulations*, or

(iii) is listed in Schedule G to the *Food and Drugs Act*,

(g) a wet, acid-filled or alkali-filled electric storage battery,

(h) acid or alkali battery fluid,

(i) a nitrocellulose-based product other than a cosmetic,

(j) a pyrophoric liquid, solid, metal or alloy,

(k) a compressed gas in a receptacle other than an aerosol, with a water capacity exceeding 125 mL,

(l) engine starting fluid containing a flammable gas,

(m) explosives other than safety explosives, or

(n) fire extinguishers;

(bien de consommation)

"container car" means a railway vehicle that is designed to carry a freight container that is secured to the chassis of the railway vehicle by twistlock tie-down devices or pin securing devices; (*wagon porte-conteneur*)

"corner fittings" means an arrangement of apertures and faces at the top or bottom of a freight container used for the purpose of handling, stacking or securing; (*pièces de coin*)

"CSA" means the Canadian Standards Association; (*ACNOR*)

"CTC" means the Canadian Transport Commission; (*CCT*)

(ii) qui sont exposés et distribués pour usage à l'intérieur et autour des habitations et sont conformes au *Règlement sur les produits antiparasitaires*, ou

(iii) qui sont énumérées à l'annexe G de la *Loi des aliments et drogues*;

g) les accumulateurs électriques, mouillés et chargés d'acide ou d'alkali;

h) l'électrolyte pour accumulateurs;

i) les produits à base de nitrocellulose, sauf les cosmétiques;

j) les liquides, les solides, les métaux ou les alliages pyrophoriques;

k) les gaz comprimés contenus dans un récipient, autre qu'un aérosol, d'une capacité en eau supérieure à 125 mL;

l) les fluides servant au démarrage des moteurs et contenant un gaz inflammable;

m) les explosifs autres que les explosifs de sûreté; et

n) les extincteurs.

(consumer commodity)

«bouteille à gaz» Conteneur de forme cylindrique ou sphérique, d'une capacité en eau inférieure à 454 L, capable de résister à une pression interne de service absolue supérieure à 275 kPa. (*cylinder*)

«camion» Véhicule routier automoteur conçu principalement pour le transport de marchandises. La présente définition exclut les tracteurs. (*truck*)

«camion-citerne» Camion muni d'une citerne qui y est fixée en permanence et qui n'est pas le réservoir de carburant servant à l'alimentation du moteur du camion ou au fonctionnement de toute autre pièce d'équipement du camion. (*tank truck*)

«CANUTEC» Sigle désignant le Centre canadien d'urgence transport du ministère des Transports. (*CANUTEC*)

«capacité en eau» La plus grande quantité d'eau que peut contenir un récipient à une température de 15°C et à une pression absolue de 101,325 kPa. (*water capacity*)

«CCT» Sigle désignant la Commission canadienne des transports. (*CTC*)

«certificat de véhicule d'explosifs» ou «CVE» Permis émis en vertu de l'article 6 de la *Loi sur les explosifs*. (*Explosives Vehicle Certificate* ou *EVC*)

«CFI» Sigle désignant le *Code national de prévention des incendies du Canada 1980*, CNRC N° 17306F, publié par le Comité associé du Code national de prévention des incendies, du Conseil national de recherches du Canada. (*NFCC*)

«CFR 49» ou «49 CFR» Le titre 49 du code de réglementation fédéral des États-Unis intitulé *Code of Federal Regulations*, édition du 1^{er} octobre 1982. (*CFR 49* ou *49 CFR*)

«CGA» Sigle désignant la *Compressed Gas Association*. (*CGA*)

«citerne» Grand conteneur fermé ou compartiment fermé à marchandises, conçus pour contenir des liquides, des gaz ou des solides en vrac. (*tank*)

«citerne de wagon-citerne à éléments multiples» Conteneur construit et entretenu conformément aux spécifications N°s CTC 106 ou CTC 110 de la CCT, énoncées dans le règlement intitulé *Regulations for the Transportation of Dangerous Commodities by Rail*. La présente définition inclut les cylindres de chlore. (*multi-unit tank car tank*)

"cylinder" means a container that is of a cylindrical or spherical shape, has a water capacity not greater than 454 L and is capable of withstanding an internal absolute service pressure greater than 275 kPa; (*bouteille à gaz*)

"Director General" means the Director General of the Transport of Dangerous Goods Directorate, Department of Transport; (*Directeur général*)

"domestic consignment" means a consignment that is transported from a place in Canada, to another place in Canada but does not include a consignment that is transported by a ship south of latitude 40°N; (*envoi intérieur*)

"empty" for the purposes of a large container or a transport unit, means that dangerous goods have been removed to the maximum extent possible from the large container or the transport unit in accordance with accepted practices; (*vide*)

"explosives" means the substances or articles that are included
(a) in Divisions 1 to 5, and
(b) in Compatibility groups A to S
of Class 1 as determined by the UN Recommendations; (*explosifs*)

"Explosives Vehicle Certificate" or "EVC" means a permit issued pursuant to section 6 of the *Explosives Act*; (*certificat de véhicule d'explosifs* or *CVE*)

"fissile material" has the same meaning as in the *Transport Packaging of Radioactive Materials Regulations*; (*matière fissile*)

"fissile Class I package" has the same meaning as in the *Transport Packaging of Radioactive Materials Regulations*; (*colis de classe fissile I*)

"fissile Class II package" has the same meaning as in the *Transport Packaging of Radioactive Materials Regulations*; (*colis de classe fissile II*)

"fissile Class III package" has the same meaning as in the *Transport Packaging of Radioactive Materials Regulations*; (*colis de classe fissile III*)

"flash point", in respect of a liquid or solid, means the lowest temperature during a closed cup test described in Part I of Schedule VI at which the liquid or solid gives off vapour in such a concentration that when the vapour combines with air near the surface of the liquid or solid a flammable mixture is formed; (*point d'éclair*)

"freight container" means a container that is

- (a) designed to be secured or readily handled, and that has corner fittings for those purposes, and
- (b) of a size such that the area enclosed by the four outer bottom corners is either
 - (i) at least 14 square metres, or
 - (ii) at least 7 square metres if it is fitted with top corner fittings,

and includes a freight container carried on a chassis but does not include any packaging; (*conteneur de fret*)

"hazardous substance" means a product or substance that is included in List 2 of Class 9 in List II of Schedule II; (*substance nocive*)

"home-trade voyage" has the same meaning as in the *Canada Shipping Act*; (*voyage de cabotage*)

"home-trade voyage, Class II", means a home-trade voyage in the course of which,

«citerne portable» Citerne ne faisant pas partie intégrante d'un moyen de transport, qui est conçue pour être chargée sur ou dans un véhicule ou un navire ou pour y être fixée de façon temporaire, et qui est munie de palettes à patins, de supports ou d'accessoires pour en faciliter la manutention par énergie mécanique. La présente définition exclut les citernes de wagon-citerne à éléments multiples. (*portable tank*)

«Code IMDG» Le *Code maritime international des marchandises dangereuses* publié par l'OMI, édition de 1977, volumes 1 à 5, y compris les suppléments 14/1976 et 15/1977 publiés en 1978, les suppléments 16/1978 et 17-18/1979 publiés en 1979, le supplément 19/1980 publié en 1981 et le supplément 20/1982 publié en 1983. (*IMDG Code*)

«colis» Ensemble constitué de l'emballage et de son contenu. (*package*)

«colis de classe fissile I» S'entend au sens du *Règlement sur l'emballage des matières radioactives destinées au transport*. (*fissile Class I package*)

«colis de classe fissile II» S'entend au sens du *Règlement sur l'emballage des matières radioactives destinées au transport*. (*fissile Class II package*)

«colis de classe fissile III» S'entend au sens du *Règlement sur l'emballage des matières radioactives destinées au transport*. (*fissile Class III package*)

«compartiment à marchandises» Partie d'un moyen de transport conçue pour supporter ou contenir des marchandises emballées ou non. (*cargo compartment*)

«conteneur-citerne» Citerne portable qui est à la fois un conteneur de fret. (*tank container*)

«conteneur de fret» Conteneur, y compris celui monté sur un châssis,

a) qui est conçu pour être assujéti ou facilement manipulé et est muni à cette fin de pièces de coin, et

b) dont les dimensions sont telles que la surface délimitée par les quatre coins extérieurs du bas mesure

(i) au moins 14 mètres carrés, ou

(ii) si le conteneur est muni de pièces de coin supérieures, au moins 7 mètres carrés

La présente définition exclut les emballages. (*freight container*)

«déchet» Matière ou produit inutilisable. (*waste*)

«désignée par l'appellation collective» Qualifie une marchandise dangereuse dont l'appellation réglementaire figure en lettres majuscules à la colonne I de la liste II de l'annexe II. (*not fully specified*)

«désignée par l'appellation individuelle» Qualifie une marchandise dangereuse dont l'appellation réglementaire figure en lettres minuscules à la colonne I d'une liste. (*specified*)

«destinataire» Personne à qui s'adresse un envoi de marchandises. (*consignee*)

«Directeur général» Le directeur général de la Direction générale du transport des marchandises dangereuses, au ministère des Transports. (*Director General*)

«disposition particulière» Article de l'annexe III précisé à la colonne IV d'une liste. (*special provision*)

«emballage combiné» Combinaison d'emballages constituée d'au moins un emballage intérieur protégé par un emballage extérieur. (*combination packaging*)

- (a) on the Atlantic Coast, a ship does not go south of the port of New York, or on the Pacific Coast, a ship does not go south of Portland, Oregon,
- (b) the ship is at no time more than 120 nautical miles off shore, and
- (c) the distance between suitable ports of refuge on the voyage does not exceed 200 nautical miles;
- (voyage de cabotage, classe II)
- “IATA” means the International Air Transport Association; (IATA)
- “ICAO” means the International Civil Aviation Organization; (OACI)
- “ICAO Technical Instructions” means the 1984 *Technical Instructions for the Safe Transport of Dangerous Goods by Air* published by ICAO; (*Instructions techniques de l’OACI*)
- “IMDG Code” means Volumes 1 to 5 of the 1977 Edition of the International Maritime Dangerous Goods Code including amendments 14/1976 and 15/1977 published in 1978, amendments 16/1978 and 17-18/1979 published in 1979, amendment 19/1980 published in 1981 and amendment 20/1982 published by IMO in 1983; (*Code IMDG*)
- “IMO” means the International Maritime Organization; (OMI)
- “in bulk” means, in respect of goods confined only by the permanent structures of
- (a) a large container, or
- (b) a transport unit,
- without intermediate containment or intermediate packaging; (*en vrac*)
- “infectious substances” means substances containing viable micro-organisms or their toxins that are known or suspected to cause disease in animals or humans; (*matières infectieuses*)
- “inner packaging” means a packaging for which an outer packaging is required for transport; (*emballage intérieur*)
- “inner receptacle” means a receptacle that requires additional inner or outer protection in order to perform its containment function; (*réceptif intérieur*)
- “intermediate packaging” means a packaging containing one or more inner packagings and for which an outer packaging is required for transport; (*emballage intermédiaire*)
- “international consignment” means a consignment that is transported between Canada and another country
- (a) by aircraft, or
- (b) by ship on any voyage other than a home-trade voyage Class II;
- (*envoi international*)
- “ISO” means the International Organization for Standardization; (ISO)
- “large container” means a container with a water capacity greater than 454 L; (*grand conteneur*)
- “LC₅₀” means
- (a) where a substance is in the form of a vapour, the quantity of the substance in millilitres per cubic metre of air,
- «emballage composite» Emballage constitué d’un emballage extérieur et d’un récipient intérieur qui, une fois réunis, forment un ensemble solide qui demeure intégral pendant le remplissage, l’entreposage, le transport et le vidage. (*composite packaging*)
- «emballage extérieur» Partie d’un emballage composite ou d’un emballage combiné qui constitue la protection extérieure, y compris tout matériau absorbant ou amortisseur et tout autre élément nécessaire au confinement et à la protection du récipient intérieur ou de l’emballage intérieur. (*outer packaging*)
- «emballage intérieur» Emballage devant être placé dans un emballage extérieur aux fins du transport. (*inner packaging*)
- «emballage intermédiaire» Emballage contenant au moins un emballage intérieur et pour lequel un emballage extérieur est requis aux fins du transport. (*intermediate packaging*)
- «en vrac» État des marchandises dont le confinement est assuré seulement par les structures permanentes
- a) d’un grand conteneur, ou
- b) d’une unité de transport,
- sans aucun moyen intermédiaire de confinement ni emballage intermédiaire. (*in bulk*)
- «envoi» Quantité de marchandises dangereuses transportées à bord d’un moyen de transport, à partir de l’emplacement d’un expéditeur vers un autre emplacement qui est celui du destinataire. (*consignment*)
- «envoi intérieur» Envoi transporté d’un endroit à un autre au Canada. La présente définition exclut les envois transportés par navire au sud du 40° parallèle de latitude nord. (*domestic consignment*)
- «envoi international» Envoi transporté entre le Canada et un autre pays
- a) par aéronef; ou
- b) par navire, au cours d’un voyage autre qu’un voyage de cabotage, classe II.
- (*international consignment*)
- «envoi transfrontalier» Envoi transporté entre le Canada et les États-Unis par route ou par rail, ou par navire au cours d’un voyage de cabotage, classe II. (*transborder consignment*)
- «expéditeur» Personne qui demande le transport de marchandises. (*consignor*)
- «explosifs» Matière ou article compris dans
- a) les divisions 1 à 5, et
- b) les groupes de compatibilité A à S
- de la classe 1 déterminés selon les Recommandations de l’ONU. (*explosives*)
- «explosif de sûreté» Explosif inclus dans la division 4 de la classe 1 et dans le groupe de compatibilité S. (*safety explosives*)
- «grand conteneur» Conteneur d’une capacité en eau supérieure à 454 L. (*large container*)
- «groupe d’emballage» Niveau de danger inhérent à une marchandise dangereuse. (*packing group*)
- «IATA» Sigle désignant l’Association du transport aérien international. (IATA)
- «indice de transport» S’entend au sens du *Règlement sur l’emballage des matières radioactives destinées au transport*. (*transport index*)

(b) where a substance is in the form of a dust or a mist, the quantity of the substance in milligrams per litre of air at normal atmospheric pressure, or

(c) where a substance can be in the form of a vapour, dust or mist, the lesser of the two quantities of the substance measured pursuant to paragraphs (a) and (b),

that, when administered by continuous inhalation to a test population of at least 10 young adult albino rats that includes both sexes, each rat having a mass of between 200 and 300 grams

(d) for a period of one hour, causes death within 14 days to 50 per cent of that population, or

(e) for a period of four hours, causes death within 14 days to 50 per cent of that population, and

(i) where the substance is in the form of a vapour, the result shall be multiplied by two, or

(ii) where the substance is in the form of dust or mist, the result shall be multiplied by four;

(LC₅₀)

«LD₅₀» means

(a) in the case of a substance with a dermal toxicity, the quantity of the substance in milligrams of the substance per kilogram of the body mass of each test animal that, when administered by continuous contact with the intact bare skin for 24 hours to a test population of at least 10 albino rabbits, causes death within 14 days to 50 per cent of that population, and

(b) in the case of a substance with an oral toxicity, the quantity of the substance, in milligrams of the substance per kilogram of the body mass of each test animal that, when administered orally to a test population of at least 10 young adult albino rats that includes both sexes, each rat having a mass between 200 and 300 grams, causes death within 14 days to 50 per cent of that population;

(LD₅₀)

“limited quantity” means the quantity of dangerous goods that is not greater than the quantity specified for the inner packagings of the dangerous goods set out in Schedule VIII; (*quantité limitée*)

“List” means List I or List II in Schedule II; (*liste*)

“low-level solid radioactive material” or “LLS” has the same meaning as in the *Transport Packaging of Radioactive Materials Regulations*; (*matière radioactive solide de faible activité* or *MSFA*)

“low specific activity material” or “LSA” has the same meaning as in the *Transport Packaging of Radioactive Materials Regulations*; (*matière de faible activité spécifique* or *MFAS*)

“multi-unit tank car tank” means a container that is manufactured to comply with the Canadian Transport Commission specification CTC 106 or CTC 110 set out in the *Regulations for the Transportation of Dangerous Commodities by Rail* and is maintained in accordance with those specifications and includes a tonne cylinder; (*citerne de wagon-citerne à éléments multiples*)

“NACE” means the National Association of Corrosion Engineers; (*NACE*)

“net explosives quantity” means

«Instructions techniques de l'OACI» Les *Instructions techniques pour la sécurité du transport aérien des marchandises dangereuses*, publiées en 1984 par l'OACI. (*ICAO Technical Instructions*)

«ISO» Sigle désignant l'Organisation internationale de normalisation. (*ISO*)

«LC₅₀» S'entend

a) de la quantité d'une matière sous forme de vapeur, exprimée en millilitres par mètre cube d'air,

b) de la quantité d'une matière sous forme de poussière ou de brouillard, exprimée en milligrammes par litre d'air et mesurée à la pression atmosphérique normale, ou

c) dans le cas d'une matière pouvant se présenter sous forme de vapeur, de poussière ou de brouillard, de la plus petite des quantités visées aux alinéas a) et b)

qui, lorsque administrée par inhalation continue à un groupe échantillon d'au moins 10 jeunes rats adultes albinos, mâles et femelles, pesant chacun de 200 à 300 grammes,

d) durant une heure, cause la mort de 50 pour cent du groupe dans les 14 jours; ou

e) durant quatre heures, cause la mort de 50 pour cent du groupe dans les 14 jours, ladite quantité étant multipliée

(i) par deux dans le cas d'une matière sous forme de vapeur, ou

(ii) par quatre, dans le cas d'une matière sous forme de poussière ou de brouillard.

(LC₅₀)

«LD₅₀» S'entend

a) dans le cas d'une matière ayant une toxicité par absorption cutanée, la quantité de cette matière, exprimée en milligrammes par kilogramme du poids du corps de chaque animal échantillon, qui, lorsque administrée sans interruption pendant 24 heures à la peau nue et intacte d'un groupe échantillon d'au moins 10 lapins albinos, cause la mort de 50 pour cent du groupe dans les 14 jours;

b) dans le cas d'une matière ayant une toxicité par ingestion, la quantité de cette matière, exprimée en milligrammes par kilogramme du poids du corps de chaque animal échantillon, qui, lorsqu'administrée par voie buccale à un groupe échantillon d'au moins 10 jeunes rats adultes albinos, mâles et femelles, pesant chacun de 200 à 300 grammes, cause la mort de 50 pour cent du groupe dans les 14 jours.

(LD₅₀)

«liquide combustible» Liquide dont le point d'éclair se situe entre 37,8°C et 93,3°C, ces deux valeurs étant comprises. (*combustible liquid*)

«liste» La liste I ou la liste II de l'annexe II. (*List*)

«Loi» La Loi sur le transport des marchandises dangereuses. (*Act*)

«matière de faible activité spécifique» ou «MFAS» S'entend au sens du *Règlement sur l'emballage des matières radioactives destinées au transport*. (*low specific activity material* ou *LSA*)

«matière fissile» S'entend au sens du *Règlement sur l'emballage des matières radioactives destinées au transport*. (*fissile material*)

«matière infectieuse» Matière contenant des micro-organismes viables ou leurs toxines, dont on sait ou soupçonne qu'ils

(a) in the case of transportation of explosives or pyrotechnic substances by aircraft, the net mass of the explosives or the pyrotechnic substances excluding the mass of the packagings, and

(b) in the case of transportation of explosives or pyrotechnic substances by a means of transport other than aircraft, the net mass of the explosive or the pyrotechnic substances excluding the mass of any casing, contrivance, box, wrapper or packaging;

(quantité nette d'explosifs)

"NFCC" means the National Fire Code of Canada 1980, NRCC No. 17306, issued by the Associate Committee on the National Fire Code, National Research Council of Canada; (CFI)

"normal atmospheric pressure" means an absolute pressure of 101.325 kPa at 20°C; (*pression atmosphérique normale*)

"not fully specified", in respect of dangerous goods, means the dangerous goods for which the shipping name is set out in upper case letters in column I of List II of Schedule II; (*désignées par l'appellation collective*)

"outer packaging" means the outer protection of a composite or combination packaging together with any absorbent materials, cushioning and any other components necessary to contain and protect inner receptacles or inner packagings; (*emballage extérieur*)

"overpack" means a non-reusable enclosure used by a single consignor to consolidate two or more packages for convenience in handling, but does not include a unit load device; (*suremballage*)

"package" means the packaging and its contents; (*colis*)

"packing group" means a level of hazard inherent to dangerous goods; (*groupe d'emballage*)

"passenger" means

(a) in respect of a ship, a person defined as a passenger in the *Canada Shipping Act*, and

(b) in respect of a means of transport other than a ship, a person carried on the means of transport other than a person who is

(i) a crew member,

(ii) an operator,

(iii) an operator's employee,

(iv) an inspector, or

(v) a person accompanying a consignment;

(passager)

"passenger aircraft" means an aircraft that is carrying one or more than one passenger; (*aéronef de passagers*)

"passenger railway vehicle" means a railway vehicle that is carrying one or more than one passenger; (*véhicule ferroviaire à passagers*)

"passenger road vehicle" means a road vehicle that is carrying one or more than one passenger; (*véhicule routier à passagers*)

"passenger ship" means a ship carrying

(a) for the purposes of any provisions of these Regulations that refer to dangerous goods that are included in Class 1,

(i) more than 12 passengers, or

provoquent des troubles pathologiques chez l'animal ou l'être humain. (*infectious substances*)

«matière radioactive» S'entend au sens du *Règlement sur l'emballage des matières radioactives destinées au transport*. (*radioactive material*)

«matière radioactive solide de faible activité» ou «MSFA» S'entend au sens du *Règlement sur l'emballage des matières radioactives destinées au transport*. (*low-level solid radioactive material* ou *LLS*)

«matière radioactive sous forme spéciale» S'entend au sens du *Règlement sur l'emballage des matières radioactives destinées au transport*. (*special form radioactive material*)

«NACE» Sigle désignant la *National Association of Corrosion Engineers*. (*NACE*)

«navire» Y sont assimilés les ouvrages flottants munis ou non d'un moyen de propulsion, qui sont utilisés ou utilisables exclusivement ou non à des fins de navigation. Sont inclus dans la présente définition les aéroglisseurs utilisés principalement sur l'eau. (*ship*)

«navire à passagers» S'entend

a) pour l'application des dispositions du présent règlement qui ont trait aux marchandises dangereuses incluses dans la classe 1, d'un navire transportant

(i) plus de 12 passagers, ou

(ii) plus de un passager par 3 m de longueur,

le plus petit nombre étant retenu;

b) pour l'application des dispositions du présent règlement qui ont trait aux marchandises dangereuses autres que celles incluses dans la classe 1, d'un navire transportant

(i) plus de 25 passagers, ou

(ii) plus de un passager par 3 m de longueur,

le nombre le plus élevé étant retenu. (*passenger ship*)

«nombre admissible» En ce qui concerne les colis contenant des marchandises dangereuses dont la classification primaire est la classe 7, s'entend au sens du *Règlement sur l'emballage des matières radioactives destinées au transport*. (*allowable number*)

«numéro d'identification du produit» ou «NIP» Désignation numérique ou alphanumérique figurant à la colonne II d'une liste et servant à identifier la marchandise dangereuse décrite à la colonne I de la liste. (*product identification number* ou *PIN*)

«OACI» Sigle désignant l'Organisation de l'aviation civile internationale. (*ICAO*)

«OMI» Sigle désignant l'Organisation maritime internationale. (*IMO*)

«ONGC» Sigle désignant l'Office des normes générales du Canada. (*CGSB*)

«passager» Dans le cas

a) d'un individu voyageant à bord d'un navire, s'entend au sens de la *Loi sur la marine marchande du Canada*;

b) d'un individu voyageant à bord d'un moyen de transport, autre qu'un navire, s'entend de celui qui n'est pas

(i) un membre de l'équipage,

(ii) l'exploitant,

(iii) un employé de l'exploitant,

(iv) un inspecteur,

- (ii) more than one passenger for each 3 m of the length of the ship,
whichever is the lesser or
- (b) for the purposes of any provisions of these Regulations that refer to dangerous goods other than dangerous goods included in Class 1,
- (i) at least 25 passengers, or
- (ii) more than one passenger for each 3 m of the length of the ship,
- whichever is the greater; (*navire à passagers*)
- “portable tank” means a tank, other than a part of a means of transport, that is designed to be loaded into, loaded on or temporarily attached to a vehicle or a ship, that is equipped with skids, mountings or accessories to facilitate handling of the tank by mechanical means but does not include a multi-unit tank car tank; (*citerne portable*)
- “product identification number” or “PIN” in respect of dangerous goods described in column I of an item of a List, means the number and letters, if any, specified in column II of that item; (*numéro d’identification du produit or NIP*)
- “public passenger railway vehicle” means a passenger railway vehicle that is carrying any passenger for hire or reward; (*véhicule ferroviaire public à passagers*)
- “public passenger road vehicle” means a passenger road vehicle that is carrying any passenger for hire or reward; (*véhicule routier public à passagers*)
- “radioactive material” has the same meaning as in the *Transport Packaging of Radioactive Materials Regulations*; (*matière radioactive*)
- “railway vehicle” means any machine designed to be drawn or propelled by any power, other than muscular power, and that operates exclusively on rail; (*véhicule ferroviaire*)
- “receptacle” means a containment vessel used for receiving and holding substances or articles, and includes any closures; (*réceptient*)
- “road vehicle” means any machine that operates on land, other than exclusively on rail, that is designed to be drawn or propelled by any power, other than muscular power, and includes an air cushion vehicle that operates primarily over land; (*véhicule routier*)
- “Ro-Ro” means a Roll-on/roll-off ship;
- “safety explosives” means explosives included in Division 4 of Class 1 and Compatibility Group S; (*explosif de sûreté*)
- “SAE” means the Society of Automotive Engineers; (*SAE*)
- “semi-trailer” means a trailer that is so constructed that a major part of its mass rests upon the road vehicle that tows the trailer; (*semi-remorque*)
- “ship” includes any description of water craft used or capable of being used solely or partly for navigation without regard to method or lack of propulsion and includes an air cushion vehicle that operates primarily over water; (*navire*)
- “shipping name”, in respect of a product or substance set out in an item of a List, the words that are not italicized in Column I of that item; (*appellation réglementaire*)
- “short-run ferry” means a ship that regularly operates over the most direct water route between two points not more than 3 km apart and that is limited to the transport of unberthed
- (v) une personne accompagnant un envoi.
- (*passenger*)
- «petit conteneur» Conteneur d’une capacité en eau d’au plus 454 L. (*small container*)
- «pièces de coin» Aménagement d’ouvertures et de faces disposées aux angles supérieurs ou inférieurs d’un conteneur de fret et permettant de le manutentionner, de le gerber ou de l’assujettir. (*corner fittings*)
- «point d’éclair» Température la plus basse à laquelle un liquide ou un solide dégage, pendant l’épreuve en creuset fermé visée à la partie I de l’annexe VI, de la vapeur en une concentration telle que, lorsque cette vapeur se mélange avec de l’air à proximité de la surface du liquide ou du solide, il se forme un mélange inflammable. (*flash point*)
- «pression atmosphérique normale» Pression absolue de 101,325 kPa à 20°C. (*normal atmospheric pressure*)
- «quantité limitée» Quantité d’une marchandise dangereuse n’excédant pas la quantité prescrite à l’annexe VIII pour les emballages intérieurs de cette marchandise. (*limited quantity*)
- «quantité nette d’explosifs» Masse nette des explosifs ou des substances pyrotechniques transportés, exclusion faite
- a) de la masse de l’emballage, dans le cas des matières transportées par aéronef;
- b) de la masse des douilles, dispositifs, boîtes, enveloppes d’emballage ou emballages, dans le cas des matières transportées par un moyen de transport autre qu’un aéronef.
- (*net explosives quantity*)
- «réceptient» Objet creux servant à recevoir et à contenir des matières ou des objets. La présente définition inclut le couvercle ou tout autre dispositif servant à fermer le réceptient. (*receptacle*)
- «réceptient intérieur» Réceptient qui nécessite une protection intérieure ou extérieure supplémentaire pour satisfaire aux exigences de confinement. (*inner receptacle*)
- «Recommandations de l’ONU» Recommandations contenues dans les *Recommandations élaborées par le comité des experts en matière de transport des marchandises dangereuses*, 3^e édition révisée, 1984, Nations-Unies, New York. (*UN Recommendations*)
- «remorque» Véhicule routier conçu pour être tiré par un autre véhicule routier et pour transporter des personnes ou des marchandises. Sont inclus dans la présente définition les semi-remorques et les remorques-châssis. (*trailer*)
- «remorque-châssis» Remorque conçue pour transporter un conteneur de fret qui est assujéti au châssis de la remorque au moyen d’un dispositif de fixation à verrous tournants ou d’un dispositif de sécurité à goupilles. (*chassis trailer*)
- «remorque-citerne» Remorque munie d’une citerne qui y est fixée en permanence et qui n’est pas le réservoir de carburant servant à des pièces d’équipement de la remorque. (*tank trailer*)
- «remorque porte-tubes» Remorque sur laquelle un ensemble de tubes est fixé. (*tube trailer*)

- passengers and transport units on an open vehicle deck; (*traversier*)
- “small container” means a container with a water capacity of 454 L or less; (*petit conteneur*)
- “special form radioactive material” has the same meaning as in the *Transport Packaging of Radioactive Materials Regulations*; (*matière radioactive sous forme spéciale*)
- “special provision” means an item of Schedule III referred to in column IV of a List; (*disposition particulière*)
- “specified”, in respect of dangerous goods, means the dangerous goods for which the shipping name is set out in lower case letters in column I of a List; (*désignée par l'appellation individuelle*)
- “S.U.S.” means Saybolt Universal Seconds as determined by
- (a) the *Standard Method of Test for Saybolt Viscosity*, ASTM D88-56, or
 - (b) use of the S.U.S. conversion tables specified in ASTM Method D2161-66 following determination of viscosity in accordance with the procedures specified in the *Standard Method of Test for Viscosity of Transparent and Opaque Liquids*, ASTM D445-65;
- (S.U.S.)
- “tank” means a closed large container or a closed cargo compartment designed to carry liquids, gases or solids in bulk; (*citerne*)
- “tank car” means a railway vehicle to which a tank, other than a fuel tank that is required for the purpose of supplying fuel for propulsion of the railway vehicle or for the operation of other equipment of the railway vehicle, is permanently attached; (*wagon-citerne*)
- “tank container” means a portable tank that is also a freight container; (*conteneur-citerne*)
- “tank trailer” means a trailer to which a tank, other than a fuel tank that is required for the operation of the trailer, is permanently attached; (*remorque-citerne*)
- “tank truck” means a truck to which a tank, other than a fuel tank that is required for the purpose of supplying fuel for propulsion of the truck or for the operation of other equipment on the truck, is permanently attached; (*camion-citerne*)
- “technical name” means the chemical name, or another name that describes the chemical nature of a substance, currently used in a scientific or technical handbook, journal or text but does not include a trade name; (*appellation technique*)
- “trailer” means a road vehicle that is designed to be drawn behind another road vehicle and to carry individuals or goods and includes a semi-trailer and a chassis trailer; (*remorque*)
- “transborder consignment”, in respect of dangerous goods, means a consignment that is transported between Canada and the United States by road or rail or by ship on a home-trade voyage Class II; (*envoi transfrontalier*)
- “transport index” has the same meaning as in the *Transport Packaging of Radioactive Materials Regulations*; (*indice de transport*)
- “transport unit” means
- (a) a freight container,
 - (b) a road vehicle,
- «SAE» Sigle désignant la *Society of Automotive Engineers*. (SAE)
- «semi-remorque» Remorque construite de façon qu'une partie appréciable de sa masse soit supportée par le véhicule routier qui la tire. (*semi-trailer*)
- «substance nocive» Matière ou produit inclus dans la division 2 de la classe 9, à la liste II de l'annexe II. (*hazardous substance*)
- «suremballage» Enveloppe non réutilisable dans laquelle l'expéditeur réunit deux emballages ou plus pour en faciliter la manutention. La présente définition exclut les unités de chargement. (*overpack*)
- «S.U.S.» Sigle désignant les *Saybolt Universal Seconds*, déterminées au moyen
- a) de la méthode intitulée *Standard Method of Test for Saybolt Viscosity*, ASTM D88-56; ou
 - b) des tables de conversion S.U.S. précisées à la méthode d'épreuve ASTM D2161-66, après détermination de la viscosité de la manière prescrite par la *Standard Method of Test for Viscosity of Transparent and Opaque Liquids*, ASTM D445-65.
- (S.U.S.)
- «tracteur» Véhicule routier automoteur conçu et utilisé principalement pour tirer une remorque et construit de façon à ne pouvoir porter aucune charge autre qu'une partie de la masse d'une remorque. (*truck tractor*)
- «transporteur» Personne qui se livre au transport de marchandises ou de passagers, à titre onéreux ou gratuit. (*carrier*)
- «traversier» Navire faisant la navette, par l'itinéraire le plus direct, entre deux points situés à une distance d'au plus 3 km l'un de l'autre, et servant uniquement à transporter des passagers sans offrir d'installations de couchette, ainsi que des unités de transport en garage ouvert. (*short-run ferry*)
- «tube» Grand conteneur ayant une capacité en eau supérieure à 454 L, qui est en forme de cylindre sans soudure et est capable de résister à une pression interne de service d'au moins 3 450 kPa. (*tube*)
- «ULC» Sigle désignant l'*Underwriters Laboratories of Canada*. (ULC)
- «unité de chargement» Conteneur de fret aérien, conteneur pour avion, palette d'avion sans filet ou dotée d'un igloo recouvert d'un filet. La présente définition exclut tout suremballage. (*unit load device*)
- «unité de transport» L'un des conteneurs ou véhicules suivants:
- a) conteneur de fret;
 - b) véhicule routier;
 - c) véhicule ferroviaire;
 - d) citerne portable;
 - e) conteneur de fret transporté sur un véhicule routier;
 - f) conteneur de fret transporté sur un véhicule ferroviaire;
 - g) citerne portable transportée sur un véhicule routier;
 - h) citerne portable transportée sur un véhicule ferroviaire.
- (transport unit)
- «véhicule ferroviaire» Tout engin sur rail conçu pour être mù par une forme d'énergie autre que l'énergie musculaire. (*railway vehicle*)

- (c) a railway vehicle,
- (d) a portable tank,
- (e) a freight container carried on a road vehicle,
- (f) a freight container carried on a railway vehicle,
- (g) a portable tank carried on a road vehicle, or
- (h) a portable tank carried on a railway vehicle;

(*unité de transport*)

“truck” means a self-propelled road vehicle designed primarily for the transportation of goods but does not include a truck tractor; (*camion*)

“truck tractor” means a self-propelled road vehicle that is designed and used primarily for drawing trailers and that is not constructed to carry a load other than a part of the mass of a trailer; (*tracteur*)

“tube” means a large container with a water capacity greater than 454 L, that is in a seamless, cylindrical form and is capable of withstanding an internal service pressure of at least 3 450 kPa; (*tube*)

“tube trailer” means a trailer on which a cluster of tubes is attached; (*remorque porte-tubes*)

“ULC” means Underwriters Laboratories of Canada; (*ULC*)

“UN Recommendations” means the recommendations contained in the *Recommendations of the Committee of Experts on the Transport of Dangerous Goods*, 3rd Revised Edition, 1984; United Nations, New York; (*Recommandations de l'ONU*)

“unit load device” means any type of aircraft freight container, aircraft container, aircraft pallet with a net or aircraft pallet with a net over an igloo, but does not include an overpack; (*unité de chargement*)

“waste” means a product or substance that is intended for disposal; (*déchet*)

“water capacity” means a capacity of water at 15° C and at an absolute pressure of 101.325 kPa; (*capacité en eau*)

“X” in respect of a packing group, means that the packaging requirements are specific to a substance or product; (*X*)

«véhicule ferroviaire à passagers» Véhicule ferroviaire transportant un ou plusieurs passagers. (*passenger railway vehicle*)

«véhicule ferroviaire public à passagers» Véhicule ferroviaire à passager qui transporte un ou plusieurs passagers contre rémunération. (*public passenger railway vehicle*)

«véhicule routier» Tout engin se déplaçant sur terre, autrement que par rail, et conçu pour être mû par une forme d'énergie autre que l'énergie musculaire. Sont inclus dans la présente définition les aéroglosses utilisés principalement sur terre. (*road vehicle*)

«véhicule routier à passagers» Véhicule routier transportant un ou plusieurs passagers. (*passenger road vehicle*)

«véhicule routier public à passagers» Véhicule routier à passagers qui transporte un ou plusieurs passagers contre rémunération. (*public passenger road vehicle*)

«vide» Dans le cas d'une unité de transport ou d'un grand conteneur, qualifie celui duquel a été enlevée la plus grande quantité possible de marchandises dangereuses, conformément aux méthodes reconnues. (*empty*)

«voyage de cabotage» S'entend au sens de la *Loi sur la marine marchande du Canada*. (*home-trade voyage*)

«voyage de cabotage, classe II» Voyage de cabotage au cours duquel

a) un navire naviguant vers le sud sur la côte atlantique ne se rend pas au-delà du port de New York ou, sur la côte pacifique, ne se rend pas au-delà du port de Portland (Oregon);

b) le navire demeure dans un rayon de 120 milles marins de la côte; et

c) la distance entre deux ports d'escale quelconques n'est pas supérieure à 200 milles marins.

(*home-trade voyage, Class II*)

«wagon-citerne» Véhicule ferroviaire muni d'une citerne qui en fait partie intégrante ou y est fixée en permanence, et qui n'est pas le réservoir de carburant servant à l'alimentation du moteur du véhicule ou au fonctionnement de toute autre pièce d'équipement du véhicule. (*tank car*)

«wagon porte-conteneur» Véhicule ferroviaire conçu pour transporter un conteneur de fret qui est assujéti au châssis du véhicule au moyen d'un dispositif de fixation à verrous tournants ou d'un dispositif de sécurité à goupilles. (*container car*)

«X» Dans le cas d'un groupe d'emballage, lettre indiquant que les exigences d'emballage sont propres à une matière ou à un produit donnés. (*X*)

PART II

APPLICATION

2.1 (1) Unless otherwise provided in Schedule III or in this Part, these Regulations apply to all handling, offering for transport and transporting of dangerous goods, by any means of transport, whether or not for hire or reward and whether or not the goods originate from or are destined for any place or places in Canada.

(2) Unless otherwise provided in Schedule III or in this Part, these Regulations apply to all transporting of dangerous

PARTIE II

APPLICATION

2.1 (1) Sauf disposition contraire de l'annexe III ou de la présente partie, le présent règlement s'applique à la manutention, à la demande de transport et au transport, à titre onéreux ou gratuit, de marchandises dangereuses, qu'elles aient ou non le Canada comme lieu d'origine ou de destination.

(2) Sauf disposition contraire de l'annexe III ou de la présente partie, le présent règlement s'applique à toutes les

goods by ships, vessels and aircraft registered in Canada, whether in or outside Canada.

2.2 For the purpose of paragraph 3(3)(b) of the Act, the handling, offering for transport or transporting of dangerous goods is deemed to be under the sole direction or control of the Minister of National Defence if the dangerous goods are

(a) in or on a means of transport owned and operated by the Department of National Defence or operated on behalf of the Department of National Defence by

- (i) an employee of the Department of National Defence,
- (ii) an officer or a man of the Canadian Forces, or
- (iii) civilian personnel who are not employed by the Department of National Defence, where the means of transport is accompanied at all times by and is under the direct responsibility of an employee of the Department of National Defence or an officer or a man of the Canadian Forces;

(b) in or on a means of transport owned and operated by the military establishment of a member country of the North Atlantic Treaty Organization or operated on behalf of that establishment by

- (i) the military or civilian personnel of that establishment, or
- (ii) civilian personnel who are not employed by that military establishment if the means of transport is accompanied at all times by and is under the direct responsibility of military or civilian personnel of that country's military establishment; or

(c) in or on a means of transport owned by another country and operated by it in Canada pursuant to an agreement with the Department of National Defence, or operated on behalf of that other country, pursuant to such an agreement, by

- (i) the military or civilian personnel of the military establishment of that other country, or
- (ii) civilian personnel who are not employed by the military establishment of that country if the means of transport is accompanied at all times by and is under the direct responsibility of military or civilian personnel of the military establishment of that country.

Exemptions in Relation to any Means of Transport

2.3 These Regulations do not apply to the handling, offering for transport or transporting by any means of transport

(a) of the products or substances referred to in subparagraphs (i) to (xxx) if the product or substance is not used to form mixtures or solutions with dangerous goods other than with dangerous goods for which it is expressly permitted by this section for the product or substance:

- (i) p-Bromobenzyl cyanide,
- (ii) cinnabar,
- (iii) ferricyanides,
- (iv) ferrocyanides,
- (v) mercurous chloride,
- (vi) sodium dichloroisocyanurate dihydrate,

opérations de transport de marchandises dangereuses effectuées par des navires ou des aéronefs immatriculés au Canada, même s'ils ne s'y trouvent pas.

2.2 Aux fins de l'alinéa 3(3)b) de la Loi, la manutention, la demande de transport ou le transport de marchandises dangereuses est présumé être sous la seule responsabilité du ministre de la Défense nationale, dans la mesure où les marchandises dangereuses sont

a) à bord d'un moyen de transport appartenant au ministère de la Défense nationale et exploité par lui, ou d'un moyen de transport exploité au nom de ce ministère par

- (i) un employé du ministère de la Défense nationale,
- (ii) un membre des Forces armées canadiennes, ou
- (iii) un civil qui n'est pas employé par le ministère de la Défense nationale, si le moyen de transport est accompagné en tout temps par un employé de ce ministère ou un membre des Forces armées canadiennes, et est sous sa responsabilité immédiate;

b) à bord d'un moyen de transport appartenant aux autorités militaires d'un pays membre de l'Organisation du traité de l'Atlantique Nord et exploité par elles, ou d'un moyen de transport exploité au nom de ces autorités par

- (i) un membre de l'effectif militaire ou civil de ces autorités militaires,
- (ii) un civil qui n'est pas employé par ces autorités militaires, si le moyen de transport est accompagné en tout temps par un membre de l'effectif militaire ou civil de ces autorités militaires, et est sous sa responsabilité immédiate; ou

c) à bord d'un moyen de transport appartenant à un autre pays et exploité par ce pays au Canada aux termes d'une entente conclue avec le ministère de la Défense nationale, ou d'un moyen de transport exploité au nom de ce pays, aux termes d'une telle entente, par

- (i) un membre de l'effectif militaire ou civil des autorités militaires de ce pays, ou
- (ii) un civil qui n'est pas employé par les autorités militaires de ce pays, si le moyen de transport est accompagné en tout temps par un membre de l'effectif militaire ou civil de ces autorités militaires, et est sous sa responsabilité immédiate.

Exemptions visant tous les moyens de transport

2.3 Sont exclus de l'application du présent règlement la manutention, la demande de transport et le transport, par tout moyen de transport, des marchandises dangereuses suivantes:

a) les matières ou produits nommés aux sous-alinéas (i) à (xxx), dans la mesure où ceux-ci ne sont pas utilisés pour former des mélanges ou des solutions avec des marchandises dangereuses autres que celles expressément permises aux sous-alinéas respectifs:

- (i) le cyanure de p-bromobenzyle,
- (ii) le cinabre,
- (iii) les ferricyanures,
- (iv) les ferrocyanures,
- (v) le chlorure mercureux,
- (vi) le dihydrate de dichloroisocyanurate de sodium,

(vii) acetic acid in concentration not greater than 10 per cent by mass,

(viii) charcoal or carbon that is

(A) in lumps that have been cooled for at least four days from the date of manufacture, or

(B) in powdered or granulated form with granules that are less than 8 mm in size and that have been air cooled in thin layers for at least eight days from the date of manufacture,

(ix) aluminum powder, coated, if less than 20 per cent of the powder has a particle size that is less than 250 micrometres,

(x) ammoniating fertilizer solutions with an absolute pressure of ammonia not greater than 276 kPa at 41°C,

(xi) antimony oxides and antimony sulphides with not greater than 0.5 per cent arsenic by mass,

(xii) calcium cyanamide with not greater than 0.1 per cent calcium carbide by mass,

(xiii) cyclohexanone peroxides with not less than 70 per cent inert inorganic solid, by mass,

(xiv) dibenzoyl peroxide or benzoyl peroxide that is in concentration of less than 35.5 per cent, by mass, with finely ground starch, calcium sulphate dihydrate or dicalcium phosphate dihydrate, or that is in concentration of less than 30 per cent by mass with at least 70 per cent inert solid,

(xv) 1,3-Di-(2-tert-butylperoxyisopropyl) benzene or 1,4-Di-(2-tert-butylperoxyisopropyl) benzene, or mixtures of both, not less than 60 per cent of which consists of an inert solid, contained in outer packagings and each of which contains a total quantity not greater than 200 kg,

(xvi) Di-4-chlorobenzoyl peroxide or p-chlorobenzoyl peroxide with not less than 70 per cent inert inorganic solid, by mass,

(xvii) dicumyl peroxide with not less than 60 per cent inert inorganic solid, by mass,

(xviii) ferrosilicon that has been exposed to the air and has been kept dry for at least five days and, in the case of transportation by aircraft or by ship contains less than 30 per cent or at least 90 per cent silicon, by mass,

(xix) hafnium powder, dry, with no mechanically produced particles measuring less than 53 micrometres or no chemically produced particles less than 840 micrometres,

(xx) hydrogen peroxide, aqueous solutions with less than 8 per cent hydrogen peroxide,

(xxi) hypochlorite solutions, with not more than 5 per cent available chlorine,

(xxii) magnesium or magnesium alloys, in the form of pellets, turnings or ribbons, that contain not more than 50 per cent magnesium,

(xxiii) rubber scrap or rubber shoddy in a form other than powdered or granulated,

(xxiv) sodium chlorite, with not more than 5 per cent available chlorine,

(xxv) silicon, non-amorphous form,

(xxvi) soda lime, with not more than 4 per cent sodium hydroxide,

(vii) l'acide acétique en une concentration d'au plus 10 pour cent, en masse,

(viii) le charbon sous forme

(A) de morceaux qui ont été refroidis pendant au moins quatre jours après leur fabrication, ou

(B) de poudre ou de grains dont la taille des particules est inférieure à 8 mm, qui ont été refroidis à l'air en fines couches pendant au moins huit jours après leur fabrication,

(ix) l'aluminium en poudre, enrobé, dont moins de 20 pour cent des particules sont d'une taille inférieure à 250 micromètres,

(x) les engrais ammoniacaux en solution dans lesquels la pression absolue de l'ammoniac à 41°C ne dépasse pas 276 kPa,

(xi) les oxydes et les sulfures d'antimoine contenant au plus 0,5 pour cent d'arsenic, en masse,

(xii) la cyanamide calcique contenant au plus 0,1 pour cent de carbure de calcium, en masse,

(xiii) les peroxydes de cyclohexanone contenant un solide inorganique inerte qui représente au moins 70 pour cent de la masse,

(xiv) le peroxyde de dibenzoyle ou le peroxyde de benzoyle, en une concentration inférieure à 35,5 pour cent, en masse, contenant de l'amidon moulu fin, du sulfate de calcium dihydrate ou du phosphate bicalcique dihydrate, ou en une concentration inférieure à 30 pour cent, en masse, contenant un solide inerte qui représente au moins 70 pour cent de la masse,

(xv) le di-(tert-butyl-2 peroxyisopropyl)-1,3 benzène ou le di-(tert-butyl-2 peroxyisopropyl)-1,4 benzène, ou un mélange des deux, contenant un solide inerte qui représente au moins 60 pour cent de la masse et qui sont dans des emballages extérieurs dont chacun contient une quantité maximale de 200 kg,

(xvi) le peroxyde de di-4-chlorobenzoyle ou le peroxyde de p-chlorobenzoyle, contenant un solide inorganique inerte qui représente au moins 70 pour cent de la masse,

(xvii) le peroxyde de dicumyle contenant un solide inorganique inerte qui représente au moins 60 pour cent de la masse,

(xviii) le ferrosilicium qui a été exposé à l'air et gardé à sec pendant au moins cinq jours et qui, dans les cas où il est transporté par avion ou par navire, contient du silicium en une quantité inférieure à 30 pour cent ou d'au moins 90 pour cent de sa masse,

(xix) l'hafnium en poudre, sec, dont aucune des particules n'a une taille inférieure à 53 micromètres si celles-ci ont été produites mécaniquement, ou à 840 micromètres si elles ont été produites chimiquement,

(xx) le peroxyde d'hydrogène, en solutions aqueuses, contenant moins de 8 pour cent de peroxyde d'hydrogène,

(xxi) l'hypochlorite en solutions contenant au plus 5 pour cent de chlore libre,

(xxii) le magnésium ou les alliages de magnésium en copeaux, en granulés ou en rubans contenant au plus 50 pour cent de magnésium,

- (xxvii) solvent extracted soya bean meal free of flammable solvent and containing not more than 1.5 per cent oil, and not more than 11 per cent moisture,
- (xxviii) titanium powder dry, with no mechanically produced particles measuring less than 53 micrometres or with no chemically produced particles less than 840 micrometres,
- (xxix) tricresyl phosphate with not more than 3 percent of the ortho isomer, or
- (xxx) zirconium powder, dry, with no mechanically produced particles measuring less than 53 micrometres or no chemically produced particles less than 840 micrometres;
- (b) of specified dangerous goods
 - (i) that are in a mixture or any form, state or solution that no longer meets any of the criteria for or the definitions of Classes 2 to 6.1 and Class 8, and
 - (ii) that do not have a subsidiary classification of Division 2 of Class 9;
- (c) of garbage, sewage, seepage or sludge that is household in origin;
- (d) of low concentration hospital waste or other low concentration wastes of a medical nature, other than infectious substances set out in Schedule VII and radioactive materials;
- (e) of a prosthetic device attached to or implanted in an individual;
- (f) of a medical article, other than an article that contains oxygen, that is intended for the personal use of an individual if, in the case of a passenger on board an aircraft, the article is carried by the passenger as carry-on baggage;
- (g) of a cosmetic article that is intended for the personal use of an individual on board an aircraft if in the case of a passenger on board an aircraft, the article is carried by the passenger as carry-on baggage;
- (h) of refrigerators or freezers that contain less than 12 kg of non-flammable, non-poisonous liquefied compressed gas;
- (i) of dangerous goods, other than dangerous goods contained in heating and refrigerating systems of the means of transport, where the dangerous goods are necessary for the safety of the container if the dangerous goods are firmly secured, protected from external damage or form an integral part of the container;
- (j) of dangerous goods contained in a means of transport, other than dangerous goods contained in heating and refrigerating systems, where the dangerous goods are necessary
 - (i) for the operation of the means of transport, including spare parts or stores,
 - (ii) for the safety of the means of transport, or
 - (iii) for the safety of the persons on board the means of transport,
 if the dangerous goods are firmly secured, protected from external damage or form an integral part of the means of transport;
- (k) of a gas, other than a gas
 - (i) that is radioactive,
 - (ii) that is corrosive, or
 - (iii) that is poisonous,
- (xxiii) les déchets ou les chutes de caoutchouc sous une forme autre que celle de poudre ou de granulés,
- (xxiv) le chlorite de sodium contenant au plus 5 pour cent de chlore libre,
- (xxv) le silicium sous une forme autre que celle de poudre amorphe,
- (xxvi) la chaux sodée contenant au plus 4 pour cent d'hydroxyde de sodium,
- (xxvii) la farine de graines de soja extraite par solvant, qui contient au plus 1,5 pour cent d'huile et au plus 11 pour cent d'humidité et ne renferme aucun solvant inflammable,
- (xxviii) le titane en poudre, sec, dont aucune des particules n'a une taille inférieure à 53 micromètres si celles-ci ont été produites mécaniquement ou à 840 micromètres si elles ont été produites chimiquement,
- (xxix) le phosphate tricrésilique contenant au plus 3 pour cent d'isomère ortho,
- (xxx) le zirconium en poudre, sec, aucune des particules n'a une taille inférieure à 53 micromètres si celles-ci ont été produites mécaniquement, ou à 840 micromètres si elles ont été produites chimiquement;
- b) les marchandises désignées par l'appellation individuelle,
 - (i) qui sont dans un mélange, une solution, un état ou sous une forme qui ne répondent plus aux critères ou à la définition des classes 2 à 6.1 ou 8, et
 - (ii) dont la classification subsidiaire n'est pas la division 2 de la classe 9;
- c) les ordures, les eaux usées, les écoulements ou les boues d'origine ménagère;
- d) les déchets d'hôpitaux ou de nature médicale à faible concentration, à l'exception des matières infectieuses visées à l'annexe VII et des matières radioactives;
- e) les implants ou les prothèses attachées à la personne;
- f) les articles médicaux, autres que ceux contenant de l'oxygène, qui sont destinés à l'usage personnel d'un individu et qui, dans le cas d'un passager à bord d'un aéronef, font partie de son bagage de cabine;
- g) les cosmétiques destinés à l'usage personnel d'un passager et qui, dans le cas d'un passager à bord d'un aéronef, font partie de son bagage de cabine;
- h) les réfrigérateurs ou les congélateurs contenant moins de 12 kg de gaz comprimé liquéfié, non toxique et inflammable;
- i) les marchandises dangereuses, autres que celles contenues dans les systèmes de chauffage et de refroidissement du moyen de transport, qui sont nécessaires pour assurer la sécurité du conteneur et qui font partie intégrante du conteneur ou y sont solidement fixées et protégées contre tout choc extérieur;
- j) les marchandises dangereuses chargées à bord d'un moyen de transport, autres que celles contenues dans les systèmes de chauffage et de refroidissement, qui sont nécessaires
 - (i) au fonctionnement du moyen de transport, notamment les pièces de rechange et les provisions de matériel,
 - (ii) à la sécurité du moyen de transport, ou
 - (iii) à la sécurité des personnes à bord du moyen de transport,

where the gas is to be used for testing purposes and is contained in a cylinder that

- (iv) has a water capacity not exceeding 1 L,
- (v) complies with the requirements set out in sections 73.302, 73.304 and 73.305 of the *Regulations for the Transportation of Dangerous Commodities by Rail*,
- (vi) is filled to one-half or less of its gauge service pressure at 55°C,
- (vii) is packed to protect its valves and attachments, and
- (viii) is contained in a packaging or a small container that is marked to indicate

- (A) the shipping name of the gas,
- (B) the classification of the gas, and
- (C) the words "test gas-exempt" or "gaz de laboratoire-exempt";

(l) of environmentally hazardous substances that are included in Division 2 of Class 9 and that are

- (i) preservatives, herbicides or pesticides in quantities that are permitted in foods pursuant to the *Food and Drugs Act*,
- (ii) substances that are subject to the *Environmental Contaminants Act* and are in quantities less than the quantities permitted by that Act, or
- (iii) substances that are in quantities less than 0.01 per cent by mass if these substances are not subject to the *Food and Drugs Act* or the *Environmental Contaminants Act*;

(m) other than by aircraft, of wastes that are described or named in column I of an item of List II of Schedule II and that are

- (i) solids in quantities less than 5 kg, or
- (ii) liquids in quantities less than 5 L;

(n) of biological products that are finished biological products including live vaccines, or unfinished biological products and attenuated live vaccines for

- (i) human or veterinary use,
- (ii) development or investigational purposes for use in humans or animals, or
- (iii) experimental treatment of animals,

and such biological products are prepared in accordance with the procedures set out by or under the *Food and Drugs Act* but the exportation of which may be subject to the authorization of the country of destination;

(o) of dissolved gases in foods that are contained in any inner packaging other than an aerosol; or

(p) of dangerous goods that are

- (i) described in section 5 of the *Transport Packaging of Radioactive Materials Regulations* if the shipping document indicates the words "Excepted Radioactive Material—Limited activity" or "Matière radioactive exemptée—activité limitée",
- (ii) described in section 6 of the *Transport Packaging of Radioactive Materials Regulations* if the shipping document indicates the words "Excepted Radioactive Materials, instruments and articles" or "Matières, instruments et objets radioactifs exemptés",

si elles font partie intégrante du moyen de transport ou y sont solidement fixées et protégées contre tout choc extérieur;

k) les gaz, autres que les gaz

- (i) radioactifs,
- (ii) corrosifs, ou
- (iii) toxiques,

qui sont destinés à être utilisés aux fins d'épreuves et qui sont contenus dans une bouteille à gaz

- (iv) dont la capacité en eau est d'au plus 1 L,
- (v) qui est conforme aux exigences des articles 73.302, 73.304 et 73.305 du règlement intitulé *Regulations for the Transportation of Dangerous Commodities by Rail*,
- (vi) qui est remplie d'au plus la moitié de sa pression manométrique de service à 55°C,
- (vii) qui est emballée de façon que les pièces qui y sont attachées et les soupapes soient protégées, et
- (viii) qui est contenue dans un emballage ou un petit conteneur portant

- (A) l'appellation réglementaire du gaz,
- (B) la classification du gaz, et
- (C) la mention «gaz de laboratoire-exempt» ou «test gas-exempt»;

l) les substances nocives pour l'environnement incluses dans la division 2 de la classe 9 qui sont

- (i) des agents de conservation, des herbicides ou des pesticides, dont la quantité est conforme à celle que la *Loi des aliments et drogues* tolère dans les aliments,
- (ii) des substances soumises à la *Loi sur les contaminants de l'environnement*, dont la quantité est inférieure à celle autorisée par cette loi, ou
- (iii) des substances non soumises à la *Loi des aliments et drogues* ou à la *Loi sur les contaminants de l'environnement*, dont la quantité est inférieure à 0,01 pour cent, en masse;

m) dans le cas du transport autrement que par aéronef, les déchets visés à la colonne I de la liste II de l'annexe II qui sont

- (i) des solides en une quantité inférieure à 5 kg, ou
- (ii) des liquides en une quantité inférieure à 5 L;

n) les produits biologiques qui sont des produits finis, y compris les vaccins vivants, des produits non finis ou des vaccins vivants atténués, destinés

- (i) à l'usage des êtres humains ou des animaux,
- (ii) à des fins de développement et de recherche, à l'intention des êtres humains ou des animaux, ou
- (iii) à des traitements expérimentaux appliqués aux animaux,

et qui sont préparés conformément aux méthodes établies en vertu de la *Loi des aliments et drogues*, l'exportation desquels pouvant être soumise à l'autorisation du pays de destination;

o) les gaz dissous dans des aliments qui sont contenus dans des emballages intérieurs autres que les aérosols;

p) les marchandises dangereuses

- (i) qui sont décrites à l'article 5 du *Règlement sur l'emballage des matières radioactives destinées au transport*

(iii) described in section 7 of the *Transport Packaging of Radioactive Materials Regulations* if the shipping document indicates the words "Excepted radioactive articles, manufactured from natural/depleted uranium, natural thorium" or "Objets radioactifs exemptés, fabriqués à base d'uranium naturel" ou "appauvri ou de thorium naturel",

(iv) described in section 8 of the *Transport Packaging of Radioactive Materials Regulations* if the shipping document indicates the words "Excepted Radioactive Material—Empty package" or "Matière radioactive exemptée—emballage vide", or

(v) described in subsection 9(2) of the *Transport Packaging of Radioactive Materials Regulations* if the shipping document indicates the words "Fissile limited activity" or "Fissile de faible activité".

2.4 These Regulations do not apply to the transporting by any means of transport of

(a) dangerous goods, other than dangerous goods included in Class 1 or Class 7, solely within the confines of a manufacturing or processing facility if public access to the facility is controlled;

(b) dangerous goods included in Class 1, solely within the confines of a property licensed under the *Explosives Act*; or

(c) dangerous goods included in Class 7, solely within the confines of a property licensed under the *Atomic Energy Control Act*.

2.5 (1) Parts IV and V do not apply to the handling, offering for transport or transporting by any means of transport, other than by aircraft or by ship, of a self-propelled vehicle that does not carry dangerous goods cargo, if the self-propelled vehicle is enclosed during transport.

(2) Part V does not apply to the handling, offering for transport or transporting by aircraft or by ship of a self-propelled vehicle that does not carry dangerous goods cargo, if the self-propelled vehicle is enclosed during transport.

(3) Parts III to V and IX to XIII do not apply to the handling, offering for transport or transporting by any means of transport of a self-propelled vehicle that does not carry dangerous goods cargo, if the self-propelled vehicle is not enclosed during transport.

et dont le document d'expédition porte la mention «Matière radioactive exemptée—activité limitée» ou «Excepted Radioactive Material—Limited activity»,

(ii) qui sont décrites à l'article 6 du *Règlement sur l'emballage des matières radioactives destinées au transport* et dont le document d'expédition porte la mention «Matières, instruments et objets radioactifs exemptés» ou «Excepted Radioactive Materials, instruments and articles»,

(iii) qui sont décrites à l'article 7 du *Règlement sur l'emballage des matières radioactives destinées au transport* et dont le document d'expédition porte la mention «Objets radioactifs exemptés, fabriqués à base d'uranium naturel» ou «appauvri ou de thorium naturel» ou «Excepted radioactive articles, manufactured from natural/depleted uranium, natural thorium»,

(iv) qui sont décrites à l'article 8 du *Règlement sur l'emballage des matières radioactives destinées au transport* et dont le document d'expédition porte la mention «Matière radioactive exemptée—emballage vide» ou «Excepted Radioactive Material—Empty package»,

(v) qui sont décrites au paragraphe 9(2) du *Règlement sur l'emballage des matières radioactives destinées au transport* et dont le document d'expédition porte la mention «Fissile de faible activité» ou «Fissile limited activity».

2.4 Est exclu de l'application du présent règlement le transport, par tout moyen de transport,

a) des marchandises dangereuses autres que celles incluses dans les classes 1 ou 7, à l'intérieur des limites d'un établissement de fabrication ou de transformation auquel l'accès du public est contrôlé;

b) des marchandises dangereuses incluses dans la classe 1, à l'intérieur des limites d'une installation pour laquelle une licence a été délivrée en vertu de la *Loi sur les explosifs*; ou

c) des marchandises dangereuses incluses dans la classe 7, à l'intérieur des limites d'une installation pour laquelle une licence a été délivrée en vertu de la *Loi sur le contrôle de l'énergie atomique*.

2.5 (1) Sont exclus de l'application des parties IV et V la manutention, la demande de transport et le transport, par tout moyen de transport autre qu'un aéronef ou un navire, d'un véhicule automoteur qui n'est pas chargé d'une cargaison de marchandises dangereuses, si ce véhicule est dans un endroit fermé durant le transport.

(2) Sont exclus de l'application de la partie V la manutention, la demande de transport et le transport, par aéronef ou par navire, d'un véhicule automoteur qui n'est pas chargé d'une cargaison de marchandises dangereuses, si ce véhicule est dans un endroit fermé durant le transport.

(3) Sont exclus de l'application des parties III à V et IX à XIII la manutention, la demande de transport et le transport, par tout moyen de transport, d'un véhicule automoteur qui n'est pas chargé d'une cargaison de marchandises dangereuses, si ce véhicule est dans un endroit non fermé durant le transport.

2.6 Parts III to VI and VIII to XIII do not apply to the handling, offering for transport or transporting by any means of transport of a domestic consignment of goods that are

- (a) an alcoholic beverage
 - (i) that has a flash-point greater than 23°C,
 - (ii) that contains not more than 70 per cent alcohol by volume, and
 - (iii) that is contained in an inner receptacle or in an inner packaging that has a water capacity not greater than 5 L,
- if the consignment is accompanied by a shipping document that sets out the name of the goods and the goods are contained in packagings that are marked
 - (iv) in accordance with the *Excise Act*, or
 - (v) in accordance with provincial regulations respecting bonded commodities; or
- (b) a solution of water-miscible flammable liquid
 - (i) that has a flashpoint greater than 23°C, and
 - (ii) that has a volume

(A) not more than 50 per cent of which consists of a water-miscible liquid that has a flash point less than 37.8°C, and

(B) at least 50 per cent of which consists of a substance that is not dangerous goods,

if the consignment is accompanied by a shipping document that sets out the name of the goods and the goods are contained in packagings that are marked with the words "alcohol exempt" or "alcool exempt".

2.7 Parts III to VII and IX to XIII do not apply to the handling, offering for transport or transporting by any means of transport of ferrous metal borings, shavings, turnings or cuttings that have no self-heating properties.

2.8 These Regulations do not apply to the handling, offering for transport or transporting by any means of transport, of a domestic consignment of lithium batteries where

- (a) each cell contains not more than 0.5 g of lithium or lithium alloy and each battery contains an aggregate quantity of not more than 1 g of lithium or lithium alloy, or
- (b) each battery contains more than 0.5 g of lithium or lithium alloy and it does not contain a liquid or a gas that is dangerous goods, unless the liquid or gas, if free, would be completely absorbed or neutralized by other materials in the battery and each cell and battery is hermetically sealed,

and cells and batteries are separated so as to prevent short circuits and batteries are packed in strong packagings, except when they are installed in electronic devices.

Exemptions in Relation to Aircraft

2.9 Subject to Part IX and Part XII, these Regulations do not apply to the handling, offering for transport or transport-

2.6 Sont exclus de l'application des parties III à VI et VIII à XIII la manutention, la demande de transport et le transport, par tout moyen de transport,

- a) d'un envoi intérieur de boissons alcooliques
 - (i) dont le point d'éclair est supérieur à 23°C,
 - (ii) qui contiennent au plus 70 pour cent d'alcool, en volume, et
 - (iii) qui sont contenues dans un récipient intérieur ou un emballage intérieur d'une capacité en eau d'au plus 5 L,
- si cet envoi est accompagné d'un document d'expédition portant le nom des marchandises et que celles-ci sont contenues dans des emballages marqués conformément
 - (iv) à la *Loi sur l'accise*, ou
 - (v) aux règlements provinciaux régissant les marchandises en entrepôt; ou
- b) d'un envoi intérieur de solutions composées d'eau et d'un liquide inflammable miscible avec l'eau,
 - (i) dont le point d'éclair est supérieur à 23°C, et
 - (ii) dont

(A) au plus 50 pour cent du volume est un liquide miscible avec l'eau ayant un point d'éclair inférieur à 37,8°C, et

(B) au moins 50 pour cent du volume est une substance qui n'est pas une marchandise dangereuse,

si cet envoi est accompagné d'un document d'expédition portant le nom des marchandises et que celles-ci sont contenues dans des emballages portant la mention «alcool exempt» ou «alcohol exempt».

2.7 Sont exclus de l'application des parties III à VII et IX à XIII la manutention, la demande de transport et le transport, par tout moyen de transport, des rognures, copeaux, tournures ou ébarbures de métaux ferreux qui ne sont pas sujets à l'échauffement spontané.

2.8 Sont exclus de l'application du présent règlement la manutention, la demande de transport et le transport, par tout moyen de transport, d'un envoi intérieur d'accumulateurs au lithium, si

- a) chaque élément des accumulateurs contient au plus 0,5 g de lithium ou d'alliages de lithium et la quantité globale de lithium ou d'alliages de lithium contenue dans chaque accumulateur n'est pas supérieure à 1 g, ou
- b) chaque accumulateur contient plus de 0,5 g de lithium ou d'alliages de lithium, mais ne contient pas de liquide ou de gaz qui est une marchandise dangereuse, à moins qu'il ne s'agisse d'un liquide ou d'un gaz qui, en se libérant, sera entièrement absorbé ou neutralisé par d'autres matières contenues dans l'accumulateur, et chaque élément et chaque accumulateur sont hermétiquement scellés,

et que les éléments et les accumulateurs sont séparés de façon à empêcher les courts-circuits, et les accumulateurs, sauf ceux installés dans des dispositifs électroniques, sont emballés dans des emballages solides.

Exemptions visant le transport par aéronef

2.9 Sous réserve des parties IX et XII, sont exclus de l'application du présent règlement la manutention, la demande

ing of an international consignment of dangerous goods, other than an international consignment by ship, if the handling, offering for transport or transporting of the international consignment is made in accordance with the requirements for classification, documentation, safety marks and packing specifications of the with the ICAO Technical Instructions.

2.10 These Regulations do not apply to the handling, offering for transport or transporting by aircraft of

- (a) an unserviceable or damaged tire assembly if the tire is completely deflated;
- (b) a serviceable tire if the tire is not inflated to a gauge pressure exceeding the maximum service pressure for the tire; or
- (c) a wheelchair that is transported as checked baggage if
 - (i) the wheelchair contains no battery,
 - (ii) where the wheelchair has a spillable battery, the spillable battery has been removed and has been packed separately from the wheelchair in a packaging that will contain any spill that may occur from the battery, or
 - (iii) the wheelchair is loaded, stowed, secured and unloaded always in an upright position, and
 - (A) the battery of the wheelchair is disconnected,
 - (B) the battery terminals are insulated to prevent accidental shorts, and
 - (C) the battery is securely attached to the wheelchair.

2.11 These Regulations do not apply to the handling, offering for transport or transporting by aircraft within Canada of dangerous goods included in Division 1 of Class 6

- (a) that have no subsidiary classification; and
- (b) that are included in Packing Group III.

2.12 Parts IV and IX to XIII do not apply to the handling, offering for transport or transporting on a Class 4 or 7 commercial service aircraft or on an aircraft registered as a private aircraft by or under the *Aeronautics Act* of a domestic consignment of consumer commodities, other than consumer commodities included in Class 4 or Class 8, if

- (a) a label that corresponds to the label set out as Figure 3 in Part IV of Schedule V is displayed on the package or small container that contains the consumer commodities; and
- (b) the pilot-in-command of the aircraft or his representative supervises the loading of the consumer commodities in the aircraft.

2.13 These Regulations do not apply to the handling, offering for transport or transporting on a Class 4 or 7 commercial air service aircraft or on an aircraft registered as a private aircraft by or under the *Aeronautics Act* of

- (a) fuel oil (PIN 1202),
- (b) gas oil (PIN 1202),
- (c) gasoline (PIN 1203),
- (d) kerosene (PIN 1223),
- (e) isopropanol (PIN 1219),

de transport et le transport d'un envoi international, autre qu'un envoi international par navire, si ces opérations sont effectuées conformément aux exigences des Instructions techniques de l'OACI relatives à la classification, aux documents, aux indications de danger et à l'emballage.

2.10 Sont exclus de l'application du présent règlement la manutention, la demande de transport et le transport par aéronef

- a) d'un pneu endommagé ou non en état de service, qui a été entièrement dégonflé;
- b) d'un pneu en état de service, qui n'a pas été gonflé à une pression manométrique supérieure à sa pression de service maximale; ou
- c) d'une chaise roulante faisant partie des bagages enregistrés, si
 - (i) la chaise roulante n'est pas munie d'un accumulateur,
 - (ii) dans les cas où elle est munie d'un accumulateur renversable, celui-ci a été enlevé et emballé séparément dans un emballage capable de retenir tout écoulement pouvant provenir de l'accumulateur, ou
 - (iii) la chaise roulante est chargée, placée, assujettie et déchargée toujours en position verticale, et
 - (A) son accumulateur est débranché,
 - (B) les bornes de l'accumulateur sont isolées de façon à empêcher tout court-circuit accidentel, et
 - (C) l'accumulateur est solidement fixé à la chaise roulante.

2.11 Sont exclus de l'application du présent règlement la manutention, la demande de transport et le transport par aéronef, au Canada, des marchandises dangereuses incluses dans la division 1 de la classe 6,

- a) qui n'ont pas de classification subsidiaire; et
- b) qui entrent dans le groupe d'emballage III.

2.12 Sont exclus de l'application des parties IV et IX à XIII la manutention, la demande de transport et le transport, par un aéronef exploité dans le cadre d'un service aérien commercial des classes 4 ou 7 ou immatriculé comme aéronef privé en vertu de la *Loi sur l'aéronautique*, d'un envoi intérieur de biens de consommation, autres que ceux inclus dans les classes 4 ou 8, si

- a) l'emballage ou le petit conteneur utilisé pour ces biens porte une étiquette conforme à celle illustrée à la figure 3 de la partie IV de l'annexe V; et
- b) le chargement des biens de consommation à bord de l'aéronef s'effectue sous la surveillance du pilote commandant de bord ou de son représentant.

2.13 Sont exclus de l'application du présent règlement la manutention, la demande de transport et le transport, par un aéronef exploité dans le cadre d'un service aérien commercial des classes 4 ou 7 ou immatriculé comme aéronef privé en vertu de la *Loi sur l'aéronautique*,

- a) de l'huile à diesel (NIP 1202),
- b) du gaz-oil (NIP 1202),
- c) de l'essence ou de la gazoline (NIP 1203),
- d) du kérosène (NIP 1223),

(f) aviation fuel (PIN 1863), or
 (g) dangerous goods that are to be dispensed or expended during aerial seeding, dusting, spraying, fertilizing, insect control, active fire suppression, seismographic, hydrographic or avalanche control operations,

if

- (h) the dangerous goods are in containers
 - (i) that have a water capacity not exceeding 220 L,
 - (ii) that provide a level of safety at least equal to that required if the dangerous goods were to be transported in accordance with the *Regulations for the Transportation of Dangerous Commodities by Rail*, and
 - (iii) that are marked with the primary classification of the dangerous goods and on which the consignor displays the label illustrated as Figure 3 in Part IV of Schedule V;
- (i) the aircraft is a cargo aircraft;
- (j) the pilot-in-command or his representative supervises the loading of the aircraft;
- (k) each area or compartment in which the dangerous goods are loaded is ventilated to prevent the accumulation of vapours;
- (l) smoking is prohibited on the aircraft; and
- (m) the local authority of the place where the aircraft takes off is notified that the dangerous goods are to be transported.

Exemptions in Relation to Ships

2.14 Subject to Part XII, these Regulations do not apply to the handling, offering for transport or transporting of an international consignment of dangerous goods other than an international consignment by aircraft if the handling, offering for transport or transporting of the international consignment is made in accordance with the IMDG Code.

2.15 Subject to special provision 63, these Regulations do not apply to the handling, offering for transport or transporting by ship on a home-trade voyage, Class II, of flammable liquids included in Class 3

- (a) that have no subsidiary classification;
- (b) that have a flash point not less than 37.8°C; and
- (c) that are contained in a small container.

Exemptions in Relation to Rail

2.16 These Regulations do not apply to the handling, offering for transport or transporting by rail of dangerous goods that are contained in, and are not intended to be discharged from, an instrument or a piece of equipment that

- (a) is not dangerous goods, and
- (b) is designed to perform a function other than solely to contain dangerous goods,

e) de l'isopropanol (NIP 1219),

f) du carburant d'aviation (NIP 1863), ou

g) des marchandises dangereuses qui sont destinées à être dispersées ou utilisées au cours des opérations aériennes d'ensemencement, de pulvérisation, de fertilisation des sols, de lutte contre les insectes, d'extinction des incendies ou de protection contre les avalanches, ou des opérations aériennes effectuées à des fins sismographiques ou hydrographiques,

si

- h) les marchandises dangereuses sont dans un conteneur
 - (i) d'une capacité en eau d'au plus 220 L,
 - (ii) qui assure un niveau de sécurité au moins équivalent à celui qui serait requis si les marchandises dangereuses étaient transportées conformément au règlement intitulé *Regulations for the Transportation of Dangerous Commodities by Rail*, et
 - (iii) sur lequel est inscrite la classification primaire des marchandises dangereuses et est apposée l'étiquette illustrée à la figure 3 de la partie IV de l'annexe V;
- i) l'aéronef est un aéronef cargo;
- j) le chargement des marchandises dangereuses à bord de l'aéronef s'effectue sous la surveillance du pilote commandant de bord ou de son représentant;
- k) chaque compartiment ou espace dans lequel les marchandises dangereuses sont chargées est ventilé de façon à empêcher l'accumulation de vapeurs;
- l) il est interdit de fumer à bord de l'aéronef; et
- m) les autorités locales du lieu de départ de l'aéronef sont avisées au préalable du transport des marchandises dangereuses.

Exemptions visant le transport par navire

2.14 Sous réserve de la partie XII, sont exclus de l'application du présent règlement la manutention, la demande de transport et le transport d'un envoi international, autre qu'un envoi international par aéronef, si ces opérations sont effectuées conformément au Code IMDG.

2.15 Sous réserve de la disposition particulière 63, sont exclus de l'application du présent règlement la manutention, la demande de transport et le transport par navire au cours d'un voyage de cabotage, classe II, des liquides inflammables inclus dans la classe 3

- a) qui n'ont pas de classification subsidiaire;
- b) dont le point d'éclair est d'au moins 37,8°C; et
- c) qui sont dans des petits conteneurs.

Exemptions visant le transport ferroviaire

2.16 Sont exclus de l'application du présent règlement la manutention, la demande de transport et le transport par rail des marchandises dangereuses qui sont contenues de façon à y demeurer en permanence, dans un instrument ou une pièce d'équipement

- a) qui n'est pas une marchandise dangereuse, et
- b) dont la fonction principale n'est pas de contenir des marchandises dangereuses,

if the dangerous goods contained in that instrument or piece of equipment are in quantities not greater than the quantities specified for the dangerous goods in Schedule VIII.

2.17 These Regulations do not apply to the handling, offering for transport or transporting by rail within Canada or from Canada to the United States of dangerous goods that

- (a) are included in Division 1 of Class 6;
- (b) have no subsidiary classification; and
- (c) are included in Packing Group III.

2.18 (1) Subject to subsection (2), these Regulations do not apply to the handling, offering for transport or transporting by rail of an international consignment of dangerous goods that is to be or has been transported by ship and that is transported

- (a) from a port of entry in Canada to the consignee in Canada,
- (b) from a port of entry in Canada, through Canada, to a port of exit in Canada, or
- (c) from the consignor in Canada to a port of exit in Canada for export of the dangerous goods if that routing lies entirely in Canada,

if the dangerous goods are in bulk or in closed freight containers that comply with the IMDG Code when transported under the original seal.

(2) Subsection (1) does not apply to dangerous goods that are

- (a) explosives;
- (b) compressed gas;
- (c) radioactive materials; or
- (d) contained in portable tanks.

2.19 Parts VI to VIII and X to XIII do not apply to the handling, offering for transport or transporting by rail of a consignment of fire extinguishers that

- (a) do not contain a product or substance that has a primary classification of Class 8, Division 3 of Class 2 or Division 1 of Class 6;
- (b) are contained in an outer packaging;
- (c) have an internal volume
 - (i) of less than 18 L, or
 - (ii) where the fire extinguishers contain liquified gas, of less than 0.6 L;
- (d) have a service pressure not greater than 1,650 kPa at 21°C;
- (e) are constructed, maintained, marked and charged in accordance with
 - (i) ULC Standard S 504 dated February 1977,
 - (ii) ULC Standard S 507 dated April 1976, or
 - (iii) ULC Standard S 512 dated January 1977; and
- (f) are inspected, retested and maintained in accordance with section 6.2 of the NFCC.

si la quantité de marchandises dangereuses contenue dans cet instrument ou cette pièce d'équipement n'est pas supérieure à la quantité applicable prescrite à l'annexe VIII.

2.17 Sont exclus de l'application du présent règlement la manutention, la demande de transport et le transport par rail, au Canada ou du Canada à destination des États-Unis, des marchandises dangereuses

- a) qui sont incluses dans la division 1 de la classe 6;
- b) qui n'ont pas de classification subsidiaire; et
- c) qui entrent dans le groupe d'emballage III.

2.18 (1) Sous réserve du paragraphe (2), sont exclus de l'application du présent règlement la manutention, la demande de transport et le transport par rail d'un envoi international de marchandises dangereuses, qui a été ou est destiné à être transporté par navire, et

- a) qui est acheminé d'un port d'entrée au Canada vers le destinataire au Canada,
- b) qui est en transit au Canada, entre un port d'entrée au Canada et un port de sortie au Canada, ou
- c) qui est acheminé à l'intérieur du Canada, de l'expéditeur à un port de sortie, à des fins d'exportation,

si les marchandises dangereuses sont en vrac ou dans des conteneurs de fret fermés qui sont conformes au Code IMDG et portent le sceau original.

(2) Le paragraphe (1) ne s'applique pas aux marchandises dangereuses suivantes:

- a) les explosifs;
- b) les gaz comprimés;
- c) les matières radioactives;
- d) les marchandises dangereuses contenues dans des citernes portables.

2.19 Sont exclus de l'application des parties VI à VIII et X à XIII la manutention, la demande de transport et le transport par rail d'un envoi d'extincteurs

- a) qui ne contiennent aucun produit ou matière dont la classification primaire est la classe 8, la division 3 de la classe 2 ou la division 1 de la classe 6;
- b) qui sont contenus dans un emballage extérieur;
- c) dont le volume intérieur est inférieur
 - (i) à 18 L, ou
 - (ii) à 0,6 L, dans les cas où les extincteurs contiennent des gaz liquéfiés;
- d) dont la pression de service est d'au plus 1 650 kPa à 21°C;
- e) qui sont fabriqués, entretenus, marqués et remplis conformément
 - (i) à la norme S 504 de l'ULC, de février 1977,
 - (ii) à la norme S 507 de l'ULC, d'avril 1976, ou
 - (iii) à la norme S 512 de l'ULC, de janvier 1977; et
- f) qui sont vérifiés, éprouvés de nouveau et entretenus conformément à la section 6.2 du CFI.

Exemptions in Relation to Road

2.20 (1) Subject to subsection (2), these Regulations do not apply to the handling, offering for transport or transporting by a road vehicle that is a recreational type vehicle, of dangerous goods that are necessary for the operation of the recreational vehicle or for recreational purposes.

(2) Where the recreational type vehicle referred to in subsection (1) is to be transported on a Ro-Ro, at the time the driver of the recreational type vehicle pays for the transportation of the recreational type vehicle on the Ro-Ro, he shall notify the master of the Ro-Ro or his agent of the presence of dangerous goods in the recreational type vehicle.

2.21 (1) Subject to subsection (2), these Regulations do not apply to the handling, offering for transport or transporting of dangerous goods, by road between a retail outlet and the residence of the purchaser or the place of consumption where the dangerous goods

- (a) are contained in a small container or packaging designed to contain them; and
- (b) are not sent through the postal system other than by Priority Post courier service.

(2) Subsection (1) does not apply to dangerous goods that are

- (a) explosives, other than safety explosives;
- (b) flammable gases in a cylinder that has a water capacity greater than 22 L;
- (c) poisonous gases;
- (d) corrosive gases; or
- (e) radioactive materials.

2.22 These Regulations do not apply to the handling, offering for transport or transporting by road of dangerous goods, other than explosives or radioactive materials, that are intended to be used for demonstration, equipment repair, analysis or testing if the dangerous goods

- (a) are not for sale;
- (b) are not transported in a public passenger road vehicle;
- (c) are not transported in or on a vehicle on board a ship other than a short-run ferry;
- (d) are in the custody of an agent of the manufacturer or distributor who is acting in the course of his employment; and
- (e) are contained in inner packagings that meet the standard for inner packagings set out in Schedule VIII for the dangerous goods.

2.23 These Regulations do not apply to the handling, offering for transport or transporting by road within Canada or from Canada to United States of dangerous goods that

- (a) are included in Division 1 of Class 6;
- (b) have no subsidiary classification; and
- (c) are included in Packing Group III.

2.24 (1) Subject to subsection (3), these Regulations do not apply to the handling, offering for transport or transporting by

Exemptions visant le transport routier

2.20 (1) Sous réserve du paragraphe (2), sont exclus du présent règlement la manutention, la demande de transport et le transport, par un véhicule routier de type récréatif, des marchandises dangereuses qui sont nécessaires au fonctionnement de ce véhicule ou qui sont destinées à des fins récréatives.

(2) Si le véhicule routier de type récréatif visé au paragraphe (1) est destiné à être transporté par roulier, le conducteur du véhicule doit, au moment de payer les frais de transport, aviser le capitaine du roulier ou son représentant que le véhicule contient des marchandises dangereuses.

2.21 (1) Sous réserve du paragraphe (2), sont exclus de l'application du présent règlement la manutention, la demande de transport et le transport par route de marchandises dangereuses, entre un établissement de vente au détail et le lieu de résidence de l'acheteur ou le lieu de consommation des marchandises dangereuses, si celles-ci

- a) sont contenues dans un petit conteneur ou un emballage conçu pour ces marchandises; et
- b) ne sont pas envoyées par courrier, sauf par le service de poste prioritaire.

(2) Le paragraphe (1) ne s'applique pas aux marchandises dangereuses suivantes:

- a) les explosifs autres que les explosifs de sûreté;
- b) les gaz inflammables contenus dans une bouteille à gaz d'une capacité en eau supérieure à 22 L;
- c) les gaz toxiques;
- d) les gaz corrosifs;
- e) les matières radioactives.

2.22 Sont exclus de l'application du présent règlement la manutention, la demande de transport et le transport par route des marchandises dangereuses, autres que les explosifs et les matières radioactives, qui sont destinées à des fins de démonstration, de réparation, d'analyse ou d'épreuve, si celles-ci

- a) ne sont pas destinées à la vente;
- b) ne sont pas transportées à bord d'un véhicule routier public à passagers;
- c) ne sont pas transportées à bord d'un véhicule chargé sur un navire, autre qu'un traversier;
- d) sont sous la garde de l'agent du fabricant ou du distributeur pendant qu'il exerce les fonctions de son emploi; et
- e) sont contenues dans des emballages intérieurs conformes aux normes applicables prescrites à l'annexe VIII.

2.23 Sont exclus de l'application du présent règlement la manutention, la demande de transport et le transport par route, au Canada ou du Canada à destination des États-Unis, des marchandises dangereuses

- a) qui sont incluses dans la division 1 de la classe 6;
- b) qui n'ont pas de classification subsidiaire; et
- c) qui entrent dans le groupe d'emballage III.

2.24 (1) Sous réserve du paragraphe (3), sont exclus de l'application du présent règlement la manutention, la demande

road of an international consignment of dangerous goods that is to be or has been transported by ship and that is transported

- (a) from a port of entry in Canada to the consignee in Canada,
- (b) from a port of entry in Canada, through Canada, to a port of exit in Canada, or
- (c) from the consignor in Canada to a port of exit in Canada for export of the dangerous goods if that routing lies entirely in Canada,

if the dangerous goods are in bulk or in closed freight containers that comply with the IMDG Code when transported under the original seal.

(2) Subject to subsection (3), these Regulations do not apply to the handling, offering for transport or transporting by road of an international consignment of dangerous goods that is to be or has been transported by aircraft and that is transported

- (a) from a port of entry in Canada to the consignee in Canada,
- (b) from a port of entry in Canada, through Canada, to a port of exit in Canada, or
- (c) from the consignor in Canada to a port of exit in Canada for export of the dangerous goods if that routing lies entirely in Canada,

if the consignor of the dangerous goods complies with the requirements for classification, documentation, safety marks and packing specifications of the ICAO Technical Instructions and the road vehicle used for the transportation of the dangerous goods is placarded in accordance with Part V.

(3) Subsections (1) and (2) do not apply to dangerous goods that are

- (a) explosives;
- (b) compressed gas; or
- (c) radioactive materials.

2.25 These Regulations do not apply to the handling, offering for transport or transporting by road of dangerous goods that are contained in, and are not intended to be discharged from, an instrument or a piece of equipment that

- (a) is not dangerous goods, and
- (b) is designed to perform a function other than solely to contain dangerous goods,

if the dangerous goods contained in that instrument or piece of equipment are in quantities not greater than the quantities specified for the dangerous goods in Schedule VIII.

2.26 Parts IV, VI to VIII and X to XIII do not apply to the handling, offering for transport or transporting by road of dangerous goods in quantities for which a placard is not required in Part V and that are transported in a road vehicle licensed as a farm vehicle from a farm to a place not more than 50 km distant where the goods will be used.

2.27 Parts IV, VI to VIII and X to XIII do not apply to the handling, offering for transport or transporting of dangerous goods by road

de transport et le transport par route d'un envoi international de marchandises dangereuses qui a été ou est destiné à être transporté par navire, et

- a) qui est acheminé d'un port d'entrée au Canada vers le destinataire au Canada,
- b) qui est en transit au Canada, entre un port d'entrée au Canada et un port de sortie au Canada, ou
- c) qui est acheminé à l'intérieur du Canada, de l'expéditeur à un port de sortie, à des fins d'exportation,

si les marchandises dangereuses sont en vrac ou dans des conteneurs de fret fermés qui sont conformes au Code IMDG et portent le sceau original.

(2) Sous réserve du paragraphe (3), sont exclus de l'application du présent règlement la manutention, la demande de transport et le transport par route d'un envoi international qui a été ou est destiné à être transporté par aéronef et

- a) qui est acheminé d'un port d'entrée au Canada vers le destinataire au Canada,
- b) qui est en transit au Canada, entre un port d'entrée au Canada et un port de sortie au Canada, ou
- c) qui est acheminé à l'intérieur du Canada, de l'expéditeur à un port de sortie, à des fins d'exportation,

si l'expéditeur se conforme aux exigences des Instructions techniques de l'OACI relatives à la classification, aux documents, aux indications de danger et à l'emballage et que le véhicule routier utilisé pour le transport porte la plaque prescrite à la partie V.

(3) Les paragraphes (1) et (2) ne s'appliquent pas aux marchandises dangereuses suivantes:

- a) les explosifs;
- b) les gaz comprimés;
- c) les matières radioactives.

2.25 Sont exclus de l'application du présent règlement la manutention, la demande de transport et le transport par route des marchandises dangereuses qui sont contenues, de façon à y demeurer en permanence, dans un instrument ou une pièce d'équipement

- a) qui n'est pas une marchandise dangereuse, et
- b) dont la fonction principale n'est pas de contenir des marchandises dangereuses,

si la quantité de marchandises dangereuses contenue dans cet instrument ou cette pièce d'équipement n'est pas supérieure à la quantité applicable prescrite à l'annexe VIII.

2.26 Sont exclus de l'application des parties IV, VI à VIII et X à XIII la manutention, la demande de transport et le transport de marchandises dangereuses à bord d'un véhicule routier immatriculé comme véhicule agricole d'une exploitation agricole au lieu de consommation des marchandises situé à une distance d'au plus 50 km, si la quantité de marchandises est telle qu'aucune plaque n'est requise en vertu de la partie V.

2.27 Sont exclus de l'application des parties IV, VI à VIII et X à XIII la manutention, la demande de transport et le transport par route de marchandises dangereuses

- (a) by or for a manufacturer of the dangerous goods between two properties owned or leased by the manufacturer, or
- (b) by or for a user of the dangerous goods between two properties owned or leased by the user,

if

- (c) the dangerous goods are transported not more than 100 m on a public road;
- (d) the local authority is informed of the movement referred to in paragraph (c) and the nature of the dangerous goods; and
- (e) the person in charge of the vehicle transporting the dangerous goods displays on the vehicle a placard that corresponds to the placard set out as Figure 19 in Part II of Schedule V.

2.28 Parts III and VI to XIII do not apply to the handling, offering for transport or transporting of dangerous goods by road in a service truck that is carrying dangerous goods in quantities that do not exceed the quantities normally required for emergency response or repairs.

2.29 (1) Subject to subsection (2), Parts III and VI to XIII do not apply to the handling, offering for transport or transporting by road of a consignment of 2,000 kg net or less of new explosives that are to be tested if

- (a) the vehicle used to transport the dangerous goods is travelling solely on land, other than on a railway vehicle, between a licensed factory, as defined in section 2 of the *Explosives Act*, and a testing site;
- (b) where the mass of the consignment of new explosives exceeds 250 kg net, the manufacturer of the new explosives notifies in writing the Director General at least one week before the dangerous goods are transported of the movement and the nature of the dangerous goods;
- (c) the manufacturer displays on the vehicle transporting the explosives a placard set out as Figure 1 in Part II of Schedule V without the division number or compatibility group of the new explosives; and
- (d) a shipping document that includes the quantity of the new explosives and the type of explosion hazard accompanies the consignment.

(2) Parts III to XIII do not apply to the handling, offering for transport or transporting by road of a consignment of 250 kg net or less of new explosives that are to be tested if

- (a) the vehicle used to transport the dangerous goods is travelling solely on land, other than on a railway vehicle, between a licensed factory, as defined in section 2 of the *Explosives Act*, and a testing site;
- (b) the manufacturer displays on the vehicle transporting the explosives a placard set out as Figure 1 in Part II of Schedule V without the division number or compatibility group of the new explosives; and

- a) par un fabricant de marchandises dangereuses ou pour son compte, entre deux installations appartenant ou louées à celui-ci, ou
- b) par un utilisateur de marchandises dangereuses ou pour son compte, entre deux installations appartenant ou louées à celui-ci,

si

- c) le transport des marchandises dangereuses sur une voie publique ne s'effectue pas sur une distance de plus de 100 m,
- d) les autorités locales sont avisées du mouvement visé à l'alinéa c), ainsi que de la nature des marchandises dangereuses, et
- e) la personne responsable du véhicule transportant les marchandises dangereuses appose sur le véhicule une plaque conforme à celle illustrée à la figure 19 de la partie II de l'annexe V.

2.28 Sont exclus de l'application des parties III et VI à XIII la manutention, la demande de transport et le transport de marchandises dangereuses à bord d'un camion de service qui contient des marchandises dangereuses en quantités n'excédant pas celles normalement requises pour les cas d'urgence ou les réparations.

2.29 (1) Sous réserve du paragraphe (2), sont exclus de l'application des parties III et VI à XIII la manutention, la demande de transport et le transport par route d'un envoi de nouveaux explosifs d'une masse nette de 2 000 kg ou moins, qui sont destinés à être mis à l'essai, si

- a) le véhicule transportant ces explosifs circule uniquement sur terre, autrement qu'à bord d'un véhicule ferroviaire, entre une fabrique munie d'une licence, au sens de l'article 2 de la *Loi sur les explosifs*, et un lieu d'essai;
- b) dans les cas où la masse nette de l'envoi dépasse 250 kg, le fabricant des nouveaux explosifs avise par écrit le Directeur général, au moins une semaine avant la date prévue pour leur transport, du mouvement et de la nature des marchandises dangereuses;
- c) le fabricant appose sur le véhicule transportant les explosifs une plaque conforme à celle illustrée à la figure 1 de la partie II de l'annexe V, sans toutefois y inscrire le numéro de division ou le groupe de compatibilité des nouveaux explosifs; et
- d) l'envoi est accompagné d'un document d'expédition qui indique la quantité de nouveaux explosifs transportés et le genre de risques d'explosion qu'ils présentent.

(2) Sont exclus de l'application des parties III à XIII la manutention, la demande de transport et le transport par route d'un envoi de nouveaux explosifs d'une masse nette de 250 kg ou moins, qui sont destinés à être mis à l'essai, si

- a) le véhicule transportant ces explosifs circule uniquement sur terre, autrement qu'à bord d'un véhicule ferroviaire, entre une fabrique munie d'une licence, au sens de l'article 2 de la *Loi sur les explosifs*, et un lieu d'essai;
- b) le fabricant appose sur le véhicule transportant les explosifs une plaque conforme à celle illustrée à la figure 1 de la partie II de l'annexe V, sans toutefois y inscrire le numéro de division ou le groupe de compatibilité des explosifs; et

(c) a shipping document that includes the quantity of the new explosives and the type of explosion hazard accompanies the consignment.

2.30 Parts VI to VIII and X to XIII do not apply to the handling, offering for transport or transporting by road of a consignment of fire extinguishers that

- (a) do not contain a product or substance that has a primary classification of Class 8, Division 3 of Class 2 or Division 1 of Class 6;
- (b) are contained in an outer packaging;
- (c) have an internal volume
 - (i) of less than 18 L, or
 - (ii) where the fire extinguishers contain liquified gas, of less than 0.6 L;
- (d) have a service pressure not greater than 1,650 kPa at 21°C;
- (e) are constructed, maintained, marked and charged in accordance with
 - (i) ULC Standard S 504 dated February 1977,
 - (ii) ULC Standard S 507 dated April 1976, or
 - (iii) ULC Standard S 512 dated January 1977; and
- (f) are inspected, retested and maintained in accordance with section 6.2 of the NFCC.

2.31 Part IV and Part IX, other than sections 9.10 and 9.13, do not apply to the transporting solely by road of

- (a) gasoline if
 - (i) the gasoline is transported in one or more containers,
 - (ii) each container is transported in an open vehicle so that the label or placard displayed on the container is visible from outside the vehicle,
 - (iii) each container is secured to the vehicle during transport, and
 - (iv) the total volume of the gasoline that is being transported in or on the vehicle, excluding the volume of the gasoline used for the propulsion of the vehicle, is not more than 2,000 L;
- (b) propane, acetylene, oxygen or mixtures of methyl acetylene and propadiene if
 - (i) the dangerous goods are
 - (A) in a total quantity not greater than 500 kg gross mass, or
 - (B) contained in not more than 5 cylinders,
 - (ii) the container or the cylinder that contains the dangerous goods is transported in an open vehicle so that the label displayed on the container or the cylinder is visible from outside the vehicle, and
 - (iii) the container or the cylinder is secured to the vehicle during transport; and
- (c) herbicides, solutions of herbicides, pesticides or solutions of pesticides if
 - (i) the product or solution is transported in a tank that has a total volume of 5,000 L or less,
 - (ii) the tank is being used for the mixing or holding of the product or solution, prior to or during application procedures, and

c) l'envoi est accompagné d'un document d'expédition qui indique la quantité de nouveaux explosifs transportés et le genre de risques d'explosion qu'ils présentent.

2.30 Sont exclus de l'application des parties VI à VIII et X à XIII la manutention, la demande de transport et le transport par route d'un envoi d'extincteurs

- a) qui ne contiennent aucun produit ou matière dont la classification primaire est la classe 8, la division 3 de la classe 2 ou la division 1 de la classe 6;
- b) qui sont contenus dans un emballage extérieur;
- c) dont le volume intérieur est inférieur
 - (i) à 18 L, ou
 - (ii) à 0,6 L, dans les cas où les extincteurs contiennent des gaz liquéfiés;
- d) dont la pression de service est d'au plus 1 650 kPa à 21°C;
- e) qui sont fabriqués, entretenus, marqués et remplis conformément
 - (i) à la norme S 504 de l'ULC, de février 1977,
 - (ii) à la norme S 507 de l'ULC, d'avril 1976, ou
 - (iii) à la norme S 512 de l'ULC, de janvier 1977; et
- f) qui sont inspectés, éprouvés de nouveau et entretenus conformément à la section 6.2 du CFI.

2.31 Est exclu de l'application de la partie IV et de la partie IX, sauf les articles 9.10 et 9.13, le transport par route

- a) de l'essence ou de la gazoline, si
 - (i) elle est transportée dans un ou plusieurs conteneurs,
 - (ii) chaque conteneur est transporté à bord d'un véhicule ouvert, de façon que l'étiquette ou la plaque apposée sur le conteneur soit visible de l'extérieur du véhicule,
 - (iii) chaque conteneur est assujéti au véhicule durant le transport, et
 - (iv) le volume total d'essence ou de gazoline transportée à bord du véhicule, sauf celle utilisée pour la propulsion du véhicule, n'excède pas 2 000 L;
- b) du propane, de l'acétylène, de l'oxygène ou des mélanges de méthylacétylène-propadiène, si
 - (i) ces marchandises dangereuses sont
 - (A) en une quantité n'excédant pas 500 kg, masse brute, ou
 - (B) contenues dans au plus 5 bouteilles à gaz,
 - (ii) le conteneur ou la bouteille à gaz qui contient les marchandises dangereuses est transporté à bord d'un véhicule ouvert, de façon que l'étiquette apposée sur le conteneur ou la bouteille à gaz soit visible de l'extérieur du véhicule, et
 - (iii) le conteneur ou la bouteille à gaz est assujéti au véhicule durant tout le transport;
- c) des herbicides, des herbicides en solutions, des pesticides ou des pesticides en solutions, si
 - (i) ces marchandises dangereuses sont transportées dans une citerne d'un volume total d'au plus 5 000 L,

(iii) the tank is placarded in accordance with Part V but without the product identification number.

2.32 (1) Subject to subsections (2) and (3), Part IV does not apply to the handling, offering for transport or transporting solely by road of

- (a) gasoline or propane that is used for construction or agricultural purposes if the total volume on any one vehicle is 17,000 L or less;
- (b) ammonium nitrate fertilizer with product identification number 2071 or 2072 in a quantity of 13.6 tonnes or less;
- (c) anhydrous ammonia if
 - (i) it is transported in a tank that is to be used for the field application of the product, and
 - (ii) the tank has a water capacity of 10,000 L or less.

(2) A consignment of the dangerous goods referred to in paragraph (1)(a) shall be accompanied by a record sheet that indicates the shipping name, the total quantity of the goods loaded before delivery and the quantity of the goods subtracted from the total at each delivery.

(3) A consignment of the dangerous goods referred to in paragraph (1)(b) shall be accompanied by a shipping document that indicates the shipping name, the product identification number and the total quantity of the goods.

Prohibition

2.33 No person shall handle, offer for transport or transport dangerous goods in a means of transport where the dangerous goods

- (a) are explosives in bulk except where the explosives are to be transported by road in accordance with List I of Schedule II;
- (b) are explosives loaded into a firearm, except where the firearm is carried by a peace officer or by a member of the crew of the means of transport in the performance of his duties;
- (c) are radioactive materials that
 - (i) are pyrophoric, or
 - (ii) have a subsidiary classification of Class 1; or
- (d) are included in Division 2 of Class 6 and are packaged together with any other dangerous goods in the same outer packaging.

2.34 No person shall transport on a means of transport dangerous goods that are contained in a cylinder unless the cylinder is secured to the means of transport at all times during transportation.

(ii) la citerne est utilisée pour le mélange ou le confinement de ces marchandises dangereuses, avant ou pendant que celles-ci sont appliquées, et

(iii) la citerne est munie d'une plaque qui est conforme à la partie V sans toutefois porter le numéro d'identification du produit.

2.32 (1) Sous réserve des paragraphes (2) et (3), sont exclus de l'application de la partie IV la manutention, la demande de transport et le transport par route

- a) de l'essence ou du propane utilisé à des fins de construction ou d'agriculture, si le volume total à bord de tout véhicule n'est pas supérieur à 17 000 L;
- b) de tout engrais à base de nitrate d'ammonium (numéro d'identification du produit 2071 ou 2072), en une quantité ne dépassant pas 13,6 tonnes métriques;
- c) de l'ammoniac anhydre, si
 - (i) celui-ci est transporté dans une citerne qui doit également servir pendant l'application sur place de ce produit, et
 - (ii) la citerne a une capacité en eau d'au plus 10 000 L.

(2) Tout envoi de marchandises dangereuses visées à l'alinéa (1)a) est accompagné d'une fiche de données indiquant l'appellation réglementaire, la quantité totale du chargement avant la livraison et la quantité de marchandises soustraites de ce total après chaque livraison.

(3) Tout envoi de marchandises dangereuses visées à l'alinéa (1)b) est accompagné d'un document d'expédition indiquant l'appellation réglementaire, le numéro d'identification du produit et la quantité totale de ces marchandises.

Interdictions

2.33 Il est interdit de manutentionner, de demander de transporter ou de transporter, à bord de tout moyen de transport,

- a) des explosifs en vrac, à moins que ceux-ci ne soient destinés à être transportés par route conformément à la liste I de l'annexe II;
- b) des explosifs chargés dans une arme à feu, à moins que l'arme à feu ne soit portée par un agent de la paix ou un membre de l'équipage du moyen de transport, au cours de l'exercice de leurs fonctions;
- c) des matières radioactives
 - (i) pyrophoriques, ou
 - (ii) dont la classification subsidiaire est la classe 1; ou
- d) des marchandises dangereuses incluses dans la division 2 de la classe 6 et avec d'autres marchandises dangereuses dans un même emballage extérieur.

2.34 Il est interdit de transporter à bord d'un véhicule des marchandises dangereuses contenues dans une bouteille à gaz, à moins que celle-ci ne soit assujettie au véhicule durant tout le transport.

PART III
CLASSIFICATION

General

3.1 Unless otherwise provided in Schedule III or in Part II, no person shall handle or offer for transport dangerous goods unless the dangerous goods are classified in accordance with this Part.

3.2 (1) The dangerous goods set out in Column I of List II of Schedule II that are to be transported by ship on a voyage other than a home-trade voyage, Class II, have the corresponding IMO classification set out in Column V and are included in the packing group set out in Column VII of that List.

(2) The dangerous goods set out in Column I of List II of Schedule II that are to be transported in an international consignment other than by ship have the corresponding ICAO classification set out in Column VI and are included in the packing group set out in Column VII of that List.

(3) Where, in these Regulations, the words "class", "division", "classification", "primary classification" or "subsidiary classification" are associated with a number or a set of numbers, the number preceding the point refers to the class and the number following the point refers to the division.

CLASSIFICATION OF SPECIFIED DANGEROUS GOODS

3.3 (1) The specified dangerous goods set out in Column I of List I of Schedule II have the corresponding classification set out in Column III of that List and are included in Packing Group II.

(2) The specified dangerous goods set out in Column I of List II of Schedule II have the corresponding classification set out in Column III and are included in the packing group set out in Column VII of that List.

3.4 (1) The primary classification of specified dangerous goods set out in Column I of a List, is the class and division, if any, indicated by the first set of numbers in Column III of List I of Schedule II or Columns III, V or VI of List II of Schedule II.

(2) The subsidiary classification of specified dangerous goods set out in Column I of a List, is each class and division, if any, indicated below the primary classification in Column III of List I of Schedule II or Columns III, V or VI of List II of Schedule II.

3.5 (1) The compatibility group of dangerous goods set out in Column I of List I, is the letter indicated beside the primary classification of the dangerous goods in Column III of List I of Schedule II.

(2) The product identification number of dangerous goods set out in Column I of a List is the number indicated for the dangerous goods in Column II of List I of Schedule II or List II of Schedule II.

PARTIE III
CLASSIFICATION

Dispositions générales

3.1 Sauf disposition contraire de l'annexe III ou de la partie II, il est interdit de manutentionner ou de demander de transporter des marchandises dangereuses, sauf si celles-ci ont été classifiées conformément à la présente partie.

3.2 (1) Une marchandise dangereuse dont l'appellation réglementaire figure à la colonne I de la liste II de l'annexe II et qui est destinée au transport par navire au cours d'un voyage autre qu'un voyage de cabotage, classe II, entre dans la classification OMI prévue à la colonne V et dans le groupe d'emballage indiqué à la colonne VII de cette liste.

(2) Une marchandise dangereuse dont l'appellation réglementaire figure à la colonne I de la liste II de l'annexe II et qui fait partie d'un envoi international devant être transporté autrement que par navire, entre dans la classification OACI prévue à la colonne VI et dans le groupe d'emballage indiqué à la colonne VII de cette liste.

(3) Lorsque les termes «classe», «division», «classification», «classification primaire» ou «classification subsidiaire» utilisés dans le présent règlement sont accompagnés d'un numéro, le chiffre qui précède le point désigne la classe et celui qui suit le point désigne la division.

CLASSIFICATION DES MARCHANDISES DANGEREUSES
DÉSIGNÉES PAR L'APPELLATION INDIVIDUELLE

3.3 (1) Une marchandise dangereuse désignée par l'appellation individuelle à la colonne I de la liste I de l'annexe II entre dans la classification prévue à la colonne III et dans le groupe d'emballage II.

(2) Une marchandise dangereuse désignée par l'appellation individuelle à la colonne I de la liste II de l'annexe II entre dans la classification prévue à la colonne III et dans le groupe d'emballage indiqué à la colonne VII de cette liste.

3.4 (1) La classification primaire d'une marchandise dangereuse désignée par l'appellation individuelle à la colonne I d'une liste est celle représentée par le premier numéro indiqué à la colonne III de la liste I de l'annexe II ou aux colonnes III, V ou VI de la liste II de cette annexe.

(2) La classification subsidiaire d'une marchandise dangereuse désignée par l'appellation individuelle à la colonne I d'une liste est chacune des classifications représentées par le ou les numéros qui suivent la classification primaire à la colonne III de la liste I de l'annexe II ou aux colonnes III, V ou VI de la liste II de cette annexe.

3.5 (1) Le groupe de compatibilité d'une marchandise dangereuse mentionnée à la colonne I de la liste I de l'annexe II est désigné par la lettre juxtaposée à la classification primaire, à la colonne III de cette liste.

(2) Dans le cas d'une marchandise dangereuse mentionnée à la colonne I d'une liste, le numéro d'identification du produit est le nombre indiqué à la colonne II de la liste.

CLASSIFICATION OF NOT FULLY SPECIFIED DANGEROUS
GOODS

General

3.6 (1) Subject to paragraphs 3.7(b) and (c), where no shipping name that is specified in List II of Schedule II is applicable in respect of dangerous goods, the consignor shall classify the dangerous goods, using the following method:

- (a) the class or classes of the dangerous goods shall be the class or classes for which any of the criteria set out in sections 3.10 to 3.23, 3.25, 3.26 and 3.28 accurately describe the dangerous goods;
- (b) the division or divisions, if any, of the dangerous goods shall be the division or divisions, if any, of the class or classes ascertained for the dangerous goods pursuant to paragraph (a) for which any of the criteria set out in sections 3.10 to 3.23, 3.25, 3.26 and 3.28 accurately describe the dangerous goods; and
- (c) the packing group or groups, if any, of the dangerous goods shall be the packing group or groups, if any, of the class or classes ascertained for the dangerous goods pursuant to paragraph (a) for which any of the criteria set out in sections 3.10 to 3.23, 3.25, 3.26 and 3.28 accurately describe the dangerous goods.

(2) Where the dangerous goods referred to in subsection (1) have more than one class, division or packing group, the consignor shall ascertain the primary classification and the packing group in accordance with section 3.8.

(3) The consignor shall use for the dangerous goods referred to in subsection (1) the shipping name set out in Column I of List II of Schedule II that corresponds to the classification and packing group, if any, ascertained pursuant to subsection (1) or (2).

3.7 No person shall classify

- (a) a product or substance as a product or substance included in Class 1 unless the product or substance is classified by or under the *Explosives Act*;
- (b) a not fully specified product or substance as a product or substance included in Class 7 unless the product or substance is classified by or under the *Atomic Energy Control Act*; or
- (c) a not fully specified product or substance as a product or substance included in Class 9.

*Determination of primary classification, subsidiary
classification and packing group*

3.8 (1) Subject to subsections (2) to (6), where the dangerous goods referred to in subsection 3.6(2) have one or more than one classification and packing group that corresponds to one or more classification and packing group set out in Column I of Schedule I and one or more than one classification and packing group that corresponds to one or more than

CLASSIFICATION DES MARCHANDISES DANGEREUSES
DÉSIGNÉES PAR L'APPELLATION COLLECTIVE

Dispositions générales

3.6 (1) Sous réserve des alinéas 3.7b) et c), l'expéditeur classe toute marchandise dangereuse qui n'est pas l'une de celles désignées par l'appellation individuelle à la liste II de l'annexe II, de la façon suivante:

- a) la ou les classes de la marchandise dangereuse sont déterminées en fonction des critères établis aux articles 3.10 à 3.23, 3.25, 3.26 et 3.28, qui caractérisent le mieux la marchandise dangereuse;
- b) la ou les divisions, s'il y a lieu, de la marchandise dangereuse sont déterminées en fonction des critères établis aux articles 3.10 à 3.23, 3.25, 3.26 et 3.28 pour les divisions de la ou des classes visées à l'alinéa a), qui caractérisent le mieux la marchandise dangereuse; et
- c) le ou les groupes d'emballage, s'il y a lieu, de la marchandise dangereuse sont déterminés en fonction des critères établis aux articles 3.10 à 3.23, 3.25, 3.26 et 3.28 pour les groupes d'emballage de la ou des classes visées à l'alinéa a), qui caractérisent le mieux la marchandise dangereuse.

(2) Dans les cas où la marchandise dangereuse visée au paragraphe (1) entre dans plus d'une classe, d'une division ou d'un groupe d'emballage, l'expéditeur détermine la classification primaire et le groupe d'emballage conformément à l'article 3.8.

(3) L'expéditeur utilise, pour la désignation d'une marchandise dangereuse visée au paragraphe (1), dont la classification et le groupe d'emballage ont été déterminés conformément aux paragraphes (1) ou (2), l'appellation réglementaire applicable prévue à la colonne I de la liste II de l'annexe II.

3.7 Il est interdit

- a) de classer une matière ou un produit comme une marchandise dangereuse de la classe 1, à moins que la classification ne soit faite en vertu de la *Loi sur les explosifs* ou de ses règlements d'application;
- b) de classer une matière ou un produit désigné par l'appellation collective comme une marchandise dangereuse de la classe 7, à moins que la classification ne soit faite en vertu de la *Loi sur le contrôle de l'énergie atomique* ou de ses règlements d'application;
- c) de classer une matière ou un produit désigné par l'appellation collective comme une marchandise dangereuse de la classe 9.

*Détermination des classifications primaire et subsidiaire et
des groupes d'emballage*

3.8 (1) Sous réserve des paragraphes (2) à (6), si une marchandise dangereuse visée au paragraphe 3.6(2) entre dans un ou plusieurs des groupes d'emballage et classifications prévus à la colonne I de l'annexe I et dans un ou plusieurs des

one classification and packing group set out in one of the headings of Column II to XVI of Schedule I,

(a) the packing group of those dangerous goods is the one with the lowest Roman numeral;

(b) the primary classification of those dangerous goods is the classification that, using all combinations, takes precedence in accordance with Schedule I; and

(c) the subsidiary classification of those dangerous goods is the classification, other than the primary classification referred to in paragraph (b) and where the dangerous goods have more than one subsidiary classification, the subsidiary classification that takes precedence over all other subsidiary classifications is the subsidiary classification that, using all combinations, takes precedence in accordance with Schedule I.

(2) Where the dangerous goods referred to in subsection 3.6(2) have a classification of Class 7, the primary classification of the dangerous goods is Class 7.

(3) Where the dangerous goods referred to in subsection 3.6(2) have a classification of Class 2, whether or not they have a classification of another class, other than Class 7, the primary classification of the dangerous goods is Class 2.

(4) Where the dangerous goods referred to in subsection (3) meet the criteria of more than one division of Class 2, Division 3 or 4 of Class 2, whichever is applicable, shall take precedence over Division 1 of Class 2.

(5) Subject to subsection (3), where the dangerous goods referred to in section 3.6(2) have a classification of Division 2 of Class 5, the primary classification of the dangerous goods is Division 2 of Class 5.

(6) Subject to subsection (3), where the dangerous goods referred to in subsection 3.6(2) have a classification of Division 2 of Class 6, the primary classification of the dangerous goods is Division 2 of Class 6.

(7) Where the dangerous goods referred to in section 3.12 that are not subject to special provision 63,

(a) do not meet the criteria set out in section 3.13, and

(b) have a subsidiary classification,

the primary classification of the dangerous goods is the subsidiary classification referred to in paragraph (b).

Criteria of Classes and Packing Groups for Classifying Not Fully Specified Dangerous Goods

Class 1—Explosives

3.9 Products or substances

(a) that are capable, by self-sustaining chemical reaction, of producing gas at such temperature, pressure and speed as to damage the surroundings, or

(b) that are manufactured for the purpose of producing a practical explosive or pyrotechnic effect,

shall be included in Class 1 referred to in the schedule to the Act.

groupes d'emballage et classifications prévus à l'une des rubriques des colonnes II à XVI de cette annexe,

a) le groupe d'emballage de la marchandise dangereuse est celui désigné par le plus petit nombre en chiffres romains;

b) la classification primaire de la marchandise dangereuse est celle qui a priorité sur les autres, compte tenu de toutes les combinaisons faites conformément à l'annexe I; et

c) la classification subsidiaire de la marchandise dangereuse est la classification autre que la classification primaire visée à l'alinéa b); dans les cas où il y a plus d'une classification subsidiaire, celle qui a priorité sur les autres est celle déterminée conformément à l'annexe I, compte tenu de toutes les combinaisons possibles.

(2) Si l'une des classifications de la marchandise dangereuse visée au paragraphe 3.6(2) est la classe 7, la classification primaire de cette marchandise dangereuse est la classe 7.

(3) Si l'une des classifications de la marchandise dangereuse visée au paragraphe 3.6(2) est la classe 2 et qu'aucune des autres classifications n'est la classe 7, la classification primaire de cette marchandise dangereuse est la classe 2.

(4) Si une marchandise dangereuse visée au paragraphe (3) répond aux critères de plusieurs divisions de la classe 2, la division 3 ou la division 4, selon le cas, a priorité sur la division 1 de cette classe.

(5) Sous réserve du paragraphe (3), si l'une des classifications de la marchandise dangereuse visée au paragraphe 3.6(2) est la division 2 de la classe 5, la classification primaire de cette marchandise dangereuse est la division 2 de la classe 5.

(6) Sous réserve du paragraphe (3), si l'une des classifications de la marchandise dangereuse visée au paragraphe 3.6(2) est la division 2 de la classe 6, la classification primaire de cette marchandise dangereuse est la division 2 de la classe 6.

(7) Si une marchandise dangereuse visée à l'article 3.12 et non soumise à la disposition particulière 63

a) ne répond pas aux critères établis à l'article 3.13, et

b) possède une classification subsidiaire,

la classification primaire de cette marchandise dangereuse est la classification subsidiaire visée à l'alinéa b).

Critères des classes et des groupes d'emballage servant à la classification des marchandises dangereuses désignées par l'appellation collective

Classe 1—Explosifs

3.9 Sont inclus dans la classe 1 visée à l'annexe de la Loi les matières ou produits

a) qui peuvent, par réaction chimique auto-entretenu, émettre des gaz à une température, à une pression et à une vitesse telles qu'il en résulte des dommages à la zone environnante; ou

b) qui sont fabriqués en vue de produire un effet pratique explosif ou pyrotechnique.

Class 2 — Gases

3.10 Not fully specified products or substances that

- (a) have a critical temperature less than 50°C or an absolute vapour pressure greater than 294 kPa at 50°C,
 - (b) exert an absolute pressure in the cylinder, packaging, tube or tank in which it is contained, greater than 275 ± 1 kPa at 21.1°C or 717 ± 2 kPa at 54.4°C,
 - (c) are flammable liquids that have an absolute vapour pressure of more than 275 kPa at 37.8°C as determined by ASTM test D323 as referred to in Part III of Schedule VI,
 - (d) are gases in the refrigerated liquid form that have a boiling point less than -84°C at 101.325 kPa absolute pressure, or
 - (e) are liquid carbon dioxide,
- shall be included in Class 2 referred to in the schedule to the Act.

Divisions—Class 2 (Gases)

3.11 Gases included in Class 2 pursuant to section 3.10 shall be included in

- (a) Division 1, if the gases
 - (i) are ignitable at normal atmospheric pressure when in a mixture of 13 per cent or less by volume with air, or
 - (ii) have a flammability range of at least 12;
- (b) Division 3, if the gases have an LC_{50} value less than 5 000 mL/m³ at normal atmospheric pressure by reason of toxicity;
- (c) Division 4, if the gases have an LC_{50} value less than 5 000 mL/m³ at normal atmospheric pressure by reason of corrosion effects on the tissues of the respiratory tract; or
- (d) Division 2, if the gases are not included in Division 1, 3 or 4.

Class 3—Flammable liquids

3.12 (1) Subject to subsection (2), not fully specified products or substances that are liquids, a mixture of liquids or liquids containing solids in solution or suspension and that have a flash point not greater than 61°C are flammable liquids and shall be included in Class 3 referred to in the schedule to the Act.

(2) For the purposes of subsection (1), the flash point shall be determined by the closed cup test method.

Divisions—Class 3
(Flammable liquids)

3.13 Flammable liquids included in Class 3 pursuant to section 3.12 shall be included in

- (a) Division 1, if they have a flash point less than -18°C;
- (b) Division 2, if they have a flash point not less than -18°C but less than 23°C; or
- (c) Division 3
 - (i) if they are subject to special provision 63, or
 - (ii) if they have a flash point not less than 23°C but less than 37.8°C and they are to be transported

Classe 2—Gaz

3.10 Sont inclus dans la classe 2 visée à l'annexe de la Loi les matières ou produits désignés par l'appellation collective,

- a) dont la température critique est inférieure à 50°C ou dont la tension de vapeur absolue est supérieure à 294 kPa à 50°C;
- b) qui exercent, dans la bouteille à gaz, l'emballage, le tube ou la citerne qui les contient, une pression absolue supérieure à 275 ± 1 kPa à 21,1°C ou à 717 ± 2 kPa à 54,4°C;
- c) qui sont des liquides inflammables dont la tension de vapeur absolue est supérieure à 275 kPa à 37,8°C, telle que déterminée par l'épreuve ASTM D323 visée à la partie III de l'annexe VI;
- d) qui sont des gaz à l'état liquéfié et réfrigéré, dont le point d'ébullition est inférieur à -84°C à une pression absolue de 101,325 kPa; ou
- e) qui sont du dioxyde de carbone liquide.

Divisions de la classe 2 (gaz)

3.11 Les gaz inclus dans la classe 2 en vertu de l'article 3.10 entrent dans les divisions applicables qui suivent:

- a) la division 1, qui s'applique aux gaz
 - (i) qui sont inflammables à la pression atmosphérique normale, lorsque mélangés, dans une proportion égale ou inférieure à 13 pour cent en volume, avec de l'air, ou
 - (ii) qui possèdent un intervalle d'inflammabilité d'au moins 12;
- b) la division 3, qui s'applique aux gaz qui, en raison de leur toxicité, ont une valeur LC_{50} inférieure à 5 000 mL/m³ à la pression atmosphérique normale;
- c) la division 4, qui s'applique aux gaz qui, en raison des effets corrosifs qu'ils produisent sur les tissus du système respiratoire, ont une valeur LC_{50} inférieure à 5 000 mL/m³ à la pression atmosphérique normale;
- d) la division 2, qui s'applique aux gaz non compris dans les divisions 1, 3 ou 4.

Classe 3—Liquides inflammables

3.12 (1) Sous réserve du paragraphe (2), sont inclus dans la classe 3 visée à l'annexe de la Loi les matières ou produits désignés par l'appellation collective qui sont des liquides, des mélanges de liquides ou des liquides contenant des solides en solution ou en suspension, et dont le point d'éclair est égal ou inférieur à 61°C.

(2) Pour l'application du paragraphe (1), le point d'éclair est déterminé par la méthode d'épreuve en creuset fermé.

Divisions de la classe 3
(liquides inflammables)

3.13 Les liquides inflammables inclus dans la classe 3 en vertu de l'article 3.12 entrent dans les divisions applicables qui suivent:

- a) la division 1, qui s'applique aux liquides inflammables dont le point d'éclair est inférieur à -18°C;
- b) la division 2, qui s'applique aux liquides inflammables dont le point d'éclair est égal ou supérieur à -18°C et inférieur à 23°C;
- c) la division 3, qui s'applique aux liquides inflammables
 - (i) soumis à la disposition particulière 63, ou

- (A) by aircraft within Canada,
- (B) by road or rail, or
- (C) by ship on a home-trade voyage, Class II.

Packing groups—Class 3
(Flammable liquids)

3.14 (1) Subject to subsection (2), flammable liquids included in Class 3 pursuant to section 3.12 and that meet the criteria set out in section 3.13 shall be included in

- (a) Packing Group I, if they have an initial boiling point of 35°C or less at an absolute pressure of 101.325 kPa;
- (b) Packing Group II, if they have an initial boiling point greater than 35°C at an absolute pressure of 101.325 kPa and a flash point less than 23°C; or
- (c) Packing Group III, if
 - (i) they have an initial boiling point greater than 35°C at an absolute pressure of 101.325 kPa,
 - (ii) they are to be transported
 - (A) by aircraft within Canada,
 - (B) by road or rail, or
 - (C) by ship on a home-trade voyage, Class II, and
 - (iii) they have a flash point not less than 23°C but less than 37.8°C.

(2) Flammable liquids included in Class 3 pursuant to section 3.12 that are viscous, other than nitrocellulose-based paint, and that have a flash point less than 23°C shall be included in Packing Group III if,

- (a) after the flammable liquids have been tested in accordance with the solvent separation test set out in Part IV of Schedule VI, the upper separated layer of clear solvent represents less than three per cent of the quantity being tested;
- (b) after the flammable liquids have been tested in accordance with the viscosity test referred to in Part V of Schedule VI or any equivalent test, the flammable liquids have a kinematic viscosity set out in Column I of an item of the Table to this section, and have the corresponding flash point set out in Column II of that item; and
- (c) not more than five per cent of the flammable liquids consist of a substance that
 - (i) is included in Packing Group I or II of Class 8 or of Division 1 of Class 6, or
 - (ii) is included in Packing Group I of Class 3 and has subsidiary classification of Class 8 or Division 1 of Class 6.

- (ii) dont le point d'éclair est égal ou supérieur à 23°C et inférieur à 37,8°C, et qui sont destinés à être transportés
 - (A) par aéronef à l'intérieur du Canada,
 - (B) par route ou par rail, ou
 - (C) par navire au cours d'un voyage de cabotage, classe II.

Groupes d'emballage de la classe 3
(liquides inflammables)

3.14 (1) Sous réserve du paragraphe (2), les liquides inflammables inclus dans la classe 3 en vertu de l'article 3.12 et répondant aux critères énoncés à l'article 3.13 entrent

- a) dans le groupe d'emballage I, si leur point d'ébullition initial est égal ou inférieur à 35°C à une pression absolue de 101,325 kPa;
- b) dans le groupe d'emballage II, si leur point d'ébullition initial est supérieur à 35°C à une pression absolue de 101,325 kPa et leur point d'éclair inférieur à 23°C; ou
- c) dans le groupe d'emballage III, si
 - (i) leur point d'ébullition initial est supérieur à 35°C à une pression absolue de 101,325 kPa,
 - (ii) ils sont destinés à être transportés
 - (A) par aéronef à l'intérieur du Canada,
 - (B) par route ou par rail, ou
 - (C) par navire, au cours d'un voyage de cabotage, classe II, et
 - (iii) leur point d'éclair est égal ou supérieur à 23°C et inférieur à 37,8°C.

(2) Les liquides inflammables visqueux inclus dans la classe 3 en vertu de l'article 3.12, sauf les peintures à base de nitrocellulose, et dont le point d'éclair est inférieur à 23°C entrent dans le groupe d'emballage III, si

- a) lorsqu'ils sont soumis à l'épreuve de séparation du solvant visée à la partie IV de l'annexe VI, la couche de solvant séparée est inférieure à 3 pour cent de la quantité totale de l'échantillon;
- b) lorsqu'ils sont soumis à l'épreuve de viscosité visée à la partie V de l'annexe VI ou à une autre épreuve équivalente, leur viscosité cinématique correspond à celle indiquée à la colonne I du tableau du présent article, et leur point d'éclair correspond à celui prévu à la colonne II de ce tableau; et
- c) ils ne contiennent pas plus de cinq pour cent d'une matière
 - (i) incluse dans le groupe d'emballage I ou II de la classe 8 ou de la division 1 de la classe 6, ou
 - (ii) incluse dans le groupe d'emballage I de la classe 3 et possédant la classification subsidiaire de classe 8 ou de division 1 de la classe 6.

TABLE

(s. 3.14)

Item	Column I Kinematic Viscosity mm ² /sec	Column II Flashpoint °C
1.	greater than 20 but equal to or less than 80	less than 23 but greater than 17
2.	greater than 80 but equal to or less than 135	17 or less but greater than 10
3.	greater than 135 but equal to or less than 220	10 or less but greater than 5
4.	greater than 220 but equal to or less than 300	5 or less but greater than -1
5.	greater than 300 but equal to or less than 700	-1 or less but greater than -5
6.	greater than 700	-5 or less

Class 4—Flammable solids; substances liable to spontaneous combustion; substances that on contact with water emit flammable gases

3.15 Not fully specified products or substances that consist of

(a) solids that under normal conditions of transport are flammable for the reasons that

(i) they are readily ignitable and that would burn vigorously or persistently, or

(ii) they cause fire or contribute to fire through friction or from heat retained from manufacturing or processing,

(b) substances that are liable to spontaneous combustion under normal conditions of transport or are liable to heat in contact with air to the point where they ignite, or

(c) substances that on contact with water emit dangerous quantities of flammable gases or become spontaneously combustible on contact with water or water vapour,

shall be included in Class 4 referred to in the schedule to the Act.

Divisions—Class 4 (Flammable solids; substances liable to spontaneous combustion; substances that on contact with water emit flammable gases)

3.16 Products or substances included in Class 4 pursuant to section 3.15 shall be included in

(a) Division 1, if they are flammable solids;

(b) Division 2, if they are substances liable to spontaneous combustion; or

(c) Division 3, if they are substances that on contact with water emit flammable gases.

Class 5—Oxidizing substances and organic peroxides

3.17 Not fully specified products or substances that

(a) cause or contribute to the combustion of other material by yielding oxygen or other oxidizing substances, whether or not the product or substance is itself combustible, or

(b) are organic compounds that contain the bivalent “-O-O-” structure,

TABLEAU

(art. 3.14)

Article	Colonne I Viscosité cinématique mm ² /s	Colonne II Point d'éclair °C
1.	Supérieure à 20 sans excéder 80	Inférieur à 23 et supérieur à 17
2.	Supérieure à 80 sans excéder 135	Égal ou inférieur à 17 et supérieur à 10
3.	Supérieure à 135 sans excéder 220	Égal ou inférieur à 10 et supérieur à 5
4.	Supérieure à 220 sans excéder 300	Égal ou inférieur à 5 et supérieur à -1
5.	Supérieure à 300 sans excéder 700	Égal ou supérieur à -1 et supérieur à -5
6.	Supérieure à 700	Égal ou inférieur à -5

Classe 4—Solides inflammables, matières sujettes à l'inflammation spontanée et matières qui, au contact de l'eau, dégagent des gaz inflammables

3.15 Sont inclus dans la classe 4 visée à l'annexe de la Loi les matières ou produits désignés par l'appellation collective qui sont:

a) des solides qui, dans des conditions normales de transport, sont susceptibles

(i) de s'enflammer facilement et de brûler violemment ou pendant longtemps, ou

(ii) de causer ou de favoriser un incendie sous l'effet du frottement ou de la chaleur qui subsiste après leur fabrication ou leur traitement;

b) des matières sujettes à l'inflammation spontanée, dans des conditions normales de transport, ou susceptible de s'échauffer au contact de l'air au point de pouvoir s'enflammer; ou

c) des matières qui au contact de l'eau, dégagent une quantité dangereuse de gaz inflammables ou sont susceptibles de s'enflammer spontanément au contact de l'eau ou de la vapeur d'eau.

Divisions de la classe 4 (solides inflammables, matières sujettes à l'inflammation spontanée et matières qui, au contact de l'eau, dégagent des gaz inflammables)

3.16 Les matières ou produits inclus dans la classe 4 en vertu de l'article 3.15 entrent dans les divisions applicables qui suivent:

a) la division 1, qui s'applique aux solides inflammables;

b) la division 2, qui s'applique aux matières sujettes à l'inflammation spontanée;

c) la division 3, qui s'applique aux matières qui, au contact de l'eau, dégagent des gaz inflammables.

Classe 5—Matières comburantes et peroxydes organiques

3.17 Sont inclus dans la classe 5 visée à l'annexe de la Loi les matières ou produits désignés par l'appellation collective

a) qui, étant ou non combustibles, provoquent ou favorisent la combustion d'autres matières en libérant de l'oxygène ou toute autre matière comburante; ou

shall be included in Class 5 referred to in the schedule to the Act.

Divisions—Class 5 (Oxidizing substances and organic peroxides)

3.18 Products or substances included in Class 5 pursuant to section 3.17 shall be included in

- (a) Division 1, if they are oxidizing substances; or
- (b) Division 2, if they are organic compounds that contain the bivalent “-O-O-” structure.

Class 6—Poisonous (toxic) and infectious substances

3.19 Not fully specified products or substances that

- (a) in the case of solids with oral toxicity, have an LD_{50} not greater than 200 mg/kg,
- (b) in the case of liquids with oral toxicity, have an LD_{50} not greater than 500 mg/kg,
- (c) in the case of substances with dermal toxicity, have an LD_{50} not greater than 1 000 mg/kg,
- (d) in the case of dusts or mists with inhalation toxicity, have an LC_{50} not greater than 10 000 mg/m³ at normal atmospheric pressure,
- (e) have a saturated vapour concentration greater than 0.2 times the LC_{50} expressed in mL/m³ at normal atmospheric pressure or an inhalation toxicity not greater than 5 000 mL/m³ at normal atmospheric pressure, or
- (f) are organisms that are infectious or that are reasonably believed to be infectious to humans or to animals and the toxins of such organisms,

shall be included in Class 6 referred to in the schedule to the Act.

Divisions—Class 6 (Poisonous (toxic) and Infectious substances)

3.20 Products or substances included in Class 6 pursuant to section 3.19 shall be included in

- (a) Division 1, if they are included in Class 6 pursuant to paragraphs 3.19(a) to (e); or
- (b) Division 2, if they are included in Class 6 pursuant to paragraph 3.19(f).

Packing groups—Class 6 (Poisonous (toxic) and Infectious substances)

3.21 (1) Subject to subsections (2) and (3), products or substances included in

(a) Division 1 of Class 6 pursuant to paragraph 3.20(a) shall be included in

- (i) the packing group specified in Column I of an item of Table I to section 3.22 if the product or substance has an LD_{50} or an LC_{50} within the range set out in Column II, III, IV or V for that item where the product or substance is in the form and has the toxicity of the type described in the heading of the column, or

b) qui sont des composés organiques contenant la structure bivalente «-O-O-».

Divisions de la classe 5 (matières comburantes et peroxydes organiques)

3.18 Les matières ou produits inclus dans la classe 5 en vertu de l'article 3.17 entrent dans les divisions applicables qui suivent:

- a) la division 1, qui s'applique aux matières comburantes;
- b) la division 2, qui s'applique aux peroxydes organiques qui contiennent la structure bivalente «-O-O-».

Classe 6—Matières toxiques et matières infectieuses

3.19 Sont inclus dans la classe 6 visée à l'annexe de la Loi les matières ou produits désignés par l'appellation collective

- a) qui possèdent une LD_{50} égale ou inférieure à 200 mg/kg, s'il s'agit de solides ayant une toxicité par ingestion;
- b) qui possèdent une LD_{50} égale ou inférieure à 500 mg/kg, s'il s'agit de liquides ayant une toxicité par ingestion;
- c) qui possèdent une LD_{50} égale ou inférieure à 1 000 mg/kg, s'il s'agit de matières ayant une toxicité par absorption cutanée;
- d) qui possèdent une LC_{50} égale ou inférieure à 10 000 mg/m³ à la pression atmosphérique normale, s'il s'agit de poussières ou de brouillards ayant une toxicité par inhalation;
- e) qui possèdent une concentration de vapeur saturée supérieure à 0,2 fois la LC_{50} , exprimée en mL/m³, à la pression atmosphérique normale, ou ont une toxicité par inhalation égale ou inférieure à 5 000 mL/m³ à la pression atmosphérique normale; ou
- f) qui sont des organismes, ou les toxines de ceux-ci, connus comme étant infectieux pour les êtres humains ou les animaux ou soupçonnés de l'être.

Divisions de la classe 6 (matières toxiques et matières infectieuses)

3.20 Les matières ou produits inclus dans la classe 6 en vertu de l'article 3.19 entrent dans les divisions applicables qui suivent:

- a) la division 1, qui s'applique aux matières ou produits inclus dans la classe 6 en vertu des alinéas 3.19a) à e);
- b) la division 2, qui s'applique aux matières ou produits inclus dans la classe 6 en vertu de l'alinéa 3.19f).

Groupes d'emballage de la classe 6 (matières toxiques et matières infectieuses)

3.21 (1) Sous réserve des paragraphes (2) et (3), les matières ou produits inclus

a) dans la division 1 de la classe 6 en vertu de l'alinéa 3.20a) entrent

- (i) dans le groupe d'emballage indiqué à la colonne I du tableau I de l'article 3.22, s'ils possèdent une LD_{50} ou une LC_{50} comprise dans l'intervalle applicable précisé aux colonnes II, III, IV ou V de ce tableau, suivant la forme et la toxicité mentionnées en rubrique, ou

- (ii) the packing group specified in Column I of an item of Table II to section 3.22 if the product or substance has been assigned to Class 6 pursuant to paragraph 3.19(e) and meets the criteria shown in Column II of that item; or
- (b) Division 2 of Class 6 pursuant to paragraph 3.20(b) shall be included in Packing Group I.

(2) Subject to subsection (3), where products or substances included in Class 6 pursuant to paragraphs 3.19(a) to (e) meet the criteria for more than one packing group, they shall be included in the packing group with the lowest Roman numeral.

(3) Notwithstanding any other requirement in these Regulations, all substances intended to be used as tear gas that are included in Packing Group III pursuant to Table II to section 3.22 shall be included in Packing Group II.

3.22 (1) For the purposes of Table I to this section "dust" means a mixture of solid particles and air in which 90 per cent or more of the particulate material has a diameter not greater than 10 micrometres.

(2) For the purposes of Table II to this section, "V" means saturated vapour concentration at normal atmospheric pressure.

(ii) dans le groupe d'emballage indiqué à la colonne I du tableau II de l'article 3.22, s'ils sont inclus dans la classe 6 en vertu de l'alinéa 3.19e) et répondent aux critères applicables énoncés à la colonne II de ce tableau; ou

b) dans la division 2 de la classe 6 en vertu de l'alinéa 3.20b), entrent dans le groupe d'emballage I.

(2) Sous réserve du paragraphe (3), les matières ou produits inclus dans la classe 6 en vertu des alinéas 3.19a) à e) et qui répondent aux critères de plusieurs groupes d'emballage entrent dans le groupe d'emballage qui porte le plus petit nombre en chiffres romains.

(3) Nonobstant toute autre disposition du présent règlement, les gaz lacrymogènes et les matières destinées à la production de ces gaz, qui sont compris dans le groupe d'emballage III selon le tableau II de l'article 3.22, entrent dans le groupe d'emballage II.

3.22 (1) Aux fins du tableau I du présent article, poussière désigne un mélange composé d'air et de particules solides dont au moins 90 pour cent ont un diamètre n'excédant pas 10 micromètres.

(2) Aux fins du tableau II du présent article, «V» désigne la concentration de vapeur saturée mesurée à la pression atmosphérique normale.

TABLE I

(s. 3.21 and 3.22)

Item	Column I Packing Group	Column II LD ₅₀ for solids with Oral Toxicity (mg/kg)	Column III LD ₅₀ for liquids with Oral Toxicity (mg/kg)	Column IV LD ₅₀ for substances with Dermal Toxicity (mg/kg)	Column V LC ₅₀ for dusts or mists with Inhalation Toxicity (mg/m ³)*
1.	I	less than or equal to 5	less than or equal to 5	less than or equal to 40	less than or equal to 500
2.	II	Greater than 5 but less than or equal to 50	Greater than 5 but less than or equal to 50	Greater than 40 but less than or equal to 200	Greater than 500 but less than or equal to 2 000
3.	III	Greater than 50 but less than or equal to 200	Greater than 50 but less than or equal to 500	Greater than 200 but less than or equal to 1 000	Greater than 2 000 but less than or equal to 10 000

* To convert mg/L to mg/m³ multiply by 1 000.

TABLEAU I

(art. 3.21 et 3.22)

Article	Colonne I Groupe d'emballage	Colonne II LD ₅₀ des solides ayant une toxicité par ingestion (mg/kg)	Colonne III LD ₅₀ des liquides ayant une toxicité par ingestion (mg/kg)	Colonne IV LD ₅₀ des matières ayant une toxicité par absorption cutanée (mg/kg)	Colonne V LC ₅₀ des poussières ou brouillards ayant une toxicité par inhalation (mg/m ³)*
1.	I	Égale ou inférieure à 5	Égal ou inférieure à 5	Égale ou inférieure à 40	Égale ou inférieure à 500
2.	II	Supérieure à 5 sans excéder 50	Supérieure à 5 sans excéder 50	Supérieure à 40 sans excéder 200	Supérieure à 500 sans excéder 2 000
3.	III	Supérieure à 50 sans excéder 200	Supérieure à 50 sans excéder 500	Supérieure à 200 sans excéder 1 000	Supérieure à 2 000 sans excéder 10 000

* Pour convertir les mg/L en mg/m³, multiplier par 1 000.

TABLE II

(s. 3.21 and 3.22)

Item	Column I Packing Group	Column II Criteria
1.	I	LC ₅₀ less than or equal to 1 000 mL/m ³ and V greater than or equal to 10 times LC ₅₀ .
2.	II	LC ₅₀ less than or equal to 3 000 mL/m ³ and V greater than or equal to LC ₅₀ and criteria for Packing Group I not met.
3.	III	LC ₅₀ less than or equal to 5 000 mL/m ³ and V greater than or equal to 0.2 times LC ₅₀ and criteria for Packing Groups I and II are not met.

TABLEAU II

(art. 3.21 et 3.22)

Article	Colonne I Groupe d'emballage	Colonne II Critères
1.	I	LC ₅₀ égale ou inférieure à 1 000 mL/m ³ et V égale ou supérieure à 10 fois la LC ₅₀ .
2.	II	LC ₅₀ égale ou inférieure à 3 000 mL/m ³ et V égale ou supérieure à la LC ₅₀ ; ne répond pas aux critères du groupe d'emballage I.
3.	III	LC ₅₀ égale ou inférieure à 5 000 mL/m ³ et V égale ou supérieure à 0,2 fois la LC ₅₀ ; ne répond pas aux critères des groupes d'emballage I et II.

Determination of LD₅₀ value or LC₅₀ value of a poisonous mixture or solution

3.23 (1) For the purposes of sections 3.19 and 3.21, where the LD₅₀ value of a product is unknown

(a) and the product is a mixture or solution containing only one poisonous substance, the LD₅₀ value of the product may be calculated using the following formula:

$$\text{LD}_{50} \text{ value of the product} = \frac{\text{LD}_{50} \text{ of poisonous substance} \times 100}{\text{percentage of poisonous substance by mass}}$$

(b) and the product is a mixture or solution containing more than one poisonous substance,

Détermination de la valeur LD₅₀ ou LC₅₀ d'un mélange ou d'une solution toxiques

3.23 (1) Pour l'application des articles 3.19 et 3.21, lorsque la valeur LD₅₀ d'un produit est inconnue et

a) que ce produit est un mélange ou une solution contenant une seule matière toxique, la valeur LD₅₀ du produit peut être déterminée à l'aide de la formule suivante:

$$\text{Valeur LD}_{50} \text{ du produit} = \frac{\text{LD}_{50} \text{ de la matière toxique} \times 100}{\text{Pourcentage, en masse, de la matière toxique}}$$

b) que ce produit est un mélange ou une solution contenant plus d'une matière toxique,

- (i) the LD₅₀ of each poisonous substance in the product may be calculated according to paragraph (a),
 (ii) the total mass of poisonous substances shall be obtained by adding the masses of all poisonous substances in the mixture or solution that have an LD₅₀ referred to in paragraphs 3.19(a) to (c), and
 (iii) the LD₅₀ value of the total mixture may be calculated using the following formula:

$$\text{LD}_{50} \text{ value of total mixture} = \frac{\text{LD}_{50} \text{ of the substance with the smallest calculated LD}_{50} \text{ value}}{\text{percentage of the total mass of poisonous substances in the mixture}}$$

(2) For the purposes of sections 3.19 and 3.21, where the LC₅₀ value of a product is unknown

- (a) and the product is a mixture or solution containing only one poisonous substance, the LC₅₀ value of the product may be calculated using the following formula:

$$\text{LC}_{50} \text{ value of the product} = \frac{\text{LC}_{50} \text{ of poisonous substance} \times 100}{\text{percentage of poisonous substance by mass}}$$

(b) and the product is a mixture or solution containing more than one poisonous substance,

- (i) the LC₅₀ of each poisonous substance in the product may be calculated according to paragraph (a),
 (ii) the total mass of poisonous substances shall be obtained by adding the masses of all poisonous substances in the mixture or solution that have an LC₅₀ referred to in paragraphs 3.19(d) to (e), and
 (iii) the LC₅₀ value of the total mixture may be calculated using the following formula:

$$\text{LC}_{50} \text{ value of total mixture} = \frac{\text{LC}_{50} \text{ of the substance with the smallest calculated LC}_{50} \text{ value}}{\text{percentage of the total mass of poisonous substances in the mixture}}$$

(3) The formulae set out in subsections (1) and (2) shall not be used for mixtures containing both LC₅₀ and LD₅₀ at the same time.

Class 7—Radioactive materials

3.24 Products, substances or articles containing a product or substance with activity greater than 74 kBq/kg are radioactive materials and included in Class 7 referred to in the schedule to the Act.

- (i) la LD₅₀ de chacune de ces matières toxiques peut être déterminée à l'aide de la formule visée à l'alinéa a),
 (ii) la masse totale de ces matières toxiques est la somme des masses de celles dont la LD₅₀ est prévue aux alinéas 3.19a) à c), et
 (iii) la valeur LD₅₀ du mélange total peut être déterminée à l'aide de la formule suivante:

$$\text{Valeur LD}_{50} \text{ du mélange total} = \frac{\text{LD}_{50} \text{ de la matière possédant la valeur LD}_{50} \text{ la plus basse}}{\text{Pourcentage de la masse totale des matières toxiques contenues dans le mélange.}}$$

(2) Pour l'application des articles 3.19 et 3.21, lorsque la valeur LC₅₀ d'un produit est inconnue et

- a) que ce produit est un mélange ou une solution contenant une seule matière toxique, la valeur LC₅₀ du produit peut être déterminée à l'aide de la formule suivante:

$$\text{Valeur LC}_{50} \text{ du produit} = \frac{\text{LC}_{50} \text{ de la matière toxique} \times 100}{\text{Pourcentage, en masse, de la matière toxique}}$$

b) que ce produit est un mélange ou une solution contenant plus d'une matière toxique,

- (i) la LC₅₀ de chacune de ces matières toxiques peut être déterminée à l'aide de la formule visée à l'alinéa a),
 (ii) la masse totale de ces matières toxiques est la somme des masses de celles dont la valeur LC₅₀ est prévue aux alinéas 3.19d) à e), et
 (iii) la valeur LC₅₀ du mélange total peut être déterminée à l'aide de la formule suivante:

$$\text{Valeur LC}_{50} \text{ du mélange total} = \frac{\text{LC}_{50} \text{ de la matière possédant la valeur LC}_{50} \text{ la plus basse}}{\text{Pourcentage de la masse totale des matières toxiques contenues dans le mélange.}}$$

(3) Les formules visées aux paragraphes (1) et (2) ne s'appliquent pas aux mélanges possédant à la fois une LC₅₀ et une LD₅₀.

Classe 7—Matières radioactives

3.24 Sont inclus dans la classe 7 visée à l'annexe de la Loi les matières, produits ou objets contenant un produit ou une matière dont l'activité est supérieure à 74 kBq/kg.

Class 8—Corrosives

3.25 Not fully specified products or substances that

- (a) have been known to cause visible necrosis of human skin tissue,
- (b) cause visible necrosis of the skin tissue of an albino rabbit at the contact site within a period of four hours or less when administered by continuous contact with the intact bare skin of the rabbit,
- (c) corrode SAE 1020 steel or 7075-T6 non-clad aluminum surfaces at a rate exceeding 6.25 mm per year at a test temperature of 55°C using the metal corrosion test method set out in Part VI of Schedule VI, or
- (d) are wastes that have a pH factor less than 2.0 or greater than 12.5,

shall be included in Class 8 referred to in the schedule to the Act.

Packing Groups—Class 8 (Corrosives)

3.26 (1) Corrosives included in Class 8 pursuant to paragraph 3.25(a) shall be included in Packing Group I if they have not been tested in accordance with paragraphs 3.25(b) and (c).

(2) Corrosives included in Class 8 pursuant to paragraph 3.25(b) shall be assigned to

- (a) Packing Group I, if the visible necrosis of the skin tissue referred to in paragraph 3.25(b) occurs after continuous contact for not more than three minutes;
- (b) Packing Group II, if the visible necrosis of the skin tissue referred to in paragraph 3.25(b) occurs after continuous contact for more than three minutes but not more than 60 minutes; or
- (c) Packing Group III, if the visible necrosis of the skin tissue referred to in paragraph 3.25(b) occurs after continuous contact for more than one hour but not more than four hours.

(3) Corrosives included in Class 8 pursuant to paragraph 3.25(c) shall be included in Packing Group III.

(4) Corrosives included in Class 8 pursuant to paragraph 3.25(d) shall be included in Packing Group II if they have not been tested in accordance with paragraphs 3.25(b) and (c).

Class 9—Miscellaneous products or substances

3.27 (1) Miscellaneous products or substances included in Class 9 referred to in the schedule to the Act shall be the products or substances assigned to Class 9 in List II of Schedule II.

(2) Miscellaneous products or substances referred to in subsection (1) are included in

- (a) Division 1, if they are miscellaneous dangerous goods;
- (b) Division 2, if they are hazardous to the environment; or
- (c) Division 3, if they are dangerous wastes.

Classification of diluted dangerous goods

3.28 Where dangerous goods

Classe 8—Matières corrosives

3.25 Sont inclus dans la classe 8 visée à l'annexe de la Loi les matières ou produits désignés par l'appellation collective

- a) qui sont reconnus comme causant une nécrose visible de la peau humaine;
- b) qui, lorsque administrés par contact continu à la peau nue et intacte d'un lapin albino, entraîne dans l'espace de quatre heures ou moins une nécrose visible de la peau à l'endroit d'application;
- c) qui, lorsque soumis à l'épreuve de corrosion de métaux visée à la partie VI de l'annexe VI, corrode des surfaces en acier de type SAE 1020 ou des surfaces en aluminium non plaqué de type 7075-T6, à un taux supérieur à 6,25 mm par an, à la température de 55°C; ou
- d) qui sont des déchets dont le facteur pH est inférieur à 2,0 ou supérieur à 12,5.

Groupes d'emballage de la classe 8 (matières corrosives)

3.26 (1) Les matières ou produits inclus dans la classe 8 en vertu de l'alinéa 3.25a) entrent dans le groupe d'emballage I, s'ils n'ont pas été éprouvés conformément aux alinéas 3.25b) et c).

(2) Les matières ou produits inclus dans la classe 8 en vertu de l'alinéa 3.25b) entrent

- a) dans le groupe d'emballage I, si la nécrose visée à l'alinéa 3.25b) apparaît à la suite d'un contact ininterrompu d'au plus trois minutes;
- b) dans le groupe d'emballage II, si la nécrose visée à l'alinéa 3.25b) apparaît à la suite d'un contact ininterrompu de plus de trois minutes sans excéder 60 minutes;
- c) dans le groupe d'emballage III, si la nécrose visée à l'alinéa 3.25b) apparaît à la suite d'un contact ininterrompu de plus d'une heure sans excéder quatre heures.

(3) Les matières ou produits inclus dans la classe 8 en vertu de l'alinéa 3.25c) entrent dans le groupe d'emballage III.

(4) Les matières ou produits inclus dans la classe 8 en vertu de l'alinéa 3.25d) entrent dans le groupe d'emballage II, s'ils n'ont pas été éprouvés conformément aux alinéas 3.25b) et c).

Classe 9—Matières ou produits divers

3.27 (1) Les matières ou produits entrant dans la classe 9 visée à l'annexe de la Loi sont ceux inclus dans cette classe selon la liste II de l'annexe II.

(2) Les matières ou produits visés au paragraphe (1) entrent dans les divisions applicables qui suivent:

- a) la division 1, qui s'applique aux marchandises dangereuses diverses;
- b) la division 2, qui s'applique aux marchandises présentant des menaces pour l'environnement;
- c) la division 3, qui s'applique aux déchets dangereux.

Classification des marchandises dangereuses diluées

3.28 Si une marchandise dangereuse

- a) a une classification primaire de l'une des classes 2 à 6.1 ou 8, mais est diluée de sorte qu'elle ne répond pas aux

- (a) have a primary classification of Class 2 to 6.1, or Class 8 but are so diluted that they do not meet the criteria for the primary classification or the packing group related to it, and
- (b) have a subsidiary classification of 9.2,

the primary classification of the dangerous goods is 9.2, the shipping name of the dangerous goods shall be "environmentally hazardous substance" followed by the shipping name of the product or substance corresponding to the primary classification referred to in paragraph (a), in parentheses, and the product identification number does not apply.

PART IV DOCUMENTATION

APPLICATION

General

4.1 Unless otherwise provided for in Schedule III or in Part II, and subject to sections 4.2 and 4.3, no person shall handle, offer for transport or transport dangerous goods unless the dangerous goods are documented in accordance with this Part.

United States—Canada

4.2 Where a transborder consignment of dangerous goods, other than the dangerous goods included in Class 1 or in Division 3 or 4 of Class 2,

- (a) originate from a place in the United States, are destined for a place outside Canada and are transported through Canada, or
 - (b) originate from a place in the United States and are transported in Canada to a destination in Canada,
- no person shall transport the dangerous goods unless the dangerous goods are documented in accordance with
- (c) this Part, or
 - (d) the requirements of 49 CFR for documentation, if
 - (i) where the dangerous goods, other than dangerous goods that have a classification of 3.3 or Class 9, are in carload, trailerload, containerload or truckload quantities and are to be transported by rail, the consignor shall comply with the requirements of section 4.21, and
 - (ii) where the dangerous goods are listed in Schedule XII, the consignor indicates on the documentation the words "summary of emergency response plan" or "résumé de plan d'urgence", followed by the reference number of the summary of the emergency response plan provided by the Director General pursuant to Part VII, followed by the telephone number to call in order to have the plan activated.

4.3 Where a transborder consignment of dangerous goods that are included in Class 1 or in Division 3 or 4 of Class 2

- (a) originate from a place in the United States, are destined for a place outside Canada and are transported through Canada, or
- (b) originate from a place in the United States and are transported in Canada to a destination in Canada,

critères de cette classification primaire ou du groupe d'emballage propre à cette dernière, et

- b) a une classification subsidiaire de 9.2,

la classification primaire de la marchandise dangereuse est 9.2, son appellation réglementaire est matière nocive pour l'environnement suivie, entre parenthèses, de l'appellation réglementaire qui correspond à la classification primaire visée à l'alinéa a), et le numéro d'identification du produit ne s'applique pas.

PARTIE IV

DOCUMENTS

APPLICATION

Dispositions générales

4.1 Sauf indication contraire de l'annexe III ou de la partie II et sous réserve des articles 4.2 et 4.3, il est interdit de manutentionner, de demander de transporter ou de transporter des marchandises dangereuses, sauf si celles-ci sont accompagnées des documents prescrits par la présente partie.

États-Unis—Canada

4.2 Il est interdit de transporter un envoi transfrontalier de marchandises dangereuses, autres que des marchandises dangereuses incluses dans la classe 1 ou dans les divisions 3 ou 4 de la classe 2,

- a) en passant par le Canada, en provenance d'un endroit aux États-Unis vers une destination hors du Canada, ou
- b) au Canada, en provenance d'un endroit aux États-Unis vers une destination canadienne,

sauf si les marchandises dangereuses sont accompagnées des documents prescrits

- c) par la présente partie, ou
- d) par le CFR 49, auquel cas l'expéditeur

- (i) se conforme à l'article 4.21, lorsque les marchandises dangereuses, autres que celles ayant la classification 3.3 ou incluses dans la classe 9, sont destinées à être transportées par rail, en des quantités équivalentes à celles d'un chargement complet de wagon, de remorque, de conteneur ou de camion, ou
- (ii) dans le cas de marchandises dangereuses visées à l'annexe XII, inscrit sur ces documents la mention «résumé de plan d'urgence» ou «summary of emergency response plan» suivie du numéro de référence attribué au résumé par le Directeur général, en vertu de la partie VII, et du numéro de téléphone à composer pour la mise en œuvre du plan.

4.3 Il est interdit de transporter un envoi transfrontalier de marchandises dangereuses incluses dans la classe 1 ou dans les divisions 3 ou 4 de la classe 2,

- a) en passant par le Canada, en provenance d'un endroit aux États-Unis vers une destination hors du Canada, ou
- b) au Canada, en provenance d'un endroit aux États-Unis vers une destination canadienne,

no person shall transport the dangerous goods unless the dangerous goods are documented in accordance with

(c) this Part, or

(d) the requirements of 49 CFR for documentation, if

(i) the consignor indicates on the documentation the classification and the shipping name assigned to the dangerous goods by these Regulations, and

(ii) where the dangerous goods are listed in Schedule XII, the consignor indicates on the documentation the words "summary of emergency response plan" or "résumé de plan d'urgence", followed by the reference number of the summary of the emergency response plan provided by the Director General pursuant to Part VII, followed by the telephone number to call in order to have the plan activated.

DAINGEROUS GOODS OTHER THAN WASTE

General

4.4 (1) Before dangerous goods, other than waste, are transported, the consignor of the dangerous goods

(a) shall prepare and sign a shipping document that has a unique shipping document identification number for each consignment of the dangerous goods offered by him for transport; and

(b) shall deliver or cause to be delivered to the initial carrier to whom he offers the dangerous goods for transport a copy of the shipping document referred to in paragraph (a) together with a copy of any additional documents that he is required to attach to the shipping document pursuant to these Regulations.

(2) Where the dangerous goods referred to in subsection (1) are to be transported by aircraft, the shipping document referred to in that subsection shall be the "Shipper's Declaration for Dangerous Goods" set out in section 8 of the *IATA Dangerous Goods Regulations*.

4.5 Notwithstanding paragraph 4.4(1)(a), the consignor of the dangerous goods may prepare and sign a shipping document for more than one consignment of dangerous goods, other than waste, offered by him for transport

(a) in the case of dangerous goods that have the same product identification number, where the dangerous goods are

(i) in bulk, or

(ii) in or on railway vehicles that are coupled together in a unit train provided that a list of the vehicle numbers is shown on the shipping document; or

(b) in the case of gases in cylinders, where the dangerous goods are in or on a road vehicle that travels solely on land, other than a road vehicle that is carried on a railway vehicle.

4.6 Where dangerous goods, other than waste, are to be transported in a consignment together with non-dangerous goods, the consignor shall

(a) prepare a separate shipping document for the dangerous goods; or

sauf si les marchandises dangereuses sont accompagnées des documents prescrits

c) par la présente partie, ou

d) par le CFR 49, auquel cas l'expéditeur

(i) inscrit sur ces documents la classification et l'appellation réglementaire attribuées aux marchandises dangereuses, conformément au présent règlement, et

(ii) dans le cas de marchandises dangereuses visées à l'annexe XII, inscrit sur ces documents la mention «résumé de plan d'urgence» ou «summary of emergency response plan» suivie du numéro de référence attribué au résumé par le Directeur général, en vertu de la partie VII, et du numéro de téléphone à composer pour la mise en œuvre du plan.

MARCHANDISES DANGEREUSES AUTRES QUE DES DÉCHETS

Dispositions générales

4.4 (1) Avant le transport de marchandises dangereuses, autres que des déchets, l'expéditeur

a) remplit et signe un document d'expédition, portant un numéro de référence unique, pour chaque envoi de marchandises dangereuses dont il demande le transport; et

b) remet ou fait remettre au transporteur initial à qui il demande de transporter les marchandises dangereuses une copie du document d'expédition visé à l'alinéa a), accompagnée d'une copie de tout document qu'il est tenu d'y annexer en vertu du présent règlement.

(2) Si les marchandises dangereuses visées au paragraphe (1) sont destinées à être transportées par aéronef, le document d'expédition requis est la déclaration intitulée «Shipper's Declaration for Dangerous Goods» figurant à la partie 8 de la *Réglementation pour le transport des marchandises dangereuses* de l'IATA.

4.5 Nonobstant l'alinéa 4.4(1)a), l'expéditeur peut remplir et signer un seul document d'expédition pour plus d'un envoi de marchandises dangereuses, autres que des déchets, dont il demande le transport,

a) s'il s'agit de marchandises dangereuses ayant le même numéro d'identification du produit et qui sont transportées

(i) en vrac, ou

(ii) à bord de véhicules ferroviaires attelés de façon à former un seul train, à la condition que les numéros de ces véhicules soient inscrits dans le document d'expédition; ou

b) à bord d'un véhicule routier circulant uniquement sur terre et non transporté à bord d'un véhicule ferroviaire, s'il s'agit de gaz contenus dans des bouteilles à gaz.

4.6 Si les marchandises dangereuses, autres que des déchets, sont destinées à être transportées avec des marchandises non dangereuses, l'expéditeur remplit

a) un document d'expédition distinct pour les marchandises dangereuses; ou

(b) prepare one shipping document that includes the dangerous goods and that could include the non-dangerous goods if the information required by this Part for the dangerous goods is

- (i) indicated on the shipping document before the information related to the non-dangerous goods and under the heading "Dangerous Goods" or "Marchandises dangereuses",
- (ii) printed or highlighted in a colour that clearly contrasts with the colour used to print or highlight the information related to the non-dangerous goods, or
- (iii) preceded by the letter "X" opposite the shipping name in a column under the heading "DG" or "MD".

4.7 Where a consignment of dangerous goods, other than waste, is divided into different parts after the consignor has delivered or caused to be delivered the shipping document in accordance with paragraph 4.4(1)(b) and before the consignment has been delivered to the consignee, the person having the charge, management or control of the consignment at the time it is divided into different parts shall

- (a) make a copy of the shipping document and of any additional documents referred to in paragraph 4.4(1)(b) for each part of the consignment that has been divided;
- (b) amend each appropriate copy of the shipping document only to indicate the quantity of dangerous goods contained in the part of the consignment accompanied by each copy and the owner unit number or the serial number of the transport unit in which the dangerous goods are to be loaded;
- (c) initial each amendment on each copy; and
- (d) ensure that each part of the consignment is accompanied by the appropriate amended copy of the shipping document together with a copy of any additional documents referred to in paragraph 4.4(1)(b).

Shipping Document

4.8 (1) Subject to sections 4.12, 4.13 and 4.14, the shipping document referred to in subsection 4.4(1) shall contain the following information legibly and indelibly printed:

- (a) the name and address of the consignor;
- (b) the name and address of the consignee;
- (c) the name of the initial carrier;
- (d) the serial number or owner unit number of the transport unit into which the dangerous goods are to be loaded;
- (e) a description of the dangerous goods including, in the following order,
 - (i) subject to subsection 4.9(1), the shipping name of the dangerous goods,
 - (ii) the primary classification of the dangerous goods,
 - (iii) where the dangerous goods are included in Class 1, the compatibility group,
 - (iv) every subsidiary classification of the dangerous goods, in parentheses,
 - (v) the product identification number of the dangerous goods preceded by

b) un seul document d'expédition qui vise à la fois les marchandises dangereuses et les marchandises non dangereuses, et sur lequel les renseignements requis en vertu de la présente partie au sujet des marchandises dangereuses

- (i) sont indiqués avant les renseignements sur les marchandises non dangereuses sous la rubrique «Marchandises dangereuses» ou «Dangerous Goods»,
- (ii) sont imprimés ou mis en évidence en couleur qui contraste vivement avec celle utilisée pour les précisions sur les marchandises non dangereuses, ou
- (iii) sont identifiés par l'inscription de la lettre «X» dans une colonne intitulée «MD» ou «DG», vis-à-vis de l'appellation réglementaire applicable.

4.7 Si un envoi de marchandises dangereuses, autres que des déchets, est divisé en plusieurs parties après la remise du document d'expédition conformément à l'alinéa 4.4(1)b) et avant la livraison de l'envoi au destinataire, la personne responsable de l'envoi au moment de sa division

- a) fait pour chaque partie de l'envoi une copie du document d'expédition et de tout document visé à l'alinéa 4.4(1)b);
- b) rectifie la copie du document d'expédition faite pour chaque partie de l'envoi, en y inscrivant la quantité de marchandises dangereuses contenue dans la partie et le numéro de série de l'unité de transport dans laquelle les marchandises dangereuses doivent être chargées, ou le numéro qui y est assigné par le propriétaire;
- c) paraphe chacune des inscriptions portées sur les copies; et
- d) s'assure que chacune des parties de l'envoi est accompagnée de la bonne copie rectifiée du document d'expédition, et d'une copie de tout document visé à l'alinéa 4.4(1)b).

Document d'expédition

4.8 (1) Sous réserve des articles 4.12, 4.13 et 4.14, le document d'expédition visé au paragraphe 4.4(1) porte les renseignements suivants, imprimés de façon lisible et indélébile:

- a) le nom et l'adresse de l'expéditeur;
- b) le nom et l'adresse du destinataire;
- c) le nom du transporteur initial;
- d) le numéro de série de l'unité de transport dans laquelle les marchandises dangereuses doivent être chargées, ou le numéro qui y est assigné par le propriétaire;
- e) la description des marchandises dangereuses, qui comprend, dans l'ordre suivant:
 - (i) l'appellation réglementaire, sous réserve du paragraphe 4.9(1),
 - (ii) la classification primaire,
 - (iii) le groupe de compatibilité, s'il s'agit de marchandises dangereuses incluses dans la classe 1,
 - (iv) chaque classification subsidiaire, entre parenthèses,
 - (v) le numéro d'identification du produit, précédé

- (A) the letters "PIN" or "NIP" in the case of any dangerous goods other than dangerous goods included in Class 1,
- (B) the letters "UN" or "NA" in the case of dangerous goods included in Class 1,
- (vi) where the letter "E" or "I" appears in Column III of List II of Schedule II opposite to the shipping name of the dangerous goods, the letter "E" or "I" as applicable, in parentheses,
- (vii) the packing group,
- (viii) where the goods are to be transported by rail and are subject to special provision 102, the words "SPECIAL COMMODITY" or "MARCHANDISE SPÉCIALE",
- (ix) where the dangerous goods are included in Class 3 and are to be transported by ship, the flash point, and
- (x) where the dangerous goods are listed in Schedule XII, an indication by the consignor on the documentation, that contains the words "summary of emergency response plan" or "résumé de plan d'urgence", followed by the reference number of the summary of the emergency response plan provided by the Director General pursuant to Part VII, followed by the telephone number to call in order to have the plan activated;
- (f) the total mass or volume of each of the dangerous goods to which the shipping document relates and the number of packages where applicable;
- (g) subject to subsection 4.9(2), where the dangerous goods are included in Class 1, the net explosives quantity;
- (h) any special instructions necessary for the safe handling, transportation or storage during transportation of individual dangerous goods, including
- (i) the control and emergency temperatures indicated in Column IV of List II of Schedule II opposite the shipping name of the dangerous goods, and
- (ii) any requirement to ensure physical or chemical stability of the dangerous goods;
- (i) a 24 hour emergency telephone number where the consignor or manufacturer may be reached for information concerning damaged or defective packages or containers, or CANUTEC'S telephone number if the consignor has filed information requested by CANUTEC;
- (j) an indication of the placards required by these Regulations to be used for the dangerous goods;
- (k) the number and the letters that identify the protective direction, if any, that is issued in respect of the consignment of the dangerous goods pursuant to section 28 of the Act;
- (l) the number and the letters that identify the permit for equivalent level of safety, if any, that is issued in respect of the consignment of the dangerous goods pursuant to subsection 27(1) of the Act; and
- (m) the number and the letters that identify the permit for exception, if any, that is issued in respect of the consignment of the dangerous goods pursuant to paragraph 3(3)(c) of the Act.
- (2) The shipping document referred to in subsection 4.4(2) shall contain
- (a) all the information referred to in subsection (1); and
- (A) des lettres «NIP» ou «PIN», s'il s'agit de marchandises dangereuses incluses dans une classe autre que la classe 1,
- (B) des lettres «UN» ou «NA», s'il s'agit de marchandises dangereuses incluses dans la classe 1,
- (vi) la lettre «E» ou «I», selon le cas, entre parenthèses, si l'une ou l'autre de ces lettres figure à la colonne III de la liste II de l'annexe II, vis-à-vis de l'appellation réglementaire des marchandises dangereuses,
- (vii) le groupe d'emballage,
- (viii) la mention «MARCHANDISE SPÉCIALE» ou «SPECIAL COMMODITY», s'il s'agit de marchandises dangereuses qui doivent être transportées par rail et qui sont soumises à la disposition particulière 102,
- (ix) le point d'éclair, s'il s'agit de marchandises dangereuses incluses dans la classe 3 et qui doivent être transportées par navire, et
- (x) la mention «résumé de plan d'urgence» ou «summary of emergency response plan», suivie du numéro de référence attribué au résumé par le Directeur général, en vertu de la partie VII, et du numéro de téléphone à composer pour la mise en œuvre du plan, s'il s'agit de marchandises dangereuses visées à l'annexe XII;
- f) la masse ou le volume total des marchandises dangereuses visées par le document d'expédition et, s'il y a lieu, le nombre de colis;
- g) sous réserve du paragraphe 4.9(2), la quantité nette d'explosifs, s'il s'agit de marchandises dangereuses incluses dans la classe 1;
- h) les instructions spéciales s'appliquant à la manutention, au transport ou à l'entreposage en cours de transport de marchandises dangereuses particulières, y compris
- (i) la température de régulation et la température d'urgence applicables qui sont indiquées à la colonne IV de la liste II de l'annexe II, et
- (ii) toute exigence visant à assurer la stabilité physique ou chimique des marchandises dangereuses;
- i) un numéro de téléphone d'urgence où l'expéditeur ou le fabricant peut être joint en tout temps pour répondre aux demandes concernant les emballages ou les conteneurs endommagés ou défectueux, ou le numéro de téléphone de CANUTEC dans les cas où l'expéditeur a déposé les renseignements demandés par ce service;
- j) l'indication du type de plaques devant être utilisées pour les marchandises dangereuses conformément au présent règlement;
- k) le numéro de référence de l'ordre, s'il en est, émis en vertu de l'article 28 de la Loi pour l'envoi de marchandises dangereuses;
- l) le numéro de référence du permis de niveau équivalent de sécurité, s'il en est, délivré en vertu du paragraphe 27(1) de la Loi pour l'envoi de marchandises dangereuses; et
- m) le numéro de référence du permis de dérogation, s'il en est, délivré en vertu de l'alinéa 3(3)c) de la Loi pour l'envoi de marchandises dangereuses.
- (2) Le document d'expédition visé au paragraphe 4.4(2) porte
- a) les renseignements visés au paragraphe (1); et

(b) all the information requested on the "Shipper's Declaration for Dangerous Goods" referred to in subsection 4.4(2), other than the information referred to in paragraph (a), in accordance with the ICAO Technical Instructions.

(3) Notwithstanding subsection (1), where the dangerous goods to be transported by any means of transport, other than by aircraft, are consumer commodities, the shipping document referred to in subsection 4.4(1) may contain, instead of the information referred to in subsection (1), the following information:

- (a) the words "consumer commodity" followed by the name of the dangerous goods;
- (b) the classification of the dangerous goods; and
- (c) the quantity of the dangerous goods.

(4) Notwithstanding subsection (1) where limited quantities of dangerous goods are to be transported by road or rail, the shipping document referred to in subsection 4.4(1) may contain, instead of the information referred to in subsection (1), the following information:

- (a) the shipping name of the dangerous goods;
- (b) the primary classification and the subsidiary classification of the dangerous goods;
- (c) the product identification number of the dangerous goods;
- (d) the words "limited quantity" or "quantité limitée" or the abbreviations "ltd. qty." or "quant. ltée";
- (e) the name and address of the consignor and the consignee; and
- (f) where the dangerous goods have a primary or subsidiary classification of Class 3, the flash point of the product with the lowest flash point.

4.9 (1) For the purpose of subparagraph 4.8(1)(e)(i),

(a) where the dangerous goods referred to in the shipping document are a systemic poison, the shipping document shall indicate, in addition to the shipping name of the dangerous goods, the technical name of the active constituents related to the primary classification of the dangerous goods, in parentheses;

(b) where the dangerous goods are a mixture or solution that consists of

- (i) dangerous goods that are named in Column I of List II of Schedule II and that have the same primary classification as the mixture or solution, and
- (ii) one or more products or substances that are not dangerous goods,

the shipping document shall indicate the shipping name of the principal dangerous goods followed by the word "mixture" or "mélange" or the word "solution", as approximate;

(c) where an asterisk (*) appears after the shipping name of the dangerous goods in Column I of an item of a List of Schedule II, the shipping document shall indicate, in addition to the shipping name

- (i) the technical name of the most dangerous constituent related to the primary classification of the dangerous goods, in parentheses,

b) les renseignements demandés dans la déclaration intitulée «Shipper's Declaration for Dangerous Goods» mentionnée au paragraphe 4.4(2), autres que ceux visés à l'alinéa a), remplie conformément aux Instructions techniques OACI.

(3) Nonobstant le paragraphe (1), si les marchandises dangereuses sont des biens de consommation et sont destinées à être transportées par tout moyen de transport autre qu'un aéronef, le document d'expédition mentionné au paragraphe 4.4(1) peut contenir, au lieu des renseignements précisés au paragraphe (1),

- a) la mention «bien de consommation» ou «consumer commodity», suivie du nom des marchandises dangereuses;
- b) la classification des marchandises dangereuses; et
- c) la quantité de marchandises dangereuses.

(4) Nonobstant le paragraphe (1), si les marchandises dangereuses sont destinées à être transportées en quantités limitées par route ou par rail, le document d'expédition visé au paragraphe 4.4(1) peut contenir, au lieu des renseignements précisés au paragraphe (1),

- a) l'appellation réglementaire des marchandises dangereuses;
- b) les classifications primaire et subsidiaire des marchandises dangereuses;
- c) le numéro d'identification du produit applicable aux marchandises dangereuses;
- d) la mention «quantité limitée» ou «limited quantity» ou les abréviations «quant. ltée» ou «ltd. qty.»;
- e) le nom et l'adresse de l'expéditeur et du destinataire; et
- f) le point d'éclair du produit ayant le point d'éclair le plus bas, s'il s'agit de marchandises dangereuses dont la classification primaire ou subsidiaire est la classe 3.

4.9 (1) Aux fins du sous-alinéa 4.8(1)e)(i),

a) dans les cas où les marchandises dangereuses sont des matières toxiques à effet systémique, le document d'expédition porte, en plus de l'appellation réglementaire des marchandises, l'appellation technique, indiquée entre parenthèses, des constituants actifs visés par la classification primaire;

b) dans les cas où les marchandises dangereuses sont sous forme de solution ou de mélange composé

- (i) de marchandises dangereuses visées à la colonne I de la liste II de l'annexe II et dont la classification primaire est la même que celle de la solution ou du mélange, et
- (ii) de un ou plusieurs produits ou matières qui ne sont pas des marchandises dangereuses,

le document d'expédition porte l'appellation réglementaire des marchandises dangereuses principales, suivie soit de la mention «mélange» ou «mixture», soit de la mention «solution» selon le cas;

c) dans les cas où l'appellation réglementaire des marchandises dangereuses visées à la colonne I d'une liste de l'annexe II est suivie d'un astérisque (*), le document d'expédition porte, en plus de l'appellation réglementaire,

- (i) l'appellation technique, indiquée entre parenthèses, du constituant le plus dangereux visé par la classification primaire des marchandises dangereuses,

(ii) where the dangerous goods are a mixture of dangerous goods that have different classifications, the technical name of at least the dangerous goods that relate to the primary classifications and the dangerous goods that relate to the subsidiary classifications that take precedence in accordance with Schedule I, in parentheses, or

(iii) where dangerous goods are a mixture of dangerous goods for which a subsidiary classification label is required to be displayed by these Regulations, the shipping document shall indicate, in addition to the shipping name of the dangerous goods

(A) the technical name of the most dangerous constituent that relates to the primary classification, in parentheses, and

(B) the technical name of the most dangerous constituent that relates to the subsidiary classification that takes precedence over any other subsidiary classification in accordance with Schedule I, in parentheses; and

(d) where the dangerous goods referred to in paragraph (c) are a mixture or solution that has a subsidiary classification of 9.2, the technical name of the component related to that subsidiary classification, in parentheses, if the component differs from the component in the primary classification.

(2) Paragraph 4.8(1)(g) does not apply to explosives that

(a) are to be or are being transported by road; and

(b) consist of not more than 50,000 detonators or detonator assemblies (fuse assemblies) or not more than 15 000 m of detonating cord, igniter cord or safety fuse.

Division 2 of Class 6 (Infectious substances)

4.10 Where the shipping document referred to in section 4.4 relates to dangerous goods that are included in Division 2 of Class 6 and that originate in Canada, the shipping document shall indicate, in addition to any information required by section 4.8,

(a) the following words set out in a prominent manner: "If package damaged, immediately telephone CANUTEC (613) 996-6666" or "Si le colis est endommagé, téléphoner immédiatement à CANUTEC (613) 996-6666";

(b) where the infectious substances are a diagnostic specimen, the words "Diagnostic Specimen" or "Échantillons pour diagnostic" and the name of the suspected micro-organism; and

(c) where the infectious substances are not a diagnostic specimen, the name of the micro-organism.

Class 7 (Radioactive Materials)

4.11 Where the shipping document referred to in section 4.4 relates to dangerous goods that are included in Class 7, the shipping document shall indicate, in addition to any information required by section 4.8,

(a) the words "radioactive material" or "matière radioactive";

(b) for a consignment of low specific activity material, the words "low specific activity" or "faible activité spécifique";

(c) for a consignment of low-level solid radioactive materials, the words "low-level solid" or "matière solide de faible activité";

(ii) s'il s'agit d'un mélange de marchandises dangereuses incluses dans différentes classifications, l'appellation technique, indiquée entre parenthèses, au moins des marchandises dangereuses visées par la classification primaire et des marchandises dangereuses visées par la classification subsidiaire qui ont priorité selon l'annexe I, ou

(iii) s'il s'agit d'un mélange de marchandises dangereuses pour lesquelles une étiquette de classification subsidiaire est requise en vertu du présent règlement,

(A) l'appellation technique, indiquée entre parenthèses, du constituant le plus dangereux visé par la classification primaire, et

(B) l'appellation technique, indiquée entre parenthèses, du constituant le plus dangereux visé par la classification subsidiaire qui a priorité sur les autres classifications subsidiaires selon l'annexe I; et

d) dans les cas où les marchandises dangereuses visées à l'alinéa c) sont sous forme de solution ou de mélange dont la classification subsidiaire est 9.2, l'appellation technique, indiquée entre parenthèses, du constituant visé par cette classification subsidiaire, s'il n'est pas le même que celui visé par la classification primaire.

(2) L'alinéa 4.8(1)(g) ne s'applique pas aux explosifs

a) qui sont ou doivent être transportés par route; et

b) qui sont constitués d'au plus 50 000 détonateurs ou ensembles de détonateurs et mèches de sûreté, ou d'au plus 15 000 m de cordeau détonant, de cordeau d'allumage ou de mèche de sûreté.

Division 2 de la classe 6 (Matières infectieuses)

4.10 Si le document d'expédition mentionné à l'article 4.4 vise des marchandises dangereuses incluses dans la division 2 de la classe 6 et qui sont expédiées à partir du Canada, il porte, en plus des renseignements précisés à l'article 4.8,

a) la mention «Si le colis est endommagé, téléphoner immédiatement à CANUTEC (613) 996-6666» ou «If package damaged, immediately telephone CANUTEC (613) 996-6666», inscrite de façon à être bien en vue;

b) dans les cas où les matières infectieuses sont des échantillons pour diagnostic, la mention «Échantillons pour diagnostic» ou «Diagnostic Specimen», suivie du nom du micro-organisme soupçonné; et

c) dans les cas où les matières infectieuses ne sont pas des échantillons pour diagnostic, le nom du micro-organisme en cause.

Classe 7 (Matières radioactives)

4.11 Si le document d'expédition mentionné à l'article 4.4 vise des marchandises dangereuses incluses dans la classe 7, il porte, en plus des renseignements précisés à l'article 4.8,

a) la mention «matière radioactive» ou «radioactive material»;

b) s'il s'agit d'un envoi de matières de faible activité spécifique, la mention «faible activité spécifique» ou «low specific activity»;

c) s'il s'agit d'un envoi de matières radioactives solides de faible activité, la mention «matière solide de faible activité» ou «low-level solid»;

(d) the identification letters and numbers applicable to the consignment indicated on the package design approval certificate or the endorsement of a foreign certificate, if any, issued pursuant to the *Transport Packaging of Radioactive Materials Regulations*;

(e) the name of the radioactive material or the symbol of radionuclide or element and its atomic number;

(f) a description of the physical and chemical form of the radioactive material or, where the radioactive material is a special form radioactive material, a statement to that effect;

(g) the activity of the radioactive material in

(i) Becquerels or Curies for transborder or international consignments, or

(ii) in Becquerels for domestic consignments;

(h) a statement indicating which of the labels illustrated in Part I of Schedule V under the headings "Radioactive White I", "Radioactive Yellow II" or "Radioactive Yellow III" is affixed to or printed on the package;

(i) where the package displays a Radioactive Yellow II or a Radioactive Yellow III label, the transport index of the package;

(j) where the radioactive materials are fissile materials, a statement indicating

(i) whether the package is a Fissile Class I, Fissile Class II or Fissile Class III package, and

(ii) the mass of the materials;

(k) the average surface heat flux of the package if it exceeds 15 W/m^2 and the appropriate handling and shipping instructions; and

(l) where no special instructions pursuant to paragraph 4.8(1)(h) are required, a statement to that effect.

Fuel Tank and Gas Cylinder

4.12 (1) Where volumes of fuel

(a) from a tank truck or a tank trailer, or

(b) in individual gas cylinders from a multiple load of gas cylinders

are to be delivered to more than one consignee, the shipping document referred to in section 4.4 shall contain, instead of the information required pursuant to section 4.8, the following information legibly and indelibly printed:

(c) the shipping name of the dangerous goods;

(d) the product identification number of the dangerous goods;

(e) the primary classification and the subsidiary classification, if any, of the dangerous goods; and

(f) the total quantity of the dangerous goods in the shipment.

(2) After the consignor has delivered or caused to be delivered the shipping document referred to in subsection (1), the person having charge, management or control of the dangerous goods shall, after each delivery, indicate on the shipping document, the quantity of the dangerous goods that has been subtracted from the shipment.

Class 1 (Explosives)

4.13 Where explosives

d) le numéro de référence de l'envoi figurant sur le certificat d'approbation de modèle de colis ou l'acceptation de certificat étranger, s'il y a lieu, délivrés en vertu du *Règlement sur les matières radioactives destinées au transport*;

e) le nom de la matière radioactive ou le symbole du radionucléide ou de l'élément et son numéro atomique;

f) une description de la forme physique et chimique de la matière radioactive ou, s'il s'agit d'une matière radioactive sous forme spéciale, une déclaration à cet effet;

g) l'activité de la matière radioactive,

(i) en becquerels ou en curies, dans le cas d'un envoi transfrontalier ou d'un envoi international, ou

(ii) en becquerels, dans le cas d'un envoi intérieur;

h) une indication précisant laquelle des étiquettes illustrées à la partie I de l'annexe V sous les rubriques «Radioactive Blanc I», «Radioactive Jaune II» ou «Radioactive Jaune III» est apposée ou imprimée sur l'emballage;

i) l'indice de transport de l'emballage, dans les cas où celui-ci porte une étiquette «Radioactive Jaune II» ou «Radioactive Jaune III»;

j) dans les cas où la matière radioactive est une matière fissile, une indication précisant

(i) si l'emballage est un colis de classe fissile I, un colis de classe fissile II ou un colis de classe fissile III, et

(ii) la masse de la matière;

k) le flux thermique moyen à la surface de l'emballage, dans les cas où il dépasse 15 W/m^2 , ainsi que les instructions appropriées en matière de manutention et d'expédition; et

l) dans les cas où les instructions spéciales visées à l'alinéa 4.8(1)(h) ne s'appliquent pas, une indication à cet effet.

Réservoirs à carburant et bouteilles à gaz

4.12 (1) Dans les cas où il doit être livré à plusieurs destinataires du carburant contenu

a) à bord d'un camion-citerne ou d'une remorque-citerne, ou

b) dans des bouteilles à gaz individuelles faisant partie d'un chargement de bouteilles à gaz,

le document d'expédition visé à l'article 4.4 porte, au lieu des renseignements précisés à l'article 4.8, les détails suivants au sujet des marchandises dangereuses, imprimés de façon lisible et indélébile:

c) l'appellation réglementaire;

d) le numéro d'identification du produit;

e) les classifications primaire et subsidiaire, s'il y a lieu;

f) la quantité totale contenue dans l'envoi.

(2) Après que l'expéditeur a remis ou a fait remettre le document d'expédition visé au paragraphe (1), la personne responsable des marchandises dangereuses inscrit sur ce document, après chaque livraison, la quantité soustraite de l'envoi.

Classe 1 (Explosifs)

4.13 Dans le cas où des explosifs

a) sont destinés à être transportés uniquement sur terre par un véhicule routier, d'une poudrière munie d'une licence

(a) are to be transported solely on land in a road vehicle between a magazine, in respect of which a licence has been issued pursuant to the *Explosives Act*, and a blasting site, or
(b) are included in Division 5 of Class 1 and are to be transported in bulk in a road vehicle

- (i) that has an explosives vehicle certificate, and
- (ii) that is travelling solely on land, other than on a railway vehicle, between a factory, in respect of which a licence has been issued pursuant to the *Explosives Act*, and a blasting site that is 160 km or less from the licensed factory

the shipping document referred to in section 4.4 shall contain, instead of the information required by section 4.8, the following information legibly and indelibly printed:

- (c) the name and address of the consignor;
- (d) the words "subject to a maximum distance of 160 km" or "assujetti à la distance maximale de 160 km";
- (e) the trade name of the explosives;
- (f) the product identification number of the explosives;
- (g) the strength and cartridge size of the explosives, where applicable;
- (h) the quantity of the explosives;
- (i) the purpose for which the explosives are being transported; and
- (j) where the dangerous goods are listed in Schedule XII, the words "summary of emergency response plan" or "résumé de plan d'urgence", followed by the reference number of the summary of the emergency response plan provided by the Director General pursuant to Part VII, followed by the telephone number to call in order to have the plan activated.

Class 4 (Flammable solids: substances liable to spontaneous combustion; substances that on contact with water emit flammable gases) and

Class 5 (Oxidizing substances and organic peroxides)

4.14 Where dangerous goods

- (a) are included in Class 4 or Class 5,
- (b) are intended to be used in a manufacture of bulk explosives at a blasting site, and
- (c) are to be transported in bulk on a road vehicle that is travelling solely on land, other than on a railway vehicle, between a factory, in respect of which a licence has been issued pursuant to the *Explosives Act*, and a blasting site that is 160 km or less from the factory,

the shipping document referred to in section 4.4 shall contain, instead of the information required by section 4.8, the following information legibly and indelibly printed:

- (d) the name and address of the consignor;
- (e) the words "subject to a maximum distance of 160 km" or "assujetti à la distance maximale de 160 km";
- (f) the shipping name of the dangerous goods;
- (g) the product identification number of the dangerous goods; and
- (h) the quantity of the dangerous goods.

délivrée en vertu de la *Loi sur les explosifs*, vers un lieu de sautage, ou

b) sont inclus dans la division 5 de la classe 1 et sont destinés à être transportés en vrac dans un véhicule routier

- (i) qui est muni d'un certificat de véhicule d'explosifs, et
- (ii) qui ne circule que sur terre autrement qu'à bord d'un véhicule ferroviaire, d'une fabrique munie d'une licence délivrée en vertu de la *Loi sur les explosifs* vers un lieu de sautage situé à une distance d'au plus 160 km de la fabrique,

le document d'expédition visé à l'article 4.4 porte, au lieu des renseignements précisés à l'article 4.8, les détails suivants imprimés de façon lisible et indélébile:

- c) le nom et l'adresse de l'expéditeur;
- d) la mention «assujetti à la distance maximale de 160 km» ou «subject to a maximum distance of 160 km»;
- e) la marque de commerce des explosifs;
- f) le numéro d'identification du produit des explosifs;
- g) la puissance et la grandeur des cartouches d'explosifs, s'il y a lieu;
- h) la quantité d'explosifs;
- i) les raisons du transport des explosifs; et
- j) s'il s'agit d'explosifs visés à l'annexe XII, la mention «résumé de plan d'urgence» ou «summary of emergency response plan», suivie du numéro de référence attribué par le Directeur général, en vertu de la partie VII, et du numéro de téléphone à composer pour la mise en œuvre du plan.

Classe 4 (Solides inflammables; matières sujettes à l'inflammation spontanée et matières qui, au contact de l'eau, dégagent des gaz inflammables) et

Classe 5 (Matières comburantes et peroxydes organiques)

4.14 Dans les cas où des marchandises dangereuses

- a) sont incluses dans la classe 4 ou la classe 5,
- b) sont destinées à servir à la fabrication d'explosifs en vrac à un lieu de sautage, et
- c) sont destinées à être transportées en vrac dans un véhicule routier qui ne circule que sur terre, autrement qu'à bord d'un véhicule ferroviaire, d'une fabrique munie d'une licence délivrée en vertu de la *Loi sur les explosifs*, jusqu'à un lieu de sautage situé à une distance d'au plus 160 km de la fabrique,

le document d'expédition visé à l'article 4.4 porte, au lieu des renseignements précisés à l'article 4.8, les détails suivants, imprimés de façon lisible et indélébile:

- d) le nom et l'adresse de l'expéditeur;
- e) la mention «assujetti à la distance maximale de 160 km» ou «subject to a maximum distance of 160 km»;
- f) l'appellation réglementaire des marchandises dangereuses;
- g) le numéro d'identification du produit applicable aux marchandises dangereuses; et
- h) la quantité de marchandises dangereuses.

Waste Manifest

4.15 Before dangerous goods that are

- (a) solid wastes in quantities of 5 kg or more, or
 - (b) liquid wastes in quantities of 5 L or more,
- are transported, the consignor of the dangerous goods
- (c) shall complete and sign for each consignment of the dangerous goods offered by him for transport
 - (i) Part A of a manifest that has a waste manifest identification number unique for each consignment and that is in the form set out as Form 1 in Schedule IV, or
 - (ii) where the dangerous goods are to be transported only within a province
 - (A) Part A of a manifest that has a waste manifest identification number unique for each consignment and that is in the form set out as Form 1 in Schedule IV, or
 - (B) a manifest that is in the form required by the legislation of that province for the dangerous goods;
 - (d) shall deliver or cause to be delivered to the initial carrier to whom he offered the dangerous goods for transport, the manifest referred to in paragraph (c) together with any additional documents that he is required to attach to the manifest pursuant to these Regulations; and
 - (e) where the place of origin and the place of destination of the dangerous goods to be transported correspond to one or more places of origin or destination set out in Column I of the Table to this Part, shall send a copy of the manifest to the appropriate authority set out in Column II of the Table corresponding to the place of origin and the place of destination within two working days after he delivers or causes to be delivered the manifest to the initial carrier pursuant to paragraph (d).

4.16 In completing a manifest pursuant to section 4.15, a consignor shall indicate

- (a) the words "waste" or "déchet" immediately preceding the shipping name unless that word is already part of, or is implied in, the shipping name; or
 - (b) where the waste is a waste of dangerous goods that
 - (i) have a primary classification of Class 2 to 6.1 or Class 8, and are so diluted that they do not meet the criteria for the primary classification,
 - (ii) have a subsidiary classification of 9.2,
- the words "waste contaminated with" or "déchet contaminé avec" immediately preceding the shipping name, and shall not enter the product identification number.

4.17 When a person in charge of a means of transport that is being used to transport the dangerous goods takes charge, management or control of the dangerous goods that are waste, he shall, in addition to the requirements of sections 4.23 and 4.24, complete, sign and date Part B of the manifest referred to in section 4.15 for the dangerous goods.

4.18 On receipt of the dangerous goods that are wastes the consignee

- (a) shall complete and sign Part C of the manifest referred to in section 4.15 for the dangerous goods;

Manifeste relatif aux déchets

4.15 Avant le transport des marchandises dangereuses qui sont

- a) des déchets solides en quantité de 5 kg ou plus, ou
 - b) des déchets liquides en quantité de 5 L ou plus,
- l'expéditeur
- c) remplit et signe, pour chaque envoi de marchandises dangereuses dont il a demandé le transport,
 - (i) la partie A d'un manifeste conforme à la formule 1 figurant à l'annexe IV et portant le numéro d'identification propre à l'envoi, ou
 - (ii) dans les cas où le transport doit se faire à l'intérieur d'une province
 - (A) la partie A d'un manifeste conforme à la formule 1 figurant à l'annexe IV et portant le numéro d'identification propre à l'envoi, ou
 - (B) un manifeste en la forme prescrite par les lois de la province qui régissent le transport des marchandises dangereuses;
 - d) remet ou fait remettre au transporteur initial à qui il demande de transporter les marchandises dangereuses le manifeste visé à l'alinéa c), accompagné de tout autre document qu'il est tenu d'y annexer en vertu du présent règlement; et
 - e) dans les cas où le lieu d'origine et le lieu de destination des marchandises dangereuses sont mentionnés à la colonne I du tableau de la présente partie, fait parvenir une copie du manifeste aux autorités responsables nommées pour ces lieux à la colonne II de ce tableau, dans un délai de deux jours ouvrables après la remise du manifeste au transporteur initial conformément à l'alinéa d).

4.16 L'expéditeur qui remplit un manifeste conformément à l'article 4.15 y inscrit

- a) le terme «déchet» ou «waste» juste avant l'appellation réglementaire, à moins que ce terme ne fasse déjà partie de l'appellation réglementaire ou ne soit implicitement entendu dans celle-ci; ou
 - b) s'il s'agit de déchets de marchandises dangereuses
 - (i) dont la classification primaire est l'une des classes 2 à 6.1 ou la classe 8, et qui sont diluées de façon à ne plus répondre aux critères de cette classification primaire, et
 - (ii) dont la classification subsidiaire est 9.2,
- la mention «déchet contaminé avec» ou «waste contaminated with» juste avant l'appellation réglementaire, sans indiquer le numéro d'identification du produit.

4.17 En plus de se conformer aux articles 4.23 et 4.24, la personne responsable du moyen de transport utilisé pour le transport des marchandises dangereuses qui sont des déchets remplit, signe et date la partie B du manifeste visé à l'article 4.15, au moment de prendre possession des marchandises dangereuses.

4.18 Sur réception des marchandises dangereuses qui sont des déchets, le destinataire

- a) remplit et signe la partie C du manifeste visé à l'article 4.15;

(b) where the place of origin and the place of destination of the dangerous goods that have been received correspond to one or more places of origin or destination set out in Column I of the Table to this Part, shall send a copy of the manifest to the appropriate authority set out in Column II of the Table corresponding to the place of origin and the place of destination, within two working days after he receives the dangerous goods;

(c) shall send a copy of the manifest to the consignor of the dangerous goods within two working days after he receives the dangerous goods; and

(d) shall send a copy of the manifest to the carrier of the dangerous goods within two working days after he receives the dangerous goods.

Empty Packaging, Container or Vehicle

4.19 No person shall transport a packaging, container or a vehicle, or operate a vehicle

(a) that has been emptied of dangerous goods, and

(b) that has not been cleaned or purged of all residues of dangerous goods and a hazard still exists, unless the shipping document referred to in section 4.4 or the manifest referred to in section 4.15 that relates to the dangerous goods last contained in the packaging, container or vehicle

(c) contains the words "Empty-last contained" or "vide-dernier contenu"; and

(d) accompanies the empty packaging, container or vehicle.

Additional Documents

4.20 Where a consignment of dangerous goods includes radioactive materials that are subject to the *Transport Packaging of Radioactive Materials Regulations*, the consignor shall attach to the shipping document referred to in section 4.4 a copy of

(a) any applicable package design approval certificate, or

(b) any applicable endorsement of a foreign certificate or similar document issued by a competent authority in a foreign country,

issued pursuant to the *Transport Packaging of Radioactive Materials Regulations*.

4.21 Where a consignment of dangerous goods, other than dangerous goods that have a classification 3.3 or Class 9, is in carload, trailerload, truckload or containerload quantities and is to be transported by rail, the consignor shall attach to the shipping document referred to in section 4.4 or the manifest referred to in section 4.15 a copy of a completed Emergency Response form set out in the *Regulations for the Transportation of Dangerous Commodities by Rail*.

4.22 Where dangerous goods are to be transported by rail and the person responsible for the position, within the train, of

b) lorsque le lieu d'origine et le lieu de destination des marchandises dangereuses sont mentionnés à la colonne I du tableau de la présente partie, fait parvenir une copie du manifeste aux autorités responsables nommées pour ces lieux à la colonne II de ce tableau, dans les deux jours ouvrables qui suivent la réception des marchandises dangereuses;

c) envoie une copie du manifeste à l'expéditeur dans les deux jours ouvrables qui suivent la réception des marchandises dangereuses; et

d) envoie une copie du manifeste au transporteur dans les deux jours ouvrables qui suivent la réception des marchandises dangereuses.

Emballages, conteneurs ou véhicules vides

4.19 Il est interdit de transporter un emballage ou un conteneur, ou de transporter ou d'utiliser un véhicule,

a) qui a été vidé des marchandises dangereuses qu'il contenait, et

b) qui n'a pas été nettoyé ou purgé de façon à être débarrassé de tout résidu de marchandises dangereuses et qui présente encore un risque de danger,

sauf si le document d'expédition, visé à l'article 4.4 ou le manifeste mentionné à l'article 4.15, qui a trait aux dernières marchandises dangereuses contenues dans l'emballage, le conteneur ou le véhicule,

c) porte la mention «vide-dernier contenu» ou «empty-last contained»; et

d) accompagne l'emballage, le conteneur ou le véhicule vide.

Autres documents

4.20 Dans les cas où l'envoi de marchandises dangereuses comprend des matières radioactives soumises au *Règlement sur l'emballage des matières radioactives destinées au transport*, l'expéditeur joint au document d'expédition visé à l'article 4.4 une copie

a) du certificat d'approbation de modèle de colis, s'il y a lieu, ou

b) de l'acceptation de certificat étranger ou d'un document équivalent délivrés par les autorités compétentes d'un pays étranger,

émis en vertu du *Règlement sur l'emballage des matières radioactives destinées au transport*.

4.21 Dans les cas où un envoi de marchandises dangereuses, autres que des marchandises ayant la classification 3.3 ou incluses dans la classe 9, est destiné à être transporté par rail, en quantités équivalentes à celles d'un chargement complet de wagon, de remorque, de camion ou de conteneur, l'expéditeur joint au document d'expédition visé à l'article 4.4 ou au manifeste visé à l'article 4.15 une copie remplie de la formule intitulée *Emergency Response Form* qui figure à l'annexe du règlement intitulé *Regulations for the Transportation of Dangerous Commodities by Rail*.

4.22 Dans les cas où les marchandises dangereuses doivent être transportées par rail et que la personne responsable de la

the railway vehicle containing the dangerous goods is not a member of the train crew, before the dangerous goods are transported, that person shall provide the train crew with a document that indicates the position, within the train, of each railway vehicle containing the dangerous goods.

Location of the Documentation During Transport

4.23 The person in charge of the transportation of dangerous goods shall ensure that, during the period the goods are in his charge and are being transported from the consignor to the consignee, a copy of the shipping document referred to in section 4.4 or the manifest referred to in section 4.15, as the case may be, and any additional documents required by these Regulations for the transporting of the dangerous goods accompanies each consignment of the dangerous goods at all times and are placed as follows:

- (a) where the dangerous goods are being transported in or on a road vehicle, one copy in the cab of the vehicle in a pocket mounted on the driver's door and, where the driver is not in the cab, a second copy in the driver's possession;
- (b) where the dangerous goods are in or on a road vehicle that is parked in a parking area, one copy in a waterproof receptacle securely attached to the vehicle at a location where it is readily identifiable and accessible and one copy in the custody or control of a person in charge, if any, of the area in which the vehicle is parked;
- (c) where the dangerous goods are on board a ship that is manned, one copy in the custody or control of the master, except where the ship is a Ro-Ro and the dangerous goods are in or on a road vehicle that is accompanied by a driver who has the permission of the master to retain possession of the copy;
- (d) where the dangerous goods are on board a ship that is not manned but is under tow, one copy in the possession of the master of the towing ship;
- (e) where the dangerous goods are on board a ship that is not manned and is not under tow, one copy in the custody or control of the person attending the ship, or if the ship is unattended, one copy in a waterproof receptacle securely attached to the ship at a location where it is readily identifiable and accessible;
- (f) where the dangerous goods are being transported in or on a railway vehicle, one copy in the custody or control of
 - (i) the conductor when the vehicle is part of a train,
 - (ii) the person in charge of the nearest yard office during any period the vehicle is in a railway yard for a purpose other than repairs, or
 - (iii) the person in charge of a repair track or shop, during the period that the vehicle is in that place; or
- (g) in cases not covered in paragraphs (a) to (f), in a waterproof receptacle securely attached to the transport unit to which the shipping document relates, at a location where it is readily identifiable and accessible.

position, dans le train, des véhicules ferroviaires contenant les marchandises dangereuses n'est pas un membre de l'équipage du train, cette dernière remet à l'équipage du train, avant le transport des marchandises dangereuses, un document indiquant la position de chacun des véhicules ferroviaires contenant des marchandises dangereuses.

Emplacement des documents au cours du transport

4.23 La personne responsable du transport de marchandises dangereuses s'assure que, pendant que ces marchandises sont transportées de l'expéditeur au destinataire et qu'elle en a la charge, une copie du document d'expédition visé à l'article 4.4 ou du manifeste mentionné à l'article 4.15, selon le cas, et une copie de tout autre document requis en vertu du présent règlement, pour le transport de ces marchandises dangereuses, accompagnent l'envoi en tout temps et sont gardées aux endroits suivants:

- a) dans les cas où les marchandises dangereuses sont transportées à bord d'un véhicule routier, une copie est gardée dans une pochette fixée à la porte du conducteur à l'intérieur de la cabine et lorsque le conducteur n'est pas dans la cabine, il garde une autre copie en sa possession;
- b) dans les cas où les marchandises dangereuses se trouvent à bord d'un véhicule routier stationné dans une aire de stationnement, une copie est gardée dans un récipient étanche solidement fixé au véhicule en un endroit facilement accessible et évident, et une autre copie demeure sous la garde du préposé, s'il y a lieu, de l'aire de stationnement;
- c) dans les cas où les marchandises dangereuses sont à bord d'un navire muni d'un équipage, une copie demeure sous la garde du capitaine, sauf si le navire est un roulier et que les marchandises dangereuses sont à bord d'un véhicule routier accompagné d'un conducteur qui a reçu la permission du capitaine de conserver la copie en sa possession;
- d) dans les cas où les marchandises dangereuses sont à bord d'un navire remorqué sans équipage, une copie demeure en la possession du capitaine du navire remorqueur;
- e) dans les cas où les marchandises dangereuses sont à bord d'un navire sans équipage et qui n'est pas remorqué, une copie demeure sous la garde de la personne surveillant le navire, ou si le navire est sans surveillance, une copie est gardée dans un récipient étanche solidement fixé au navire, en un endroit facilement accessible et évident;
- f) dans les cas où les marchandises dangereuses sont transportées à bord d'un véhicule ferroviaire, une copie demeure sous la garde
 - (i) du conducteur, si le véhicule fait partie d'un train,
 - (ii) de la personne responsable du bureau de triage le plus proche, lorsque le véhicule est dans une cour de triage à des fins autres que de réparation, ou
 - (iii) de la personne responsable de la voie ou de l'atelier de réparation, pendant que le véhicule se trouve sur cette voie ou dans cet atelier;
- g) dans les cas non mentionnés aux alinéas a) à f), une copie est gardée dans un récipient étanche solidement fixé à l'unité de transport visée par le document d'expédition, à un endroit facilement accessible et évident.

Transfer of Management, Charge or Control of the Dangerous Goods

4.24 Where a person ceases to have the charge, management or control of dangerous goods during the period that the goods are being transported from the consignor to the consignee, that person shall provide the person who takes over the charge, management or control of the dangerous goods with a copy of

- (a) the shipping document referred to in section 4.4 or the manifest referred to in section 4.15 that is related to the dangerous goods; and
- (b) any additional documents required by these Regulations for the transportation of the dangerous goods.

4.25 On taking over the charge, management or control of dangerous goods, every carrier shall ensure that the shipping document referred to in section 4.4 or the manifest referred to in section 4.15 related to the dangerous goods contains the owner unit number or the serial number of the transport unit in which the dangerous goods are to be loaded.

Delivery of the Dangerous Goods

4.26 Where a carrier delivers dangerous goods to a consignee, the carrier shall provide the consignee of the dangerous goods with a copy of

- (a) the shipping document referred to in section 4.4 or the manifest referred to in section 4.15 that is related to the dangerous goods; and
- (b) any additional documents required by these Regulations for the transporting of the dangerous goods.

Retention of the Documentation

4.27 A consignor, each carrier using any mode of transport other than a Ro-Ro, and the consignee of dangerous goods shall retain for a period of two years

- (a) a copy of the shipping document referred to in section 4.4 or of the manifest referred to in section 4.15, and
- (b) a copy of any additional documents required by these Regulations for the transporting of the dangerous goods,

and shall make the documents available to an inspector for inspection within 15 days after receiving a written request to that effect from the inspector.

Transfert de la responsabilité des marchandises dangereuses

4.24 Lorsque, pendant le transport des marchandises dangereuses entre l'expéditeur et le destinataire, la responsabilité des marchandises dangereuses est transférée d'une personne à une autre, celle qui transfère cette responsabilité remet à celle à qui elle est transférée une copie

- a) du document d'expédition visé à l'article 4.4 ou du manifeste mentionné à l'article 4.15, qui se rapporte aux marchandises dangereuses; et
- b) de tout autre document requis en vertu du présent règlement pour le transport des marchandises dangereuses.

4.25 Le transporteur qui assume la responsabilité de marchandises dangereuses s'assure que le document d'expédition visé à l'article 4.4 ou le manifeste mentionné à l'article 4.15, qui se rapporte aux marchandises dangereuses, porte le numéro de série de l'unité de transport dans laquelle les marchandises doivent être chargées ou le numéro qui y est attribué par le propriétaire.

Livraison des marchandises dangereuses

4.26 Au moment de la livraison des marchandises dangereuses au destinataire, le transporteur remet à ce dernier une copie

- a) du document d'expédition visé à l'article 4.4 ou du manifeste mentionné à l'article 4.15, qui se rapporte aux marchandises dangereuses; et
- b) de tout autre document requis en vertu du présent règlement pour le transport des marchandises dangereuses.

Conservation des documents

4.27 L'expéditeur, le destinataire et le transporteur de marchandises dangereuses utilisant un moyen de transport autre qu'un roulier conservent pendant deux ans,

- a) une copie du document d'expédition visé à l'article 4.4 ou du manifeste mentionné à l'article 4.15, et
- b) une copie de tout autre document requis en vertu du présent règlement pour le transport des marchandises dangereuses,

et, à la demande écrite d'un inspecteur, mettent ces documents à la disposition de ce dernier, dans les 15 jours suivant la réception de la demande.

TABLE

Column I	Column II
Place of Origin or Destination	Appropriate Authority
Alberta	Minister of the Environment of the Government of Alberta
British Columbia	Minister of the Environment of the Government of British Columbia
Manitoba	Minister of the Environment and Workplace Safety and Health of the Government of Manitoba
New Brunswick	Minister of the Environment of the Government of New Brunswick
Newfoundland	Minister of the Environment of the Government of Newfoundland
Northwest Territories	Commissioner of the Northwest Territories
Nova Scotia	Minister of the Environment of the Government of Nova Scotia
Ontario	Minister of the Environment of the Government of Ontario
Prince Edward Island	Minister of Community Affairs of the Government of Prince Edward Island
Québec	Ministre de l'environnement du gouvernement du Québec
Saskatchewan	Minister of the Environment of the Government of Saskatchewan
Yukon Territory	Minister of Renewable Resources of the Government of the Yukon Territory
Outside Canada	Minister of the Environment of the Government of Canada

PART V

SAFETY MARKS

Application

5.1 Unless otherwise provided in Schedule III or in Part II and subject to sections 5.2, 5.3 and 5.4, no person shall handle, offer for transport or transport dangerous goods unless the safety marks for the dangerous goods are in compliance with this Part.

United States—Canada

5.2 Where a transborder consignment of dangerous goods, other than dangerous goods included in Class 1 or in Division 3 or 4 of Class 2,

- (a) originate from a place in the United States and are transported through Canada to a destination outside Canada, or
- (b) originate from a place in the United States and are transported in Canada to a destination in Canada, or

no person shall transport the dangerous goods unless the safety marks for the dangerous goods are in compliance with

- (c) this Part; or
- (d) the requirements of 49 CFR for safety marks.

TABLEAU

Colonne I	Colonne II
Lieu d'origine ou de destination	Autorité responsable
Alberta	Minister of the Environment (gouvernement de l'Alberta)
Colombie-Britannique	Minister of the Environment (gouvernement de la Colombie-Britannique)
Manitoba	Minister of Consumer and Corporate Affairs and the Environment (gouvernement du Manitoba)
Nouveau-Brunswick	Ministre de l'environnement (gouvernement du Nouveau-Brunswick)
Terre-Neuve	Minister of Consumer Affairs and the Environment (gouvernement de Terre-Neuve)
Territoires du Nord-Ouest	Commissaire des territoires du Nord-Ouest
Nouvelle-Écosse	Minister of the Environment (gouvernement de la Nouvelle-Écosse)
Ontario	Minister of the Environment (gouvernement de l'Ontario)
Île-du-Prince-Édouard	Minister of Community Affairs (gouvernement de l'Île-du-Prince-Édouard)
Québec	Ministre de l'environnement (gouvernement du Québec)
Saskatchewan	Minister of the Environment (gouvernement de la Saskatchewan)
Yukon	Ministre des ressources renouvelables (gouvernement du Yukon)
Hors du Canada	Ministre de l'environnement (gouvernement du Canada)

PARTIE V

INDICATIONS DE DANGER

Application

5.1 Sauf disposition contraire de l'annexe III ou de la partie II et sous réserve des articles 5.2, 5.3 et 5.4, il est interdit de manutentionner, de demander de transporter ou de transporter des marchandises dangereuses, sauf si les indications de danger applicables à ces marchandises sont conformes à la présente partie.

États-Unis—Canada

5.2 Il est interdit de transporter un envoi transfrontalier de marchandises dangereuses, autres que des marchandises dangereuses incluses dans la classe 1 ou dans les divisions 3 ou 4 de la classe 2,

- a) en passant par le Canada, à partir d'un endroit aux États-Unis vers une destination hors du Canada, ou
- b) au Canada, à partir d'un endroit aux États-Unis vers une destination au Canada,

sauf si les indications de danger applicables à ces marchandises sont conformes

- c) à la présente partie; ou
- d) aux exigences du CFR 49 relatives aux indications de danger.

5.3 (1) Where a transborder consignment of dangerous goods originate from a place in Canada and are destined for a place in the United States, no person shall transport the dangerous goods in Canada unless the safety marks for the dangerous goods are in compliance with this Part.

(2) Where a transborder consignment of dangerous goods, other than dangerous goods included in Class 1, Division 2 of Class 6 or Class 7, is transported in Canada from a place in Canada and are destined for a place in the United States, in addition to the requirements of subsection (1) the wording that, pursuant to 49 CFR, is required to be shown on a label or placard for the dangerous goods, may be shown on the lower half of a label or placard displayed pursuant to this Part.

Class 7 (Radioactive Materials)

5.4 (1) No person shall handle, offer for transport or transport dangerous goods that are included in Class 7, unless the safety marks for the dangerous goods are in compliance with the requirements for safety marks set out in the *Transport Packaging of Radioactive Materials Regulations*.

(2) The requirements for safety marks set out in the *Transport Packaging of Radioactive Materials Regulations* that are applicable to a transport container shall also apply to a means of transport.

General

5.5 (1) Before dangerous goods are loaded in a large container or a transport unit, the consignor of the dangerous goods

(a) shall display in accordance with this Part each label and each sign that he is required to display in respect of the dangerous goods pursuant to this Part; and

(b) shall deliver or cause to be delivered to the initial carrier to whom he offers the dangerous goods for transport each placard, each orange panel that indicates a product identification number and each sign that the person in charge of the large container or the transport unit is required to display in respect of the dangerous goods pursuant to this Part.

(2) Where, during the period that a safety mark is required to be displayed pursuant to these Regulations for a consignment of dangerous goods, the safety mark has been defaced, lost or stolen, the person who has the charge, management or control of the consignment of the dangerous goods shall replace the safety mark.

5.6 The labels, placards, orange panels that indicate a product identification number and signs referred to in subsection 5.5(1) shall

(a) be clearly visible and legible;

5.3 (1) Il est interdit de transporter au Canada un envoi transfrontalier de marchandises dangereuses provenant du Canada et destiné aux États-Unis, sauf si les indications de danger applicables à ces marchandises sont conformes à la présente partie.

(2) Lorsqu'un envoi transfrontalier de marchandises dangereuses, autres que celles incluses dans la classe 1, la division 2 de la classe 6 ou la classe 7, est transporté au Canada à partir d'un lieu au Canada vers une destination aux États-Unis et est conforme aux exigences de la présente partie, les inscriptions qui, selon le CFR 49, sont exigées sur les étiquettes ou les plaques accompagnant les marchandises dangereuses, peuvent figurer dans la moitié inférieure des étiquettes ou des plaques requises en vertu de la présente partie.

Classe 7 (Matières radioactives)

5.4 (1) Il est interdit de manutentionner, de demander de transporter ou de transporter des marchandises dangereuses incluses dans la classe 7, sauf si les indications de danger applicables à ces marchandises sont conformes aux exigences relatives aux indications de danger que prévoit le *Règlement sur l'emballage des matières radioactives destinées au transport*.

(2) Les exigences que prévoit le *Règlement sur l'emballage des matières radioactives destinées au transport* au sujet des indications de danger propres aux conteneurs de transport s'appliquent également aux moyens de transport.

Dispositions générales

5.5 (1) Avant le chargement de marchandises dangereuses dans un grand conteneur ou une unité de transport, l'expéditeur

a) appose, conformément à la présente partie, les étiquettes et les écriteaux qu'il est tenu d'apposer à l'égard de ces marchandises en vertu de la présente partie; et

b) remet ou fait remettre au transporteur initial à qui il a demandé le transport des marchandises dangereuses, les plaques, les panneaux orange portant le numéro d'identification du produit et les écriteaux que la personne responsable du grand conteneur ou de l'unité de transport est tenue d'apposer à l'égard des marchandises dangereuses en vertu de la présente partie.

(2) Si une indication de danger est endommagée, perdue ou volée pendant la période où elle doit servir à un envoi de marchandises dangereuses en vertu du présent règlement, la personne responsable de l'envoi de marchandises dangereuses à ce moment est tenue de remplacer l'indication de danger.

5.6 Les étiquettes, les plaques, les panneaux orange portant le numéro d'identification du produit et les écriteaux visés au paragraphe 5.5(1)

a) sont clairement visibles et lisibles;

- (b) be on a contrasting background apart from any other marking with which it might be confused;
- (c) be sufficiently durable and weather resistant to withstand, without substantial alteration or detachment, the conditions to which they will be exposed during transport;
- (d) be capable of withstanding a 72 hour fadometer test in accordance with

(i) Method 1 of the *Standard Practice for Operating Light-Exposure Apparatus (Carbon-Arc Type) With and Without Water for Exposure of Nonmetallic Materials* ASTM G23-81, or

(ii) Method A of the *Standard Recommended Practice for Operating Light-Exposure Apparatus (Xenon-Arc Type) With and Without Water for Exposure of Non-metallic Materials* ANSI/ASTM G26-77;

- (e) be of the applicable colour indicated in this Part or in Schedule V, and that colour shall correspond to the following standards set out in the PANTONE R MATCHING SYSTEM Formula Guide, 1982, published by Pantone Inc., 55 Knickerbocker Road, Moonachie, New Jersey, United States, 07074:

(i) for the colour blue,

(A) in the case of any Figure, other than Figure 1, set out in Part IV of Schedule V, PANTONE 285, or

(B) in the case of Figure 1 set out in Part IV of Schedule V, PANTONE Process Blue,

(ii) for the colour green, PANTONE 335,

(iii) for the colour orange, PANTONE 151,

(iv) for the colour red, PANTONE 186, and

(v) for the colour yellow, PANTONE 109; and

- (f) not show the manufacturer's name or logo unless the manufacturer's name or logo

(i) is confined to the area outside the border of the labels, placards, orange panels or signs,

(ii) is located near the edge of the labels, placards, orange panels or signs, and

(iii) is in 10 point type size or smaller.

LABELS

General

5.7 (1) Subject to subsection (2), before dangerous goods are transported, the consignor of the dangerous goods shall display on every small container and every package that contains the dangerous goods

(a) a label that corresponds to the label set out in Part I of Schedule V for the primary classification of the dangerous goods;

(b) where the dangerous goods have a primary classification indicated in Column I of an item of Table I to this Part and a subsidiary classification and a packing group indicated in Column II of that item, a label that corresponds to the label set out in Part I of Schedule V for the subsidiary classification of the dangerous goods without the class number;

b) sont mis sur un fond d'une couleur contrastante et sont séparés de toute autre indication avec laquelle ils pourraient être confondus;

c) sont faits de matériaux durables et à l'épreuve des intempéries, qui sont capables de supporter les conditions de transport sans que l'étiquette, la plaque, le panneau ou l'écriteau se détache ni se détériore de façon appréciable;

d) sont capables de résister à l'épreuve appelée «fadometer test» pendant 72 heures, exécutée conformément

(i) à la méthode 1 de la norme G23-81 de l'ASTM, intitulée *Standard Practice for Operating Light-Exposure Apparatus (Carbon-Arc Type) With and Without Water for Exposure of Nonmetallic Materials*, ou

(ii) à la méthode A de la norme G26-77 de l'ANSI/ASTM, intitulée *Standard Recommended Practice for Operating Light-Exposure Apparatus (Xenon-Arc Type) With and Without Water for Exposure of Nonmetallic Materials*;

e) sont de la couleur prescrite à la présente partie ou à l'annexe V, et correspondant à celle prévue dans le «PANTONE R MATCHING SYSTEM Formula Guide», édition de 1982, publiée par Pantone Inc., 55 Knickerbocker Road, Moonachie, New Jersey, United States, 07074, à savoir:

(i) pour la couleur bleue

(A) dans le cas de toute figure autre que la figure 1 illustrée à la partie IV de l'annexe V, PANTONE 285,

(B) dans le cas de la figure 1 illustrée à la partie IV de l'annexe V, PANTONE Process Blue,

(ii) pour la couleur verte, PANTONE 335,

(iii) pour la couleur orange, PANTONE 151,

(iv) pour la couleur rouge, PANTONE 186, et

(v) pour la couleur jaune, PANTONE 109; et

f) peuvent porter le nom, le sigle ou le symbole du fabricant, à la condition qu'il soit indiqué

(i) à l'intérieur de la bordure de l'étiquette, de la plaque, du panneau orange ou de l'écriteau,

(ii) près du bord de l'étiquette, de la plaque, du panneau orange ou de l'écriteau, et

(iii) en caractères ne dépassant pas 10 points.

ÉTIQUETTES

Dispositions générales

5.7 (1) Sous réserve du paragraphe (2), l'expéditeur appose avant le transport, sur chaque petit conteneur et chaque colis qui contient des marchandises dangereuses,

a) celle des étiquettes illustrées à la partie I de l'annexe V qui correspond à la classification primaire des marchandises dangereuses;

b) s'il s'agit de marchandises dangereuses dont la classification primaire figure à la colonne I du tableau I de la présente partie et dont la classification subsidiaire et le groupe d'emballage sont mentionnés à la colonne II de ce tableau, celle des étiquettes illustrées à la partie I de l'annexe V qui correspond à la classification subsidiaire, sans indication de classe;

(c) where the dangerous goods are dangerous goods for which the letter "E" appears in Column III of an item of List II of Schedule II, a label that corresponds to the label set out as Figure 1 in Part I of Schedule V without

- (i) the class and division number or the letter that indicates the compatibility group, and
- (ii) the word "explosive";

(d) where the dangerous goods are dangerous goods for which the letter "I" appears in Column III of an item of List II of Schedule II, a label that corresponds to the label set out as Figure 20 in Part I of Schedule V without the class number;

(e) where the dangerous goods are magnetized materials that have the product identification number 2807 and are to be transported by aircraft, a label that corresponds to the label set out as Figure 1 in Part IV of Schedule V;

(f) where the dangerous goods are polychlorinated biphenyls, a label that corresponds to the label set out as Figure 2 in Part IV of Schedule V;

(g) where the dangerous goods are to be transported by air and, pursuant to these Regulations, are prohibited from being transported on a passenger aircraft, a label that corresponds to the label set out as Figure 4 in Part IV of Schedule V;

(h) where the dangerous goods are included in Class 1 and are to be transported in a transborder consignment, a label that corresponds to the label set out as Figure 1A, 2A or 3A, as applicable, in Part I of Schedule V;

(i) where the dangerous goods are included in Division 3 of Class 2 and are to be transported in a transborder consignment, a label that corresponds to the label set out as Figure 6A in Part I of Schedule V; and

(j) where the dangerous goods are included in Division 4 of Class 2 and are to be transported in a transborder consignment, a label that corresponds to the label set out as Figure 7 in Part I of Schedule V.

(2) Subsection (1) does not apply to dangerous goods that are included in Division 2 or 3 of Class 9.

(3) Where, pursuant to subsection (1), a label is required to be displayed on a small container or package and the small container or package is contained in an overpack, in addition to the requirements of subsection (1), the consignor of the dangerous goods shall display the label on the overpack if the label displayed on the small container or package is not visible.

(4) Where dangerous goods are to be transported in a unit load device and the unit load device is to be transported by aircraft, the consignor of the dangerous goods shall cause to be affixed to the unit load device an identification tag

- (a) that has a border of prominent red hatchings on both sides;
- (b) that has dimensions of at least 148 mm by 210 mm; and
- (c) that indicates the primary classification of the dangerous goods contained in the unit load device.

Dimensions of Labels

5.8 Subject to section 5.9, the labels that a consignor is required to display pursuant to this Part shall have the following shapes and dimensions:

[51]

c) s'il s'agit de marchandises dangereuses pour lesquelles la lettre «E» est indiquée à la colonne III de la liste II de l'annexe II, une étiquette conforme à celle illustrée à la figure 1 de la partie I de l'annexe V, sans

- (i) les indications de classe, de division et de groupe de compatibilité, et
- (ii) la mention «explosive»;

d) s'il s'agit de marchandises dangereuses pour lesquelles la lettre «I» est indiquée à la colonne III de la liste II de l'annexe II, une étiquette conforme à celle illustrée à la figure 20 de la partie I de l'annexe V, sans indication de classe;

e) s'il s'agit de matières magnétisées portant le numéro d'identification du produit 2807 et devant être transportées par aéronef, une étiquette conforme à celle illustrée à la figure 1 de la partie I de l'annexe V;

f) s'il s'agit de diphényles polychlorés, une étiquette conforme à celle illustrée à la figure 2 de la partie IV de l'annexe V;

g) s'il s'agit de marchandises dangereuses qui sont destinées à être transportées par aéronef, mais dont le transport à bord d'un aéronef de passagers est interdit par le présent règlement, une étiquette conforme à celle illustrée à la figure 4 de la partie IV de l'annexe V;

h) s'il s'agit de marchandises dangereuses incluses dans la classe 1 et devant être transportées comme envoi transfrontalier, une étiquette conforme à celle illustrée aux figures 1A, 2A ou 3A, selon le cas, de la partie I de l'annexe V;

i) s'il s'agit de marchandises dangereuses incluses dans la division 3 de la classe 2 et devant être transportées comme envoi transfrontalier, une étiquette conforme à celle illustrée à la figure 6A de la partie I de l'annexe V; et

j) s'il s'agit de marchandises dangereuses incluses dans la division 4 de la classe 2 et devant être transportées comme envoi transfrontalier, une étiquette conforme à celle illustrée à la figure 7 de la partie I de l'annexe V.

(2) Le paragraphe (1) ne s'applique pas aux marchandises dangereuses incluses dans les divisions 2 ou 3 de la classe 9.

(3) Si le petit conteneur ou le colis visé au paragraphe (1) est protégé par un suremballage qui cache l'étiquette apposée conformément à ce paragraphe, l'expéditeur appose la même étiquette sur le suremballage.

(4) L'expéditeur fait apposer, sur chaque unité de chargement devant recevoir des marchandises dangereuses et être transportée par aéronef, une étiquette d'identification

- a) dont le bord est hachuré de rouge sur les deux côtés;
- b) ayant des dimensions minimales de 148 mm sur 210 mm; et
- c) qui indique la classification primaire des marchandises dangereuses.

Format des étiquettes

5.8 Sous réserve de l'article 5.9, la forme et les dimensions des étiquettes que l'expéditeur est tenu d'apposer en vertu de la présente partie sont les suivantes:

(a) the labels set out in Part I of Schedule V shall be in the shape of a square standing on point and the square shall be not less than 100 mm on each side with a solid line border 5 mm inside the edge running parallel to the edge and that is in the same colour as the symbol on the label;

(b) the label set out as Figure 1 in Part IV of Schedule V shall be rectangular in shape, 90 mm high and 110 mm wide;

(c) the label set out as Figure 2 in Part IV of Schedule V shall be square in shape, 100 mm on each side with a striped border not less than 5 mm wide;

(d) the label set out as Figure 4 in Part IV of Schedule V shall be rectangular in shape, 110 mm high and 120 mm wide; and

(e) the label set out as Figure 5 in Part IV of Schedule V shall be square in shape, 100 mm on each side.

5.9 Where a consignor is required to display a label on a packaging that has a surface area of less than 100 square centimeters, he may reduce the dimension specified for that label in section 5.8 if no side of the label has a dimension of less than 30 mm.

Location of Labels

5.10 Where a consignor is required to display a label for the primary classification pursuant to paragraph 5.7(1)(a) or subsection 5.7(3), he shall display the label

(a) on the shoulder of the cylinder; or

(b) on any side of the small container, package or overpack, other than the side on which the small container, package or overpack is intended to rest during transport, and where the small container, package or overpack has a volume greater than 2 m³, on two opposite sides of the small container, package or overpack, other than the side on which the small container, package or overpack is intended to rest during transport.

5.11 Where a consignor is required to display a label for the subsidiary classification of dangerous goods pursuant to paragraph 5.7(1)(b) or subsection 5.7(3), he shall display the label

(a) on any side of the small container, package or overpack, other than the side on which the small container, package or overpack is intended to rest during transport, and where the small container, package or overpack has a volume greater than 2 m³, on two opposite sides of the small container, package or overpack, other than the side on which the small container, package or overpack is intended to rest during transport; and

(b) to the right and adjacent to the label for the primary classification or to the right, adjacent and below the label for the primary classification.

5.12 Where a consignor is required to display a label for the dangerous goods pursuant to paragraphs 5.7(1)(c) to 5.7(1)(g), the label shall be displayed

(a) on any side of the small container, package or overpack, other than the side on which the small container, package or overpack is intended to rest during transport, and where the

a) les étiquettes illustrées à la partie I de l'annexe V revêtent la forme d'un carré, reposant sur une pointe, d'au moins 100 mm de côté, et marqué sur son pourtour, à 5 mm du bord, d'un trait de la même couleur que le symbole graphique figurant sur l'étiquette;

b) l'étiquette illustrée à la figure 1 de la partie IV de l'annexe V revêt la forme d'un rectangle de 90 mm de hauteur et de 110 mm de largeur;

c) l'étiquette illustrée à la figure 2 de la partie IV de l'annexe V revêt la forme d'un carré de 100 mm de côté, garni d'une bordure hachurée d'au moins 5 mm de largeur;

d) l'étiquette illustrée à la figure 4 de la partie IV de l'annexe V revêt la forme d'un rectangle de 110 mm de hauteur et de 120 mm de largeur;

e) l'étiquette illustrée à la figure 5 de la partie IV de l'annexe V revêt la forme d'un carré de 100 mm de côté.

5.9 L'expéditeur qui est tenu d'apposer une étiquette sur un emballage d'une surface de moins de 100 centimètres carrés peut réduire les dimensions de l'étiquette prévues à l'article 5.8, à la condition qu'aucun côté de l'étiquette ne soit inférieur à 30 mm.

Emplacement des étiquettes

5.10 L'expéditeur appose l'étiquette indiquant la classification primaire qui est visée à l'alinéa 5.7(1)a) ou au paragraphe 5.7(3)

a) sur l'épaule de la bouteille à gaz; ou

b) sur l'un des côtés du petit conteneur, du colis ou du suremballage, autre que le côté sur lequel ceux-ci sont censés reposer durant le transport ou, si le petit conteneur, le colis ou le suremballage ont un volume supérieur à 2 m³, sur deux côtés opposés, autres que les côtés sur lesquels ceux-ci sont censés reposer durant le transport.

5.11 L'expéditeur appose l'étiquette indiquant la classification subsidiaire qui est visée à l'alinéa 5.7(1)b) ou au paragraphe 5.7(3)

a) sur l'un des côtés du petit conteneur, du colis ou du suremballage, autre que le côté sur lequel ceux-ci sont censés reposer durant le transport ou, si le petit conteneur, le colis ou le suremballage ont un volume supérieur à 2 m³, sur deux côtés opposés, autres que les côtés sur lesquels ceux-ci sont censés reposer durant le transport; et

b) juste à la droite et vis-à-vis de l'étiquette indiquant la classification primaire, ou juste à la droite de cette étiquette et plus bas que celle-ci.

5.12 L'expéditeur appose chacune des étiquettes visées aux alinéas 5.7(1)c) à 5.7(1)g)

a) sur l'un des côtés du petit conteneur, du colis ou du suremballage, autre que le côté sur lequel ceux-ci sont censés reposer durant le transport ou, si le petit conteneur, le colis ou le suremballage ont un volume supérieur à 2 m³, sur

small container, package or overpack has a volume greater than 2 m³, on two opposite sides of the small container, package or overpack, other than the side on which the small container, package or overpack is intended to rest during transport; and

(b) to the right and adjacent to the label for the primary classification and the label for the subsidiary classification or to the right, adjacent and below the label for the primary classification and the label for the subsidiary classification.

Empty Packaging or Small Container

5.13 Before handling, offering for transport or transporting a packaging or small container

(a) that has been emptied of dangerous goods, and

(b) that has not been cleaned or purged of all residues of dangerous goods so that a hazard still exists, the person in charge of the packaging or the small container may display on the packaging or small container a label as set out in Figure 5 in Part IV of Schedule V.

Removal of Labels

5.14 No person shall remove any label that is displayed on a packaging, small container or cylinder pursuant to these Regulations until the packaging, small container or cylinder

(a) has been emptied of dangerous goods; and

(b) has been cleaned or purged of all residues of dangerous goods so that a hazard does not exist.

5.15 The person responsible for cleaning or purging a packaging, small container or cylinder that has been emptied of dangerous goods shall, after the cleaning or purging has been completed, remove or cover, or cause to be removed or covered, every label that is displayed pursuant to this Part and that relates to the dangerous goods last contained in that packaging, small container or cylinder.

PLACARDS AND PRODUCT IDENTIFICATION NUMBER

Placards

5.16 Subject to sections 5.17, 5.18, 5.19 and 5.24, where dangerous goods, other than dangerous goods that are included in Division 2 of Class 9, are to be transported in a large container or a transport unit, before the dangerous goods are loaded, the person in charge of the large container or the transport unit shall display on the large container or the transport unit

(a) a placard that corresponds to the placard set out in Part II of Schedule V for the primary classification of the dangerous goods;

(b) where the dangerous goods have a product identification number set out in Column I of an item of Table II to this Part and a shipping name set out in Column II of that item,

(i) a placard that corresponds to the placard set out in Part II of Schedule V for the primary classification set out in Column III of that item, and

deux côtés opposés, autres que les côtés sur lesquels ceux-ci sont censés reposer durant le transport; et

b) juste à la droite et vis-à-vis des étiquettes indiquant la classification primaire et la classification subsidiaire, ou juste à la droite de ces étiquettes et plus bas que celles-ci.

Emballage ou petit conteneur vide

5.13 Avant la manutention, la demande de transport ou le transport d'un emballage ou d'un petit conteneur

a) duquel les marchandises dangereuses ont été vidées, et

b) qui n'a pas été nettoyé ou purgé, de sorte qu'il présente encore un danger,

la personne responsable de l'emballage ou du petit conteneur peut y apposer une étiquette conforme à celle illustrée à la figure 5 de la partie IV de l'annexe V.

Enlèvement des étiquettes

5.14 Il est interdit d'enlever une étiquette qui a été apposée sur un emballage, un petit conteneur ou une bouteille à gaz conformément au présent règlement, avant que ceux-ci

a) soient vidés des marchandises dangereuses qu'ils contiennent; et

b) soient nettoyés ou purgés de façon qu'ils ne présentent plus de danger.

5.15 La personne responsable du nettoyage ou de la purge d'un emballage, d'un petit conteneur ou d'une bouteille à gaz qui contenaient des marchandises dangereuses enlève ou recouvre ou fait enlever ou recouvrir, après le nettoyage ou la purge, toute étiquette apposée en vertu de la présente partie et ayant trait aux dernières marchandises dangereuses contenues dans l'emballage, le petit conteneur ou la bouteille à gaz.

PLAQUES ET NUMÉRO D'IDENTIFICATION DU PRODUIT

Plaques

5.16 Sous réserve des articles 5.17, 5.18, 5.19 et 5.24, lorsque des marchandises dangereuses, autres que celles incluses dans la division 2 de la classe 9, sont destinées à être transportées dans un grand conteneur ou une unité de transport, la personne responsable du grand conteneur ou de l'unité de transport y appose, avant le chargement des marchandises dangereuses,

a) celle des plaques illustrées à la partie II de l'annexe V qui correspond à la classification primaire des marchandises dangereuses;

b) s'il s'agit de marchandises dangereuses dont le numéro d'identification du produit figure à la colonne I du tableau II de la présente partie et dont l'appellation réglementaire est mentionnée à la colonne II de ce tableau,

(ii) a placard that corresponds to the placard set out in Part II of Schedule V for the subsidiary classification set out in Column IV of that item without the class number;

(c) where a consignment includes

- (i) cyanogen chloride (PIN 1589),
- (ii) hydrogen cyanide anhydrous (PIN 1051),
- (iii) nitric oxide (PIN 1660),
- (iv) phosgene (PIN 1076), or
- (v) nitrogen dioxide liquefied (PIN 1067),

a placard that corresponds to the placard set out as Figure 6A in Part II of Schedule V;

(d) where the dangerous goods are dangerous goods included in Division 1 or 2 of Class 4, for which the letter "E" appears in Column III of an item of List II of Schedule II, a placard that corresponds to the placard set out as Figure 1 in Part II of Schedule V, without

- (i) the class and division number or the letter that indicates the compatibility group, and
- (ii) the word "explosive";

(e) where the dangerous goods are included in Class 1 and are to be transported in a transborder consignment, a placard that corresponds to the placard set out as Figure 1A, 2A or 3A, as applicable, in Part II of Schedule V;

(f) where the dangerous goods are included in Division 3 of Class 2 and are to be transported in a transborder consignment, a placard that corresponds to the placard set out as Figure 6A in Part II of Schedule V; and

(g) where the dangerous goods are included in Division 4 of Class 2 and are to be transported in a transborder consignment, a placard that corresponds to the placard set out as Figure 7 in Part I of Schedule V.

5.17 Where a domestic consignment or a transborder consignment of a mixed load of dangerous goods, other than a consignment that includes

- (a) any of the dangerous goods referred to in paragraph 5.16(c),
- (b) explosives,
- (c) organic peroxides,
- (d) poison gases,
- (e) corrosive gases, or
- (f) radioactive material,

is to be transported in a large container or a transport unit, the person in charge of the large container or the transport unit may display on the large container or the transport unit a placard that corresponds to the placard set out as Figure 19 in Part II of Schedule V with the letters not less than 50 mm high and a stroke not less than 10 mm wide, instead of any other placards required by this Part for the dangerous goods.

5.18 Where the dangerous goods indicated in Column I of an item of Table III to this Part are to be transported in a large container or a transport unit together with dangerous goods indicated in Column II of that item, the person in charge of the large container or the transport unit, before the

(i) celle des plaques illustrées à la partie II de l'annexe V qui correspond à la classification primaire applicable indiquée à la colonne III de ce tableau, et

(ii) celle des plaques illustrées à la partie II de l'annexe V qui correspond à la classification subsidiaire applicable indiquée à la colonne IV de ce tableau, sans indication de classe; ou

c) s'il s'agit d'un envoi comprenant

- (i) du chlorure de cyanogène (NIP 1589),
- (ii) du cyanure d'hydrogène, anhydre (NIP 1051),
- (iii) de l'oxyde nitrique (NIP 1660),
- (iv) du phosgène (NIP 1076), ou
- (v) du peroxyde d'azote, liquéfié (NIP 1067),

une plaque conforme à celle illustrée à la figure 6A de la partie II de l'annexe V;

d) s'il s'agit de marchandises dangereuses incluses dans les divisions 1 ou 2 de la classe 4, pour lesquelles la lettre «E» est inscrite à la colonne III de la liste II de l'annexe II, une plaque conforme à celle illustrée à la figure 1 de la partie II de l'annexe V, sans

- (i) les indications de classes, de division et de groupe de compatibilité, et
- (ii) la mention «explosive»;

e) s'il s'agit de marchandises dangereuses incluses dans la classe 1 et devant être transportées comme envoi transfrontalier, une plaque conforme à celle illustrée aux figures 1A, 2A ou 3A, selon le cas, de la partie II de l'annexe V;

f) s'il s'agit de marchandises dangereuses incluses dans la division 3 de la classe 2 et devant être transportées comme envoi transfrontalier, une plaque conforme à celle illustrée à la figure 6A de la partie II de l'annexe V; et

g) s'il s'agit de marchandises dangereuses incluses dans la division 4 de la classe 2 et devant être transportées comme envoi transfrontalier, une plaque conforme à celle illustrée à la figure 7 de la partie I de l'annexe V.

5.17 Lorsqu'un envoi intérieur ou un envoi transfrontalier comprend différentes marchandises dangereuses, autres que

- a) des marchandises dangereuses visées à l'alinéa 5.16(c),
- b) des explosifs,
- c) des peroxydes organiques,
- d) des gaz toxiques,
- e) des gaz corrosifs, ou
- f) des matières radioactives,

et est destiné à être transporté dans un grand conteneur ou une unité de transport, la personne responsable du grand conteneur ou de l'unité de transport peut y apposer une plaque conforme à celle illustrée à la figure 19 de la partie II de l'annexe V, dont les lettres ont une hauteur minimale de 50 mm et un trait d'une largeur minimale de 10 mm, au lieu de la plaque requise en vertu de la présente partie pour ces marchandises.

5.18 Lorsque les marchandises dangereuses mentionnées à la colonne I du tableau III de la présente partie sont destinées à être transportées dans un grand conteneur ou une unité de transport avec des marchandises dangereuses visées à la colonne II de ce tableau, la personne responsable du grand

dangerous goods are loaded, is only required to display on the large container or the transport unit the placard required pursuant to this Part for the transportation of the dangerous goods indicated in Column II of that item.

5.19 No placard is required to be displayed on a road vehicle that is to be travelling solely on land, other than on a railway vehicle, and that contains

- (a) 25 kg or less of explosives that are to be transported from a retail outlet to a place where the explosives are to be used if the explosives are in the possession of the individual who intends to use them;
- (b) 1 000 kg or less net explosives quantity of explosives that are
 - (i) detonating cord (UN0104),
 - (ii) fireworks, type D (UN0336),
 - (iii) hand signal devices (UN0191),
 - (iv) igniter cord (UN0066),
 - (v) igniter fuse (UN0103),
 - (vi) power device cartridges (UN0276),
 - (vii) signal cartridges (UN0312), or
 - (viii) smoke signals (UN0197); or
- (c) 500 kg or less gross quantity of dangerous goods, other than
 - (i) explosives, subject to paragraphs (a) and (b),
 - (ii) any of the dangerous goods referred to in paragraph 5.16(c),
 - (iii) organic peroxides,
 - (iv) poison gases,
 - (v) corrosive gases,
 - (vi) radioactive materials, or
 - (vii) hazardous wastes.

5.20 (1) Subject to subsection (2), where dangerous goods are to be loaded in or unloaded from a large container or a transport unit through a coupling device to which a hose or a pipe can be connected, the person in charge of the part of the coupling device that is not part of the large container or transport unit shall, before the dangerous goods are loaded or unloaded, display on or near that coupling device

- (a) where the coupling device is used exclusively for the loading or unloading of dangerous goods that have the same primary classification, a placard that corresponds to the placard set out in Part II of Schedule V for the primary classification of the dangerous goods; or
- (b) where the coupling device is used for the loading or unloading of dangerous goods that have different primary classifications, a placard that corresponds to the placard set out as Figure 19 in Part II of Schedule V, with the letters not less than 50 mm high and a stroke not less than 10 mm wide.

(2) Subsection (1) does not apply where a coupling device

- (a) is already tagged or marked in accordance with a provincial standard, indicating the dangerous goods that are to be handled by the coupling device; or
- (b) is part of a domestic fuel tank.

conteneur ou de l'unité de transport n'est tenue d'y apposer, avant le chargement, que la plaque requise en vertu de la présente partie pour le transport des marchandises dangereuses nommées à la colonne II de ce tableau.

5.19 Aucune plaque n'est requise sur un véhicule routier qui doit circuler uniquement sur terre, autrement qu'à bord d'un véhicule ferroviaire, et qui doit transporter

- a) au plus 25 kg d'explosifs, d'une installation de vente au détail vers le lieu d'utilisation, si les explosifs sont en la possession de la personne qui a l'intention de les utiliser;
- b) une quantité nette d'explosifs d'au plus 1 000 kg, qui sont
 - (i) des cordeaux détonants (UN0104),
 - (ii) des artifices, type D (UN0336),
 - (iii) des artifices de signalisation à main (UN0191),
 - (iv) des mèches à combustion rapide (UN0066),
 - (v) des cordeaux d'allumage (UN0103),
 - (vi) des cartouches pour pyromécanismes (UN0276),
 - (vii) des cartouches de signalisation (UN0312), ou
 - (viii) des signaux fumigènes (UN0197); ou
- c) une quantité brute d'au plus 500 kg de marchandises dangereuses, autres que
 - (i) des explosifs, sous réserve des alinéas a) et b),
 - (ii) des marchandises dangereuses visées à l'alinéa 5.16c),
 - (iii) des peroxydes organiques,
 - (iv) des gaz toxiques,
 - (v) des gaz corrosifs,
 - (vi) des matières radioactives, ou
 - (vii) des déchets toxiques.

5.20 (1) Sous réserve du paragraphe (2), lorsque le chargement ou le déchargement des marchandises dangereuses contenues dans un grand conteneur ou une unité de transport se fait à l'aide d'un dispositif de raccordement auquel un boyau ou un tuyau peut être joint, la personne responsable du dispositif de raccordement qui ne fait pas partie du grand conteneur ou de l'unité de transport est tenue d'apposer sur ce dispositif ou à proximité de celui-ci,

- a) celle des plaques illustrées à la partie II de l'annexe V qui correspond à la classification primaire des marchandises dangereuses, dans les cas où le dispositif de raccordement est destiné exclusivement au chargement ou au déchargement de marchandises dangereuses qui ont la même classification primaire; ou
- b) une plaque conforme à celle illustrée à la figure 19 de la partie II de l'annexe V, dont les lettres ont une hauteur minimale de 50 mm et un trait d'une largeur minimale de 10 mm, dans les cas où le dispositif de raccordement est destiné au chargement ou au déchargement de marchandises dangereuses ayant des classifications primaires différentes.

(2) Le paragraphe (1) ne s'applique pas dans les cas où le dispositif de raccordement

- a) est déjà marqué ou étiqueté conformément à une norme provinciale, de façon à indiquer le genre de marchandises dangereuses auxquelles il est destiné; ou

b) fait partie d'un réservoir de combustible à usage domestique.

Empty Tank Car

5.21 Where dangerous goods have been unloaded from a tank car and the tank car is empty, the person in charge of the tank car shall display a placard that corresponds to the placard set out as Figure 20 in Part II of Schedule V with the letters not less than 30 mm high and a stroke not less than 5 mm wide, on the upper half of the placard that was required to be displayed on the tank car for the dangerous goods last contained.

Background Requirement for Certain Placards

5.22 Where dangerous goods that are

- (a) included in Division 1 or 2 of Class 1, or
- (b) subject to special provision 79, including
 - (i) cyanogen chloride (PIN 1589),
 - (ii) hydrogen cyanide, anhydrous (PIN 1051),
 - (iii) nitric oxide (PIN 1660),
 - (iv) phosgene (PIN 1076), or
 - (v) nitrogen dioxide, liquefied (PIN 1067),

are to be transported and, pursuant to this Part, a placard is required to be displayed

- (c) on a railway vehicle that is to be loaded with the dangerous goods, or
- (d) on a portable tank, road vehicle or freight container that is to be loaded with the dangerous goods and that is to be transported on a railway vehicle

that placard shall be displayed on a white square background with each side not less than 387 mm including, immediately inside the edge, a black border of 12.5 mm wide and where, pursuant to this Part, a product identification number is required to be displayed adjacent to the placard, the orange panel that indicates the product identification number of the dangerous goods may show, in the upper left border, the shipping name and the classification of the dangerous goods, in letters of not more than 18 point type size.

Product Identification Number

5.23 (1) Subject to subsections (2), (3) and (4), where

- (a) a carload, trailerload, truckload or containerload of dangerous goods, other than dangerous goods included in Class 1, is to be transported, or
- (b) dangerous goods, other than dangerous goods included in Class 1, are to be transported in bulk,

in a large container or a transport unit for which a placard is required to be displayed pursuant to this Part, the person in charge of the large container or the transport unit shall, before the dangerous goods are loaded, display the product identification number of the dangerous goods

- (c) in black digits not less than 100 mm high on a rectangular orange panel 150 mm high by 400 mm wide with a black border 9.5 mm wide, located immediately adjacent to the placard;

Wagon-citerne vide

5.21 La personne responsable d'un wagon-citerne, qui a servi au transport de marchandises dangereuses et qui a été vidé de son contenu, appose sur la partie supérieure de la plaque requise pour ces marchandises une plaque conforme à celle illustrée à la figure 20 de la partie II de l'annexe V, dont les lettres ont une hauteur minimale de 30 mm et un trait d'une largeur minimale de 5 mm.

Fond prescrit pour certaines plaques

5.22 Lorsque des marchandises dangereuses

- a) incluses dans les divisions 1 ou 2 de la classe 1, ou
- b) soumises à la disposition particulière 79, y compris
 - (i) le chlorure de cyanogène (NIP 1589),
 - (ii) le cyanure d'hydrogène, anhydre (NIP 1051),
 - (iii) l'oxyde nitrique (NIP 1660),
 - (iv) le phosgène (NIP 1076), ou
 - (v) du peroxyde d'azote, liquéfié (NIP 1067),

sont destinées à être transportées, et qu'une plaque est requise en vertu de la présente partie

- c) sur le véhicule ferroviaire à bord duquel les marchandises dangereuses doivent être chargées, ou
- d) sur la citerne portable, le véhicule routier ou le conteneur de fret dans lequel les marchandises dangereuses doivent être chargées et qui est destiné à être transporté à bord d'un véhicule ferroviaire,

la plaque est apposée sur un fond blanc carré d'au moins 387 mm de côté, garni d'une bordure de 12,5 mm de largeur, et si, en vertu de la présente partie, le numéro d'identification du produit doit être inscrit à côté de la plaque, le panneau orange qui indique ce numéro peut porter, dans le coin supérieur gauche, l'appellation réglementaire et la classification des marchandises dangereuses, en lettres d'au plus 18 points.

Numéro d'identification du produit

5.23 (1) Sous réserve des paragraphes (2), (3) et (4), lorsque

- a) des marchandises dangereuses, autres que celle incluses dans la classe 1, sont destinées à être transportées en des quantités équivalentes à celles d'un chargement complet, ou
- b) des marchandises dangereuses, autres que celles incluses dans la classe 1, sont destinées à être transportées en vrac dans un grand conteneur ou une unité de transport pour laquelle une plaque est requise en vertu de la présente partie, la personne responsable du grand conteneur ou de l'unité de chargement y appose, avant le chargement des marchandises dangereuses, le numéro d'identification du produit applicable à ces marchandises,

- c) en chiffres noirs d'au moins 100 mm de hauteur sur un panneau orange rectangulaire de 150 mm de hauteur et de

(d) where the sides of the placard are 250 mm in length, in black digits not less than 65 mm high within a white rectangle that is located in the lower half of the placard; or

(e) where the sides of the placard are 275 mm in length, in black digits not less than 90 mm high within a white rectangle that is located across the middle of the placard, but that does not obscure the placard symbol.

(2) Subject to subsection (4), where any quantity of dangerous goods that are

(a) cyanogen chloride (PIN 1589),

(b) hydrogen cyanide, anhydrous (PIN 1051),

(c) nitric oxide (PIN 1660),

(d) phosgene (PIN 1076), or

(e) nitrogen dioxide, liquefied (PIN 1067),

are to be transported in a large container or a transport unit, the person in charge of the large container or the transport unit shall, before the dangerous goods are loaded, display, immediately adjacent to the placard, the product identification number of the dangerous goods in black digits not less than 100 mm high on a rectangular orange panel 150 mm high by 400 mm wide with a black border 9.5 mm wide.

(3) Where dangerous goods, that are included in

(a) Division 3 of Class 2, other than the dangerous goods referred to in subsection (2),

(b) Class 7, or

(c) Class 9,

the product identification number of the dangerous goods referred to in subsection (1) is not required to be displayed where those dangerous goods are being transported on a railway vehicle.

(4) The dimensions of the rectangular orange panel referred to in paragraph 5.23(1)(c) and subsection (2) may vary by ± 3 mm.

Compartmentalized Tank

5.24 (1) Subject to subsection (2), where different products or substances that are dangerous goods are to be transported in a tank, other than a tank car or a multi-unit tank car tank, in different compartments, the person in charge of the tank shall, before the dangerous goods are loaded, display,

(a) the product identification number of the dangerous goods on each compartment in which the dangerous goods are to be contained; and

(b) a placard that corresponds to the placard set out in Part II of Schedule V for the primary classification of the dangerous goods on each compartment in which the dangerous goods are to be contained and on the front and on the end of the tank.

(2) Where different products or substances that are dangerous goods and that have the same primary classification and

400 mm de largeur et garni d'une bordure noire de 9,5 mm de largeur, qui est placé juste à côté de la plaque;

d) dans le cas d'une plaque dont les côtés mesurent 250 mm, en chiffres noirs d'au moins 65 mm de hauteur à l'intérieur d'un rectangle blanc figurant dans la moitié inférieure de la plaque; ou

e) dans le cas d'une plaque dont les côtés mesurent 275 mm, en chiffres noirs d'au moins 90 mm de hauteur, à l'intérieur d'un rectangle blanc figurant au milieu de la plaque sans couvrir le symbole de celle-ci.

(2) Sous réserve du paragraphe (4), lorsqu'une quantité

a) de chlorure de cyanogène (NIP 1589),

b) de cyanure d'hydrogène, anhydre (NIP 1051),

c) d'oxyde nitrique (NIP 1660),

d) de phosgène (NIP 1076), ou

e) de peroxyde d'azote liquéfié (NIP 1067),

est destinée à être transportée dans un grand conteneur ou une unité de transport, la personne responsable du grand conteneur ou de l'unité de transport y appose avant le chargement, juste à côté de la plaque, un panneau orange rectangulaire de 150 mm de hauteur et de 400 mm de largeur, garni d'une bordure noire de 9,5 mm de largeur et sur lequel le numéro d'identification du produit applicable aux marchandises est inscrit en chiffres noirs d'au moins 100 mm de hauteur.

(3) L'apposition du panneau orange visé au paragraphe (1) n'est pas requise dans le cas du transport, à bord d'un véhicule ferroviaire, des marchandises dangereuses incluses

a) dans la division 3 de la classe 2, sauf les marchandises visées au paragraphe (2);

b) dans la classe 7; ou

c) dans la classe 9.

(4) Les dimensions du panneau orange visé à l'alinéa 5.23(1)c) et au paragraphe (2) peuvent varier de ± 3 mm.

Citerne compartimentée

5.24 (1) Sous réserve du paragraphe (2), lorsque différentes marchandises dangereuses sont destinées à être transportées dans des compartiments distincts d'une même citerne, autre qu'un wagon-citerne ou une citerne de wagon-citerne à éléments multiples, la personne responsable de la citerne y appose, avant le chargement des marchandises dangereuses,

a) le numéro d'identification du produit applicable aux marchandises sur chaque compartiment destiné à celles-ci; et

b) sur chaque compartiment destiné à ces marchandises, ainsi que sur l'avant et l'arrière de la citerne, celle des plaques illustrées à la partie II de l'annexe V qui correspond à la classification primaire des marchandises dangereuses.

(2) Lorsque différentes marchandises dangereuses qui ont la même classification primaire et aucune classification subsi-

no subsidiary classification are to be transported in a tank, other than a tank car and a multi-unit tank car tank, in different compartments, the person in charge of the tank shall, before the dangerous goods are loaded, display the placards required by this Part for the primary classification of the dangerous goods, and

(a) where the primary classification is Class 3, the product identification number of the dangerous goods that have the lowest flash point on the compartment that will contain those dangerous goods; or

(b) where the primary classification is any Class, other than Class 3 the product identification number of the dangerous goods on each compartment that will contain the dangerous goods.

Dimensions of Placards

5.25 Subject to section 5.26, every placard that is required to be displayed pursuant to this Part shall

(a) have a plasticized and water repellant surface;

(b) be in the shape of a square standing on point with each side 250 mm or 275 mm; and

(c) have a solid line adjacent and parallel to the edges on the placard located not less than 12.5 mm inside the edges.

5.26 Where, pursuant to this Part, a placard is required to be displayed

(a) on a container, any side of which is less than 1 m, or

(b) on a container of less than 3 m³ that is loaded with dangerous goods in bulk,

the dimension of the placard specified in section 5.25 may be reduced if the side of the placard has a dimension of at least 100 mm.

Retro-reflectivity of Orange Panels and Placards

5.27 Every orange panel that indicates a product identification number and every placard that is required to be displayed pursuant to this Part for the transportation of dangerous goods included in

(a) Class 1,

(b) Class 2, if the dangerous goods are in bulk,

(c) Classes 3, 4, 5, 6 or 8, if the dangerous goods are in bulk and are included in Packing Group I or II, and

(d) Class 7, if the dangerous goods require a category III yellow label pursuant to the *Transport Packaging of Radio-active Materials Regulations*,

shall have a minimum retro-reflectivity rating of Level 2 as established in the CGSB Specification 62-GP-11M dated May 1978.

5.28 (1) Section 5.27 does not apply in respect of the transportation of dangerous goods referred to in paragraphs 5.27(b) and (c) if the person in charge of a large container or

diare doivent être transportées dans des compartiments distincts d'une même citerne, autre qu'un wagon-citerne ou une citerne de wagon-citerne à éléments multiples, la personne responsable de la citerne y appose, avant le chargement des marchandises dangereuses, les plaques indiquant la classification primaire qui sont exigées en vertu de la présente partie et,

a) dans le cas où la classification primaire est la classe 3, le numéro d'identification du produit applicable aux marchandises dangereuses ayant le point d'éclair le plus bas, sur le compartiment destiné à celles-ci; ou

b) dans le cas où la classification primaire est une classe autre que la classe 3, le numéro d'identification du produit applicable aux marchandises dangereuses, sur chaque compartiment destiné à celles-ci.

Format des plaques

5.25 Sous réserve de l'article 5.26, toute plaque requise en vertu de la présente partie

a) est recouverte d'une matière plastique et à l'épreuve de l'eau;

b) a la forme d'un carré reposant sur une pointe dont les côtés mesurent 250 mm ou 275 mm; et

c) est marquée d'un trait sur tout son pourtour, à au moins 12,5 mm du bord.

5.26 Les dimensions d'une plaque devant être apposée en vertu de la présente partie

a) sur un conteneur dont un des côtés mesure moins de 1 m, ou

b) sur un conteneur d'un volume de moins de 3 m³ qui contient des marchandises dangereuses en vrac,

peuvent être inférieures aux dimensions visées à l'article 5.25, à la condition que les côtés de la plaque mesurent au moins 100 mm.

Rétro-réflexivité des panneaux orange et des plaques

5.27 Les plaques et les panneaux orange indiquant un numéro d'identification du produit qui sont requis en vertu de la présente partie pour le transport

a) des marchandises dangereuses incluses dans la classe 1,

b) des marchandises dangereuses en vrac incluses dans la classe 2,

c) des marchandises dangereuses en vrac incluses dans les classes 3, 4, 5, 6 ou 8, et dans les groupes d'emballage I ou II, et

d) des marchandises dangereuses incluses dans la classe 7 et pour lesquelles l'étiquette jaune de la catégorie III est requise en vertu du *Règlement sur l'emballage pour les matières radioactives destinées au transport*,

doivent avoir un indice de rétro-réflexivité de niveau 2, tel qu'établi par la norme 62-GP-11M de l'ONGC, publiée en mai 1978.

5.28 (1) Le transport des marchandises dangereuses visées aux alinéas 5.27b) et c) est exclu de l'application de l'article 5.27, si la personne responsable du grand conteneur ou de

the transport unit in which the dangerous goods are to be loaded displays a band

- (a) that is at least 100 mm wide;
- (b) the length of which is at least one quarter of the periphery of the shell of the large container or the transport unit, in the vertical plane;
- (c) vertically at each end of the longest side of the large container or the transport unit
 - (i) equally above and below the horizontal center line of the side of the large container or the transport unit, and
 - (ii) within 3 m of the edge of the side of the large container or the transport unit;
- (d) that is of the colour yellow as defined by the chromaticity coordinates in Table I of the CGSB document 62-GP-11M; and
- (e) that has a minimum retro-reflectivity rating of Level 2 as established in the CGSB Specification 62-GP-11M dated May 1978.

(2) Where the longest side of the large container or the transport unit referred to in subsection (1), excluding couplings or platforms, is more than 18 m long, the bands described in paragraph (1)(a) shall be at least 150 mm wide.

Location of Orange Panels and Placards

5.29 Unless otherwise provided in these Regulations, where, pursuant to this Part, an orange panel indicating a product identification number and a placard is required to be displayed on a large container or a transport unit, the person in charge of the large container or the transport unit shall display the orange panel and the placard on each side and each end of the large container or the transport unit so that the orange panel and the placard are visible from any direction.

5.30 Where dangerous goods are to be transported on a vehicle that is a trailer and that is coupled to another trailer, a truck or a truck tractor, and the orange panel indicating the product identification number and the placard required by this Part are located on an end of the vehicle that is not visible, the person in charge of the vehicle shall move the panel and the placard to the front of the leading vehicle, or to the rear of the last vehicle, as appropriate, in order to ensure that the orange panel and the placard are visible.

5.31 Where dangerous goods are to be transported

- (a) in or on a road vehicle, or
- (b) in a large container,

that is to be transported on a railway vehicle, the person in charge of the railway vehicle shall display on the railway vehicle the orange panel indicating the product identification number and the placard that are required, pursuant to this Part, to be displayed, unless the panel and the placard that are displayed on the road vehicle or the large container are visible from the outside of the railway vehicle.

l'unité de transport devant contenir les marchandises dangereuses appose une bande

- a) d'une largeur d'au moins 100 mm;
- b) d'une longueur au moins égale au quart de la périphérie du corps du grand conteneur ou de l'unité de transport, dans le plan vertical;
- c) qui est placée à chaque extrémité du côté le plus long du grand conteneur ou de l'unité de transport,
 - (i) symétriquement de part et d'autre de l'axe horizontal de ce côté, et
 - (ii) en deça de 3 m des extrémités du grand conteneur ou de l'unité de transport;
- d) d'une couleur jaune définie conformément aux coordonnées de chromaticité prévues au tableau I de la norme 62-GP-11M de l'ONGC;
- e) ayant un indice de rétro-réflexivité de niveau 2, tel qu'établi par la norme 62-GP-11M de l'ONGC, publiée en mai 1978.

(2) Si le côté le plus long d'un grand conteneur ou d'une unité de transport visés au paragraphe (1) mesure plus de 18 m de longueur, abstraction faite des raccordements et des plates-formes, les bandes mentionnées à l'alinéa (1)a) sont d'une largeur d'au moins 150 mm.

Emplacement des plaques et des panneaux orange

5.29 Sauf disposition contraire du présent règlement, la personne responsable d'un grand conteneur ou d'une unité de transport y appose la plaque et le panneau orange indiquant le numéro d'identification du produit qui sont requis par la présente partie sur chaque côté et à chaque extrémité du grand conteneur ou de l'unité de transport, de façon qu'ils soient visibles de toutes les directions.

5.30 Lorsque les marchandises dangereuses doivent être transportées à bord d'un véhicule qui est une remorque attelée à une autre remorque, à un camion ou à un tracteur, et que la plaque et le panneau orange indiquant le numéro d'identification du produit qui sont requis en vertu de la présente partie pour le transport de ces marchandises sont apposés à l'extrémité du véhicule de façon telle qu'ils ne sont pas visibles, la personne responsable du véhicule doit les placer à l'avant du tracteur ou à l'arrière du dernier véhicule tracté, de façon que la plaque et le panneau orange soient bien visibles.

5.31 Dans le cas des marchandises dangereuses destinées à être chargées

- a) dans un véhicule routier, ou
- b) dans un grand conteneur,

qui doit être transporté à bord d'un véhicule ferroviaire, la personne responsable du véhicule ferroviaire appose sur celui-ci la plaque et le panneau orange indiquant le numéro d'identification du produit qui sont requis en vertu de la présente partie, à moins que ceux apposés sur le véhicule routier ou le grand conteneur ne soient visibles de l'extérieur du véhicule ferroviaire.

Removal of Orange Panels and Placards

5.32 Where an orange panel indicating the product identification number or a placard is required, pursuant to these Regulations, to be displayed on a large container or a transport unit the orange panel or the placard shall remain on the large container or the transport unit until the dangerous goods have been unloaded and the large container or the transport unit has been cleaned or purged of all residues of dangerous goods so that no hazard exists.

5.33 (1) Subject to subsection (2), the person in charge of the cleaning or purging of a large container or a transport unit shall remove or cover, or cause to be removed or covered, every orange panel or placard referred to in section 5.32 as soon as the large container or the transport unit has been cleaned or purged of all residues of dangerous goods so that no hazard exists.

(2) Where a large container or a transport unit has been transporting dangerous goods for which a retro-reflective band was displayed pursuant to section 5.28, the person in charge of the cleaning or purging of the large container or the transport unit may, after the cleaning or purging of the large container or transport unit, leave the band on the large container or transport unit without covering it, if the placard is removed and the large container or the transport unit is in alternate service temporarily transporting combustible liquids.

Signs

5.34 (1) Where a container or a cargo compartment of a means of transport is to be

- (a) fumigated, or
- (b) cleaned and treated,

with dangerous goods that are either a poison gas or a poisonous liquid or solid and the dangerous goods are to remain in the container or the cargo compartment during transport after the process referred to in paragraph (a) or (b), the person in charge of the process shall, before the start of the fumigation or the cleaning and treatment, display a sign

(c) that corresponds to the sign set out as Figure 2 in Part III of Schedule V, and

(d) that is rectangular in shape not less than 250 mm wide and not less than 200 mm high with the word "danger" in letters not less than 25 mm high,

near every opening of that container or cargo compartment through which a person could enter or a cargo could be passed.

(2) No person shall remove the sign referred to in subsection (1) from the container or cargo compartment until the quantity of the dangerous goods therein is such that the dangerous goods are not a danger to human health.

5.35 Where a product or substance that is located in the space between an inner packaging and an outer packaging may cause asphyxiation by decreasing the oxygen content of the space in which the outer packaging is located, the consignor of the package shall display on the package a sign

Enlèvement des plaques et des panneaux orange

5.32 Il est interdit d'enlever la plaque et le panneau orange indiquant le numéro d'identification du produit qui ont été apposés conformément au présent règlement sur un grand conteneur ou une unité de transport, avant que les marchandises dangereuses en soient déchargées et que l'unité de transport ou le grand conteneur soit nettoyé ou purgé de façon à ne plus présenter de danger.

5.33 (1) Sous réserve du paragraphe (2), la personne responsable du nettoyage et de la purge d'un grand conteneur ou d'une unité de transport enlève ou recouvre ou fait enlever ou recouvrir la plaque et le panneau orange visés à l'article 5.32, dès que l'unité de transport ou le grand conteneur a été nettoyé ou purgé de façon à ne plus présenter de danger.

(2) Si le grand conteneur ou l'unité de transport ayant servi au transport de marchandises dangereuses porte une bande rétro-réfléchissante apposée conformément à l'article 5.28, la personne responsable du nettoyage ou de la purge de ceux-ci peut laisser la bande sur le grand conteneur ou l'unité de transport après le nettoyage ou la purge, sans la couvrir, à la condition que la plaque soit enlevée et que le grand conteneur ou l'unité de transport serve au transport, en service alterné, de liquides combustibles.

Écritureaux

5.34 (1) Lorsqu'un conteneur ou un compartiment à marchandises d'un moyen de transport doit subir

- a) une fumigation, ou
- b) un nettoyage et un traitement,

à l'aide de marchandises dangereuses qui sont des gaz toxiques ou des matières liquides ou solides toxiques, et que ces marchandises dangereuses doivent rester dans le conteneur ou le compartiment à marchandises après les opérations visées aux alinéas a) ou b), la personne responsable de ces opérations appose avant le début de la fumigation ou du nettoyage et du traitement, un écriteau

c) conforme à celui illustré à la figure 2 de la partie III de l'annexe V, et

d) ayant la forme d'un rectangle d'au moins 250 mm de largeur et d'au moins 200 mm de hauteur, portant la mention «danger» en lettres d'au moins 25 mm de hauteur, près de chaque ouverture du conteneur ou du compartiment à marchandises qui peut servir au passage de personnes ou de marchandises.

(2) Il est interdit d'enlever l'écriteau visé au paragraphe (1) du conteneur ou du compartiment à marchandises, avant que la quantité de marchandises dangereuses contenues ne présente plus de danger pour la santé.

5.35 Lorsqu'un produit ou une matière qui est placée dans l'espace entre l'emballage intérieur et l'emballage extérieur peut provoquer l'asphyxie par la raréfaction de l'oxygène dans l'espace où se trouve l'emballage extérieur, l'expéditeur appose sur l'emballage un écriteau

- (a) that corresponds to the sign set out as Figure 1 in Part III of Schedule V; and
- (b) that is square in shape with each side not less than 50 mm.

5.36 Where a large container or a cargo compartment of a means of transport contains

- (a) a product that is used as a coolant for the other contents of the container or the means of transport,
 - (b) a gas that is used to purge the container or the cargo compartment, or
 - (c) a gas that is used to stabilize the dangerous goods that are loaded in the container or the cargo compartment,
- and the product or gas may cause asphyxiation by decreasing the oxygen content of the atmosphere of that container or cargo compartment, the person in charge of that container or cargo compartment shall display near every opening of the container or cargo compartment through which a person could enter or a cargo could be passed, a sign

- (d) that corresponds to the sign set out as Figure I in Part III of Schedule V; and
- (e) that is square in shape with each side not less than 250 mm.

OTHER SAFETY MARKS

General

5.37 (1) Before a small container or a package containing dangerous goods is transported, the consignor of the dangerous goods shall mark clearly and legibly on any surface of the small container or the package other than the surface on which the container or package is intended to rest during transport

- (a) the shipping name of the dangerous goods;
- (b) where a control and emergency temperatures are indicated in Column IV of List II of Schedule II for the dangerous goods, the control and emergency temperatures;
- (c) except for dangerous goods included in Class 1, the product identification number preceded by the letters PIN in the case of a domestic or transborder consignment of dangerous goods;
- (d) where the dangerous goods have a primary classification of Class 3 and are being transported on a ship, the flash point of the dangerous goods;
- (e) where the small container or the package contains a liquid in an inner receptacle or inner packaging, a safety mark that corresponds to the safety mark set out as Figure 3 in Part IV of Schedule V, and
 - (i) in the case of dangerous goods, other than infectious substances packed in small packages, the safety mark shall be rectangular in shape and shall have dimensions of not less than 105 mm high and 74 mm wide, and
 - (ii) in the case of infectious substances packed in small packages, the safety mark shall be rectangular in shape and shall have dimensions of not less than 52.5 mm high and 37 mm wide; and
- (f) any additional safety mark that is required pursuant to Schedule III for the dangerous goods.

- a) conforme à celui illustré à la figure 1 de la partie III de l'annexe V; et
- b) ayant la forme d'un carré d'au moins 50 mm de côté.

5.36 Lorsqu'un grand conteneur ou un compartiment à marchandises d'un moyen de transport contient

- a) un produit servant à refroidir le contenu du conteneur ou du moyen de transport,
 - b) un gaz servant à la purge du conteneur ou du compartiment à marchandises, ou
 - c) un gaz servant à stabiliser les marchandises dangereuses chargées dans le conteneur ou le compartiment à marchandises,
- et que ce produit ou ce gaz peut provoquer l'asphyxie par la raréfaction de l'oxygène à l'intérieur du conteneur ou du compartiment à marchandises, la personne responsable du conteneur ou du compartiment y appose près de chaque ouverture qui peut servir au passage de personnes ou de marchandises, un écriteau
- d) conforme à celui illustré à la figure 1 de la partie III de l'annexe V; et
 - e) ayant la forme d'un carré d'au moins 250 mm de côté.

AUTRES INDICATIONS DE DANGER

Dispositions générales

5.37 (1) Avant le transport d'un petit conteneur ou d'un colis contenant des marchandises dangereuses, l'expéditeur marque de façon visible et lisible sur l'une de ses surfaces, autre que celle sur laquelle le conteneur et l'emballage doit reposer durant le transport, les renseignements suivants:

- a) l'appellation réglementaire des marchandises dangereuses;
- b) la température de régulation et la température d'urgence, si celles-ci sont indiquées pour les marchandises dangereuses à la colonne IV de la liste II de l'annexe II;
- c) le numéro d'identification du produit précédé des lettres NIP, dans le cas d'un envoi intérieur ou d'un envoi transfrontalier de marchandises dangereuses autres que celles incluses dans la classe 1;
- d) le point d'éclair, s'il s'agit de marchandises dangereuses dont la classification primaire est la classe 3 et qui sont destinées à être transportées à bord d'un navire;
- e) si le petit conteneur ou le colis contient un liquide contenu dans un récipient intérieur ou un emballage intérieur, une indication de danger conforme à celle illustrée à la figure 3 de la partie IV de l'annexe V, qui
 - (i) dans le cas de marchandises dangereuses autres que des matières infectieuses emballées dans des petits colis, revêt la forme d'un rectangle d'au moins 105 mm de hauteur et d'au moins 74 mm de largeur, et
 - (ii) dans le cas de matières infectieuses emballées dans des petits colis, revêt la forme d'un rectangle d'au moins 52,5 mm de hauteur et d'au moins 37 mm de largeur;
- f) toute autre indication de danger requise pour les marchandises dangereuses en vertu de l'annexe III.

(2) Where, pursuant to subsection (1), a safety mark is required to be displayed on a small container or package and the small container or package is contained in an overpack, in addition to the requirements of subsection (1), the consignor of the dangerous goods shall display the safety mark on the overpack if the safety mark displayed on the small container or package is not visible.

Liquefied Petroleum Gas

5.38 (1) Subject to subsection (2), where dangerous goods set out in Column II of an item of Table IV to this Part that have the product identification number listed in Column III of that item are to be transported in bulk by a road vehicle or a railway vehicle, before the dangerous goods are loaded, the person in charge of the road vehicle or the railway vehicle shall mark on each side of the road vehicle or the railway vehicle with the shipping name specified in Column IV of that item, in letters not less than 102 mm high with a stroke not less than 16 mm wide and a separation of at least 19 mm between the letters.

(2) Where the dangerous goods referred to in subsection (1) are

- (a) butane (PIN 1011),
- (b) isobutane (PIN 1969),
- (c) isobutylene (PIN 1055),
- (d) propane (PIN 1978), or
- (e) propylene (PIN 1077),

the tank commodity name "liquefied petroleum gas" may be used for the dangerous goods instead of the tank commodity name specified for the dangerous goods in Column IV of Table IV to this Part if

- (f) the shipping document relating to the dangerous goods indicates "liquefied petroleum gas" as the shipping name of the dangerous goods; and
- (g) the product identification number 1075 is used as the product identification number of the dangerous goods.

Leaking Tank

5.39 (1) Where a tank that is used for the transportation of dangerous goods is leaking and unfit for service, the person in charge of the tank shall

- (a) mark in a conspicuous manner both sides of the tank adjacent to any serial or identification numbers with the words "leaking tank—do not load until repaired" or "citerne non étanche—ne pas remplir jusqu'à réparation" in letters at least 75 mm high;
- (b) mark the tank with the symbol "X" at least 75 mm high at the location of the leak, if known; and
- (c) affix a tag bearing the words specified in paragraph (a) to the valves or connections through which the tank is loaded.

(2) No person shall remove the marks and tag referred to in subsection (1) from the tank until the tank has been repaired.

(2) Si le petit conteneur ou le colis visé au paragraphe (1) est protégé par un suremballage qui cache l'indication de danger apposée conformément à ce paragraphe, l'expéditeur appose la même indication de danger sur le suremballage.

Gaz de pétrole liquéfiés

5.38 (1) Sous réserve du paragraphe (2), lorsque des marchandises dangereuses visées à la colonne II du tableau IV de la présente partie, pour lesquelles le numéro d'identification du produit est indiqué à la colonne III de ce tableau, doivent être transportées en vrac dans un véhicule routier ou un véhicule ferroviaire, la personne responsable du véhicule inscrit, avant le chargement des marchandises dangereuses, l'appellation réglementaire prescrite à la colonne IV de ce tableau sur chaque côté du véhicule, en lettres ayant une hauteur minimale de 102 mm et un trait d'une largeur minimale de 16 mm, et espacées d'au moins 19 mm.

(2) Si les marchandises visées au paragraphe (1) sont

- a) du butane (NIP 1011),
- b) de l'isobutane (NIP 1969),
- c) de l'isobutylène (NIP 1055),
- d) du propane (NIP 1978), ou
- e) du propylène (NIP 1077),

l'appellation «gaz de pétrole liquéfié» peut être utilisée au lieu du nom porté sur la citerne qui est précisé à la colonne IV du tableau IV de la présente partie, à la condition

- f) que le document d'expédition relatif aux marchandises dangereuses indique «gaz de pétrole liquéfié» comme appellation réglementaire; et
- g) que le numéro 1075 soit utilisé comme numéro d'identification du produit.

Citerne non étanche

5.39 (1) Lorsqu'une citerne qui est utilisée pour le transport de marchandises dangereuses coule et n'est pas en état de service, la personne responsable de la citerne

- a) inscrit de façon visible sur chaque côté de la citerne et près de tout numéro de série ou d'identification, la mention «citerne non étanche—ne pas remplir jusqu'à réparation» ou «leaking tank—do not load until repaired», en lettres d'au moins 75 mm de hauteur;
- b) marque d'un «X» d'au moins 75 mm de hauteur l'endroit de la fuite, s'il est connu; et
- c) fixe une étiquette portant les termes spécifiés à l'alinéa a), à tout accord ou soupape utilisé pour le chargement.

(2) Il est interdit d'enlever les marques et étiquettes visées au paragraphe (1) avant que la citerne soit réparée.

Identification Marks

5.40 The owner of a tank that is intended to be used for the transportation of dangerous goods shall mark that tank on two opposite sides or ends, in letters not less than 50 mm high with

- (a) his name and address or a self-identifying symbol, acronym or abbreviation if he has notified the Director General of the self-identifying symbol, acronym or abbreviation; and
- (b) the serial number, if any, assigned to that tank by the owner.

5.41 The manufacturer or reconditioner of a packaging, container or tank that is intended to be used for the transportation of dangerous goods shall mark the packaging, container or tank with

- (a) his name and address; or
- (b) a self-identifying symbol, acronym or abbreviation if he has notified the Director General of the self-identifying symbol, acronym or abbreviation.

Consumer Commodities

5.42 (1) Notwithstanding any other requirement of this Part, where consumer commodities are to be offered for transport, the consignor of the dangerous goods shall

- (a) mark the outer packaging containing the dangerous goods
 - (i) in accordance with the requirements of this Part that are applicable to those goods, or
 - (ii) with the following:
 - (A) the words "consumer commodity" followed by the name of the dangerous goods,
 - (B) the classification of the dangerous goods, and
 - (C) where the dangerous goods are included in Division 3 of Class 2 or in Division 1 of Class 6, a label for the primary classification; and

(b) where 2,000 kg of any one class of consumer commodities are to be transported in a transport unit and the transport unit is to be transported by ship, provide the person in charge of the transport unit with a placard that corresponds to the placard set out as Figure 19 in Part II of Schedule V.

(2) Where 2,000 kg of any one class of consumer commodities are to be transported in a transport unit and the transport unit is to be transported by ship, the person in charge of the transport unit shall display the placard referred to in paragraph 5.42(1)(b).

Limited Quantities of Dangerous Goods

5.43 Notwithstanding any other requirement of this Part, where limited quantities of dangerous goods are to be transported by road or rail, the consignor of the dangerous goods shall mark the outer packaging containing the dangerous goods

- (a) in accordance with the requirements of this Part that are applicable to those goods; or

Marques d'identification

5.40 Le propriétaire d'une citerne qui doit être utilisée pour le transport de marchandises dangereuses marque deux côtés ou deux extrémités opposés de la citerne, en lettres d'au moins 50 mm de hauteur,

- a) de ses nom et adresse, ou d'un symbole, d'une abréviation ou d'un acronyme qu'il a déjà porté à la connaissance du Directeur général; et
- b) du numéro de série, s'il y a lieu, qu'il a attribué à la citerne.

5.41 Le fabricant ou la personne responsable du reconditionnement d'un emballage, d'un conteneur ou d'une citerne qui doivent être utilisés pour le transport de marchandises dangereuses marque l'emballage, le conteneur ou la citerne

- a) de ses nom et adresse; ou
- b) d'un symbole, d'une abréviation ou d'un acronyme qu'il a déjà porté à la connaissance du Directeur général.

Biens de consommation

5.42 (1) Nonobstant toute autre disposition de la présente partie, l'expéditeur, avant de demander le transport de biens de consommation,

- a) marque l'emballage extérieur qui les contient
 - (i) conformément aux exigences applicables de la présente partie, ou
 - (ii) en y portant les renseignements suivants:
 - (A) la mention «biens de consommation» suivie du nom des marchandises dangereuses,
 - (B) la classification des marchandises dangereuses, et
 - (C) une étiquette indiquant la classification primaire, s'il s'agit de marchandises dangereuses incluses dans la division 3 de la classe 2 ou dans la division 1 de la classe 6; et

b) lorsque plus de 2 000 kg de biens de consommation d'une classe donnée sont destinés à être chargés dans une unité de transport devant être transportée à bord d'un navire, remet à la personne responsable de l'unité de transport une plaque conforme à celle illustrée à la figure 19 de la partie II de l'annexe V.

(2) Lorsque plus de 2 000 kg de biens de consommation d'une classe donnée sont destinés à être chargés dans une unité de transport devant être transportée à bord d'un navire, la personne responsable de l'unité de transport appose la plaque visée à l'alinéa 5.42(1)b).

Quantités limitées de marchandises dangereuses

5.43 Nonobstant toute autre disposition de la présente partie, lorsque des quantités limitées de marchandises dangereuses doivent être transportées par route ou par rail, l'expéditeur marque l'emballage extérieur contenant les marchandises dangereuses

- a) conformément aux exigences applicables de la présente partie; ou

(b) with the following:

- (i) the shipping name of the dangerous goods,
- (ii) the primary classification and the subsidiary classification of the dangerous goods,
- (iii) the product identification number of each product,
- (iv) the words "limited quantity" or "quantité limitée" or the abbreviations "ltd. qty." or "quant. ltée", and
- (v) where the dangerous goods have a primary or subsidiary classification of Class 3, the flash point of the product with the lowest flash point.

TABLE I

(s. 5.7)

SUBSIDIARY CLASSIFICATION LABELLING REQUIREMENTS

Item	Column I Primary Classification	Column II Subsidiary Classification and Packing Group
1.	Class 3 any division	Class 6.1 inhalation, dermal or oral toxicity Packing Group I Class 8 liquid, Packing Group I or II Class 5.1 Packing Group I or II
2.	Class 4 any division	Class 8, liquid or solid, Packing Group I Class 5.1 Packing Group I or II
3.	Class 5.1	Class 8, liquid or solid, Packing Group I or II
4.	Class 6.1 inhalation toxicity	Class 3* Packing Group I Class 8, liquid or solid, Packing Group I or II
5.	Class 6.1 dermal toxicity	None
6.	Class 6.1 oral toxicity	Class 4.1 Packing Group II Class 8, liquid or solid, Packing Group I or II
7.	Class 8 liquid	Class 3* Packing Group II Class 4.3 Packing Group II
8.	Class 8 solid	Class 4.2 Packing Group II Class 4.3 Packing Group II

* A subsidiary classification label for Class 3 is not required where the product is a solution and the flash point of the solvent is greater than 23°C.

b) en y portant les renseignements suivants:

- (i) l'appellation réglementaire des marchandises dangereuses,
- (ii) les classifications primaire et subsidiaire des marchandises dangereuses,
- (iii) le numéro d'identification du produit applicable aux marchandises dangereuses,
- (iv) la mention «quantité limitée» ou «limited quantity» ou «quant. ltée» ou «ltd. qty.», et
- (v) le point d'éclair du produit ayant le point d'éclair le plus bas, s'il s'agit de marchandises dangereuses dont la classification primaire ou la classification subsidiaire est la classe 3.

TABLEAU I

(art. 5.7)

EXIGENCES DES ÉTIQUETTES APPROPRIÉES À LA CLASSIFICATION SUBSIDIAIRE

Article	Colonne I Classification primaire	Colonne II Classification subsidiaire et groupe d'emballage
1.	Classe 3, toute division	Classe 6.1 toxicité par inhalation, par absorption cutanée ou par ingestion Groupe d'emballage I Classe 8, liquide Groupe d'emballage I ou II Classe 5.1 Groupe d'emballage I ou II
2.	Classe 4, toute division	Classe 8, liquide ou solide Groupe d'emballage I Classe 5.1 Groupe d'emballage I ou II
3.	Classe 5.1	Classe 8, liquide ou solide Groupe d'emballage I ou II
4.	Classe 6.1, toxicité par inhalation	Classe 3* Groupe d'emballage I Classe 8, liquide ou solide Groupe d'emballage I ou II
5.	Classe 6.1, toxicité par absorption cutanée	Aucun
6.	Classe 6.1, toxicité par ingestion	Classe 4.1 Groupe d'emballage II Classe 8, liquide ou solide Groupe d'emballage I ou II
7.	Classe 8, liquide	Classe 3* Groupe d'emballage II Classe 4.3 Groupe d'emballage II
8.	Classe 8, solide	Classe 4.2 Groupe d'emballage II Classe 4.3 Groupe d'emballage II

* L'étiquette de la classe 3 n'est pas requise lorsque le produit est une solution et que le point d'éclair du solvant est supérieur à 23°C.

TABLE II

(s. 5.16)

PRIMARY AND SUBSIDIARY CLASSIFICATION PLACARDING REQUIREMENTS*

Item	Column I	Column II	Column III Column IV	
	PIN	Shipping Name and Description	Primary Classification	Secondary Classification
1.	1072	Oxygen	2.2	5.1
2.	1073	Oxygen, refrigerated liquid	2.2	5.1
3.	1070	Nitrous oxide, compressed	2.2	5.1
4.	2201	Nitrous oxide, refrigerated liquid	2.2	5.1
5.	1796	Nitrating acid, more than 50% nitric acid	8	5.1
6.	1826	Nitrating acid mixtures, spent, more than 50% nitric acid	8	5.1
7.	2032	Nitric acid, fuming, more than 70% and not more than 90%	8	5.1 6.1
8.	2032	Nitric acid, red, fuming, more than 90%	8	5.1 6.1
9.	2977	Uranium hexafluoride, fissile containing more than 0.7% Uranium 235	7	8
10.	2978	Uranium hexafluoride, low specific activity, containing not more than 0.7% Uranium 235	7	8
11.	2976	Thorium nitrate	7	5.1
12.	2981	Uranyl nitrate solid	7	5.1

* Where dangerous goods are included in Division 1 or 2 of Class 4 and are dangerous goods for which the letter "E" appears in Column III of List II of Schedule II, see paragraph 5.16(d).

TABLEAU II

(art. 5.16)

PLAQUES REQUISES POUR LES CLASSIFICATIONS PRIMAIRE ET SUBSIDIAIRE*

Article	Colonne I	Colonne II	Colonne III Colonne IV	
	NIP	Appellation réglementaire et description	Classification primaire	Classification subsidiaire
1.	2032	Acide nitrique, rouge, fumant, à plus de 90 pour cent	8	5.1 6.1
2.	2032	Acide nitrique, fumant, à plus de 70 pour cent et à 90 pour cent au maximum	8	5.1 6.1
3.	1796	Acide sulfonitrique, en mélange, 50 pour cent au maximum d'acide nitrique	8	5.1
4.	1826	Acide sulfonitrique, en mélange résiduaire, à plus de 50 pour cent d'acide nitrique	8	5.1
5.	2778	Hexafluorure d'uranium, de faible activité spécifique, contenant 0,7 pour cent au maximum d'uranium 235	7	8
6.	2977	Hexafluorure d'uranium, fissile, contenant plus de 0,7 pour cent d'uranium 235	7	8
7.	2976	Nitrate de thorium	7	5.1
8.	2981	Nitrate d'uranyle, solide	7	5.1
9.	1072	Oxygène	2.2	5.1
10.	1073	Oxygène liquide réfrigéré	2.2	5.1
11.	1070	Protoxyde d'azote, comprimé	2.2	5.1
12.	2201	Protoxyde d'azote, liquide réfrigéré	2.2	5.1

* Voir alinéa 5.16d) pour les marchandises dangereuses incluses dans les divisions 1 ou 2 de la classe 4 et pour lesquelles la lettre «E» figure à la colonne III de la liste II de l'annexe II.

TABLE III

(s. 5.18)

Item	Column I Class and division and placard required	Column II Class and division and safety mark
1.	Explosives 1.5	Explosives 1.1
2.	Explosives 1.4	Explosives 1.1, 1.2, 1.3 or 1.5
3.	Explosives 1.3	Explosives 1.1 or 1.2
4.	Explosives 1.2	Explosives 1.1
5.	Non-flammable gas 2.2	Flammable gas 2.1
6.	Non-flammable gas 2.2	Poisonous gas 2.3
7.	Flammable solid 4.1	Flammable liquid 3.1
8.	Flammable solid 4.1	Dangerous when wet 4.3

TABLE IV

(s. 5.38)

Item	Column I Shipping Name	Column II Product Identification Number	Column III Tank Commodity Name
1.	Acrolein, inhibited	1092	Acrolein
2.	Ammonia, anhydrous	1005	Ammonia, anhydrous
3.	Argon, refrigerated liquid	1951	Argon
4.	Bromine or Bromine solutions	1744	Bromine
5.	Butadiene, inhibited	1010	Butadiene, inhibited
6.	Butane or Butane mixtures	1011	Butane, or, Liquefied Petroleum Gas
7.	Chlorine	1017	Chlorine
8.	Chlorodifluoroethanes	2517	Difluoromono-chloroethane, or, Dispersant Gas, or, Refrigerant Gas
9.	Difluoroethane	1030	Difluoroethane, or, Dispersant Gas, or, Refrigerant Gas
10.	Dimethylamine, anhydrous	1032	Dimethylamine, anhydrous
11.	Dimethyl ether	1033	Dimethyl ether
12.	Ethane, refrigerated liquid	1961	Ethane
13.	Ethylene, refrigerated liquid	1038	Ethylene
14.	Ethyleneimine, inhibited	1185	Ethylene Imine
15.	Ethylene oxide	1040	Ethylene Oxide
16.	Formic acid	1779	Formic Acid
17.	Helium, refrigerated liquid	1963	Helium
18.	Hydrocarbon gases, liquified, n.o.s., or Hydrocarbon gases, mixture, liquified, n.o.s.	1965	Hydrocarbon Gas Liquefied
19.	Hydrocyanic acid, aqueous solutions	1613	Hydrocyanic acid
20.	Hydrofluoric acid, solution	1790	Hydrofluoric acid (60-65% solution)
21.	Hydrogen, refrigerated liquid	1966	Hydrogen
22.	Hydrogen chloride, anhydrous	1050	Hydrogen Chloride, anhydrous
23.	Hydrogen cyanide, anhydrous, stabilized	1051	Hydrocyanic acid
24.	Hydrogen fluoride, anhydrous	1052	Hydrogen Fluoride, anhydrous

TABLEAU III

(art. 5.18)

Article	Colonne I Classe et division et plaque requise	Colonne II Classe et division et indication de danger
1.	Explosifs 1.5	Explosifs 1.1
2.	Explosifs 1.4	Explosifs 1.1, 1.2, 1.3 ou 1.5
3.	Explosifs 1.3	Explosifs 1.1 ou 1.2
4.	Explosifs 1.2	Explosifs 1.1
5.	Gaz ininflammables 2.2	Gaz inflammables 2.1
6.	Gaz ininflammables 2.2	Gaz toxiques 2.3
7.	Solides inflammables 4.1	Liquides inflammables 3.1
8.	Solides inflammables 4.1	Dangereux lorsque humides 4.3

TABLEAU IV

(art. 5.38)

Article	Colonne I Appellation réglementaire	Colonne II Numéro d'identification du produit	Colonne III Nom porté sur la citerne
1.	Acide cyanhydrique, en solutions aqueuses	1613	Acide cyanhydrique
2.	Acide fluorhydrique, en solution	1790	Acide fluorhydrique (60-65 pour cent en solution)
3.	Acide formique	1779	Acide formique
4.	Acide nitrique	2031	Acide nitrique (excédant 40 pour cent)
5.	Acide nitrique, fumant	2032	Acide nitrique (excédant 40 pour cent)
6.	Acroléine, stabilisée	1092	Acroléine
7.	Ammoniac, anhydre	1005	Ammoniac, anhydre
8.	Argon, liquide réfrigéré	1951	Argon
9.	Antidétonants, mélanges pour carburants	1649	Antidétonants, composés pour carburants ou, Antidétonants composés
10.	Azote, liquide réfrigéré	1977	Azote
11.	Brome ou Brome en solution	1744	Brome
12.	Butadiène, stabilisé	1010	Butadiène, stabilisé
13.	Butane ou Butane, en mélange	1011	Butane ou Gaz de pétrole liquéfié
14.	Chlore	1017	Chlore
15.	Chlorodifluoroéthers	2517	Difluorochloroéthers ou Gaz dispersants ou Gaz frigorigènes
16.	Chlorure d'hydrogène, anhydre	1050	Chlorure d'hydrogène, anhydre
17.	Chlorure de méthyle	1063	Chlorure de méthyle
18.	Chlorure de méthyle et chlorure de méthylène, en mélange	1912	Chlorure de méthyle—Chlorure de méthylène, en mélange
19.	Chlorure de vinyle, stabilisé	1086	Chlorure de vinyle
20.	Cyanure d'hydrogène, anhydre, stabilisé	1051	Cyanure d'hydrogène, anhydre
21.	Difluoroéthane	1030	Difluoroéthane ou Gaz dispersants ou Gaz frigorigènes
22.	Diméthylamine, anhydre	1032	Diméthylamine, anhydre
23.	Dioxyde de soufre	1079	Dioxyde de soufre
24.	Éthane, liquide réfrigéré	1961	Éthane

TABLE IV—Conc.

Column I	Column II	Column III	Column IV
Item	Shipping Name	Product Identification Number	Tank Commodity Name
25.	Hydrogen peroxide, aqueous solutions	2014 2984	Hydrogen Peroxide (exceeding 52% solution)
26.	Hydrogen peroxide, stabilized or Hydrogen peroxide, aqueous solutions stabilized	2015	Hydrogen Peroxide (exceeding 52% solutions)
27.	Hydrogen sulphide, liquified	1053	Hydrogen Sulphide
28.	Isobutane or Isobutane mixtures	1969	Isobutane, or, Liquified Petroleum Gas
29.	Isobutylene	1055	Isobutylene, or, Liquified Petroleum Gas
30.	Methyl acetylene-propadiene mixtures, stabilized	1060	Methyl Acetylene-Propadiene, stabilized
31.	Methyl chloride	1063	Methyl Chloride
32.	Methyl chloride-methylene chloride mixture	1912	Methyl Chloride-Methylene Chloride mixture
33.	Methyl mercaptan	1064	Methyl Mercaptan
34.	Methylamine, anhydrous	1061	Monomethylamine, anhydrous
35.	Motor fuel antiknock mixtures	1649	Motor Fuel Antiknock Compound, or, Antiknock Compound
36.	Nitric Acid	2031	Nitric Acid (exceeding 40%)
37.	Nitric acid, red fuming	2032	Nitric Acid (exceeding 40%)
38.	Nitrogen, refrigerated liquid	1977	Nitrogen
39.	Nitrogen dioxide, refrigerated liquid	1067	Nitrogen Tetroxide, Liquid
40.	Nitric oxide and nitrogen tetroxide mixtures	1975	Nitrogen Tetroxide—Nitric Oxide Mixture
41.	Oxygen, refrigerated mixture	1073	Oxygen
42.	Petroleum gases, liquified, n.o.s.	1075	Liquified Petroleum Gas
43.	Phosphorus, amorphous	1338	Phosphorus
44.	Phosphorus, white or yellow or under water or in solution	1381	Phosphorus
45.	Potassium nitrate and sodium nitrite mixtures	1487	Fused Potassium Nitrate and Sodium Nitrite
46.	Propane	1978	Propane, or, Liquified Petroleum Gas
47.	Propylene	1077	Propylene, or, Liquified Petroleum Gas
48.	Sodium nitrate and potassium nitrate mixtures	1499	Fused Potassium Nitrate and Sodium Nitrate
49.	Sulphur dioxide, liquified	1079	Sulphur Dioxide
50.	Sulphur trioxide, inhibited	1829	Sulphur Trioxide, stabilized
51.	Trifluorochloroethylene, inhibited	1082	Trifluorochloroethylene
52.	Trimethylamine, anhydrous	1083	Trimethylamine, anhydrous
53.	Vinyl chloride, inhibited	1086	Vinyl Chloride
54.	Vinyl fluoride, inhibited	1860	Vinyl Fluoride, Inhibited
55.	Vinyl methyl ether, inhibited	1302	Vinyl Ethyl Ether, Inhibited

TABLEAU IV—Fin

Colonne I	Colonne II	Colonne III	Colonne IV
Article	Appellation réglementaire	Numéro d'identification du produit	Nom porté sur la citerne
25.	Éther éthylvinyle stabilisé	1302	Éther vinyleméthyle stabilisé
26.	Éther méthyle	1033	Éther diméthyle
27.	Éthylène, liquide réfrigéré	1038	Éthylène
28.	Éthylèneimine, stabilisée	1185	Éthylèneimine
29.	Fluorure d'hydrogène, anhydre	1052	Fluorure d'hydrogène
30.	Fluorure de vinyle, stabilisé	1860	Fluorure de vinyle, stabilisé
31.	Gaz de pétrole, liquéfiés, n.s.a.	1075	Gaz de pétrole, liquéfiés
32.	Hélium, liquide réfrigéré	1963	Hélium
33.	Hydrocarbures gazeux, liquéfiés, n.s.a. ou Hydrocarbures gazeux, en mélange, liquéfiés, n.s.a.	1965	Hydrocarbures gazeux, liquéfiés
34.	Hydrogène, liquide réfrigéré	1966	Hydrogène
35.	Isobutane ou Isobutane, en mélange	1969	Isobutane ou Gaz de pétrole liquéfié
36.	Isobutylène	1055	Isobutylène ou Gaz de pétrole liquéfié
37.	Méthylacétylène propadiène, stabilisé, en mélange	1060	Méthylacétylène et propadiène, en mélanges, stabilisé
38.	Méthylamine, anhydre	1061	Monométhylamine, anhydre
39.	Mercaptan méthyle	1064	Mercaptan méthyle
40.	Nitrate de sodium et nitrate de potassium, en mélange	1499	Nitrate de potassium et sodium, en mélange
41.	Nitrate de potassium et nitrite de sodium, en mélange	1487	Nitrate de potassium et nitrite de sodium
42.	Oxyde éthylène	1040	Oxyde éthylène
43.	Oxyde nitrique et téroxyde d'azote, en mélange	1975	Oxyde nitrique et téroxyde d'azote en mélange
44.	Oxygène liquide réfrigéré	1073	Oxygène
45.	Peroxyde d'azote, liquéfié, ou Peroxyde d'azote, liquide	1067	Tetroxyde d'azote, liquide
46.	Peroxyde d'hydrogène, en solutions	2014 2984	Peroxyde d'hydrogène, en solutions
47.	Peroxyde d'hydrogène, en solutions aqueuses	2015	Peroxyde d'hydrogène (excédant 52 pour cent en solution)
48.	Phosphore, amorphe	1338	Phosphore
49.	Phosphore, blanc ou jaune, sec ou recouvert d'eau ou en solution	1381	Phosphore
50.	Propane	1978	Propane, ou Gaz de pétrole liquéfié
51.	Propylène	1077	Propylène, ou Gaz de pétrole liquéfié
52.	Sulfure d'hydrogène, liquéfié	1053	Sulfure d'hydrogène
53.	Trifluorochloréthylène, stabilisé	1082	Trifluorochloréthylène
54.	Triméthylamine, anhydre	1083	Triméthylamine, anhydre
55.	Trioxyde de soufre, stabilisé	1829	Trioxyde de soufre, stabilisé

PART VI
SAFETY STANDARDS

General

6.1 Unless otherwise provided in Schedule III or in Part II, no person shall handle, offer for transport or transport dangerous goods unless the safety standards prescribed in this Part have been complied with.

Dangerous Goods that Require Control Temperature

6.2 No person shall transport dangerous goods that have a control temperature set out in Column IV of List II of Schedule II unless the packaging, container or the means of transport to be used to transport the dangerous goods is capable under normal conditions of transport of maintaining the dangerous goods at a temperature that does not exceed the control temperature.

Limited Quantities of Dangerous Goods and Consumer Commodities

6.3 (1) Subject to subsection (2), where limited quantities of dangerous goods are to be transported by any means of transport other than by aircraft or consumer commodities are to be transported by any means of transport

(a) in aerosol packagings, the consignor of the dangerous goods shall package the dangerous goods

(i) in inner packagings that meet the standards for inner packagings, and

(ii) in outer packagings that meet the standards for outer packagings,

that are set out in Part I of Schedule VIII in respect of the dangerous goods; or

(b) in non-aerosol packagings, the consignor of the dangerous goods shall package the dangerous goods

(i) in inner packagings that meet the standards for inner packagings, if any, and

(ii) in outer packagings that meet the standards for outer packagings,

that are set out in Part II of Schedule VIII in respect of the dangerous goods.

(2) Where consumer commodities are to be transported by road from a distribution centre to a retail outlet

(a) in aerosol packagings, the consignor of the dangerous goods may, instead of complying with subparagraph (1)(a)(ii), package the dangerous goods in cages, carts, bins or similar means of consolidation; or

(b) in non-aerosol packagings, the consignor of the dangerous goods may, instead of complying with subparagraph (1)(b)(ii), package the dangerous goods in cages, carts, bins or similar means of consolidation.

PARTIE VI
NORMES DE SÉCURITÉ

Dispositions générales

6.1 Sauf disposition contraire de l'annexe III ou de la partie II, il est interdit de manutentionner, de demander de transporter ou de transporter des marchandises dangereuses, sauf si les normes de sécurité applicables énoncées dans la présente partie sont observées.

Marchandises dangereuses exigeant une régulation de la température

6.2 Il est interdit de transporter des marchandises dangereuses pour lesquelles une température de régulation est indiquée à la colonne IV de la liste II de l'annexe II, sauf si le conteneur ou le moyen de transport devant être utilisé pour le transport de ces marchandises est capable, dans des conditions normales de transport, de maintenir les marchandises dangereuses à une température qui ne dépasse pas la température de régulation.

Quantités limitées de marchandises dangereuses et biens de consommation

6.3 (1) Sous réserve du paragraphe (2), lorsque des quantités limitées de marchandises dangereuses sont destinées à être transportées par un moyen de transport autre qu'un aéronef, ou que des biens de consommation sont destinés à être transportés par tout moyen de transport

a) dans des aérosols, l'expéditeur emballe les marchandises dangereuses

(i) dans des emballages intérieurs conformes aux normes pour emballages intérieurs, et

(ii) dans des emballages extérieurs conformes aux normes pour emballages extérieurs,

établies à la partie I de l'annexe VIII;

b) dans des emballages autres que des aérosols, l'expéditeur emballe les marchandises dangereuses

(i) dans des emballages intérieurs conformes aux normes pour emballages intérieurs, s'il en est, et

(ii) dans des emballages extérieurs conformes aux normes pour emballages extérieurs,

établies à la partie II de l'annexe VIII.

(2) Lorsque des biens de consommation sont destinés à être transportés par route, d'un centre de distribution à une installation de vente au détail,

a) dans des aérosols, l'expéditeur peut utiliser comme emballage extérieur une cage, un chariot, un casier ou un moyen de confinement semblable, au lieu de l'emballage extérieur visé au sous-alinéa (1)a)(ii); ou

b) dans des emballages autres que des aérosols, l'expéditeur peut utiliser comme emballage extérieur une cage, un chariot, un casier ou un moyen de confinement semblable, au lieu de l'emballage extérieur visé au sous-alinéa (1)b)(ii).

PART VII

SAFETY REQUIREMENTS FOR THE HANDLING OR OFFERING
FOR TRANSPORT OF DANGEROUS GOODS*General*

7.1 Unless otherwise provided in Schedule III or in Part II, no person shall handle or offer for transport dangerous goods unless the safety requirements for the handling or offering for transport of dangerous goods prescribed in this Part are complied with.

*Limited Quantities of Dangerous Goods and Consumer
Commodities*

7.2 Where limited quantities of dangerous goods or consumer commodities are to be transported, the consignor shall package the dangerous goods in a quantity not exceeding the quantity specified in Schedule VIII for the inner packaging to be contained in the applicable outer packagings for the dangerous goods.

7.3 Where more than 2,000 kg of any one class of consumer commodities are to be transported in a transport unit and that transport unit is to be transported by ship, no other dangerous goods shall be stored

- (a) under or over the consumer commodities; and
- (b) in or over any part of the space within 1 m of the consumer commodities.

Incompatible Dangerous Goods

7.4 No person shall handle or offer for transport two or more dangerous goods that are contained in the same packaging if a mixture of the dangerous goods would result in an evolution of heat or gas or produce a corrosive that could endanger the packaging.

Self Accelerating Decomposition

7.5 (1) Subject to subsection (2), no person shall handle or offer for transport dangerous goods that are liable to decompose, polymerize, evolve dangerous levels of heat or gas or otherwise react dangerously at a temperature of 55°C or less unless the dangerous goods are stabilized or inhibited other than by refrigeration.

(2) Where a control temperature is specified for the dangerous goods in Column IV of List II of Schedule II, no person shall handle or offer for transport those dangerous goods unless the dangerous goods are stabilized or inhibited as required in Column I of that List and are refrigerated.

7.6 The self-accelerating decomposition test (SADT) set out in Part II of Schedule VI shall be used to determine whether the dangerous goods referred to in section 7.5 are liable to decompose, polymerize, evolve dangerous levels of heat or gas or react dangerously at a temperature of 55°C or less.

PARTIE VII

RÈGLES DE SÉCURITÉ RÉGISSANT LA MANUTENTION OU LA
DEMANDE DE TRANSPORT DE MARCHANDISES DANGEREUSES*Dispositions générales*

7.1 Sauf disposition contraire de l'annexe III ou de la partie II, il est interdit de manutentionner ou de demander de transporter des marchandises dangereuses, sauf si les règles de sécurité énoncées dans la présente partie sont observées.

*Quantités limitées de marchandises dangereuses et biens de
consommation*

7.2 Lorsque des quantités limitées de marchandises dangereuses ou des biens de consommation sont destinés à être transportés, la quantité totale que l'expéditeur met dans chaque emballage intérieur ne doit pas dépasser la quantité spécifiée à l'annexe VIII, selon le type d'emballage extérieur utilisé.

7.3 Lorsque des biens de consommation d'une classe donnée sont destinés à être transportés en une quantité supérieure à 2 000 kg, dans une unité de transport qui doit être transportée à bord d'un navire, aucune autre marchandise dangereuse ne peut être placée

- a) au-dessous ou au-dessus des biens de consommation; et
- b) dans un rayon de 1 mètre des biens de consommation.

Marchandises dangereuses incompatibles

7.4 Il est interdit de manutentionner ou de demander de transporter différentes marchandises dangereuses contenues dans un même emballage, si le mélange de ces marchandises dangereuses risque de provoquer une élévation de la température, l'émission de gaz ou un effet corrosif susceptibles d'endommager l'emballage.

Décomposition auto-accelérée

7.5 (1) Sous réserve du paragraphe (2), il est interdit de manutentionner ou de demander de transporter des marchandises dangereuses qui sont susceptibles de se décomposer, de se polymériser, de provoquer une élévation dangereuse de la température ou l'émission de gaz en quantités dangereuses, ou de réagir dangereusement à une température de 55°C ou moins, sauf si ces marchandises sont stabilisées autrement que par réfrigération.

(2) Il est interdit de manutentionner ou de demander de transporter des marchandises dangereuses pour lesquelles une température de régulation est spécifiée à la colonne IV de la liste II de l'annexe II, sauf si ces marchandises sont stabilisées de la façon indiquée à la colonne I de cette liste et sont réfrigérées.

7.6 L'épreuve pour la détermination de la température de décomposition auto-accelérée (TDAC) visée à la partie II de l'annexe VI est utilisée pour déterminer si les marchandises décrites à l'article 7.5 sont susceptibles de se décomposer, de se polymériser, de provoquer une élévation dangereuse de la

Class 1 (Explosives)

7.7 No person shall offer for transport or deliver a consignment of explosives to a carrier unless

- (a) he notifies the carrier, and the operator of the intermediate handling facility stated in the shipping document at which temporary storage is to be affected, if any, of
 - (i) the shipping name, product identification number and quantity of the explosives to be transported, and
 - (ii) the name and address of the consignee; and
 - (b) he receives confirmation from
 - (i) the carrier,
 - (ii) the operator of the intermediate handling facility, if any, and
 - (iii) the consignee
- that they are prepared to receive the consignment of explosives.

Division 2 of Class 6 (Infectious Substances)

7.8 (1) No consignor shall offer for transport an infectious substance included in Division 2 of Class 6 to a carrier unless

- (a) he has received notification from the consignee that receipt of the goods is not prohibited by any applicable law at the point of destination or in any country through which the goods may transit; and
- (b) he notifies the consignee of
 - (i) the date of shipment and of expected arrival,
 - (ii) the identification of the means of transport to be used, and
 - (iii) the shipping document identification number.

(2) The consignor or carrier referred to in subsection (1) shall forthwith notify the consignee of any change to the information provided in accordance with paragraph (1)(b).

(3) No carrier shall accept a consignment referred to in subsection (1) unless he has received confirmation from the consignor that the consignor has complied with the requirements of that subsection.

Class 7 (Radioactive Materials)

7.9 No person shall offer for transport dangerous goods that are included in Class 7 unless the dangerous goods are packed in accordance with the *Transport Packaging of Radioactive Materials Regulations*.

7.10 No person shall offer for transport waste substances that are included in Class 7 except in accordance with the *Transport Packaging of Radioactive Materials Regulations*.

température ou l'émission de gaz en quantités dangereuses, ou de réagir dangereusement à une température de 55°C ou moins.

Classe 1 (Explosifs)

7.7 Il est interdit à toute personne de demander le transport d'un envoi d'explosifs ou de livrer un tel envoi à un transporteur, sauf si

- a) elle communique au transporteur et, s'il y a lieu, à l'exploitant de l'installation précisée dans le document d'expédition, qui doit servir à l'entreposage temporaire de l'envoi:
 - (i) l'appellation réglementaire, le numéro d'identification du produit et la quantité d'explosifs à transporter, et
 - (ii) les nom et adresse du destinataire; et
 - b) elle reçoit
 - (i) du transporteur,
 - (ii) de l'exploitant de l'installation devant servir d'entreposage temporaire, s'il y a lieu, et
 - (iii) du destinataire
- la confirmation qu'ils sont prêts à recevoir l'envoi d'explosifs.

Division 2 de la classe 6 (Matières infectieuses)

7.8 (1) Il est interdit à l'expéditeur de demander le transport d'une matière incluse dans la division 2 de la classe 6, à moins

- a) d'avoir reçu du destinataire une notification indiquant que la réception de la matière n'est pas interdite par les lois applicables du lieu de destination ou de tout pays où elle peut transiter; et
- b) d'avoir communiqué au destinataire
 - (i) la date d'expédition de l'envoi et la date d'arrivée prévue,
 - (ii) les détails relatifs au moyen de transport devant être utilisé, et
 - (iii) le numéro du document d'expédition.

(2) L'expéditeur ou le transporteur visé au paragraphe (1) communique sans délai au destinataire toute modification apportée aux renseignements fournis conformément à l'alinéa (1)b).

(3) Il est interdit au transporteur d'accepter un envoi visé au paragraphe (1), à moins d'avoir reçu de l'expéditeur la confirmation que celui-ci a rempli les exigences de ce paragraphe.

Classe 7 (Matières radioactives)

7.9 Il est interdit de demander le transport de marchandises dangereuses incluses dans la classe 7, sauf si ces marchandises sont emballées conformément au *Règlement sur l'emballage des matières radioactives destinées au transport*.

7.10 Il est interdit de demander le transport de déchets inclus dans la classe 7, autrement qu'en conformité avec le *Règlement sur l'emballage des matières radioactives destinées au transport*.

Passenger Luggage

7.11 No passenger shall

- (a) offer for transport, or
- (b) carry

on any means of transport any luggage containing dangerous goods.

Harbours and Ships

7.12 (1) Except where dangerous goods are transported within Canada to or from a harbour by a RoRo, the owner of a means of transport that is transporting dangerous goods to a harbour in Canada or his agent shall provide the harbour administration with the information contained in the shipping document at least 24 hours before the dangerous goods arrive at that harbour unless otherwise directed by the harbour administration.

(2) Where more than

- (a) 25 tonnes of explosives, other than safety explosives, or
- (b) 150 tonnes of ammonium nitrate,

are carried or intended to be carried on a ship, the master or the owner of the ship shall, at least 24 hours prior to the ship's arrival at a port, harbour, wharf or place, or prior to the loading of the said goods, notify the nearest Canadian Coast Guard Ship Safety Office and, as appropriate,

- (c) the Harbours and Ports Directorate of the Marine Administration of the Department of Transport,
- (d) the Canada Ports Corporation, or
- (e) the harbour commission of the harbour or port of destination,

of the ship's intended arrival and shall indicate whether or not the dangerous goods will be unloaded, or his intention to load the goods, as the case may be.

Aircraft Pilot Notification

7.13 Except where the pilot-in-command of an aircraft assists in or supervises the loading of the aircraft, an operator of an aircraft in which dangerous goods are to be transported shall give the pilot-in-command, before departure of the aircraft, a written notice that sets out the presence of the dangerous goods in the aircraft and

- (a) the air waybill number;
- (b) the shipping name and product identification number of the dangerous goods;
- (c) the primary and subsidiary classification of the dangerous goods; including the compatibility group if the dangerous goods are explosives;
- (d) the packing group of the dangerous goods, if any;
- (e) in respect of dangerous goods other than radioactive material,
 - (i) the number of packages,
 - (ii) the net quantity, and

Bagages de passagers

7.11 Il est interdit à tout passager

- a) de demander de transporter, ou
- b) de transporter

par tout moyen de transport des bagages contenant des marchandises dangereuses.

Ports et navires

7.12 (1) Sauf dans le cas du transport par roulier au Canada de marchandises dangereuses en provenance ou à destination d'un port, le propriétaire d'un moyen de transport qui transporte des marchandises dangereuses vers un port au Canada, ou son mandataire, fournit à l'administration du port au moins 24 heures avant l'arrivée des marchandises dangereuses, les renseignements que renferme le document d'expédition, à moins d'ordre contraire de cette administration.

(2) Lorsque

- a) plus de 25 tonnes métriques d'explosifs, autres que des explosifs de sûreté, ou
- b) plus de 150 tonnes métriques de nitrate d'ammonium,

sont transportées ou sont destinées à être transportées par navire, le capitaine ou le propriétaire du navire informe, au moins 24 heures avant l'arrivée du navire à un port, à un havre, à un quai ou à un autre lieu, ou au moins 24 heures avant le chargement desdites marchandises, le bureau le plus proche du service de la sécurité des navires de la Garde côtière canadienne et, selon le cas,

- c) la Direction générale des havres et ports de l'Administration canadienne du transport maritime, du ministère des Transports,
- d) la Société canadienne des ports, ou
- e) la commission de port du port ou du havre de destination, de l'arrivée prévue du navire, en indiquant si les marchandises dangereuses seront déchargées ou non, ou de son intention de charger les marchandises à bord du navire, selon le cas.

Notification au pilote d'un aéronef

7.13 Sauf lorsque le pilote commandant de bord participe au chargement de la cargaison d'un aéronef ou en assure la supervision, l'exploitant d'un aéronef devant transporter des marchandises dangereuses remet au pilote commandant de bord, avant le départ de l'aéronef, un avis écrit indiquant la présence de marchandises dangereuses à bord de l'aéronef et portant les renseignements suivants:

- a) le numéro de la lettre de transport aérien;
- b) l'appellation réglementaire et le numéro d'identification du produit applicable aux marchandises dangereuses;
- c) les classifications primaire et subsidiaire des marchandises dangereuses, y compris le groupe de compatibilité s'il s'agit d'explosifs;
- d) le groupe d'emballage des marchandises dangereuses, s'il y a lieu;
- e) s'il s'agit de marchandises dangereuses autres que des matières radioactives,
 - (i) le nombre de colis,

- (iii) the exact location at which the dangerous goods are placed in the aircraft;
- (f) in respect of radioactive materials,
 - (i) the number of packages,
 - (ii) the category of each package,
 - (iii) the transport index of each package, and
 - (iv) the exact location of each package in the aircraft;
- (g) whether the goods shall be carried on a cargo aircraft only;
- (h) the place where the goods are to be unloaded;
- (i) confirmation that there is no evidence that damaged or leaking packages have been loaded on the aircraft; and
- (j) where applicable, an indication that the dangerous goods are being transported pursuant to a permit for equivalent level of safety issued pursuant to subsection 27(1) of the Act.

International or Transborder Consignments of Wastes

7.14 (1) No person shall

- (a) offer for transport an international or transborder
 - (i) consignment of waste, or
 - (ii) a series of consignments of wastes,
 for the purpose of disposal outside Canada, or
- (b) import into Canada an international or transborder
 - (i) consignment of waste, or
 - (ii) series of consignments of wastes,

for the purpose of disposal in Canada, unless he provides, at least 60 days before the proposed consignment or series of consignments of waste is to be exported or imported, a notice in writing to the Director General setting out the following information:

- (c) the name and address of the consignor;
- (d) the name, address and telephone number of the consignee;
- (e) the name and address of the carrier;
- (f) the means of transport to be used;
- (g) the description, and the method of packing of the waste;
- (h) the approximate date of the transportation of each consignment of waste for a period terminating not later than December 31 of the year of the notification;
- (i) the name of each province and foreign country through which each consignment of waste is to be transported;
- (j) the Customs Office of entry into or exit from Canada and the Customs Office of entry into or exit from each country in which the consignment of waste is to be transported; and
- (k) a statement confirming that arrangements have been made to receive and dispose of the consignment of waste.

(2) In addition to the requirements of subsection (1), where a consignor has given a notification with respect to a series of consignments of waste referred to in paragraph (1)(b) that contain polychlorinated biphenyls, PIN 2315, he shall notify

- (ii) la quantité nette, et
- (iii) l'emplacement exact de ces marchandises à bord de l'aéronef;
- f) s'il s'agit de matières radioactives,
 - (i) le nombre de colis,
 - (ii) la catégorie de chaque colis,
 - (iii) l'indice de transport de chaque colis, et
 - (iv) l'emplacement exact de chaque colis à bord de l'aéronef;
- g) une indication précisant si les marchandises dangereuses sont destinées à être transportées uniquement par aéronef cargo;
- h) le lieu de déchargement des marchandises;
- i) la confirmation que les colis chargés à bord de l'aéronef ne portent aucune trace de dommage ni de fuite; et
- j) selon le cas, une indication précisant que les marchandises dangereuses sont transportées en vertu d'un permis de niveau équivalent de sécurité délivré en vertu du paragraphe 27(1) de la Loi.

Envois internationaux ou transfrontaliers de déchets

7.14 (1) Il est interdit

- a) de demander le transport, à des fins de traitement à l'extérieur du Canada,
 - (i) d'un envoi international ou transfrontalier de déchets, ou
 - (ii) d'une série d'envois internationaux ou transfrontaliers de déchets, ou
- b) d'importer au Canada, à des fins de traitement au Canada,
 - (i) un envoi international ou transfrontalier de déchets, ou
 - (ii) une série d'envois internationaux ou transfrontaliers de déchets,

à moins de fournir au Directeur général, au moins 60 jours avant la date prévue pour l'exportation ou l'importation des déchets, un avis écrit portant les renseignements suivants:

- c) les nom et adresse de l'expéditeur;
- d) les nom, adresse et numéro de téléphone du destinataire;
- e) les nom et adresse du transporteur;
- f) le moyen de transport devant être utilisé;
- g) la description et la méthode d'emballage des déchets;
- h) la date approximative de transport de chacun des envois prévus au cours de la période se terminant au plus tard le 31 décembre de l'année de l'avis;
- i) le nom de chaque province et de chaque pays étranger où les envois transiteront avant d'arriver à destination;
- j) le nom du bureau de douane de chaque point d'entrée ou de sortie au Canada, et le nom du bureau de douane de chaque point d'entrée ou de sortie de tout pays dans lequel les envois doivent être transportés;
- k) une déclaration attestant que des dispositions ont été prises pour la réception et le traitement des envois.

(2) Si la série d'envois de déchets visés à l'alinéa (1)b) contient des diphenyles polychlorés (NIP 2315), l'expéditeur, en plus de fournir l'avis prévu au paragraphe (1), envoie au Directeur général un avis au sujet de chaque envoi, sauf le

the Director General at least seven days before each consignment, other than the first consignment, is to be exported or imported.

(3) Every person who provides a notification to the Director General pursuant to subsections (1) and (2) shall provide a copy of the notification to the Director of the Waste Management Branch, Environmental Protection Program Directorate, Environmental Protection Service, Environment Canada, Ottawa, Ontario, K1A 1C8.

Emergency Response Planning

7.15 For the purposes of section 7.17, 7.18 and 7.19, "plan" means a written statement outlining the emergency response capability of an organization in the event of a dangerous occurrence.

7.16 (1) Subject to section 7.19, no person shall offer for transport any dangerous goods set out in Schedule XII from a point in Canada to a destination in or outside Canada unless he has filed with the Director General a summary of his plan.

(2) Every consignee of a consignment of dangerous goods set out in Schedule XII shipped from a point outside Canada to a destination in Canada shall file with the Director General a summary of his plan.

(3) No road or rail carrier shall transport any dangerous goods set out in Schedule XII from a point outside Canada through Canada for a distance greater than 70 km to a destination outside Canada unless that carrier has filed with the Director General a summary of his plan.

7.17 Every person required to file a summary of his plan shall set out in that summary the following information as applicable:

- (a) the name and address of the agent, if any, filed pursuant to Part XII;
- (b) a brief description of his emergency response capability;
- (c) certification that an emergency response capability exists;
- (d) a brief description of the means by which the plan can be activated;
- (e) the name, address, telephone number, function, and signature of the person submitting the summary of the plan; and
- (f) the name of the person on whose behalf the summary of a plan is filed.

7.18 Where dangerous goods listed in Column I of Schedule XII are assigned the Special Provision S1, S2, S3, S4 or S5 in Column IV of that Schedule, every person required to file a summary of a plan under this Part in respect of those goods shall file a summary of his plan for the quantities of those goods as follows:

- (a) S1, for any quantity;
- (b) S2, for quantities exceeding 15 g net;
- (c) S3, for quantities exceeding 25 kg or litres net per consignment;

premier, au moins sept jours avant la date d'exportation ou d'importation de celui-ci.

(3) La personne qui fournit un avis au Directeur général en vertu des paragraphes (1) et (2) doit en remettre une copie au directeur de la Direction de la gestion des déchets, Direction générale des programmes visant la protection de l'environnement, Service de la protection de l'environnement, Environnement Canada (Ottawa) Ontario, K1A 1C8.

Planification des interventions d'urgence

7.15 Pour l'application des articles 7.17, 7.18 et 7.19, «plan» désigne un exposé écrit décrivant la capacité d'un organisme à intervenir d'urgence dans un cas de danger.

7.16 (1) Sous réserve de l'article 7.19, il est interdit de demander le transport au Canada, ou du Canada à destination d'un endroit à l'extérieur du Canada, de marchandises dangereuses visées à l'annexe XII, sans avoir au préalable déposé auprès du Directeur général un résumé du plan.

(2) Le destinataire d'un envoi contenant des marchandises dangereuses visées à l'annexe XII et expédiées de l'extérieur du Canada à destination du Canada, dépose auprès du Directeur général un résumé du plan.

(3) Il est interdit à un transporteur routier ou ferroviaire de transporter au Canada sur une distance de plus de 70 km, des marchandises dangereuses visées à l'annexe XII qui sont expédiées de l'extérieur du Canada à destination d'un endroit à l'extérieur du Canada, sans avoir au préalable déposé auprès du Directeur général un résumé du plan.

7.17 La personne tenue de déposer le résumé d'un plan y inscrit les renseignements suivants:

- a) les nom et adresse du mandataire, s'il en est, déposés en vertu de la partie XII;
- b) une description sommaire des mesures d'urgence en cas de danger;
- c) une attestation de la capacité d'intervenir en cas d'urgence;
- d) une description sommaire des moyens destinés à la mise en œuvre du plan;
- e) les nom, adresse, numéro de téléphone, fonction et signature de la personne qui dépose le résumé du plan; et
- f) le nom de la personne pour qui le résumé du plan est déposé.

7.18 La personne tenue de déposer le résumé d'un plan en vertu de la présente partie le fait lorsqu'il s'agit de marchandises dangereuses visées à la colonne I de l'annexe XII et soumises aux dispositions particulières S1, S2, S3, S4 ou S5 prévues à la colonne IV de l'annexe XII, soit:

- a) S1, pour toute quantité;
- b) S2, pour toute quantité nette supérieure à 15 g;
- c) S3, pour toute quantité nette supérieure à 25 kg ou à 25 L par envoi;

- (d) S4, for quantities exceeding 1,000 kg or litres net per consignment; or
- (e) S5, for quantities exceeding 3,000 kg or litres net per container.

7.19 The Director General, upon receipt of a summary of a plan filed pursuant to this Part, shall assign a reference number to the summary of plan and shall provide the person who filed the summary of the plan with the reference number.

PART VIII

SAFETY REQUIREMENTS FOR THE TRANSPORTATION OF DANGEROUS GOODS

General

8.1 Unless otherwise provided in Schedule III or in Part II, no person shall transport dangerous goods unless, where applicable, the safety requirements for the transportation of dangerous goods prescribed in this Part are complied with.

Short-run Ferry

8.2 No person shall transport dangerous goods in a large container or transport units that is to be carried on a short-run ferry unless

- (a) the large container or transport unit
 - (i) is stowed at one end of the ferry and is separated from other containers or transport units by a distance of at least 1 m, and
 - (ii) is restrained to prevent movement while the ferry is in motion; and
- (b) smoking, the use of naked flame or spark producing equipment in the vicinity of the large container or transport unit and access by a person, other than a member of the crew or the person in charge of the large containers or transport unit, to the large container or transport unit are prohibited.

Class 1 (Explosives)

8.3 No person shall transport as a waste substances that are included in Class 1.

8.4 Every owner or lessee of a road vehicle that is to be used to transport dangerous goods included in Class 1, other than dangerous goods included in Division 4 of Class 1, shall cause to be carried in that vehicle a document, signed by him, that indicates the name of every person authorized by him to operate or accompany the vehicle.

Class 7 (Radioactive Materials)

8.5 No person shall transport dangerous goods that are included in Class 7 unless the dangerous goods are packaged and handled in accordance with the *Transport Packaging of Radioactive Materials Regulations*.

8.6 No person shall transport waste substances that are included in Class 7 unless they are packaged and handled in

- d) S4, pour toute quantité nette supérieure à 1 000 kg ou à 1 000 L par envoi; ou
- e) S5, pour toute quantité nette supérieure à 3 000 kg ou à 3 000 L par conteneur.

7.19 Sur réception du résumé d'un plan déposé en vertu de la présente partie, le Directeur général lui attribue un numéro de référence qu'il communique à la personne qui l'a déposé.

PARTIE VIII

RÈGLES DE SÉCURITÉ RÉGISSANT LE TRANSPORT DES MARCHANDISES DANGEREUSES

Dispositions générales

8.1 Sauf disposition contraire de l'annexe III ou de la partie II, il est interdit de transporter des marchandises dangereuses, sauf si les règles de sécurité énoncées dans la présente partie sont observées.

Traversier

8.2 Il est interdit de transporter des marchandises dangereuses dans une unité de transport ou un grand conteneur à bord d'un traversier, sauf si

- a) l'unité de transport ou le grand conteneur
 - (i) est placé à une extrémité du traversier, à une distance d'au moins 1 m des autres conteneurs ou unités de transport, et
 - (ii) assujéti pour éviter tout déplacement pendant que le traversier est en mouvement; et
- b) il n'est pas permis de fumer ou d'utiliser une flamme nue ou des appareils susceptibles de produire des étincelles, près de l'unité de transport ou du grand conteneur, et l'accès à l'un ou à l'autre est interdit à tous sauf aux membres de l'équipage ou à la personne responsable de l'unité de transport ou du grand conteneur.

Classe 1 (Explosifs)

8.3 Il est interdit de transporter comme déchets des matières incluses dans la classe 1.

8.4 Le propriétaire ou le locataire d'un véhicule routier qui est destiné à être utilisé pour transporter des marchandises dangereuses de la classe 1, autres que celles incluses dans la division 4 de la classe 1, fait placer à bord du véhicule un document portant sa signature et indiquant le nom de chaque personne qu'il autorise à conduire ou à accompagner le véhicule.

Classe 7 (Matières radioactives)

8.5 Il est interdit de transporter des marchandises dangereuses incluses dans la classe 7, sauf si celles-ci sont emballées et manutentionnées conformément au *Règlement sur l'emballage des matières radioactives destinées au transport*.

8.6 Il est interdit de transporter des déchets inclus dans la classe 7, sauf si ceux-ci sont emballés et manutentionnés

accordance with the *Transport Packaging of Radioactive Materials Regulations*.

PART IX

SAFETY REQUIREMENTS FOR THE TRAINING OF PERSONS AND FOR REPORTING

Training

- 9.1 For the purposes of this Part, "employer" includes a person who
- (a) employs one or more individuals, or
 - (b) provides the services of one or more individuals;
- "dangerous occurrence" means
- (a) where dangerous goods have the Class and Division, if any, set out in Column I of an item of Table I to this Part, a discharge, emission or escape, from any container, packaging or means of transport that contains the dangerous goods,
 - (i) in a quantity or level set out in Column II of that item, and
 - (ii) that represents a danger to health, life, property or the environment,
 - (b) a transportation accident in which any means of bulk containment that contains dangerous goods is damaged,
 - (c) a transportation accident in which dangerous goods included in Class 7 are involved, or
 - (d) an unintentional explosion or fire in which dangerous goods are involved.

9.2 No person shall handle, offer for transport or transport dangerous goods unless he

- (a) is a trained person; or
- (b) is performing those activities under the direct supervision of a trained person.

9.3 For the purposes of this Part, a person is a trained person in the aspects of handling, offering for transport or transporting of dangerous goods related to his assigned duties

- (a) when his employer
 - (i) is satisfied that the person has received adequate training in the aspects of the handling, offering for transport or transporting of dangerous goods related to the duties that he proposes to assign to the person, and
 - (ii) issues to the person a Certificate of Training that indicates
 - (A) the date the person completed an initial training in the handling, offering for transport or transporting of dangerous goods,
 - (B) the date the person completed each subsequent training in the handling, offering for transport or transporting of dangerous goods, if any, and
 - (C) the aspects of the handling, offering for transport or transporting of dangerous goods for which the person was trained; and

conformément au *Règlement sur l'emballage des matières radioactives destinées au transport*.

PARTIE IX

RÈGLES DE SÉCURITÉ RÉGISSANT LA FORMATION ET L'ÉTABLISSEMENT DE RAPPORTS

Formation

9.1 Les définitions qui suivent s'appliquent à la présente partie.

«cas de danger» S'entend

- a) d'une situation où il y a, en provenance du matériel—conteneurs, emballages ou moyens de transport—qui contient les marchandises dangereuses incluses dans l'une des classes et divisions visées à la colonne I du tableau I de la présente partie, des émissions, fuites ou pertes de ces marchandises,
 - (i) en une quantité correspondant à l'une de celles indiquées à la colonne II de ce tableau, et
 - (ii) qui constituent un risque pour les personnes, les biens ou l'environnement;
- b) d'un accident de transport au cours duquel un contenant de marchandises dangereuses en vrac est endommagé;
- c) d'un accident de transport qui met en cause des marchandises dangereuses incluses à la classe 7; ou
- d) d'un incendie ou d'une explosion accidentels qui mettent en cause des marchandises dangereuses.

«employeur» S'entend en outre de la personne qui

- a) embauche un ou plusieurs particuliers; ou
- b) fournit les services d'un ou de plusieurs particuliers.

9.2 Il est interdit à quiconque de manutentionner, de demander de transporter ou de transporter des marchandises dangereuses, à moins

- a) d'être une personne qualifiée; ou
- b) d'effectuer ces opérations sous la surveillance directe d'une personne qualifiée.

9.3 Pour l'application de la présente partie, une personne est réputée être qualifiée dans les domaines de la manutention, de la demande de transport ou du transport de marchandises dangereuses qui sont reliés aux fonctions de son poste,

a) si son employeur

- (i) est convaincu qu'elle possède une formation adéquate dans les domaines de la manutention, de la demande de transport ou du transport de marchandises dangereuses, qui sont reliés aux fonctions qu'il entend lui assigner, et
- (ii) délivre à la personne un certificat de formation indiquant:

- (A) la date à laquelle elle a terminé une formation de base dans les domaines de la manutention, de la demande de transport ou du transport de marchandises dangereuses,
- (B) la date à laquelle elle a terminé une formation complémentaire, le cas échéant, dans les domaines de la manutention, de la demande de transport ou du transport de marchandises dangereuses, et

(b) when the person is the holder of a certificate, licence or authorization recognized under

- (i) the *Ships' Deck Watch Regulations*,
- (ii) *The Pest Control Products Act*,
- (iii) the *Regulations No. 0-8, Uniform Code of Operating Rules*, or
- (iv) the *Atomic Energy Control Act*,

and the certificate, licence or authorization relates, at least in part, to the aspects of handling, offering for transport or transporting of dangerous goods that are applicable to his assigned duties.

9.4 (1) Subject to subsection (3), where the Certificate of Training referred to in subparagraph 9.3(a)(ii) is issued to a person who is

- (a) a member of an air crew, or
- (b) a member of the personnel who handle luggage or freight at an aerodrome,

the Certificate is valid for a period of 12 months after the person has completed

- (c) initial dangerous goods training; or
- (d) subsequent dangerous goods training.

(2) Subject to subsection (3), where the Certificate of Training referred to in subparagraph 9.3(a)(ii) is issued to any person, other than a person referred to in subsection (1), the Certificate of Training is valid for a period of 36 months after the person has completed

- (a) initial dangerous goods training; or
- (b) subsequent dangerous goods training.

(3) Where a person who holds a Certificate of Training completes subsequent dangerous goods training during the period

- (a) starting at the beginning of the calendar month immediately preceding the calendar month of the expiration of his certificate of training, and
- (b) ending at the end of the calendar month immediately following the calendar month of the expiration of his certificate of training,

the person is deemed to have completed the subsequent dangerous goods training during the calendar month of the expiration of his certificate of training.

9.5 On request by an inspector, a trained person shall produce

- (a) a certificate of training issued to him pursuant to subparagraph 9.3(a)(ii); or
- (b) a certificate, licence or authorization referred to in paragraph 9.3(b).

9.6 Every employer who issues a certificate of training to a trained person shall retain a copy of the certificate of training

(C) les domaines de la manutention, de la demande de transport ou du transport des marchandises dangereuses dans lesquels elle a reçu une formation; et

b) si elle est titulaire d'un certificat, d'une licence ou d'une autorisation reconnus en vertu

- (i) du *Règlement sur les quarts à la passerelle des navires*,
- (ii) de la *Loi sur les produits antiparasitaires*,
- (iii) du *Règlement n° 0-8, Règlement unifié d'exploitation*, ou

(iv) de la *Loi sur le contrôle de l'énergie atomique*, et que le certificat, la licence ou l'autorisation se rapportent au moins en partie aux aspects de la manutention, de la demande de transport ou du transport des marchandises dangereuses qui s'appliquent aux fonctions qu'elle exerce.

9.4 (1) Sous réserve du paragraphe (3), un certificat de formation visé au sous-alinéa 9.3a)(ii) qui est délivré

- a) à un membre d'équipage d'aéronef, ou
- b) à un préposé à la manutention des bagages ou du fret à un aérodrome,

est valide pour une période de 12 mois après que le titulaire a terminé

- c) une formation de base en matière de marchandises dangereuses; ou
- d) une formation complémentaire en matière de marchandises dangereuses.

(2) Sous réserve du paragraphe (3), un certificat de formation visé au sous-alinéa 9.3a)(ii) qui est délivré à une personne visée au paragraphe (1) est valide pour une période de 36 mois après que le titulaire a terminé

- a) une formation de base en matière de marchandises dangereuses; ou
- b) une formation complémentaire en matière de marchandises dangereuses.

(3) Le titulaire d'un certificat de formation qui termine une formation complémentaire en matière de marchandises dangereuses pendant la période

- a) commençant le premier jour du mois civil qui précède celui où expire son certificat de formation, et
- b) prenant fin à la fin du mois civil qui suit celui où expire son certificat de formation,

est réputé avoir terminé la formation complémentaire pendant le mois civil où expire son certificat de formation.

9.5 La personne qualifiée présente à tout inspecteur qui lui en fait la demande

- a) le certificat de formation qui lui a été délivré selon le sous-alinéa 9.3a)(ii); ou
- b) le certificat, la licence ou l'autorisation mentionnés à l'alinéa 9.3b).

9.6 L'employeur qui délivre un certificat de formation à une personne qualifiée en conserve une copie pour une période de deux ans à compter de la date de délivrance.

for a period of two years from the day of the issuance of the certificate.

9.7 The training referred to in subparagraph 9.3(a)(i) shall be directly related to the dangerous goods that the person is expected to handle, offer for transport or transport during the performance of his proposed duties and shall include, as applicable, one or more of the following topics:

- (a) the classification, nature and characteristics of those dangerous goods;
- (b) the packaging requirements for those dangerous goods;
- (c) the safety marking requirements for those dangerous goods;
- (d) the documentation requirements for those dangerous goods;
- (e) the applicable special precautions for the handling or transporting of those dangerous goods prescribed by the manufacturer or the Regulations;
- (f) the reporting requirements pursuant to this Part;
- (g) the applicable emergency action in case of a dangerous occurrence referred to in subsections 17(1) and (2) of the Act;
- (h) the nature and proper utilization of equipment available for handling or transporting those dangerous goods; and
- (i) the conditions, circumstances and manner in which safety equipment made available to the person should be used.

Registration

9.8 (1) Subject to subsection (2),

- (a) every Canadian manufacturer of dangerous goods that offers for transport dangerous goods, or
- (b) every importer in Canada of dangerous goods,

that are in bulk or in placardable quantities, shall register with the Director General by providing the Director General with the information required in Form 1 set out in Schedule IX.

(2) Subsection (1) does not apply in the case of dangerous goods that are

- (a) included in Class 1, if the manufacturer or the importer holds a licence issued pursuant to the *Explosives Act*;
- (b) included in Class 7, if the manufacturer or the importer holds a licence issued pursuant to the *Atomic Energy Control Act*; or
- (c) pesticides, if the manufacturer or importer has registered them pursuant to the *Pest Control Products Act*.

9.9 Every Canadian manufacturer or importer referred to in subsection 9.8(1) shall provide the Director General with the information referred to in that subsection

- (a) once every five years, after the first registration, or
- (b) every time there is a change in the information previously submitted,

whichever occurs first.

9.7 La formation visée au sous-alinéa 9.3a)(i) porte directement sur les marchandises dangereuses que l'employé est censé manutentionner ou transporter, ou dont il est censé demander le transport, au cours de l'exercice de ses fonctions, et comprend, selon le cas, un ou plusieurs des sujets suivants:

- a) la classification, la nature et les caractéristiques des marchandises dangereuses en cause;
- b) les exigences d'emballage de ces marchandises dangereuses;
- c) les exigences relatives aux indications de danger de ces marchandises dangereuses;
- d) la documentation requise pour ces marchandises dangereuses;
- e) les précautions particulières à prendre pour la manutention ou le transport de ces marchandises dangereuses, telles que prescrites par le fabricant ou le présent règlement;
- f) les rapports requis en vertu de la présente partie;
- g) les mesures d'urgences à prendre dans un cas de danger, conformément aux paragraphes 17(1) et (2) de la Loi;
- h) le genre d'équipement à utiliser pour la manutention ou le transport de ces marchandises, ainsi que le mode d'utilisation; et
- i) les conditions, le mode et les circonstances d'utilisation de l'équipement de sécurité mis à la disposition de l'employé.

Inscription

9.8 (1) Sous réserve du paragraphe (2),

- a) tout fabricant canadien de marchandises dangereuses qui demande le transport de marchandises dangereuses, et
- b) tout importateur au Canada de marchandises dangereuses,

qui sont en vrac ou en quantités exigeant l'apposition de plaques, sont tenus de s'inscrire auprès du Directeur général, en lui communiquant les renseignements exigés sur la formule 1 prévue à l'annexe IX.

(2) Le paragraphe (1) ne s'applique pas,

- a) dans le cas des marchandises dangereuses incluses dans la classe 1, si le fabricant ou l'importateur est titulaire d'une licence délivrée en vertu de la *Loi sur les explosifs*;
- b) dans le cas des marchandises dangereuses incluses dans la classe 7, si le fabricant ou l'importateur est titulaire d'une licence délivrée en vertu de la *Loi sur le contrôle de l'énergie atomique*; ou
- c) dans le cas des pesticides, si le fabricant ou l'importateur les a enregistrés en vertu de la *Loi sur les produits antiparasitaires*.

9.9 Le fabricant canadien et l'importateur mentionnés au paragraphe 9.8(1) communiquent au Directeur général les renseignements visés à ce paragraphe

- a) tous les cinq ans, après l'inscription initiale, ou
- b) chaque fois qu'il y a des changements aux renseignements communiqués,

selon ce qui se produit le premier.

Notification of Lost, Stolen or Misplaced Goods

9.10 Where a person discovers that all or part of a consignment of dangerous goods has been lost, stolen or misplaced

- (a) in the case of dangerous goods included in Class 1, Division 2 of Class 6 or Class 7, the person shall immediately report the discovery to the local police; and
- (b) in the case of dangerous goods included in Division 2 of Class 6, the person shall immediately cause the discovery to be reported to CANUTEC at (613) 996-6666.

Delay in Delivery of Explosives

9.11 (1) For the purpose of subsection (2), "set off" means detached from a train and left at a siding.

(2) Where a road vehicle or rail vehicle transporting explosives of Classification 1.1, 1.2, 1.3 or Compatibility Group B of Classification 1.4 is involved in an accident, fire or any other incident that causes

- (a) a delay in the delivery of the explosives other than a delay due to a vehicle mechanical breakdown,
 - (b) damage to the vehicle or to the explosives, or
 - (c) a railway car to be set off at any intermediate point,
- the person who has the charge, management or control of the vehicle shall notify
- (d) immediately the local police;
 - (e) the owner of the vehicle; and
 - (f) in the case of a railway vehicle, the Railway Transport Committee of the Canadian Transport Commission.

In-flight Emergency

9.12 Where an in-flight emergency occurs on board an aircraft that is transporting dangerous goods, the pilot-in-command shall, to the extent possible, notify an air traffic control unit or a flight service station that dangerous goods are on board indicating, in respect of the dangerous goods,

- (a) the product identification number;
- (b) the shipping name;
- (c) the class;
- (d) the subsidiary classification;
- (e) where the dangerous goods are included in Class 1, the compatibility group;
- (f) the quantity; and
- (g) the location of the dangerous goods in the aircraft.

Dangerous Occurrence Immediate Reporting

9.13 A person who has the charge, management or control of dangerous goods at the time he discovers or is advised of a dangerous occurrence in respect of those goods shall immediately notify or cause to be notified

Notification visant des marchandises dangereuses égarées, perdues ou volées

9.10 La personne qui découvre que tout ou une partie d'un envoi de marchandises dangereuses a été égaré, perdu, ou volé

- a) le signale immédiatement au détachement de la police locale, s'il s'agit de marchandises dangereuses incluses dans la classe 1, la division 2 de la classe 6 ou la classe 7; et
- b) s'assure que la découverte est signalée à CANUTEC au numéro de téléphone (613) 996-6666, s'il s'agit de marchandises dangereuses incluses dans la division 2 de la classe 6.

Retard de livraison d'explosifs

9.11 (1) Pour l'application du paragraphe (2), «dételage» désigne l'action de séparer un wagon du reste du train et de le laisser sur une voie d'évitement.

(2) Lorsqu'un véhicule routier ou un véhicule ferroviaire transportant des explosifs entrant dans la classification 1.1, 1.2 ou 1.3 ou dans le groupe de compatibilité B de la classification 1.4 est en cause dans un accident, un incendie ou une autre situation qui

- a) retarde la livraison des explosifs pour une raison autre qu'une défectuosité mécanique du véhicule,
 - b) cause des dommages au véhicule ou aux explosifs, ou
 - c) rend nécessaire le dételage d'un wagon ailleurs qu'à son point de destination,
- la personne responsable du véhicule
- d) en informe sans délai le détachement de la police locale;
 - e) en informe le propriétaire du véhicule; et
 - f) s'il s'agit d'un véhicule ferroviaire, en informe le Comité des transports par chemin de fer de la Commission canadienne des transports.

Urgence en vol

9.12 Lorsqu'un cas d'urgence se présente en cours de vol à bord d'un aéronef transportant des marchandises dangereuses, le pilote commandant de bord informe, dans la mesure du possible, un organe du contrôle de la circulation aérienne ou une station radio-aéronautique de la présence à bord des marchandises dangereuses et fournit les renseignements suivants au sujet de ces marchandises:

- a) le numéro d'identification du produit;
- b) l'appellation réglementaire;
- c) la classe;
- d) la classification subsidiaire;
- e) le groupe de compatibilité, dans le cas de marchandises dangereuses incluses dans la classe 1;
- f) la quantité; et
- g) l'emplacement des marchandises dangereuses à bord de l'aéronef.

Cas de danger—Rapport immédiat

9.13 La personne responsable de marchandises dangereuses qui constate ou apprend que ces marchandises sont en cause dans un cas de danger avise immédiatement, ou s'assure que sont avisés:

(a) the local police, or the appropriate authority of the province in which the goods are located by calling the applicable emergency authority at a telephone number specified for that province in Column II of Table II to this Part;

(b) where a railway vehicle is involved, the Canadian Transport Commission;

(c) where a ship is involved

(i) the nearest Canadian Coast Guard Ship Safety Office, and

(ii) the regulatory authority of the nearest port, harbour, wharf or place;

(d) where an aircraft is involved or the occurrence takes place at an airport, the Canadian Air Transportation Administration of the Department of Transport;

(e) his employer;

(f) where a means of transport is involved, the owner, lessee or charterer of the means of transport; and

(g) the owner or the consignor of the consignment of dangerous goods.

Dangerous Occurrence 30 Days Reporting

9.14 The employer of a person who has the charge, management or control of dangerous goods at the time of

(a) the discovery of a dangerous occurrence relating to those goods,

(b) an accident involving the dangerous goods in which a person is killed or injured so seriously as to require hospitalization,

(c) the discovery of damage to any pressurized means of containment of the dangerous goods,

(d) the suspicion that the container that contains the dangerous goods has suffered damage resulting from impact, stress or fatigue, or

(e) the discovery that all or part of a consignment of dangerous goods included in Class 7 has been misplaced, lost or stolen

shall, within 30 days of that time, notify the Director General by providing the Director General with the information required in Form 2 set out in Schedule IX.

a) le détachement de la police locale ou l'autorité compétente de la province où se trouvent les marchandises dangereuses, par téléphone au numéro indiqué à la colonne II du tableau II de la présente partie;

b) la Commission canadienne des transports, si un véhicule ferroviaire est en cause;

c) si un navire est en cause,

(i) le bureau le plus proche du service de la sécurité des navires de la Garde côtière canadienne, et

(ii) les autorités investies du pouvoir de réglementation, dont relève le port, le havre, le quai ou le lieu le plus proche;

d) l'Administration canadienne du transport aérien du ministère des Transports, si le cas de danger met en cause un aéronef ou se produit à un aéroport;

e) son employeur;

f) le propriétaire, le locataire ou l'affrètement du moyen de transport, le cas échéant; et

g) le propriétaire ou l'expéditeur de l'envoi de marchandises dangereuses.

Cas de danger—Rapport dans les 30 jours

9.14 L'employeur d'une personne responsable de marchandises dangereuses

a) au moment où est découvert un cas de danger mettant en cause ces marchandises,

b) au moment où se produit un accident mettant en cause ces marchandises et entraînant la mort ou l'hospitalisation d'une personne,

c) au moment où il est constaté que le moyen utilisé pour contenir sous pression ces marchandises a été endommagé,

d) au moment où il est soupçonné que le conteneur de ces marchandises a été endommagé sous l'effet d'un impact, de la fatigue ou d'une force quelconque, ou

e) au moment où il est constaté que tout ou une partie de l'envoi de marchandises dangereuses a été égaré, perdu ou volé, s'il s'agit de marchandises dangereuses incluses dans la classe 7,

en avise le Directeur général dans les 30 jours à compter de ce moment, en lui communiquant les renseignements exigés sur la formule 2 prévue à l'annexe IX.

TABLE I

Quantities or Levels for Immediate Reporting		
Item	Column I Class and Division	Column II Quantities or levels
1.	1	All
2.	2.1	At least 100 L*
3.	2.2	At least 100 L*
4.	2.3	All
5.	2.4	All
6.	3	At least 200 L
7.	4	At least 25 kg
8.	5.1	At least 50 kg or 50 L
9.	5.2	At least 1 kg or 1 L
10.	6.1	At least 5 kg or 5 L
11.	6.2	All
12.	7	Any discharge or a radiation level exceeding 10 mSv/h at the package surface and 200 μ Sv/h at 1 m from the package surface.
13.	8	At least 5 kg or 5 L
14.	9.1	At least 50 kg
15.	9.2	At least 1 kg
16.	9.3	At least 5 kg or 5 L

* container capacity

TABLEAU I

Quantités nécessitant la production d'un rapport immédiat		
Article	Colonne I Classe et division	Colonne II Quantité
1.	1	Toute
2.	2.1	Au moins 100 L*
3.	2.2	Au moins 100 L*
4.	2.3	Toute
5.	2.4	Toute
6.	3	Au moins 200 L
7.	4	Au moins 25 kg
8.	5.1	Au moins 50 kg ou 50 L
9.	5.2	Au moins 1 kg ou 1 L
10.	6.1	Au moins 5 kg ou 5 L
11.	6.2	Toute
12.	7	Toute émission ou radiation supérieure à 10 mSv/h mesurée à la surface du colis ou à 200 μ Sv/h mesurée à 1 m de la surface du colis
13.	8	au moins 5 kg ou 5 L
14.	9.1	au moins 50 kg
15.	9.2	au moins 1 kg
16.	9.3	au moins 5 kg ou 5 L

* Capacité du conteneur

TABLE II

Notification to Provinces		
	Column I	Column II
Item	Province	Emergency Authority or Telephone Number
1.	British Columbia	Either local police or (604) 387-5956
2.	Manitoba	Local police or fire brigade, as appropriate, or (204) 944-4888
3.	New Brunswick	Local police or Zenith 49000
4.	Newfoundland	Local police or (709) 772-2083
5.	Northwest Territories	(403) 873-7554
6.	Nova Scotia	Local police or Zenith 49000 or (902) 426-6030
7.	Prince Edward Island	Local police or Zenith 49000
8.	Quebec	Local police
9.	Saskatchewan	Local police or 1-800-667-3503
10.	Yukon Territory	(403) 667-7244

PART X

DIRECTION

Interpretation

10.1 For the purposes of this Part,
 “designated person” means a person designated by the Minister for the purposes of section 28 of the Act;
 “direction” means a direction under section 28 of the Act.

Notification

10.2 (1) The Minister or a designated person, as the case may be, shall notify of a direction any person directed to do anything under section 28 of the Act.

(2) Where, pursuant to subsection (1), a person is notified of a direction otherwise than in writing, the Minister or the designated person, as the case may be, shall confirm that direction in writing within seven days to the person so notified.

Effect

10.3 Unless the Minister or a designated person otherwise directs, a direction takes effect immediately on notification thereof in accordance with section 10.2.

Duration

10.4 A direction is valid for such period as is mentioned therein.

TABLEAU II

Notification aux provinces		
	Colonne I	Colonne II
Article	Province	Autorité compétente ou numéro de téléphone en cas d'urgence
1.	Colombie-Britannique	Police locale ou (604) 387-5956
2.	Manitoba	Police locale ou corps de pompiers, selon le cas, ou (204) 944-4888
3.	Nouveau-Brunswick	Police locale ou Zénith 49000
4.	Terre-Neuve	Police locale ou (709) 772-2083
5.	Territoires du Nord-Ouest	(403) 873-7554
6.	Nouvelle-Écosse	Police locale ou Zénith 49000 ou (902) 426-6030
7.	Île-du-Prince-Édouard	Police locale ou Zénith 49000
8.	Québec	Police locale
9.	Saskatchewan	Police locale ou 1-800-667-3503
10.	Territoire du Yukon	(403) 667-7244

PARTIE X

ORDRES

Définitions

10.1 Les définitions qui suivent s'appliquent à la présente partie.

«ordre» Ordre émis en vertu de l'article 28 de la Loi.

«personne désignée» Personne désignée par le Ministre pour l'application de l'article 28 de la Loi.

Notification

10.2 (1) Le Ministre ou la personne désignée, selon le cas, notifie tout ordre prévu à l'article 28 de la Loi à la personne qu'il vise.

(2) Si la notification de l'ordre n'est pas faite par écrit, le Ministre ou la personne désignée, selon le cas, en envoie une confirmation écrite dans les sept jours à la personne visée par l'ordre.

Prise d'effet de l'ordre

10.3 Sauf si le Ministre ou la personne désignée en décide autrement, l'ordre prend effet aussitôt qu'il est notifié conformément à l'article 10.2.

Durée d'application

10.4 La durée d'application d'un ordre est la période qui y est spécifiée.

Appeal and Review

General

10.5 A person may, within 30 days after being notified of a direction,

- (a) apply to the Minister or the designated person, as the case may be, for a review of the direction, or
 - (b) appeal to the Minister from a direction issued by a designated person,
- in accordance with sections 10.6 and 10.7.

Notice of Appeal and Application for Review

10.6 (1) An application for review or an appeal referred to in section 10.5 shall be commenced by serving the Minister or the designated person, in writing, with a notice of appeal or an application for review which notice or application shall contain the following information:

- (a) the name and address of the appellant or the applicant, as the case may be;
- (b) the matter appealed against or submitted for review, as the case may be;
- (c) the grounds for appeal or for the application for review and any material in support thereof;
- (d) the relief sought; and
- (e) the name and address of the appellant's solicitor or the applicant's solicitor, if any.

(2) An applicant for review shall send to the Director General a copy of his application for review on the same day that he serves his application for review on the Minister or the designated person.

(3) An appellant shall send to the designated person and to the Director General a copy of the notice of appeal on the same day that he serves the notice of appeal on the Minister.

Documentary Evidence

10.7 (1) An appellant or an applicant, as the case may be, shall, within 15 days after completion of the service of a notice of appeal or of an application for review, submit to the Minister or, if applicable, the designated person, complete documentary evidence supported by a declaration that sets out the reasons for which and the grounds on which the appeal or application for review is founded and the relief sought.

(2) An appellant or an applicant, as the case may be, shall send to the Director General a copy of the documentary evidence and the declaration referred to in subsection (1) on the same day that he submits the documentary evidence and the declaration on the Minister or the designated person.

Disposition

10.8 The Minister may, after considering the documentary evidence submitted to him pursuant to section 10.7 with respect to an appeal or an application for review, rescind, alter or vary any direction made by him or by a designated person that is the subject of the appeal or review.

Appel et révision

Dispositions générales

10.5 La personne à qui un ordre est destiné peut, dans les 30 jours suivant la notification de cet ordre et conformément aux articles 10.6 et 10.7

- a) demander au Ministre ou à la personne désignée, selon le cas, de réviser l'ordre émis; ou
- b) en appeler au Ministre d'un ordre émis par une personne désignée.

Avis d'appel et demande de révision

10.6 (1) La personne qui interjette appel ou demande une révision en vertu de l'article 10.5 signifie par écrit au Ministre ou à la personne désignée un avis d'appel ou une demande de révision qui contient les renseignements suivants:

- a) les nom et adresse de l'appelant ou du requérant, selon le cas;
- b) l'objet de l'appel ou de la révision, selon le cas;
- c) les motifs de l'appel ou de la demande de révision et la documentation à l'appui;
- d) le redressement demandé; et
- e) les nom et adresse de l'avocat de l'appelant ou du requérant, s'il y a lieu.

(2) La personne qui fait une demande de révision envoie au Directeur général une copie de sa demande le même jour où elle la signifie au Ministre ou à la personne désignée.

(3) La personne qui interjette un appel envoie une copie de l'avis d'appel à la personne désignée et au Directeur général le même jour où elle le signifie au Ministre.

Preuve documentaire

10.7 (1) L'appelant ou le requérant, selon le cas, dans les 15 jours suivant la signification de l'avis d'appel ou de la demande de révision, soumet au Ministre ou à la personne désignée, selon le cas, une preuve documentaire complète accompagnée d'une déclaration qui précise l'objet et les motifs de l'appel ou de la demande de révision, ainsi que le redressement demandé.

(2) L'appelant ou le requérant, selon le cas, envoie au Directeur général une copie de la preuve documentaire et de la déclaration visées au paragraphe (1), le même jour où il les soumet au Ministre ou à la personne désignée.

Résolution

10.8 Le Ministre peut, après étude de la preuve documentaire soumise conformément à l'article 10.7, annuler ou modifier l'ordre émis par lui ou la personne désignée, qui fait l'objet de l'appel ou de la demande de révision.

10.9 A designated person may, after considering the evidence submitted to him pursuant to section 10.7 with respect to an application for review, rescind, alter or vary any direction made by him that is the subject of the review.

Notification of Decision

10.10 (1) The Minister shall communicate, in writing, his decision respecting an appeal or an application for review together with his reasons therefor to the appellant or the applicant, as the case may be and, where applicable, to the designated person.

(2) A designated person shall communicate, in writing, his decision respecting an application for review together with his reasons therefor to the applicant.

PART XI

PERMITS

Permit for equivalent level of safety

Interpretation

11.1 For the purposes of sections 11.2 to 11.9, "designated person" means a person designated by the Minister for the purposes of subsection 27(1) of the Act.

Application

11.2 (1) An application for a permit for equivalent level of safety shall be made to the Minister or a designated person by completing Part I of Form 1 set out in Schedule X and shall include the following information:

- (a) a complete description of the manner in which the dangerous goods are to be handled, offered for transport or transported;
- (b) a list of the provisions of the Act or these Regulations for which recognition of equivalent level of safety is requested;
- (c) a statement of intended use of the permit including the number of consignments for which it is requested; and
- (d) a statement that the proposed manner in which the dangerous goods are to be handled, offered for transport or transported provides a level of safety at least equivalent to that provided by compliance with the Act and these Regulations.

(2) When an application is made pursuant to subsection (1), the applicant shall provide the Director General with a copy of the application.

Appeal and Review

General

11.3 A person may, within 30 days after being advised of a decision not to issue a permit for equivalent level of safety,

10.9 La personne désignée peut, après étude de la preuve documentaire soumise conformément à l'article 10.7, annuler ou modifier l'ordre émis par elle qui fait l'objet de la demande de révision.

Notification de la décision

10.10 (1) Le Ministre communique par écrit sa décision au sujet d'un appel ou d'une demande de révision à l'appelant ou au requérant, selon le cas, ainsi qu'à la personne désignée, s'il en est.

(2) La personne désignée communique par écrit au requérant sa décision au sujet de la demande de révision, ainsi que les motifs de cette décision.

PARTIE XI

PERMIS

Permis de niveau équivalent de sécurité

Définition

11.1 La définition qui suit s'applique aux articles 11.2 à 11.9, «personne désignée», personne désignée par le Ministre pour l'application du paragraphe 27(1) de la Loi.

Demande

11.2 (1) La demande d'un permis de niveau équivalent de sécurité se fait par la présentation au Ministre ou à la personne désignée de la partie I dûment remplie, de la formule 1 figurant à l'annexe X, et comprend les renseignements suivants:

- a) la description complète de la manière dont est censée s'effectuer la manutention, la demande de transport ou le transport des marchandises dangereuses;
- b) la liste des dispositions de la Loi ou du présent règlement pour lesquelles une équivalence est demandée;
- c) une déclaration précisant les fins auxquelles le permis sera utilisé, notamment le nombre d'envois auquel il servira; et
- d) une déclaration attestant que la manière dont s'effectuera la manutention, la demande de transport ou le transport de marchandises dangereuses fournit un niveau de sécurité au moins équivalent à celui qu'assure l'observation de la Loi et du présent règlement.

(2) La personne qui fait une demande conformément au paragraphe (1) en fait parvenir une copie au Directeur général.

Appel et révision

Dispositions générales

11.3 La personne qui se voit refuser un permis de niveau équivalent de sécurité peut, dans les 30 jours de la date de la décision de refus et conformément aux articles 11.4 et 11.5,

- (a) apply to the Minister or the designated person, as the case may be, for a review of his decision, or
- (b) appeal to the Minister from a decision made by a designated person

in accordance with sections 11.4 and 11.5.

Notice of Appeal and Application for Review

11.4 (1) An application for review or an appeal referred to in section 11.3 shall be commenced by serving the Minister or the designated person, in writing, with a notice or appeal or an application for review containing the following information:

- (a) the name and address of the appellant or the applicant, as the case may be;
- (b) the matter appealed against or submitted for review, as the case may be;
- (c) the grounds for appeal or for the application for review and any material in support thereof;
- (d) the relief sought; and
- (e) the name and address of the appellant's solicitor or the applicant's solicitor, if any.

(2) An applicant for review shall send to the Director General a copy of his application for review on the same day that he serves his application for review on the Minister or the designated person.

(3) An appellant shall send to the designated person and to the Director General a copy of the notice of appeal on the same day that he serves the notice of appeal on the Minister.

Documentary Evidence

11.5 (1) An appellant or an applicant, as the case may be, shall, within 15 days after completion of the service of a notice of appeal or of an application for review, submit to the Minister or, if applicable, the designated person, complete documentary evidence supported by a declaration that sets out the reasons for which and the grounds on which the appeal or application for review is founded and the relief sought.

(2) An appellant or an applicant, as the case may be, shall send to the Director General a copy of the documentary evidence and the declaration referred to in subsection (1) on the same day that he submits the documentary evidence and the declaration to the Minister or the designated person.

Disposition

11.6 The Minister may, after considering the documentary evidence submitted to him pursuant to section 11.5 with respect to an appeal or an application for review, rescind any decision made by him or by a designated person pursuant to subsection 27(1) of the Act that is the subject of the appeal or review.

11.7 A designated person may, after considering the evidence submitted to him pursuant to section 11.5 with respect to an application for review, may rescind any decision made by him pursuant to subsection 27(1) of the Act that is the subject of the appeal or review.

- a) demander au Ministre ou à la personne désignée, selon le cas, de réviser sa décision; ou
- b) en appeler au Ministre de la décision prise par la personne désignée.

Avis d'appel et demande de révision

11.4 (1) La personne qui interjette appel ou demande une révision en vertu de l'article 11.3 signifie par écrit au Ministre ou à la personne désignée un avis d'appel ou une demande de révision qui contient les renseignements suivants:

- a) les nom et adresse de l'appellant ou du requérant, selon le cas;
- b) l'objet de l'appel ou de la révision, selon le cas;
- c) les motifs de l'appel ou de la demande de révision et la documentation à l'appui;
- d) le redressement demandé; et
- e) les nom et adresse de l'avocat de l'appellant ou du requérant, s'il y a lieu.

(2) La personne qui fait une demande de révision envoie au Directeur général une copie de sa demande le même jour où elle la signifie au Ministre ou à la personne désignée.

(3) La personne qui interjette un appel fait parvenir une copie de l'avis d'appel à la personne désignée et au Directeur général le même jour où elle le signifie au Ministre.

Preuve documentaire

11.5 (1) L'appellant ou le requérant, selon le cas, dans les 15 jours suivant la signification de l'avis d'appel ou de la demande de révision, soumet au Ministre ou à la personne désignée, s'il en est, une preuve documentaire complète accompagnée d'une déclaration qui précise l'objet et les motifs de l'appel ou de la demande de révision, ainsi que le redressement demandé.

(2) L'appellant ou le requérant, selon le cas, envoie au Directeur général une copie de la preuve documentaire et de la déclaration visées au paragraphe (1), le jour même où il les soumet au Ministre ou à la personne désignée.

Résolution

11.6 Le Ministre peut, après étude de la preuve documentaire soumise conformément à l'article 11.5, annuler la décision prise par lui ou par la personne désignée en vertu du paragraphe 27(1) de la Loi, qui fait l'objet de l'appel ou de la demande de révision.

11.7 La personne désignée peut, après étude de la preuve documentaire soumise conformément à l'article 11.5, annuler la décision prise par elle en vertu du paragraphe 27(1) de la Loi, qui fait l'objet de l'appel ou de la demande de révision.

Notification of Decision

11.8 (1) The Minister shall communicate, in writing, his decision respecting an appeal or an application for review together with his reasons therefor to the appellant or the applicant, as the case may be, and where applicable, to the designated person.

(2) A designated person shall communicate, in writing, his decision respecting an application for review together with his reasons therefore to the applicant.

Issuance of Permit for Equivalent Level of Safety

11.9 A permit for equivalent level of safety is issued by the Minister or a designated person in the form set out as Part II of Form 1 in Schedule X.

Permit for Exception

Interpretation

11.10 For the purposes of sections 11.11 to 11.13, “designated person” means a person designated by the Minister for the purposes of paragraph 3(3)(c) of the Act.

Application

11.11 (1) An application for a permit for exception shall be made to the Minister or a designated person by completing Part I of Form 2 set out in Schedule X and shall include

- (a) a list of the provisions of the Act or these Regulations from which an exception is requested;
- (b) a statement of intended use of the permit including the number of consignments for which it is requested; and
- (c) a statement supporting the need for such a permit.

(2) Where an application is made pursuant to subsection (1), the applicant shall provide the Director General with a copy of the application.

Oral Application

11.12 (1) Where it is necessary for the protection of life or property, the Minister or a designated person may issue a permit for exception on the basis of an oral application.

(2) An oral application referred to in subsection (1) shall be confirmed by an application referred to in section 11.11, within 14 days from the date of the oral application.

Issuance of Permits

11.13 A permit for exceptions is issued by the Minister or a designated person in the form set out as Part II of Form 2 in Schedule X.

Notification de la décision

11.8 (1) Le Ministre communique par écrit sa décision au sujet d'un appel ou d'une demande de révision ainsi que les motifs de cette décision, à l'appelant ou au requérant, selon le cas, ainsi qu'à la personne désignée, s'il y a lieu.

(2) La personne désignée communique par écrit au requérant sa décision au sujet d'une demande de révision, ainsi que les motifs de cette décision.

Délivrance du permis de niveau équivalent de sécurité

11.9 Le permis de niveau équivalent de sécurité est délivré par le Ministre ou la personne désignée, en la forme prévue à la partie II de la formule 1 figurant à l'annexe X.

Permis de dérogation

Définition

11.10 La définition qui suit s'applique aux articles 11.11 à 11.13.

«personne désignée» Personne désignée par le Ministre pour l'application de l'alinéa 3(3)(c) de la Loi.

Demande

11.11 (1) La demande d'un permis de dérogation se fait par la présentation au Ministre ou à la personne désignée de la partie I, dûment remplie, de la formule 2 figurant à l'annexe X, et comprend les renseignements suivants:

- a) la liste des dispositions de la Loi ou du présent règlement pour lesquelles une exemption est demandée;
- b) une déclaration précisant les fins pour lesquelles le permis sera utilisé, notamment le nombre d'envois auquel il servira; et
- c) une justification du besoin d'un tel permis.

(2) La personne qui fait une demande conformément au paragraphe (1) en fait parvenir une copie au Directeur général.

Demande verbale

11.12 (1) Le Ministre ou la personne désignée peut délivrer un permis de dérogation sur réception d'une demande verbale, si l'un ou l'autre le juge nécessaire pour assurer la protection des personnes et des biens.

(2) La personne qui fait une demande verbale visée au paragraphe (1) la confirme par écrit dans les 14 jours, en déposant une demande écrite conforme à l'article 11.11.

Délivrance du permis de dérogation

11.13 Le permis de dérogation est délivré par le Ministre ou la personne désignée, en la forme prévue à la partie II de la formule 2 figurant à l'annexe X.

PART XII

APPOINTMENT OF AGENTS

12.1 (1) No person shall, where he is not a resident in Canada or has his chief place of business or head office in a place outside Canada, handle, offer for transport or transport dangerous goods destined for Canada, or for any place outside Canada through Canada by any means of transport if those goods are

- (a) fissile materials of Class 7,
- (b) waste goods of Class 7, or
- (c) dangerous goods set out in Schedule XII,

unless that person files with the Minister, a notice setting out the name and address of a person in Canada having his or its chief place of business or head office in Canada that is willing to act as that person's agent together with proof of such willingness.

(2) When a notice is filed pursuant to subsection (1), the person shall provide the Director General with a copy of the notice.

PART XIII

INSPECTORS

Interpretation

13.1 For the purposes of this Part,

“applicant” means an applicant for a certificate of designation as inspector;

“certificate of designation as inspector” means a certificate of designation as an inspector furnished to an inspector pursuant to subsection 13(2) of the Act;

“certificate of inspection” means a certificate evidencing an inspection, seizure or taking of a sample referred to in subsection 13(3) of the Act.

Application

13.2 (1) Any person may apply for a certificate of designation by providing the Minister with

- (a) an application setting out the following information:
 - (i) name and address of the applicant,
 - (ii) occupation of the applicant,
 - (iii) name and address of the present employer of the applicant, if any, and
 - (iv) the area of designation sought by the applicant; and
- (b) any additional information and any document that may be required by the Minister.

(2) Where an application is made pursuant to subsection (1), the applicant shall provide the Director General with a copy of the application.

Qualification

13.3 An inspector to whom a certificate of designation has been furnished pursuant to section 13 of the Act must have a

PARTIE XII

DÉSIGNATION DE MANDATAIRES

12.1 (1) Il est interdit à toute personne qui ne réside pas au Canada ou qui n'y a pas son principal établissement commercial ou son siège social, de manutentionner, de demander de transporter ou de transporter, par tout moyen de transport, les marchandises dangereuses suivantes destinées au Canada ou à y transiter, ou de demander ce transport, à savoir:

- a) les matières fissiles de classe 7,
- b) les déchets de classe 7, ou
- c) les marchandises dangereuses visées à l'annexe XII,

à moins qu'elle ne dépose auprès du Ministre un avis portant le nom de la personne physique résidente du Canada ou de la personne morale y ayant son principal établissement commercial ou son siège social qui accepte d'être son mandataire, ainsi que la preuve de l'acceptation.

(2) La personne qui dépose un avis conformément au paragraphe (1) en fait parvenir une copie au Directeur général.

PARTIE XIII

INSPECTEURS

Définitions

13.1 Les définitions qui suivent s'appliquent à la présente partie.

«attestation» Attestation d'une visite, d'une saisie ou d'une prise d'échantillon, prévue au paragraphe 13(3) de la Loi.

«candidat» Personne qui demande un certificat de désignation d'inspecteur.

«certificat de désignation d'inspecteur» Certificat délivré à un inspecteur en vertu du paragraphe 13(2) de la Loi.

Demande

13.2 (1) La demande d'un certificat de désignation d'inspecteur se fait par la présentation au Ministre

- a) d'une demande indiquant:
 - (i) ses nom et adresse,
 - (ii) sa profession,
 - (iii) les nom et adresse de son employeur actuel, s'il y a lieu, et
 - (iv) le domaine de compétence demandé; et
- b) de tout renseignement ou document supplémentaire requis par le Ministre.

(2) Le candidat fait parvenir au Directeur général une copie de la demande faite conformément au paragraphe (1).

Compétences

13.3 L'inspecteur qui reçoit un certificat de désignation en vertu de l'article 13 de la Loi possède la formation et l'expé-

combination of education and related experience sufficient to enable him to carry out his duties in the field or fields related to the area of inspection for which a certificate of designation has been issued.

Certificate of Designation as Inspector

13.4 The certificate of designation as inspector to be furnished to an inspector shall be in the form set out as Form 1 in Schedule XI.

Manner in which Inspectors shall carry out their Duties and Functions

13.5 An inspector shall, in carrying out his duties and functions,

- (a) whenever practicable, identify himself to the person in charge of any building, place, container, packaging or means of transport that he intends to inspect; and
- (b) on request of the person in charge, be accompanied throughout his inspection by a person designated by the person in charge.

13.6 Where an inspector takes action pursuant to subsection 13(3) of the Act, he shall

- (a) provide the person in charge of the dangerous goods referred to in that subsection with a certificate of inspection in the form set out as Form 2 in Schedule XI; and
- (b) retain a copy of the certificate for a period of two years.

13.7 (1) Subject to subsection (2), where an inspector refuses entry into Canada of dangerous goods and of any containers, packaging or means of transport therefor pursuant to subsection 14(3) of the Act, he shall, at the time he makes that decision, deliver by hand or cause to be delivered by hand to the person having charge, management or control of the dangerous goods and any containers, packaging or means of transport therefor, a written notice in which he shall state the reasons for his decision.

(2) When a written notice referred to in subsection (1) cannot be delivered by hand at the time the action is taken, the inspector shall deliver or cause to be delivered a notice by any other means, in which case a written confirmation of the notice shall be sent forthwith to the person having the charge, management or control of the goods or to his organization or its agent.

Inspector at a Dangerous Occurrence

13.8 An inspector acting pursuant to paragraphs 15(1)(a) or (b) or subsection 17(3) of the Act shall identify himself to any other person responsible for dealing with the dangerous occurrence.

rience nécessaires pour exécuter ses fonctions dans le ou les domaines de compétence indiqués dans le certificat.

Certificat de désignation d'inspecteur

13.4 Le certificat de désignation d'inspecteur délivré à un inspecteur revêt la forme prévue à la formule 1 figurant à l'annexe XI.

Façon dont les inspecteurs doivent exécuter leurs fonctions

13.5 L'inspecteur, dans l'exercice de ses fonctions,

- a) se présente, dans la mesure du possible, avant de commencer sa visite, au responsable des locaux, des lieux, des conteneurs, des emballages ou des moyens de transport qui font l'objet de sa visite; et
- b) pendant sa visite, se fait accompagner par la personne désignée par le responsable mentionné à l'alinéa a), si celui-ci en fait la demande.

13.6 L'inspecteur qui prend des mesures en vertu du paragraphe 13(3) de la Loi,

- a) remet au responsable des marchandises dangereuses visé à ce paragraphe une attestation conforme à la formule 2 de l'annexe XI; et
- b) conserve une copie de l'attestation pendant deux ans.

13.7 (1) Sous réserve du paragraphe (2), l'inspecteur qui interdit l'entrée au Canada de marchandises dangereuses ainsi que de leurs conteneurs, emballages ou moyens de transport en vertu du paragraphe 14(3) de la Loi remet ou fait remettre en main propre, au moment où il prend cette décision, au responsable des marchandises dangereuses, des conteneurs, des emballages ou des moyens de transport visés un avis écrit indiquant les raisons de sa décision.

(2) Lorsque l'avis mentionné au paragraphe (1) ne peut être remis en main propre au responsable au moment où l'inspecteur prend sa décision, celui-ci donne ou fait donner un avis par un autre moyen et envoie immédiatement une confirmation écrite de l'avis au responsable des marchandises dangereuses, à son organisme ou à son mandataire.

Cas de danger

13.8 L'inspecteur qui agit conformément aux alinéas 15(1)a) ou b) ou au paragraphe 17(3) de la Loi se présente à toute autre personne également chargée du cas de danger.

Fees

13.9 Where an inspector makes an inspection at the request of a person involved in the handling, offering for transport or transporting of dangerous goods, that person shall pay to the Receiver General a fee of \$300 for each day or part thereof that it takes for the inspector to complete his inspection.

Droits de visite

13.9 Les droits exigibles pour la visite d'un inspecteur faite à la demande d'une personne se livrant à la manutention, à la demande de transport ou au transport de marchandises dangereuses, sont de 300 \$ par jour ou fraction de jour consacré par l'inspecteur à la visite et sont payables à l'ordre du receveur général.

SCHEDULE I

(s. 3.8)

TABLE OF PRECEDENCE OF CLASSIFICATION*

CLASSIFICATION/PACKING GROUP															
Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX	Col. X	Col. XI	Col. XII	Col. XIII	Col. XIV	Col. XV	Col. XVI
CLASSIFICATION/ PACKING GROUP	4.2 I or II	4.3 I or II	5.1 I	5.1 II	5.1 III	6.1 I (I)	6.1 I (D)	6.1 I (O)	6.1 II	8 I (L)	8 I (S)	8 II (L)	8 II (S)	8 III (L)	8 III (S)
3 I	4.2	4.3	3	3	3	6.1	3	3	3	3	—	3	—	3	—
3 II	4.2	4.3	3	3	3	6.1	3	3	3	8	—	3	—	3	—
3 III	4.2	4.3	3	3	3	6.1	6.1	6.1	6.1	8	—	8	—	3	—
4.1 I	4.2	4.3	4.1	4.1	4.1	6.1	6.1	4.1	4.1	—	4.1	—	4.1	—	4.1
4.1 II	4.2	4.3	4.1	4.1	4.1	6.1	6.1	6.1	6.1	—	4.1	—	4.1	—	4.1
4.1 III	4.2	4.3	4.1	4.1	4.1	6.1	6.1	6.1	6.1	—	8	—	8	—	4.1
4.2 I	—	—	4.2	4.2	4.2	6.1	6.1	4.2	4.2	4.2	4.2	—	4.2	—	4.2
4.2 II	—	—	4.2	4.2	4.2	6.1	6.1	4.2	4.2	4.2	4.2	—	4.2	—	4.2
4.2 III	—	—	4.2	4.2	4.2	6.1	6.1	4.2	4.2	4.2	4.2	—	4.2	—	4.2
4.3 I	4.2	—	5.1	5.1	4.2	6.1	6.1	6.1	6.1	8	8	8	8	4.2	4.2
4.3 II	4.2	—	5.1	4.3	4.3	6.1	6.1	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3
4.3 III	4.3	—	5.1	5.1	4.3	6.1	6.1	6.1	6.1	8	8	8	8	4.3	4.3
5.1 I	4.2	4.3	—	—	—	6.1	6.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1
5.1 II	4.2	4.3	—	—	—	6.1	6.1	5.1	5.1	8	8	5.1	5.1	5.1	5.1
5.1 III	4.2	4.3	—	—	—	6.1	6.1	6.1	6.1	8	8	8	8	5.1	5.1
6.1 I (I)	—	—	—	—	—	—	—	—	—	6.1	6.1	6.1	6.1	6.1	6.1
6.1 I (D)	—	—	—	—	—	—	—	—	—	8	6.1	6.1	6.1	6.1	6.1
6.1 I (O)	—	—	—	—	—	—	—	—	—	8	6.1	6.1	6.1	6.1	6.1
6.1 II (I)	—	—	—	—	—	—	—	—	—	8	6.1	6.1	6.1	6.1	6.1
6.1 II (D)	—	—	—	—	—	—	—	—	—	8	6.1	6.1	6.1	6.1	6.1
6.1 II (O)	—	—	—	—	—	—	—	—	—	8	6.1	6.1	6.1	6.1	6.1

* Utilization of the Table: Where dangerous goods have a classification and packing group set out in Column I, and a classification and packing group set out in one of the headings of Columns II to XVI, the classification that takes precedence is the classification that is, at the same time, opposite the classification and packing group in Column I and under the classification and packing group set out in the heading referred to above.

(I) INHALATION TOXICITY
(D) DERMAL TOXICITY
(O) ORAL TOXICITY
(L) LIQUID
(S) SOLID
— AN IMPOSSIBLE COMBINATION

ANNEXE I

(art. 3.8)

TABLEAU ÉTABLISSANT L'ORDRE DE PRIORITÉ DES CLASSIFICATIONS*

CLASSIFICATION/GROUPE D'EMBALLAGE															
Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX	Col. X	Col. XI	Col. XII	Col. XIII	Col. XIV	Col. XV	Col. XVI
CLASSIFICATION/ GROUPE D'EMBALLAGE															
3 I	4.2	4.3	3	3	3	6.1	3	3	3	3	—	3	—	3	—
3 II	4.2	4.3	3	3	3	6.1	3	3	3	8	—	3	—	3	—
3 III	4.2	4.3	3	3	3	6.1	6.1	6.1	6.1	8	—	8	—	3	—
4.1 I	4.2	4.3	4.1	4.1	4.1	6.1	6.1	4.1	4.1	—	4.1	—	4.1	—	4.1
4.1 II	4.2	4.3	4.1	4.1	4.1	6.1	6.1	6.1	6.1	—	4.1	—	4.1	—	4.1
4.1 III	4.2	4.3	4.1	4.1	4.1	6.1	6.1	6.1	6.1	—	8	—	8	—	4.1
4.2 I	—	4.2	4.2	4.2	4.2	6.1	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2
4.2 II	—	4.2	4.2	4.2	4.2	6.1	6.1	4.2	4.2	4.2	8	8	8	8	4.2
4.2 III	—	4.3	5.1	5.1	4.2	6.1	6.1	6.1	6.1	8	8	8	8	8	4.2
4.3 I	4.2	—	5.1	4.3	4.3	6.1	6.1	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3
4.3 II	4.2	—	5.1	4.3	4.3	6.1	6.1	4.3	4.3	8	8	8	8	8	4.3
4.3 III	4.3	—	5.1	5.1	4.3	6.1	6.1	6.1	6.1	8	8	8	8	8	4.3
5.1 I	4.2	4.3	—	—	—	6.1	6.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1
5.1 II	4.2	4.3	—	—	—	6.1	6.1	5.1	5.1	8	8	5.1	5.1	5.1	5.1
5.1 III	4.2	4.3	—	—	—	6.1	6.1	6.1	6.1	8	8	8	8	5.1	5.1
6.1 I (I)	—	—	—	—	—	—	—	—	—	6.1	6.1	6.1	6.1	6.1	6.1
6.1 I (D)	—	—	—	—	—	—	—	—	—	8	6.1	6.1	6.1	6.1	6.1
6.1 I (O)	—	—	—	—	—	—	—	—	—	8	6.1	6.1	6.1	6.1	6.1
6.1 II (I)	—	—	—	—	—	—	—	—	—	8	6.1	6.1	6.1	6.1	6.1
6.1 II (D)	—	—	—	—	—	—	—	—	—	8	6.1	6.1	6.1	6.1	6.1
6.1 II (O)	—	—	—	—	—	—	—	—	—	8	8	8	6.1	6.1	6.1

* Mode d'utilisation du tableau: Lorsqu'une marchandise dangereuse est incluse à la fois dans une classification et un groupe d'emballage indiqués à la colonne I et dans une classification et un groupe d'emballage mentionnés à l'une des rubriques des colonnes II à XVI, la classification qui a la priorité est celle qui apparaît sous cette rubrique, vis-à-vis de la classification et du groupe d'emballage indiqués à la colonne I.

- (I) TOXICITÉ PAR INHALATION
 (D) TOXICITÉ PAR ABSORPTION CUTANÉE
 (B) TOXICITÉ PAR INGESTION
 (L) LIQUIDE
 (S) SOLIDE
 — COMBINAISON IMPOSSIBLE

SCHEDULE II

Legend to List I and List II

1. In both Lists the shipping name is provided in Column I, followed in many cases by other descriptive wording in italic print. The shipping names for not fully specified dangerous goods are distinguished from those of specified dangerous goods by being printed in capital letters.

2. Product Identification Numbers shown in Column II in the 9000 series or with special provision numbers 40, 49 or 55 in Column IV are N.A. numbers. All other Product Identification Numbers in Column II are U.N. numbers.

3. Where two temperatures in degrees Celsius are indicated in Column IV the lower temperature is the control temperature during transportation and the higher temperature is the emergency temperature during transportation.

Example:

-20°C means Control temperature

-15°C means Emergency temperature

4. Where quantities are indicated in kilograms (kg) or liters (L) in Column VIII, the quantities indicate the maximum amount that can be transported on passenger aircraft, or on a passenger road or rail vehicle.

5. Where quantities are indicated in kilograms (kg) or liters (L) in Column IX, the quantities indicate the maximum amount that can be transported on cargo aircraft.

6. The number in italics between parentheses under the number of each item is the equivalent item number in the French version of the lists.

7. Within the lists a number of symbols, abbreviations or figures appear. The meanings of these are set out below.

ANNEXE II

Légende des listes I et II

1. Dans les deux listes, la colonne I est réservée à l'appellation réglementaire, qui est souvent suivie d'une description en italique. L'appellation réglementaire figure en minuscules lorsqu'il s'agit d'une dénomination individuelle et en majuscules, lorsqu'il s'agit d'une dénomination collective.

2. Les numéros d'identification du produit de la série 9000 portés à la colonne II, ou pour lesquels les dispositions particulières 40, 49 ou 55 sont portées à la colonne IV, sont des numéros NA. Tous les autres numéros d'identification portés à la colonne II sont des numéros ONU.

3. Lorsque deux températures en degrés Celsius figurent à la colonne IV, la moins élevée indique la température de régulation pendant le transport et la plus élevée, la température d'urgence pendant le transport.

Exemple:

-20°C indique la température de régulation

-15°C indique la température d'urgence

4. À la colonne VIII, les quantités indiquées en kilogrammes (kg) ou en litres (L) correspondent aux quantités maximales pouvant être transportées par aéronef de passagers ou par véhicule routier ou ferroviaire de passagers.

5. À la colonne IX, les quantités indiquées en kilogrammes (kg) ou en litres (L) correspondent aux quantités maximales pouvant être transportées par aéronef-cargo.

6. Le nombre en italique figurant entre parenthèses sous chaque numéro d'article d'une liste indique le numéro d'article correspondant de la version anglaise de cette liste.

7. La signification des symboles, des abréviations et des lettres figurant dans les listes est expliquée ci-dessous:

Symbol, abbreviation or figure	Column(s) in which it appears	Meaning
—	III and V to IX	Not applicable.
*	I	Name of major component(s) must be included in shipping name in parentheses.
E	III, V, VI	Potentially explosive.
I	III, VI	Potentially very damaging to eyes.
n.o.s. or N.O.S.	I	See IMDG Code and ICAO Technical instructions.
NR	III	The Act and the Regulations do not apply.
NR	V	IMDG Code does not apply.
NR	VI	ICAO technical instructions do not apply.
P	V—IX, List I only.	Transportation is prohibited by the mode indicated by the column heading.
P	V, List II only.	Transportation is prohibited under the IMDG Code.
P	VI, List II only.	Transportation is prohibited under the ICAO technical instructions.
P	VIII, List II only.	Transportation is prohibited by passenger road vehicle or on passenger aircraft.
P	IX, List II only.	Transportation is prohibited on cargo aircraft.
X	VII, List II only.	Packaging shall be in accordance with the physical or chemical properties of the substance or article.
Y	V	Instructions for packaging shall be obtained from IMO.
Y	VI	Instructions for packaging shall be obtained from ICAO.
C.C.	List I only.	Carrying capacity.
N. Rqd.	List I only.	Not required.
N.L.	VI to IX of List I or VIII or IX of List II.	No limit.

Symboles, abréviations ou lettres	Colonnes où figurent les symboles, les abréviations ou les lettres	Signification
—	III et V à IX	Sans objet.
*	I	Le nom de chaque composant important, entre parenthèses, doit suivre l'appellation réglementaire.
E	III, V, VI	Présente des propriétés explosives.
I	III, VI	Présente des risques sérieux pour les yeux.
n.s.a. ou N.S.A.	I	Voir le code OMI et les Instructions techniques de l'OACI.
NR	III	La Loi et le Règlement ne s'appliquent pas.
NR	V	Le Code OMI ne s'applique pas.
NR	VI	Les Instructions techniques de l'OACI ne s'appliquent pas.
P	V à IX, liste I seulement	Le transport par le mode indiqué dans la rubrique est prohibé.
P	V, liste II seulement	Le transport est prohibé en vertu du Code OMI.
P	VI, liste II seulement	Le transport est prohibé en vertu des Instructions techniques de l'OACI.
P	VIII, liste II seulement	Le transport par véhicule routier de passagers ou par aéronef de passagers est prohibé.
P	IX, liste II seulement	Le transport par aéronef-cargo est prohibé.
X	VII, liste II seulement	L'emballage est approprié aux propriétés physiques ou chimiques de la matière ou de l'objet qu'il contient.
Y	V	Les instructions d'emballage peuvent être obtenues auprès de l'OMI.
Y	VI	Les instructions d'emballage peuvent être obtenues auprès de l'OACI.
C.C.	Liste I seulement	Capacité de chargement.
N. Rqs.	Liste I seulement	Non requis.
N.L.	VI à IX, liste I, ou VIII ou IX, liste II	Non limité.

SCHEDULE II
LIST I
EXPLOSIVES

Item	Col. I Description and Shipping Name	Col. II Product Identification Number	Col. III Classification	Col. IV Special Provisions	Col. V Air: Maximum Net Quantity per Package or Prohibition: Cargo Passenger	Col. VI Public Passenger Vehicle (kg)	Col. VII Other Passenger Vehicle (kg)	Col. VIII Road: Vehicle without E.V.C. (kg)	Col. IX Road: Vehicle with E.V.C. (kg)
1. (223)	Ammonium nitrate with more than 0.2 per cent combustible substances, including any organic substance calculated as carbon, to the exclusion of any other added substance	UN0222	1.1D	22 26 102	p	p	p	2000	20 000
2. (135)	Ammonium nitrate fertilizer which is more liable to explode than ammonium nitrate with 0.2 per cent combustible substances, including any organic substance calculated as carbon, to the exclusion of any other added substance	UN0223	1.1D	22 26 102	p	p	p	2000	20 000
3. (259)	Ammonium perchlorate	UN0402	1.1D	22 26	p	p	p	2000	20 000
4. (268)	Ammonium picrate, dry or wetted with less than 10 per cent water, by mass	UN0004	1.1D	22 26 102	p	p	p	2000	20 000
5. (202)	Ammunition, illuminating, with or without burster, expelling charge or propelling charge	UN0171	1.2G	22 26 102	p	p	p	2000	20 000
6. (203)	Ammunition, illuminating, with or without burster, expelling charge or propelling charge	UN0254	1.3G	22 26	p	p	p	2000	20 000
7. (204)	Ammunition, illuminating, with or without burster, expelling charge or propelling charge	UN0297	1.4G	22 26	75 kg p	p	p	—	N. Rd.
8. (214)	Ammunition, incendiary, liquid or gel, with burster, expelling charge or propelling charge	UN0247	1.3J	22 99	p	p	p	2000	20 000
9. (211)	Ammunition, incendiary, (other than water-activated ammunition), without white phosphorus or phosphides, with or without burster, expelling charge or propelling charge	UN0009	1.2G	22 26 102	p	p	p	2000	20 000
10. (212)	Ammunition, incendiary (other than water-activated ammunition) without white phosphorus or phosphides, with or without burster, expelling charge or propelling charge	UN0010	1.3G	22 26	p	p	p	2000	20 000

SCHEDULE II—Con.
LIST I—Con.
EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
11. (213)	Ammunition, incendiary (other than water-activated ammunition), without white phosphorus or phosphides, with or without burster, expelling charge or propelling charge	UN0300	1.4G	26	75 kg p	p	—	N. Rqd.
12. (215)	Ammunition, incendiary, White Phosphorus, with burster, expelling charge or propelling charge	UN0243	1.2H	22 26	p	p	2000	20 000
13. (216)	Ammunition, incendiary, White Phosphorus, with burster, expelling charge or propelling charge	UN0244	1.3H	22 26	p	p	2000	20 000
14. (205)	Ammunition, practice	UN0362	1.4G	26	75 kg p	p	—	100% C.C.
15. (220)	Ammunition, proof	UN0363	1.4G	26	75 kg p	p	—	100% C.C.
16. (206)	Ammunition, smoke (other than water-activated ammunition), without white phosphorus or phosphides, with or without burster, expelling charge or propelling charge	UN0015	1.2G 8	22 26 102	p	p	2000	20 000
17. (207)	Ammunition, smoke (other than water-activated ammunition), without white phosphorus or phosphides, with or without burster, expelling charge or propelling charge	UN0016	1.3G 8	22 26	p	p	2000	20 000
18. (208)	Ammunition, smoke (other than water-activated ammunition), without white phosphorus or phosphides, with or without burster, expelling charge or propelling charge	UN0303	1.4G	22 26	p	p	2000	20 000
19. (209)	Ammunition, smoke, white phosphorus, (other than water-activated ammunition) with burster, expelling charge or propelling charge	UN0245	1.2H	22 26 102	p	p	2000	20 000
20. (210)	Ammunition, smoke, white phosphorus, (other than water-activated ammunition) with burster, expelling charge or propelling charge	UN0246	1.3H	22 26	p	p	2000	20 000
21. (217)	Ammunition, tear-producing, with burster, expelling charge or propelling charge	UN0018	1.2G 6.1 8	22 26 102	p	p	2000	20 000
22. (218)	Ammunition, tear-producing, with burster, expelling charge or propelling charge	UN0019	1.3G 6.1 8	22 26 102	p	p	2000	20 000
23. (219)	Ammunition, tear-producing, with burster, expelling charge or propelling charge	UN0301	1.4G	22 26	p	p	2000	20 000
24. (221)	Ammunition, toxic (other than water-activated ammunition), with burster, expelling charge or propelling charge	UN0020	1.2K 6.1	22 99 102	p	p	2000	20 000

25. (222)	Ammunition, toxic (other than water-activated ammunition), with bursting, expelling charge or propelling charge	UN0021	1.3K 6.1	22 99	P	P	2000	20 000
26. (240)	Articles, explosive, n.o.s.	UN0349	1.4S		P	100 kg 25 kg	P	P
27. (241)	Articles, explosive, n.o.s.	UN0350	1.4B	47	P	P	P	P
28. (242)	Articles, explosive, n.o.s.	UN0351	1.4C	47	P	P	P	P
29. (243)	Articles, explosive, n.o.s.*	UN0352	1.4D	47	P	P	P	P
30. (244)	Articles, explosive, n.o.s.*	UN0353	1.4G	47	P	P	P	P
31. (245)	Articles, explosive, n.o.s.*	UN0354	1.1L	47	P	P	P	P
32. (246)	Articles, explosive, n.o.s.*	UN0355	1.2L	102 47	P	P	P	P
33. (247)	Articles, explosive, n.o.s.*	UN0356	1.3L	102 47	P	P	P	P
34. (248)	Articles, pyrophoric	UN0380	1.2L	7	P	P	2000	20 000
35. (249)	Articles, pyrotechnic, for technical purposes	UN0428	1.1G	102 26	P	P	75	2000
36. (250)	Articles, pyrotechnic, for technical purposes	UN0429	1.2G	22	P	P	75	2000
37. (251)	Articles, pyrotechnic, for technical purposes	UN0430	1.3G	26	P	P	75	2000
38. (253)	Articles, pyrotechnic, for technical purposes	UN0431	1.4G	26	P	75 kg	75	2000
39. (253)	Articles, pyrotechnic, for technical purposes	UN0432	1.4S		P	100 kg 25 kg	75	N. Rqd.
40. (21)	Barium azide, dry or wetted with less than 50 per cent water, by mass	UN0224	1.1A 6.1	14 22 26	P	P	2000	20 000
41. (269)	Black powder, or Gunpowder, granular or as a meal	UN0027	1.1D	102 3 21 22 26	P	P	75	20 000
42. (270)	Black powder, compressed or Gunpowder, compressed or Black powder in pellets or Gunpowder, in pellets	UN0028	1.1D	102 3 22 26 102	P	P	2000	20 000
43. (-)	Blasting caps, see Detonators							
44. (34)	Bombs, photo-flash	UN0037	1.1F	26 102	P	P	P	P
45. (35)	Bombs, photo-flash	UN0038	1.1D	22 26	P	P	2000	20 000
46. (36)	Bombs, photo-flash	UN0039	1.2G	102 22 26	P	P	2000	20 000
47. (37)	Bombs, photo-flash	UN0299	1.3G	102 22	P	P	2000	20 000
48. (23)	Bombs with bursting charge	UN0033	1.1F	26	P	P	P	P
49. (24)	Bombs with bursting charge	UN0034	1.1D	102 22 26	P	P	2000	20 000

SCHEDULE II—Con.
LIST I—Con.
EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
50. (25)	Bombs with bursting charge	UN0035	1.2D 22 26	P	P	P	2000	20 000
51. (26)	Bombs with bursting charge	UN0291	1.2F 26	P	P	P	P	P
52. (27)	Bombs with flammable liquid with bursting charge	UN0399	1.1J 102	P	P	P	2000	20 000
53. (28)	Bombs with flammable liquid with bursting charge	UN0400	22 99	P	P	P	2000	20 000
54. (292)	Boosters, with detonator	UN0225	1.2J 99	P	P	P	2000	20 000
55. (293)	Boosters, with detonator	UN0268	1.1B 26	P	P	P	2000	20 000
56. (294)	Boosters, without detonator	UN0042	1.2B 102	P	P	P	2000	20 000
57. (295)	Boosters, without detonator	UN0042	1.1D 21 26	P	P	75	2000	20 000
58. (75)	Bursters, explosive	UN0283	1.2D 22 26	P	P	P	2000	20 000
59. (46)	Cartridges, flash	UN0043	1.1D 102	P	P	P	2000	20 000
60. (47)	Cartridges, flash	UN0049	1.1G 102	P	P	P	2000	20 000
61. (48)	Cartridges for weapons, or Cartridges safety, other than blank	UN0050	1.3G 26	P	P	75	—	N. Rqd.
62. (50)	Cartridges for weapons, blank	UN0012	1.4S 26	100 kg 25 kg	NL	NL	—	N. Rqd.
63. (53)	Cartridges for weapons, blank	UN0326	1.1C 22 26	P	P	P	2000	20 000
64. (51)	Cartridges for weapons, blank	UN0413	1.2C 22	P	P	P	2000	20 000
65. (52)	Cartridges for weapons, blank	UN0327	1.3C 26	P	P	P	2000	20 000
66. (49)	Cartridges for weapons, blank, or Cartridges, safety, blank	UN0338	1.4C 26	75 kg P	3	75	—	N. Rqd.
67. (57)	Cartridges for weapons, with bursting charge	UN0014	1.4S 26	100 kg 25 kg	NL	NL	—	N. Rqd.
68. (58)	Cartridges for weapons, with bursting charge	UN0005	1.1F 102	P	P	P	P	P
69. (59)	Cartridges for weapons, with bursting charge	UN0007	1.2F 102	P	P	P	P	P
70. (60)	Cartridges for weapons, with bursting charge	UN0348	1.4F 22	P	P	P	P	P
71. (61)	Cartridges for weapons, with bursting charge (projectiles with propelling charge)	UN0412	1.4E 26	75 kg P	P	P	2000	20 000
		UN0006	1.1E 22 26	P	P	P	2000	20 000
			102					

SCHEDULE II—Con.
LIST I—Con.
EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
96. (82)	Charges, propelling, for cannon	UN0414	1.2C	22	p	p	2000	20 000
97. (83)	Charges, propelling, for rocket motors	UN0271	1.1C	26	p	p	2000	20 000
98. (84)	Charges, propelling, for rocket motors	UN0272	1.3C	22	p	75	2000	20 000
99. (85)	Charges, propelling, for rocket motors	UN0415	1.2C	26	p	p	2000	20 000
100. (86)	Charges, propelling, for rocket motors, composite mixture	UN0273	1.1C	26	p	p	2000	20 000
101. (87)	Charges, propelling, for rocket motors, composite mixture	UN0274	1.3C	22	p	75	2000	20 000
102. (88)	Charges, propelling, for rocket motors, composite mixture	UN0416	1.2C	26	p	p	2000	20 000
103. (89)	Charges, shaped, commercial without detonator	UN0059	1.1D	21	p	75	2000	20 000
104. (70)	Charges, shaped, commercial without detonator	UN0439	1.2D	11	p	75	2000	20 000
105. (71)	Charges, shaped, commercial without detonator	UN0440	1.4D	26	p	75	2000	20 000
106. (72)	Charges, shaped, commercial without detonator	UN0441	1.4S	25 kg	3	75	—	N. Rqd.
107. (73)	Charges, shaped, flexible, linear, metal clad	UN0237	1.4D	26	3	75	2000	20 000
108. (74)	Charges, shaped, flexible, linear, metal clad	UN0238	1.1D	21	p	75	2000	20 000
109. (256)	Charges, supplementary, explosive	UN0060	1.1D	102	p	p	2000	20 000
110. (91)	Components, explosive train, n.o.s.	UN0382	1.2B	47	p	p	p	p
111. (92)	Components, explosive train, n.o.s.	UN0383	1.4B	102	p	p	p	p
112. (93)	Components, explosive train, n.o.s.	UN0384	1.4S	26	p	p	p	p
113. (133)	Contrivances, water-activated, with burster, expelling charge or propelling charge	UN0248	1.2L	18	p	p	2000	20 000
114. (134)	Contrivances, water-activated, with burster, expelling charge or propelling charge	UN0249	1.3L	102	p	p	2000	20 000
115. (98)	Cord, detonating, flexible	UN0065	1.1D	99	p	75	2000	20 000

[99]

116. (99)	Cord, detonating, <i>flexible</i>	UN0289	1.4D	26	75 kg p	p	75	2000	20 000
117. (96)	Cord, detonating, or Fuse, detonating, <i>metal clad</i>	UN0102	1.2D	21 22 26	p	p	75	2000	20 000
118. (97)	Cord, detonating, or Fuse detonating, <i>metal clad</i>	UN0290	1.1D	102 21 22 26	p	p	75	2000	20 000
119. (95)	Cord, detonating, mild effect, or Fuse, detonating, mild effect, <i>metal clad</i>	UN0104	1.4D	102 26	75 kg p	3	75	—	N. Rqd.
120. (188)	Cord, igniter	UN0066	1.4G	26	75 kg p	3	75	—	N. Rqd.
121. (90)	Cutters, cable, explosive	UN0070	1.4S		100 kg 25 kg	3	75	—	N. Rqd.
122. (100)	Cyclonite, <i>see</i> Cyclotrimethylene-trinitramine								
123. (101)	Cyclotetramethylenetetranitramine, wetted or HMX, wetted or Octogen, wetted with not less than 15 per cent water, by mass or Cyclotetramethylene-tetranitramine, desensitized or HMX, desensitized or Octogen, desensitized with not less than 10 per cent phlegmatizer, by mass	UN0226	1.1D	22 26 102	p	p	p	2000	20 000
124. (102)	Cyclotrimethylenetrinitramine, wetted or Cyclonite, wetted or Hexogen, wetted or RDX, wetted with not less than 15 per cent water, by mass, or Cyclotrimethylenetrinitramine, desensitized or Cyclonite, desensitized or Hexogen, desensitized or RDX, desensitized with not less than 10 per cent phlegmatizer, by mass	UN0072	1.1D 6.1	22 26 102	p	p	p	2000	20 000
125. (103)	Cyclotrimethylenetrinitramine and Cyclotetramethylenetetranitramine mixtures, wetted with not less than 15 per cent water, by mass or Cyclotrimethylenetrinitramine and Cyclotetramethylenetetranitramine mixtures, desensitized with not less than 10 per cent phlegmatizer, by mass	UN0391	1.1D	22 26 102	p	p	p	2000	20 000
126. (297)	Deflagrating metal salts of aromatic nitro-derivatives, n.o.s	UN0132	1.3C	8 22 26	p	p	75	2000	20 000
127. (136)	Detonator assemblies, non-electric, <i>for blasting</i>	UN0360	1.1B	19 22 26	p	p	100 units	2000	20 000
128. (137)	Detonator assemblies, non-electric, <i>for blasting</i>	UN0361	1.4B	102 26	75 kg p	p	100 units	—	100% C.C. 5 000
129. (108)	Detonators for ammunition	UN0073	1.1B	22 26	p	p	p	2000	5 000
130. (109)	Detonators for ammunition	UN0364	1.2B	102 22 26	p	p	p	2000	5 000
131. (110)	Detonators for ammunition	UN0365	1.4B	102 26	75 kg p	p	p	—	N. Rqd.
132. (111)	Detonators for ammunition	UN0366	1.4S		100 kg 25 kg	3	75	—	N. Rqd.

SCHEDULE II—Con.
LIST I—Con.
EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
133. (104)	Detonators, electric, <i>for blasting</i>	UN0030	1.1B	16 19 22 26	p	p	—	100% C.C.
134. (105)	Detonators, electric, <i>for blasting</i>	UN0255	1.4B	102 16	p	100 units	—	100% C.C.
135. (106)	Detonators, non-electric, <i>for blasting</i>	UN0029	1.1B	26 19 22 26	p	100 units	2000	5 000
136. (107)	Detonators, non-electric, <i>for blasting</i>	UN0267	1.4B	102 26	p	100 units	2000	20 000
137. (112)	Diazodinitrophenol, wetted with not less than 40 per cent water, by mass, or mixture of alcohol and water	UN0074	1.1A	22 26	p	p	2000	20 000
138. (113)	Diethylene glycol dinitrate, desensitized with not less than 25 per cent non-volatile water-insoluble phlegmatizer, by mass	UN0075	1.1D	102 22 26	p	p	p	p
139. (115)	Dinitrophenol, dry or wetted with less than 15 per cent water, by mass	UN0076	1.1D 6.1	102 22 26	p	p	2000	20 000
140. (116)	Dinitrophenolates, alkali metals, dry or wetted with less than 15 per cent water, by mass	UN0077	1.3C 6.1	1 22 26	p	75	2000	20 000
141. (117)	Dinitroresorcinol, dry or wetted with less than 15 per cent water, by mass	UN0078	1.1D	22 26	p	p	2000	20 000
142. (118)	Dinitrosobenzene	UN0406	1.3C	102 22 26	p	p	2000	20 000
143. (119)	Dipicrylamine, see Hexanitrodiphenylamine	UN0401	1.1D	10 22 26	p	p	2000	20 000
144. (306)	Dipicryl sulphide, dry or wetted with less than 10 per cent water, by mass							
145. (-)	Dynamite, see Explosive, blasting, type A							
146. (224)	Ethylene glycol mononitrate solution	NA9204	1.5D	2 26	p	p	2000	20 000
147. (138)	Explosive, blasting, type A	UN0081	1.1D	21 22 24 26	p	75	2000	5 000
148. (139)	Explosive, blasting, type B	UN0082	1.1D	102 21 22 26	p	75	2000	20 000
149. (140)	Explosive, blasting, type B	UN0331	1.5D	102 17 21 22 23 26	p	75	2000	20 000

150. (141)	Explosive, blasting, type C	UN0083	1.1D	4 21 22 26	P	75	2000	20 000
151. (142)	Explosive, blasting, type D	UN0084	1.1D	102 21 22 26	P	75	2000	20 000
152. (143)	Explosive, blasting, type E	UN0241	1.1D	102 21 22 26	P	75	2000	20 000
153. (144)	Explosive, blasting, type E	UN0332	1.5D	102 17 21 22 23 26	P	75	2000	20 000
154. (13)	Fireworks, type A	UN0333	1.1G	26 22 26 26	P	P	2000	20 000
155. (14)	Fireworks, type B	UN0334	1.2G	102 5 11 22	P	75	2000	20 000
156. (15)	Fireworks, type C	UN0335	1.3G	102 5 11 22	P	3 75	–	N. Rqd.
157. (16)	Fireworks, type D	UN0336	1.4G	22 5	75 kg 20	75	–	N. Rqd.
158. (17)	Fireworks, type D	UN0337	1.4S		P 100 kg 25 kg	NL	–	N. Rqd.
159. (29)	Flares, aerial	UN0093	1.3G	21 22 25	P	75	–	N. Rqd.
160. (30)	Flares, aerial	UN0403	1.4G	25	75 kg 3	75	–	N. Rqd.
161. (31)	Flares, aerial	UN0404	1.4S		P 100 kg 25 kg	NL	–	N. Rqd.
162. (32)	Flares, aerial	UN0420	1.1G	22 25	P	P	2000	20 000
163. (33)	Flares, aerial	UN0421	1.2G	22 25	P	P	2000	20 000
164. (321)	Flares, surface (other than water-activated contrivances)	UN0092	1.3G	21 22 26	P	75	–	N. Rqd.
165. (322)	Flares, surface	UN0418	1.1G	26 22	P	P	2000	20 000
166. (323)	Flares, surface	UN0419	1.2G	26 22	P	P	2000	20 000
167. (326)	Fracturing devices, explosive, without detonator, for oil wells	UN0099	1.1D	26 21 22 26 102	P	75	2000	20 000
168. (-)	Fuse detonating, see Cord detonating							
169. (94)	Fuse, igniter, tubular, metal clad	UN0103	1.4G	26	75 kg 3	75	–	N. Rqd.
170. (190)	Fuse, instantaneous, non-detonating	UN0101	1.3G	11 22 26	P	25	2000	20 000

SCHEDULE II—Con.
LIST I—Con.
EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
171. (189)	Fuse, safety	UN0105	1.4S	100 kg 25 kg	NL	NL	—	N. Rqd.
172. (149)	Fuzes, detonating	UN0106	1.1B	p	p	p	2000	20 000
173. (150)	Fuzes, detonating	UN0107	1.2B	p	p	p	2000	20 000
174. (151)	Fuzes, detonating	UN0257	1.4B	75 kg p	p	p	—	100% C.C.
175. (152)	Fuzes, detonating	UN0367	1.4S	100 kg 25 kg	3	75	—	N. Rqd.
176. (153)	Fuzes, detonating with protective features	UN0408	1.1D	p	p	p	2000	20 000
177. (154)	Fuzes, detonating with protective features	UN0409	1.2D	p	p	p	2000	20 000
178. (155)	Fuzes, detonating with protective features	UN0410	1.4D	75 kg p	p	p	2000	20 000
179. (146)	Fuzes, igniting	UN0316	1.3G	p	p	p	2000	20 000
180. (147)	Fuzes, igniting	UN0317	1.4G	75 kg p	3	75	2000	20 000
181. (148)	Fuzes, igniting	UN0368	1.4S	100 kg 25 kg	3	75	—	N. Rqd.
182. (160)	Grenades, hand or rifle, with bursting charge	UN0284	1.1D	p	p	p	2000	20 000
183. (162)	Grenades, hand or rifle, with bursting charge	UN0292	1.1F	p	p	p	p	p
184. (161)	Grenades, hand or rifle, with bursting charge	UN0285	1.2D	p	p	p	2000	20 000
185. (163)	Grenades, hand or rifle, with bursting charge	UN0293	1.2F	p	p	p	p	p
186. (166)	Grenades, practice, hand or rifle	UN0372	1.2G	p	p	p	2000	20 000
187. (165)	Grenades, practice, hand or rifle	UN0318	1.3G	p	p	p	2000	20 000
188. (164)	Grenades, practice, hand or rifle	UN0110	1.4S	100 kg 25 kg	3	75	—	N. Rqd.
189. (169)	Guanyl nitrosaminoguanylidene hydrazine, wetted with not less than 30 per cent water, by mass	UN0113	1.1A	p	p	p	2000	20 000
190. (170)	Guanyl nitrosaminoguanyltetrazene, wetted or Tetrazene, wetted with not less than 30 per cent water, by mass, or mixture of alcohol and water	UN0114	1.1A	p	p	p	2000	20 000

SCHEDULE II—Con.
LIST I—Con.
EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
213. (192)	Mines with bursting charge	UN0137 1.1D	22 26	p	p	p	2000	20 000
214. (193)	Mines with bursting charge	UN0138 1.2D	102 22 26	p	p	p	2000	20 000
215. (194)	Mines with bursting charge	UN0294 1.2F	102 26	p	p	p	p	p
216. (228)	5-Nitrobenzotriazol	UN0385 1.1D	102 22 26	p	p	p	2000	20 000
217. (229)	Nitrocellulose, dry or wetted with less than 25 per cent water (or alcohol), by mass	UN0340 1.1D	102 22 26	p	p	p	2000	20 000
218. (232)	Nitrocellulose, plasticized with not less than 18 per cent plasticizing substance, by mass	UN0343 1.3C	102 22 26	p	p	p	2000	20 000
219. (230)	Nitrocellulose, unmodified or plasticized with less than 18 per cent plasticizing substance, by mass	UN0341 1.1D	22 26	p	p	p	2000	20 000
220. (231)	Nitrocellulose, wetted with not less than 25 per cent alcohol by mass	UN0342 1.3C	102 22 26	p	p	p	—	N. Rqd.
221. (233)	Nitroglycerin, desensitized with not less than 40 per cent non-volatile water-insoluble phlegmatizer, by mass	UN0143 1.1D 6.1	29 22 26	p	p	p	p	p
222. (234)	Nitroglycerin, spirit of, with more than 1 per cent but not more than 10 per cent nitroglycerin in solution in alcohol	UN0144 1.1D	102 9 22 26	p	p	75	2000	20 000
223. (235)	Nitroguanidine, or Picrite dry or wetted with less than 20 per cent water, by mass	UN0282 1.1D	102 22 26	p	p	p	2000	20 000
224. (236)	Nitromannite, see Mannitol hexanitrate		102					
225. (238)	Nitrosoguanidine, wetted with not less than 10 per cent water, by mass	NA9052 1.1A	22 26	p	p	p	2000	20 000
226. (227)	Nitrostarch, dry or wetted with less than 20 per cent water, by mass	UN0146 1.1D	22 26	p	p	75	2000	20 000
227. (239)	Nitro urea	UN0147 1.1D	102 22 26	p	p	75	2000	20 000
228. (254)	Octogen, see Cyclotetramethylene-tetranitramine		102					
229. (-)	Octol, see Octolite							
230. (255)	Octolite, or Octol dry or wetted with less than 15 per cent water, by mass	UN0266 1.1D	20 22 26	p	p	p	2000	20 000

231. (314)	Pentaerythrite tetranitrate, wetted or Pentaerythritol tetranitrate, wetted or PETN, wetted with not less than 25 per cent water, by mass or Pentaerythrite tetranitrate, desensitized or Pentaerythritol tetranitrate, desensitized or PETN with phlegmatiser, by mass Pentaerythrite tetranitrate or PETN with not less than 7 per cent wax by mass	UN0150	1.1D	22 26 102	P	P	75	2000	20 000
232. (315)	Pentaerythrite tetranitrate or PETN with not less than 7 per cent wax by mass	UN0411	1.1D	22 26 27	P	P	P	2000	20 000
233. (316)	Pentaerythritol tetranitrate, see Pentaerythrite tetranitrate								
234. (258)	Pentolite, dry or wetted with less than 15 per cent water, by mass	UN0151	1.1D	21 22 26 102	P	P	75	2000	20 000
235. (264)	PETN, see Pentaerythrite tetranitrate								
236. (271)	Photo-flash powder, in units	UN0094	1.1G	22 26	P	P	P	2000	20 000
237. (272)	Photo-flash powder, in units	UN0096	1.2G	102 22 26	P	P	P	2000	20 000
238. (273)	Photo-flash powder, in units	UN0305	1.3G	102 22 26	P	P	25	2000	20 000
239. (267)	Picramide, see Trinitroaniline								
240. (01)	Picric acid, see Trinitrophenol								
241. (168)	Picrite, see Nitroguanidine								
242. (89)	Picryl chloride, see Trinitrochlorobenzene								
243. (298)	Potassium salts of aromatic nitro-derivatives, explosive	UN0158	1.3C	22 26	P	P	75	2000	20 000
244. (158)	Powder cake, wetted with not less than 17 per cent alcohol, by mass	UN0433	1.1C	22 26	P	P	75	2000	20 000
245. (15 9, 257)	Powder cake, wetted or Powder paste, wetted with not less than 35 per cent water, by mass	UN0159	1.3C	22 26	P	P	75	2000	20 000
246. (-)	Powder paste, see Powder cake								
247. (274)	Powder, smokeless	UN0160	1.1C	21 22 26	P	P	75	2000	20 000
248. (275)	Powder, smokeless	UN0161	1.3C	102 21 22	P	P	75		N. Rqd.
249. (276)	Powder, smokeless	NA9179	1.4C	26	75 kg P	3	75	-	N. Rqd.
250. (09)	Primers, cap type	UN0044	1.4S		100 kg 25 kg	NL	NL	-	N. Rqd.
251. (07)	Primers, cap type	UN0377	1.1B	22 26	P	P	P	2000	20 000
252. (08)	Primers, cap type	UN0378	1.4B	102 26	75 kg P	3	75	-	N. Rqd.
253. (10)	Primers, tubular	UN0319	1.3G	22 26	P	P	P	2000	20 000

SCHEDULE II—Con.
LIST I—Con.
EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
254. (11)	Primers, tubular	UN0320	1.4G	26	75 kg p	75	2000	20 000
255. (12)	Primers, tubular	UN0376	1.4S	100 kg 25 kg	NL	NL	—	N. Rqd.
256. (288)	Projectiles, inert with tracer	UN0345	1.4S	100 kg 25 kg	p	75	—	N. Rqd.
257. (289)	Projectiles, inert with tracer	UN0424	1.3G	p	p	p	2000	20 000
258. (290)	Projectiles, inert with tracer	UN0425	1.4G	75 kg p	p	p	2000	20 000
259. (282)	Projectiles, with burster or expelling charge	UN0346	1.2D	p	p	p	2000	20 000
260. (283)	Projectiles, with burster or expelling charge	UN0347	1.4D	75 kg p	p	75	—	N. Rqd.
261. (284)	Projectiles, with burster or expelling charge	UN0426	1.2F	p	p	p	p	p
262. (285)	Projectiles, with burster or expelling charge	UN0427	1.4F	p	p	p	p	p
263. (286)	Projectiles, with burster or expelling charge	UN0434	1.2G	p	p	p	2000	20 000
264. (287)	Projectiles, with burster or expelling charge	UN0435	1.4G	75 kg p	p	p	2000	20 000
265. (277)	Projectiles, with bursting charge	UN0167	1.1F	p	p	p	p	p
266. (278)	Projectiles, with bursting charge	UN0168	1.1D	22 26	p	p	2000	20 000
267. (279)	Projectiles, with bursting charge	UN0169	1.2D	102 22 26	p	p	2000	20 000
268. (280)	Projectiles, with bursting charge	UN0324	1.2F	26	p	p	p	p
269. (281)	Projectiles, with bursting charge	UN0344	1.4D	102 26	75 kg p	75	—	N. Rqd.
270. (291)	RDX, see Cyclotrimethylenetrinitramine							
271. (20)	Release devices, explosive	UN0173	1.4S	100 kg 25 kg	3	75	—	N. Rqd.
272. (296)	Rivets, explosive	UN0174	1.4S	100 kg 25 kg	3	75	—	N. Rqd.
273. (195)	Rocket motors	UN0186	1.3C	p	p	75	2000	20 000
274. (196)	Rocket motors	UN0280	1.1C	p	p	p	2000	20 000
275. (197)	Rocket motors	UN0281	1.2C	p	p	p	2000	20 000
276. (198)	Rocket motors, liquid fuelled	UN0395	1.2J	p	p	p	2000	20 000

277. (199)	Rocket motors, liquid fuelled	UN0396	1.3J	22	P	P	2000	20 000
278. (200)	Rocket motors, with hypergolic liquids, with or without an expelling charge	UN0250	1.3L	99	P	P	2000	20 000
279. (201)	Rocket motors, with hypergolic liquids, with or without an expelling charge	UN0322	1.2L	99	P	P	2000	20 000
280. (156)	Rockets, line-throwing	UN0238	1.2G	102 22 26	P P P	P P P	2000 2000 2000	20 000 20 000 20 000
281. (157)	Rockets, line-throwing	UN0240	1.3G	102 22 26	P 25 P	3	-	N. Rqd.
282. (130)	Rockets, liquid fuelled with bursting charge	UN0397	1.1J	102	P	P	2000	20 000
283. (131)	Rockets, liquid fuelled with bursting charge	UN0398	1.2J	99	P	P	2000	20 000
284. (123)	Rockets with bursting charge	UN0180	1.1F	99 26	P P	P	P	P
285. (124)	Rockets with bursting charge	UN0181	1.1E	102 22 26	P P P	P P P	2000 2000 20 000	20 000
286. (125)	Rockets with bursting charge	UN0182	1.2E	102 22 26	P P P	P P P	2000 2000 20 000	20 000
287. (126)	Rockets with bursting charge	UN0295	1.2F	102	P	P	P	P
288. (127)	Rockets, with expelling charge	UN0436	1.2C	102 22	P P	P P	2000 2000	20 000
289. (128)	Rockets, with expelling charge	UN0437	1.3C	26 22	P P	P P	2000 2000	20 000
290. (129)	Rockets, with expelling charge	UN0438	1.4C	26	P	75 kg P	2000	20 000
291. (132)	Rockets with inert head	UN0183	1.3C	22	P	P	2000	20 000
292. (122)	Samples, explosive, other than initiating explosives	UN0190		26 12 13	P P P	P P P	P P P	P
293. (18)	Signal devices, hand	UN0191	1.4G	26	75 kg P	20	-	N. Rqd.
294. (19)	Signal devices, hand	UN0373	1.4S		100 kg 25 kg P	NL NL P	-	N. Rqd.
295. (261)	Signals, railway track, explosive	UN0192	1.1G	22 26	P P	P	2000	20 000
296. (262)	Signals, railway track, explosive	UN0193	1.4S	102	100 kg 25 kg P	3	-	N. Rqd.
297. (300)	Signals, distress, ship (other than water-activated contrivances)	UN0194	1.1G	22 25	P P	P	2000	20 000
298. (301)	Signals, distress, ship (other than water-activated contrivances)	UN0195	1.3G	102 21	P	3	-	N. Rqd.
299. (302)	Signals, smoke, with explosive sound unit	UN0196	1.1G	22 25 26	P P P	P P P	2000 2000 20 000	20 000
300. (303)	Signals, smoke, with explosive sound unit	UN0313	1.2G	102 22 26	P P P	P P P	2000 2000 20 000	20 000
301. (304)	Signals, smoke, without explosive sound unit	UN0197	1.4G	102	75 kg P	20	-	N. Rqd.
302. (114)	Sodium dinitro-o-cresolate, dry or wetted with less than 15 per cent water, by mass	UN0234	1.3C	26 10 22	P P P	P P P	2000 2000 20 000	20 000

SCHEDULE II—Con.
LIST I—Con.
EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
303. (265)	Sodium picramate, dry or wetted with less than 20 per cent water, by mass	1.3C	22	P	P	P	2000	20 000
304. (299)	Sodium salts of aromatic nitro-derivatives, n.o.s. explosive	1.3C	22	P	P	P	2000	20 000
305. (38)	Sounding devices, explosive	1.2F	26	P	P	P	P	P
306. (39)	Sounding devices, explosive	1.1F	102	P	P	P	P	P
307. (40)	Sounding devices, explosive	1.1E	102	P	P	P	2000	20 000
308. (41)	Sounding devices, explosive	1.2E	102	P	P	P	2000	20 000
309. (183)	Squibs	1.4B	102	75 kg P	P	100 units	—	100% C.C.
310. (184)	Squibs	1.4G	26	75 kg P	P	100 units	—	100% C.C.
311. (182)	Squibs	1.4S		100 kg 25 kg	3	100 units	—	N. Rqd.
312. (02)	Styphnic acid, see Trinitroresorcinol							
313. (185)	Substances, explosive, n.o.s.*	1.1L	47	P	P	P	P	P
314. (186)	Substances, explosive, n.o.s.*	1.2L	102	P	P	P	P	P
315. (187)	Substances, explosive, n.o.s.*	1.3L	47	P	P	P	P	P
316. (313)	Tetraaminoaniline	1.1D	22	P	P	P	2000	20 000
317. (317)	Tetrazene, see Guanyl nitrosaminoguanyl-tetrazene		102					
318. (03)	Tetrazol-1-acetic acid	1.4C	26	75 kg P	P	P	2000	20 000
319. (-)	Tetryl, see Trinitrophenylmethylnitramine							
320. (-)	TNT, see Trinitrotoluene							
321. (324)	Torpedoes, with bursting charge	1.1E	22	P	P	P	2000	20 000
322. (325)	Torpedoes, with bursting charge	1.1F	102	P	P	P	P	P
323. (327)	Tracers for ammunition	1.3G	102	P	P	P	2000	20 000
324. (328)	Tracers for ammunition	1.4G	26	75 kg P	3	75	2000	20 000
325. (329)	Trinitroaniline or Picramide	1.1D	22	P	P	75	2000	20 000
			26					
			102					

326. (330)	Trinitroanisole	UN0213	1.1D	22 26	P	P	2000	20 000
327. (331)	Trinitrobenzene, dry or wetted with less than 30 per cent water, by mass	UN0214	1.1D	102 10 22 26	P	P	2000	20 000
328. (04)	Trinitrobenzenesulphonic acid	UN0386	1.1L	102 7	P	P	2000	20 000
329. (05)	Trinitrobenzoic acid, dry or wetted with less than 30 per cent water, by mass	UN0215	1.1D	102 10 22 26	P	P	2000	20 000
330. (332)	Trinitrochlorobenzene or Picryl chloride	UN0155	1.1D	102 10 22 26	P	P	75 2000	20 000
331. (333)	Trinitro-m-cresol	UN0216	1.1D	102 22 26	P	P	2000	20 000
332. (334)	Trinitrofluorenone	UN0387	1.1D	102 22 26	P	P	2000	20 000
333. (335)	Trinitronaphthalene	UN0217	1.1D	102 22 26	P	P	2000	20 000
334. (336)	Trinitrophenetole	UN0218	1.1D	102 22 26	P	P	2000	20 000
335. (337)	Trinitrophenol, or Picric acid, dry or wetted with less than 30 per cent water, by mass	UN0154	1.1D	102 10 22 26	P	P	75 200	20 000
336. (338)	Trinitrophenylmethylnitramine or Tetryl	UN0208	1.1D	102 22 26	P	P	2000	20 000
337. (341)	Trinitroresorcinol, or Styphnic acid, dry or wetted with less than 20 per cent water, by mass, or mixture of alcohol and water	UN0219	1.1D	102 22 26	P	P	2000	20 000
338. (340)	Trinitroresorcinol, wetted or Styphnic acid, wetted with not less than 20 per cent water, by mass, or mixture of alcohol and water	UN0394	1.1D	102 22 26 102	P	P	2000	20 000
339. (342)	Trinitrotoluene, or TNT dry or wetted with less than 30 per cent water, by mass	UN0209	1.1D	10 21 22 26	P	P	75 2000	20 000
340. (344)	Trinitrotoluene and Trinitrobenzene mixtures or TNT and Trinitrobenzene mixtures or Hexanitrostilbene mixtures	UN0388	1.1D	102 22 26 102	P	P	2000	20 000
341. (343)	Trinitrotoluene mixtures containing Trinitrobenzene and Hexanitrostilbene or TNT mixtures containing Trinitrobenzene and Hexanitrostilbene	UN0389	1.1D	22 26 102	P	P	2000	20 000
342. (345)	Tritonal	UN0390	1.1D	22 26	P	P	2000	20 000
343. (226)	Urea nitrate, dry or wetted with less than 20 per cent water, by mass	UN0220	1.1D	102 15 22 26 102	P	P	2000	20 000

SCHEDULE II—Conc.
LIST I—Conc.
EXPLOSIVES—Conc.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
344. (310)	Warheads, rocket, with bursting or expelling charge	UN0370	1.4D	26	p	p	—	N. Rqd.
345. (311)	Warheads, rocket, with bursting or expelling charge	UN0371	1.4F	26	p	p	p	p
346. (307)	Warheads, rocket, with bursting charge	UN0286	1.1D	22 26	p	p	2000	20 000
347. (308)	Warheads, rocket, with bursting charge	UN0287	1.2D	102 22 26	p	p	2000	20 000
348. (309)	Warheads, rocket, with bursting charge	UN0369	1.1F	102	p	p	p	p
349. (312)	Warheads, torpedo with bursting charge	UN0221	1.1D	102 22 26	p	p	2000	20 000
350. (266)	Zirconium picramate, dry or wetted with less than 20 per cent water, by mass	UN0236	1.3C	102 22 26	p	p	2000	20 000

LIST II

DANGEROUS GOODS OTHER THAN EXPLOSIVES

Item	Col. I Description and Shipping Name	Col. II Product Identification Number	Col. III Classification	Col. IV Special provisions	Col. V IMO Classification	Col. VI ICAO Classification	Col. VII Packaging Group	Col. VIII Maximum Net Quantity Per Package or Prohibition Passenger Aircraft & Passenger Vehicles	Col. IX Cargo Aircraft
1. (408)	Accumulators, electric, see Batteries								
2. (8)	Accumulators, pressurized, (pneumatic or hydraulic) with non-flammable gas	1956	2.2	37	-	2	-	NL	NL
3. (9)	Acetal	1088	3.1	99	3.1	3	II	5 L	60 L
4. (10)	Acetaldehyde	1089	3.1 9.2	46 56 90 99	3.1	3	I	p	30 L
5.	Acetaldehyde ammonia	1841	9.2	44	9	9	III	200 kg	200 kg
6. (226)	Acetaldehyde oxime	2332	3.3	73	3.3	3	II	5 L	60 L
7. (11)	Acetic acid, glacial or Acetic acid solution, more than 80 per cent acid, by mass	2789	8	81	8	8	II	1 L	30 L
8. (50)	Acetic acid solution, more than 10 per cent but not more than 80 per cent acid, by mass	2790	9.2	8	3	8	II	1 L	30 L
9. (48)	Acetic acid solution, more than 25 per cent but not more than 50 per cent acid, by mass	2790	9.2		8	-	III	-	-
10. (305)	Acetic anhydride	1715	8		8	8	II	1 L	30 L
11. (39)	Acetone	1090	3.1	99	3.1	3	II	5 L	60 L
12. (851)	Acetone cyanohydrin	1541	6.1 9.2	46 56 90 98 99	6.1	6.1	I	p	30 L
13. (1597)	Acetone oils	1091	3.2	102	3.2	3	II	5 L	60 L
14. (40)	Acetonitrile, see Methyl cyanide								
15. (2240)	Acetyl acetone peroxide or 3,5-Dimethyl-3,5-dihydroxydioxolane-1,2, not more than 40 per cent in solution, and not more than 9 per cent active oxygen, by mass	2080	5.2	46 48 56 83 99	5.2	5.2	II	5 L	10 L

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
16. (2243)	Acetyl benzoyl peroxide, solid	—	47	—	—	—	—	—
17. (2242)	Acetyl benzoyl peroxide, <i>not more than 45 per cent in solution</i>	5.2	46 48 56 83 99	5.2	5.2	II	5 L	10 L
18. (489)	Acetyl bromide	8	8	8	8	II	1 L	30 L
19. (717)	Acetyl chloride	9.2 3.2 8	9.2 3.2 8	3.2 8	3 8	II	1 L	5 L
20. (2245)	Acetyl cyclohexanesulphonyl peroxide, <i>not more than 32 per cent in solution</i>	9.2 5.2	46 48 56 83 99	5.2	5.2	II	p	p
21. (2244)	Acetyl cyclohexanesulphonyl peroxide, <i>not more than 8.2 per cent, uniformly wetted with not less than 12 per cent water</i>	5.2 E	46 48 56 83 99 -10°C	5.2 E	5.2 E	I	p	p
22. (41)	Acetylene, dissolved or Acetylene	2.1	46 48 56 102 47 -10°C	2.1	2 3	X	p	15 kg
23. (42)	Acetylene, liquified	—	47	—	—	—	—	—
24. (2002)	Acetylene silver nitrate	—	47	—	—	—	—	—
25. (2901)	Acetylene tetrabromide, <i>see</i> Tetrabromoe- thane	8	8	8	8	II	1 L	30 L
26. (1682)	Acetyl iodide	1898	1898	1898	1898	II	1 L	30 L
27. (43)	Acetyl methyl carbinol	2621	2621	2621	2621	III	60 L	220 L
28. (2241)	Acetyl peroxide, <i>see</i> Diacetyl peroxide	—	73	3.3	3	III	60 L	220 L
29. (2575)	Acid butyl phosphate, <i>see</i> Butyl acid phos- phate	—	—	—	—	—	—	—
30. (156)	Acid, sludge, <i>see</i> Sludge acid	—	—	—	—	—	—	—
31. (163)	Acridine	2713	4.1	4.1	4.1	III	25 kg	100 kg
32. (165)	Acrolein, inhibited	1092	46 56 84 99	3.1 6.1 9.2	3 6.1	I	p	30 L

33. (164)	Acrolein dimer, stabilized	2607	3.3	73	3.3	3	II	5 L	60 L
34. (166)	Acrylamide	2074	NR	81	6.1	6.1	III	100 kg	200 kg
35. (51)	Acrylic acid, inhibited	2218	8	84	8	8	II	1 L	30 L
36. (2052)	Acrylonitrile, inhibited	1093	3.2 6.1 9.2	46 51 56 84 99	3.2 6.1	3 6.1	I	P	30 L
37. (811)	ADHESIVES containing a liquid having a flash point less than -18°C	1133	3.1	102	3.1	3	II	5 L	60 L
38. (812)	ADHESIVES containing a liquid having a flash point not less than -18°C but less than 23°C	1133	3.2	99	3.2	3	II	5 L	60 L
39. (813)	ADHESIVES containing a liquid having a flash point not less than 23°C but less than 61°C	1133	—	73	3.3	3	II	5 L	60 L
40. (814)	ADHESIVES containing a liquid having a flash point not less than 23°C but less than 37.8°C	1133	3.3	—	—	3	III	60 L	220 L
41. (815)	ADHESIVES containing a liquid having a flash point not less than 37.8°C but less than 61°C	1133	NR	73	—	3	III	60 L	220 L
42. (52)	Adipic acid	9077	9.2	49	—	—	III	—	—
43. (171)	Adiponitrile	2205	NR	73	6.1	6.1	III	60 L	220 L
44. (188)	Aerosol dispensers or Aerosol product, see Aerosols								
45. (173)	AEROSOLS, containing any quantity of a poisonous gas	1950	2.3	47 92	—	—	X	—	—
46. (172)	AEROSOLS, containing compressed oxygen	1950	2.2 5.1	100 96	—	—	X	—	—
47. (180)	AEROSOLS, containing more than 10 per cent by mass of total contents as a flammable gas	1950	2.1	100 45 56	2.1	—	X	—	—
48. (183)	AEROSOLS, containing more than 10 per cent by mass of total contents as a flammable gas, and more than 5 per cent corrosive material	1950	2.1 8	96 46 56 92 96 100	—	—	X	—	—
49. (182)	AEROSOLS, containing more than 10 per cent by mass of total contents as a flammable gas, and more than 35 per cent flammable liquid	1950	2.1	45 56 96	—	—	X	—	—
50. (181)	AEROSOLS, containing more than 10 per cent by mass of total contents as a flammable gas, and more than 10 per cent poisonous material	1950	2.1 6.1	100 46 56 92 96	—	—	X	—	—
51. (184)	AEROSOLS, containing more than 10 per cent by mass of total contents as a non-flammable, non-poisonous gas	1950	2.2	100 45 96	—	—	X	—	—
52. (186)	AEROSOLS, containing more than 10 per cent by mass of total contents as a non-flammable, non-poisonous gas, and more than 5 percent corrosive material	1950	2.2 8	100 46 56 92 96 100	—	—	X	—	—

SCHEDULE II—Con.
LIST II—Con.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
53. (185)	AEROSOLS, containing more than 10 per cent by mass of total contents as a non-flammable, non-poisonous gas, and more than 35 per cent flammable liquid	1950	2.1	45 56 100	—	—	X	—	—
54. (187)	AEROSOLS, containing more than 10 per cent by mass of total contents as a non-flammable, non-poisonous gas, and more than 10 per cent poisonous material	1950	2.3	46 56 96 100	—	—	X	—	—
55. (174)	Aerosols, containing not more than 10 per cent by mass of total contents as a non-poisonous gas	1950	9.1	45 96 100	—	—	X	—	—
56. (175)	AEROSOLS, containing not more than 10 per cent by mass of total contents as a non-poisonous gas, with more than 5 per cent corrosive material	1950	8	45 96 100	—	—	X	—	—
57. (176)	AEROSOLS, containing not more than 10 per cent by mass of total contents as a non-poisonous gas, with more than 45 per cent flammable liquid	1950	3.1	45 75 96 100	—	—	X	—	—
58. (177)	AEROSOLS, containing not more than 10 per cent by mass of total contents as a non-poisonous gas, with more than 45 per cent flammable liquid	1950	3.2	45 75 96 100	—	—	X	—	—
59. (178)	AEROSOLS, containing not more than 10 per cent by mass of total contents as a non-poisonous gas, with more than 45 per cent flammable liquid	1950	3.3	45 75 96 100	—	—	X	—	—
60. (179)	AEROSOLS, containing not more than 10 per cent by mass of total contents as a non-poisonous gas, with more than 10 per cent poisonous material	1950	6.1	45 75 92 100	—	—	X	—	—
61. (190)	Air, compressed	1002	2.2	100	2.2	2	X	75 kg	150 kg
62. (191)	Air, refrigerated liquid, non-pressurized	1003	2.2	46	2.2	2	X	P	P
63. (192)	Air, refrigerated liquid, pressurized or low pressure, less than 175 kPa	1003	5.1 2.2 5.1	100 46 90 100	5.1 2.2 5.1	5.1	X	P	150 kg
64. (2975)	Aircraft evacuation slides, see Life-rafts, inflatable								
65. (2731)	Aircraft hydraulic power unit fuel tank (with a mixture of anhydrous hydrazine and monomethyl hydrazine) (M86 fuel)	9001	3.1 6.1 8	46 90	—	3 6.1 8	I	P	42 L
66. (1301)	Aircraft survival kits, see Life-rafts, inflatable								
67. (1246)	Aircraft thrust device for assisted take-off	2791	4.1	46 90 99	4.1	4.1	II	P	250 kg

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
98. (1878)	Alkali metal amalgams, n.o.s., <i>liquid</i>	1389	4.3	4.3	4.3	I	p	1 L
99. (1879)	Alkali metal amalgams, n.o.s. <i>solid</i>	1389	4.3	4.3	4.3	I	p	15 kg
100. (1880)	Alkali metal amides, n.o.s.	1390	4.3	4.3	4.3	II	15 kg	50 kg
101. (1881)	Alkali metal dispersions n.o.s. or Alkali earth metal dispersions, n.o.s.	1391	4.3	4.3	4.3	I	p	1 L
102. (1874)	Alkaline earth metal alloys, n.o.s.	1393	4.3	4.3	4.3	II	15 kg	50 kg
103. (1875)	Alkaline earth metal amalgams, n.o.s.	1392	4.3	4.3	4.3	I	p	15 kg
104. (193)	ALKALOIDS, N.O.S.* or ALKALOID SALTS, N.O.S.*; <i>poisonous, liquid</i>	1544	6.1	6.1	6.1	I	1 L	30 L
105. (194)	ALKALOIDS, N.O.S.* or ALKALOID SALTS, N.O.S.*; <i>poisonous, liquid</i>	1544	6.1	6.1	6.1	II	5 L	60 L
106. (195)	ALKALOIDS, N.O.S.* or ALKALOID SALTS, N.O.S.*; <i>poisonous, liquid</i>	1544	NR	6.1	6.1	III	60 L	220 L
107. (196)	ALKALOIDS, N.O.S.* or ALKALOID SALTS, N.O.S.*; <i>poisonous, solid</i>	1544	6.1	6.1	6.1	I	5 kg	50 kg
108. (197)	ALKALOIDS, N.O.S.* or ALKALOID SALTS, N.O.S.*; <i>poisonous, solid</i>	1544	6.1	6.1	6.1	II	25 kg	100 kg
109. (198)	ALKALOIDS, N.O.S.* or ALKALOID SALTS, N.O.S.*; <i>poisonous, solid</i>	1544	NR	6.1	6.1	III	100 kg	200 kg
110. (53)	Alkanesulphonic acid, <i>see</i> Alkyl, Aryl or Toluene sulphonic acid							
111. (54)	Alkyl, Aryl or Toluene sulphonic acid, liquid with more than 5 per cent free sulphuric acid	2584	8	60	8	II	1 L	30 L
112. (55)	Alkyl, Aryl or Toluene sulphonic acid, liquid with not more than 5 per cent free sulphuric acid	2586	8		8	III	5 L	60 L
113. (56)	Alkyl, Aryl or Toluene sulphonic acid, solid with more than 5 per cent free sulphuric acid	2583	8	60	8	II	15 kg	50 kg
114. (57)	Alkyl, Aryl or Toluene sulphonic acid, solid with not more than 5 per cent free sulphuric acid	2585	8		8	III	25 kg	100 kg
115. (252)	ALKYLAMINES, N.O.S. or POLYALKYLAMINES, N.O.S. <i>corrosive</i>	2735	8	46	—	I	0.5 L	2.5 L
116. (253)	ALKYLAMINES, N.O.S. or POLYALKYLAMINES, N.O.S. <i>corrosive</i>	2735	8	89	—	II	1 L	30 L
117. (254)	ALKYLAMINES, N.O.S. or POLYALKYLAMINES, N.O.S. <i>corrosive</i>	2735	8	8	8	III	5 L	60 L

118. (255)	ALKYLAMINES, N.O.S. or POLYALKYLAMINES, N.O.S., <i>corrosive, flammable</i>	2734	8 3	46	—	8 3	I	0.5 L	2.5 L
119. (256)	ALKYLAMINES, N.O.S. or POLYALKYLAMINES, N.O.S., <i>corrosive, flammable</i>	2734	8 3	8 3	8 3	8 3	II	1 L	30 L
120. (257)	ALKYLAMINES, N.O.S. or POLYALKYLAMINES, N.O.S., <i>flammable, corrosive</i>	2733	3.2 8	3.2 8	3.2 8	3 8	II	1 L	5 L
121. (258)	ALKYLAMINES, N.O.S. or POLYALKYLAMINES, N.O.S., <i>flammable, corrosive</i>	2733	3.2 8	—	—	3 8	III	5 L	60 L
122. (259)	Alkyl phenols, n.o.s. (C2-C8 homologues), <i>liquid</i>	2430	NR	6.1	6.1	6.1	III	60 L	220 L
123. (260)	Alkyl phenols, n.o.s. (C2-C8 homologues), <i>solid</i>	2430	NR	6.1	6.1	6.1	III	100 kg	200 kg
124. (261)	Allene, <i>see</i> Propadiene								
125. (262)	Allethrin	2902	9.2	55	—	—	III	—	—
126. (14)	Allyl acetate	2333	3.2	99	3.2	3	II	1 L	60 L
127. (199)	Allyl alcohol	1098	6.1 3.2 6.1 9.2	46	6.1 3.2 6.1	6.1	I	P	30 L
128. (269)	Allylamine	2334	3.1 6.1	46 99	3.1 6.1	3 6.1	I	P	30 L
129. (490)	Allyl bromide	1099	3.2	46	3.2	3	I	P	30 L
130. (718)	Allyl chloride	1100	6.1 3.1 6.1 9.2	56 46 56 99	6.1 3.1 6.1	6.1	I	P	30 L
131. (658)	Allyl chlorocarbonate, <i>see</i> Allyl chloroformate								
132. (668)	Allyl chloroformate or Allyl chlorocarbonate	1722	8	46 56 99	8 3	8	I	P	2.5 L
133. (1327)	Allyl ethyl ether	2335	3.2	99	3.2	3	II	1 L	60 L
134. (1461)	Allyl formate	2336	6.1 3.2	6.1 46	6.1 3.2	6.1 3	I	P	30 L
135. (1328)	Allyl glycidyl ether	2219	6.1 NR	99 73	6.1 3.3	6.1 3	III	60 L	220 L
136. (1683)	Allyl iodide	1723	3.2 8	46 84	3.2 8	3 8	I	0.5 L	2.5 L
137. (1733)	Allyl isothiocyanate, inhibited	1545	6.1	99	6.1	6.1	II	P	60 L
138. (270)	Allylrichlorosilane, stabilized	1724	8	99 46 56 84	8 3	8	II	P	30 L
139. (1529)	Aluminum alkyl halides	3052	4.2	46 56 90	—	4.2	I	P	P
140. (277)	Aluminum alkyls	3051	4.2	46 56 100	—	4.2	I	P	P
141. (450)	Aluminum borohydride or Aluminum borohydride in devices or products	2870	4.2 4.3	46 48 99	4.2 4.3	4.2 4.3	I	P	P

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
142. (491)	Aluminum bromide, anhydrous	1725	8	8	8	II	15 kg	50 kg
143. (492)	Aluminum bromide, solution	2580	8	8	8	III	5 L	60 L
144. (578)	Aluminum carbide	1394	4.3	4.3	4.3	II	15 kg	50 kg
145. (719)	Aluminum chloride, anhydrous	1726	8	8	8	II	15 kg	50 kg
146. (720)	Aluminum chloride, solution	2581	8	8	8	III	5 L	60 L
147. (276)	Aluminum dross, wet or hot		—	—	—	—	—	—
148. (282)	Aluminum ferrosilicon powder	1395	4.3	4.3	4.3	II	15 kg	50 kg
149. (1634)	Aluminum hydride	2463	4.3	4.3	4.3	I	p	15 kg
			48					
			56					
			99					
150. (1997)	Aluminum nitrate	1438	5.1	5.1	5.1	III	25 kg	100 kg
151. (2574)	Aluminum phosphate solution	1760	8	—	—	II	—	—
152. (2598)	Aluminum phosphide	1397	4.3	4.3	4.3	I	p	15 kg
			6.1	6.1	6.1			
			99					
153. (2472)	Aluminum phosphide pesticides	3048	6.1	—	6.1	I	p	15 kg
			102					
			32					
			46					
			48					
154. (273)	Aluminum powder, coated, with not less than 20 per cent of powder having a particle size less than 250 micrometres	1309	4.1	4.1	4.1	II	15 kg	50 kg
155. (275)	Aluminum powder, uncoated, non-pyrophoric metals, n.o.s.	1396	4.3	4.3	4.3	II	15 kg	50 kg
156. (274)	Aluminum powder, uncoated, non-pyrophoric	2715	4.1	4.1	4.1	II	25 kg	100 kg
157. (2732)	Aluminum resinates	1398	4.3	4.3	4.3	III	25 kg	100 kg
158. (2780)	Aluminum silicon powder, uncoated	9078	9.2	—	—	III	—	—
159. (2842)	Aluminum sulphate, solid	1760	8	—	—	III	—	—
160. (2841)	Aluminum sulphate, solution	2673	9.2	6.1	6.1	II	25 kg	100 kg
161. (287)	2-Amino-4-chlorophenol	2946	NR	6.1	6.1	III	60 L	220 L
162. (288)	2-Amino-5-diethylaminopentane	3055	8	—	8	III	5 L	60 L
163. (289)	2-(2-Aminoethoxy) ethanol							

164. (290)	N-Aminoethylpiperazine	2815	8		8	8	III	5 L	60 L
165. (291)	Aminophenols (<i>o-m-p-</i>)	2512	NR		6.1	6.1	III	100 kg	200 kg
166. (292)	Aminopropylmethanamine	1760	8	55	—	—	II	—	—
167. (293)	N-Aminopropylmorpholine	1760	8	55	—	—	II	—	—
168. (294)	Aminopyridines (<i>o-m-p-</i>)	2671	6.1		6.1	6.1	II	25 kg	100 kg
169. (295)	Ammonia, anhydrous, liquefied or Ammonia solutions, relative density (spe- cific gravity) less than 0.880 at 15°C in water, with more than 50 per cent ammonia	1005	2.4 9.2	46 56 99 102	2.3 3 6.1	2 3 6.1	X	p	25 kg
170. (298)	Ammonia solutions or Ammonium hydroxide, relative density (specific gravity) between 0.880 and 0.957 at 15°C in water, with more than 10 per cent but not more than 35 per cent ammonia	2672	8 9.2		8	8	III	5 L	60 L
171. (297)	Ammonia solutions or Ammonium hydroxide with not more than 10 per cent ammonia	2672	9.1	49	—	—	III	—	—
172. (296)	Ammonia solutions, relative density (spe- cific gravity) less than 0.880 at 15°C in water, with more than 35 per cent but not more than 50 per cent ammonia	2073	2.4 9.2	56 90 99	2.2	2	X	p	150 kg
173. (15)	Ammonium acetate	9079	9.2	49	—	—	III	—	—
174. (333)	Ammonium arsenate	1546	6.1		6.1	6.1	II	25 kg	100 kg
175. (380)	Ammonium azide		—	47	—	—	—	—	—
176. (417)	Ammonium benzoate	9080	9.2	49	—	—	III	—	—
177. (426)	Ammonium bicarbonate	9081	9.2	49	—	—	III	—	—
178. (-)	Ammonium bifluoride, <i>see</i> Ammonium hydrogen fluoride								
179. (438)	Ammonium bisulphate, solid	2693	8	34 55	8	—	III	—	—
180. (437)	Ammonium bisulphite, solution	2693	9.2	55	8	—	II	—	—
181. (460)	Ammonium bromate		—	47	—	—	—	—	—
182. (566)	Ammonium carbamate	9083	9.2	49	—	—	III	—	—
183. (570)	Ammonium carbonate	9084	9.2	49	—	—	III	—	—
184. (613)	Ammonium chlorate		—	47	—	—	—	—	—
185. (721)	Ammonium chloride	9085	9.2	49	—	—	III	—	—
186. (637)	Ammonium chlorite		—	47	—	—	—	—	—
187. (799)	Ammonium chromate	9086	9.2	49	—	—	III	—	—
188. (806)	Ammonium citrate, dibasic	9087	9.2	49	—	—	III	—	—
189. (1108)	Ammonium dichromate	1439	5.1 9.2		5.1	5.1	II	5 kg	25 kg
190. (299)	Ammonium dinitro-o-cresolate	1843	6.1	90	6.1	6.1	II	p	100 kg

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
191. (1418)	Ammonium fluoroborate	8	34	—	—	III	—	—
192. (1437)	Ammonium fluoride	9.2	49	—	—	—	—	—
193.	Ammonium fluoride	8	—	6.1	6.1	III	100 kg	200 kg
193. (1427)	Ammonium fluorosilicate or Ammonium silicofluoride	9.2	—	—	—	—	—	—
194.	Ammonium fulminate	8	—	6.1	6.1	III	100 kg	200 kg
194. (1470)	Ammonium fulminate	9.2	47	—	—	—	—	—
195.	Ammonium hydrogen fluoride, solid or	8	—	8	8	II	15 kg	50 kg
195. (430)	Ammonium bifluoride, solid	9.2	—	—	—	—	—	—
196.	Ammonium hydrogen fluoride, solution or	8	—	8	8	II	1 L	30 L
196. (429)	Ammonium bifluoride, solution	6.1	—	6.1	6.1	—	—	—
197.	Ammonium hydrogen sulphate or	9.2	—	—	—	—	—	—
197. (1611)	Ammonium bisulphate	8	46	8	8	II	15 kg	50 kg
198.	Ammonium hydrosulphide, solution	9.2	—	—	—	—	—	—
198. (1639)	Ammonium hydrosulphide, solution	9.2	55	—	—	III	—	—
199.	Ammonium hydroxide, <i>see</i> Ammonia	—	—	—	—	—	—	—
199. (1640)	solutions	—	—	—	—	—	—	—
200.	Ammonium metavanadate	6.1	—	6.1	6.1	II	25 kg	100 kg
200. (1887)	Ammonium nitrate with not more than	5.1	46	5.1	5.1	III	25 kg	100 kg
201.	0.2 per cent combustible substances,	83	—	—	—	—	—	—
201. (1998)	including any organic substance calculated as carbon, to the exclusion of any other added substance	100	—	—	—	—	—	—
202.	Ammonium nitrate fertilizers: uniform	—	—	—	—	—	—	—
202. (1294)	Ammonium nitrate fertilizers: uniform non-segregating mixtures of ammonium nitrate with added matter which is inorganic and chemically inert towards ammonium nitrate, with not less than 90 per cent ammonium nitrate and not more than 0.2 per cent combustible material (including organic material calculated as carbon), or with more than 70 per cent but less than 90 per cent ammonium nitrate and not more than 0.4 per cent total combustible material	5.1	83	5.1	5.1	III	25 kg	100 kg
203.	Ammonium nitrate fertilizers: uniform	—	—	—	—	—	—	—
203. (1290)	non-segregating mixtures of ammonium nitrate/ ammonium sulphate, with more than 45 per cent but not more than 70 per cent ammonium nitrate and not more than 0.4 per cent total combustible material	5.1	83	5.1	5.1	III	25 kg	100 kg
204.	Ammonium nitrate fertilizers: uniform	—	—	—	—	—	—	—
204. (1293)	non-segregating mixtures of ammonium nitrate with calcium carbonate and/or dolomite, with more than 80 per cent but less than 90 per cent ammonium nitrate, and not more than 0.4 per cent total combustible material	5.1	83	5.1	5.1	III	25 kg	100 kg

205. (1292)	Ammonium nitrate fertilizers: uniform non-segregating mixtures of nitrogen/phosphate or nitrogen/potash types or complete fertilizers of nitrogen/phosphate/ potash type, with more than 70 per cent but less than 90 per cent ammonium nitrate, and not more than 0.4 per cent total combustible material	2070	5.1	83 99	5.1	5.1	III	25 kg	100 kg
206. (1291)	Ammonium nitrate fertilizers: uniform non-segregating mixtures of nitrogen/phosphate or nitrogen/potash types or complete fertilizers of nitrogen/phosphate/ potash type, with not more than 70 per cent ammonium nitrate, and not more than 0.4 per cent total	2071	9.1	44 83 100	9	9	III	200 kg	200 kg
	Ammonium nitrate fertilizers, n.o.s.	2072	5.1		5.1	5.1	II	5 kg	25 kg
	Ammonium nitrate, liquid (hot concentrated solution)	2426	5.1	46 56	p	5.1	II	p	p
	Ammonium nitrite		—	47	—	—	—	—	—
	Ammonium oxalate	2449	9.2	55	—	—	III	—	—
207. (1295)	Ammonium nitrate, liquid (hot concentrated solution)	1442	5.1	30 46	5.1	5.1	II	5 kg	25 kg
	Ammonium perchlorate		E	99	—	—	—	—	—
	Ammonium permanganate	9190	5.1	46 48	—	—	II	—	—
213. (2359)	Ammonium persulphate	1444	5.1		5.1	5.1	III	25 kg	100 kg
	Ammonium picrate, wetted uniformly with not less than 10 per cent water, by mass	1310	4.1	10 46 48 58 99	4.1	4.1	I	0.5 kg	0.5 kg
215. (2627)	Ammonium polysulphide, solution	2818	8 6.1 6.1		8 6.1 6.1	8 6.1 6.1	II	1 L	30 L
	Ammonium polyvanadate	2861					II	25 kg	100 kg
	Ammonium silicofluoride, see Ammonium fluorosilicate								
	Ammonium sulphamate	9089	9.2	49	—	—	III	—	—
	Ammonium sulphate nitrate	1477	9.2	55	—	—	III	—	—
219. (2043)	Ammonium sulphide, solution	2683	8 6.1 3		8 6.1 3	8 6.1 3	II	1 L	30 L
	Ammonium sulphite	9090	9.2	49	—	—	III	—	—
	Ammonium tartrate	9091	9.2	49	—	—	III	—	—
223. (2958)	Ammonium thiocyanate	9092	9.2	49	—	—	III	—	—
	Ammonium thiosulphate	9093	9.2	49	—	—	III	—	—

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
225. (1965)	2017	6.1 8	46 48 56 90 99 102	6.1 8	6.1 8	II	P	50 kg
<i>Ammunition, tear-producing, non-explosive without burster or expelling charge, non-fuzed</i>								
226. (1966)	2016	6.1	46 48 90 99 102	6.1	6.1	II	P	100 kg
<i>Ammunition, toxic, non-explosive without burster or expelling charge, non-fuzed</i>								
227. (35)	1104	3.2 9.2	102	3.2	3	II	5 L	60 L
228. (36)	1104	3.3 9.2	81	3.3	3	II	5 L	60 L
229. (2569)	2819	8		8	8	III	5 L	60 L
230. (216)	1105	3.2		3.2	3	II	5 L	60 L
231. (217)	1105	3.2	89	—	3	III	60 L	220 L
232. (218)	1105	—	100	3.3	3	II	5 L	60 L
233. (219)	1105	3.3	81 89	—	3	III	60 L	220 L
234. (230)								
235. (301)	1106	3.2		3.2	3	II	5 L	60 L
236. (547)	2620	NR	73	3.3	3	III	60 L	220 L
237. (722)	1107	3.2		3.2	3	II	5 L	60 L
238. (302)	1108	3.1	46 99	3.1	3	I	1 L	30 L
239. (1468)	1109	3.3	81	3.3	3	II	5 L	60 L
240. (1850)	1111	3.2	46 56	3.2	3	II	5 L	60 L
241. (303)	1110	NR	73	3.3	3	III	60 L	220 L
242. (2000)	1112	3.3	81	3.3	3	II	5 L	60 L
243. (2054)	1113	3.1	99	3.1	3	II	5 L	60 L
244. (2235)	3044	5.2	48 83 100	—	5.2	II	5 L	10 L
<i>tert-Amylperoxybenzoate, not more than 9.2 per cent in solution</i>								

245. (2347)	tert-Amyl peroxy-2-ethylhexanoate, <i>technically pure</i>	2898	5.2	46 48 56 99	5.2	5.2	II	P	P
246. (2350)	tert-Amyl peroxydecanoate, <i>not more than 75 per cent, with phlegmaliser</i>	2891	5.2	+20°C 46 48 56 83 99	5.2	5.2	II	P	P
247. (2355)	tert-Amyl peroxyvalerate, <i>not more than 77 per cent in solution</i>	2957	5.2	0°C +10°C 46 48 56 83 99	5.2	5.2	II	P	P
248. (304)	Amyltri-chlorosilane	1728	8	+10°C 46 46 56 90	8	8	II	P	30 L
249. (296)	Anhydrous ammonia, <i>see</i> Ammonia,								
250. (314)	Aniline	1547	6.1 9.2	46 56 90	6.1	6.1	II	P	60 L
251. (681)	Aniline hydrochloride	1548	NR	90	6.1	6.1	III	100 kg	200 kg
252. (315)	Anisidines, liquid	2431	NR	73	6.1	6.1	III	60 L	220 L
253. (316)	Anisidines, solid	2431	NR	73	6.1	6.1	III	100 kg	200 kg
254. (317)	Anisole	2222	NR	73	3.3	3	III	60 L	220 L
255. (723)	Anisoyl chloride	1729	8		8	8	II	1 L	30 L
256. (320)	Antifreeze compound or preparation, liquid, <i>see</i> Flammable liquid preparations, n.o.s.								
257. (321)	ANTIMONY COMPOUNDS, INORGANIC, N.O.S., liquid	1549	6.1	46 94	6.1	6.1	I	1 L	30 L
258. (322)	ANTIMONY COMPOUNDS, INORGANIC, N.O.S., liquid	1549	6.1		6.1	6.1	II	5 L	60 L
259. (323)	ANTIMONY COMPOUNDS, INORGANIC, N.O.S., liquid	1549	NR		6.1	6.1	III	60 L	220 L
260. (324)	ANTIMONY COMPOUNDS, INORGANIC, N.O.S., solid	1549	6.1	46 93	6.1	6.1	I	5 kg	50 kg
261. (325)	ANTIMONY COMPOUNDS, INORGANIC, N.O.S., solid	1549	6.1		6.1	6.1	II	25 kg	100 kg
262. (326)	ANTIMONY COMPOUNDS, INORGANIC, N.O.S., solid	1549	NR		6.1	6.1	III	100 kg	200 kg
263. (1744)	Antimony lactate	1550	NR		6.1	6.1	III	100 kg	200 kg
264. (2186)	Antimony pentachloride, liquid or Antimony pentachloride	1730	8 9.2	46	8	8	II	1 L	30 L
265. (2185)	Antimony pentachloride, solution	1731	8 9.2		8	8	II	1 L	30 L
266. (2189)	Antimony pentafluoride	1732	8 6.1	46 56 90 99	8 6.1	8 6.1	II	P	30 L

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
267. (2884)	Antimony potassium tartrate	1551	9.2	6.1	6.1	III	100 kg	200 kg
268. (327)	Antimony powder	2871	NR	6.1	6.1	III	100 kg	200 kg
269. (2866)	Antimony sulphide, solid	1325	4.3	—	—	III	—	—
270. (2867)	Antimony sulphide and a Chlorate, mix- tures of	—	—	—	—	—	—	—
271. (2991)	Antimony tribromide, solid	1549	8	—	—	II	—	—
272. (2990)	Antimony tribromide, solution	1549	8	—	—	II	—	—
273. (3004)	Antimony trichloride, solid	1733	8	8	8	II	15 kg	50 kg
274. (3003)	Antimony trichloride, solution	1733	8	8	8	II	1 L	30 L
275. (3021)	Antimony trifluoride, solid	1549	8	—	—	II	—	—
276. (3020)	Antimony trifluoride, solution	1549	8	—	—	II	—	—
277. (3070)	Antimony trioxide	9201	9.2	40	—	III	—	—
278. (330)	Argon, compressed	1006	2.2	2.2	2	X	75 kg	150 kg
279. (331)	Argon, refrigerated liquid or Argon, liquid pressurized	1951	2.2	2.2	2	X	50 kg	500 kg
280. (350)	Arsenic, or Arsenic, metal	1558	6.1	6.1	6.1	II	25 kg	100 kg
281. (58)	Arsenic acid, liquid or Arsenic acid, solu- tion	1553	6.1	6.1	6.1	I	1 L	30 L
282. (59)	Arsenic acid, solid	1554	6.1	6.1	6.1	II	25 kg	100 kg
283. (395)	Arsenical dip, liquid (sheep dip)	1557	6.1	—	—	II	—	—
284. (2635)	Arsenical dust	1562	6.1	6.1	6.1	II	25 kg	100 kg
285. (2483)	ARSENICAL PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., flash point less than 23°C	2760	3.2	3.2	3	I	P	30 L
286. (2484)	ARSENICAL PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., flash point less than 23°C	2760	3.2	3.2	3	II	1 L	60 L
287. (2488)	ARSENICAL PESTICIDES, LIQUID, TOXIC, FLAMMABLE, N.O.S., flash point not less than 23°C	2993	6.1	6.1	6.1	I	1 L	30 L
288. (2489)	ARSENICAL PESTICIDES, LIQUID, TOXIC, FLAMMABLE, N.O.S., flash point not less than 23°C	2993	6.1	6.1	6.1	II	5 L	60 L
289. (2485)	ARSENICAL PESTICIDES, LIQUID, TOXIC, N.O.S.	2994	6.1	6.1	6.1	I	1 L	30 L

290. (2486)	ARSENICAL PESTICIDES, LIQUID, TOXIC, N.O.S.	2994	6.1		6.1	6.1	II	5 L	60 L
291. (2487)	ARSENICAL PESTICIDES, LIQUID, TOXIC, N.O.S.	2994	NR		6.1	6.1	III	60 L	220 L
292. (2490)	ARSENICAL PESTICIDES, SOLID, TOXIC, N.O.S.	2759	6.1	46	6.1	6.1	I	5 kg	50 kg
293. (2491)	ARSENICAL PESTICIDES, SOLID, TOXIC, N.O.S.	2759	6.1	93	6.1	6.1	II	25 kg	100 kg
294. (2492)	ARSENICAL PESTICIDES, SOLID, TOXIC, N.O.S.	2759	NR		6.1	6.1	III	100 kg	200 kg
295. (493)	Arsenic bromide or Arsenic bromide, solid	1555	6.1		6.1	6.1	II	25 kg	100 kg
296. (724)	Arsenic chloride, <i>see</i> Arsenic trichloride								
297. (344)	ARSENIC COMPOUNDS, LIQUID, N.O.S., including: arsenates, n.o.s.; arse- nites, n.o.s.; arsenic sulphides, n.o.s.; and organic compounds of arsenic, n.o.s.	1556	6.1	46 94	6.1 3	6.1	I	1 L	30 L
298. (345)	ARSENIC COMPOUNDS, LIQUID, N.O.S., including: arsenates, n.o.s.; arse- nites, n.o.s.; arsenic sulphides, n.o.s.; and organic compounds of arsenic, n.o.s.	1556	6.1		6.1 3	6.1	II	5 L	60 L
299. (346)	ARSENIC COMPOUNDS, LIQUID, N.O.S., including: arsenates, n.o.s.; arse- nites, n.o.s.; arsenic sulphides, n.o.s.; and organic compounds of arsenic, n.o.s.	1556	NR		6.1 3	6.1	III	60 L	220 L
300. (347)	ARSENIC COMPOUNDS, SOLID, N.O.S., including: arsenates, n.o.s.; arse- nites, n.o.s.; arsenic sulphides, n.o.s.; and organic compounds of arsenic, n.o.s.	1557	6.1	46 93	6.1	6.1	I	5 kg	50 kg
301. (348)	ARSENIC COMPOUNDS, SOLID, N.O.S., including: arsenates, n.o.s.; arse- nites, n.o.s.; arsenic sulphides, n.o.s.; and organic compounds of arsenic, n.o.s.	1557	6.1		6.1	6.1	II	25 kg	100 kg
302. (349)	ARSENIC COMPOUNDS, SOLID, N.O.S., including: arsenates, n.o.s.; arse- nites, n.o.s.; arsenic sulphides, n.o.s.; and organic compounds of arsenic, n.o.s.	1557	NR		6.1	6.1	III	100 kg	200 kg
303. (1684)	Arsenic iodide, solid	1557	6.1	55	—	—	II	—	—
304. (2202)	Arsenic pentoxide or Arsenic pentoxide, solid	1559	6.1 9.2		6.1	6.1	II	25 kg	100 kg
305. (2869)	Arsenic sulphide and a chlorate, mixtures of		—	47	—	—	—	—	—
306. (2868)	Arsenic sulphide, solid	1557	6.1	55	6.1	—	II	—	—
307. (3005)	Arsenic trichloride or Arsenic chloride	1560	6.1 9.2	46	6.1	6.1	I	1 L	30 L
308. (3071)	Arsenic trioxide	1561	6.1 9.2		6.1	6.1	II	25 kg	100 kg
309. (3083)	Arsenic trisulphide	1557	6.1 9.2	55	—	—	II	—	—
310. (1681)	Arsenious and mercuric iodide solution	2810	6.1	55	—	—	II	—	—
311. (364)	Arsine	2188	2.3 2.1	46 2	2.3 2.1	2	X	P	P
				52		3			6.1
				56					
				79					
				88					
				99					
				102					

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
312. (144)	Aryl sulphonic acid, <i>see</i> Alkyl, Aryl or Toluene sulphonic acid							
313. (284)	Asbestos, blue	2212	44	9	9	II	P	P
314. (283)	Asbestos, white	2590	44	9	9	III	200 kg	200 kg
315. (365)	Ascaridole (organic peroxide)		47	—	—	—	—	—
316. (366)	Asphalt or Asphalt, cut-back, <i>see</i> Tars, liquid		47	—	—	—	—	—
317. (60)	Azaurolic acid (salt of, dry)		47	—	—	—	—	—
318. (61)	Azidodithiocarbamic acid		47	—	—	—	—	—
319. (1995)	Azidoethyl nitrate		47	—	—	—	—	—
320. (2611)	Azido guanidine picrate (dry)		47	—	—	—	—	—
321. (367)	5-Azido-1-hydroxy tetrazole		47	—	—	—	—	—
322. (368)	Azido hydroxy tetrazole (mercury and sil- ver salts)		47	—	—	—	—	—
323. (1183)	3-Azido-1, 2-Propyleneglycol dinitrate		47	—	—	—	—	—
324. (369)	Azinphos-methyl	2783	46	—	—	I	—	—
325. (370)	Azinphos-methyl mixture, liquid	3018	55	—	—	I	—	—
326. (372)	2,2'-Azodi-(2,4-dimethyl-4-methox- yvaleronitrile)	2955	55	4.1	4.1	II	P	P
			48	—	—	—	—	—
			—5°C	—	—	—	—	—
327. (373)	2,2'-Azodi-(2,4-dimethylvaleronitrile)	2953	+5°C	4.1	4.1	II	P	P
			46	—	—	—	—	—
			48	—	—	—	—	—
			+10°C	—	—	—	—	—
			+15°C	—	—	—	—	—
328. (371)	2,2'-Azodi-(2-methylbutyronitrile)	3030	46	—	—	II	—	—
			48	—	—	—	—	—
			96	—	—	—	—	—
			100	—	—	—	—	—
			+40°C	—	—	—	—	—
			+45°C	—	—	—	—	—
329. (374)	Azodi-(1,1'-hexahydrobenzonitrile)	2954	46	4.1	4.1	II	15 kg	50 kg
330. (375)	Azodiisobutyronitrile	2952	48	—	—	—	—	—
			31	4.1	4.1	II	P	P
			E	E	E	—	—	—
			46	—	—	—	—	—
			48	—	—	—	—	—
			+40°C	—	—	—	—	—
			+45°C	—	—	—	—	—
331. (379)	Azotetrazole (dry)		47	—	—	—	—	—

332. (2754)	Bags, having contained sodium nitrate, or potassium nitrate, empty, unwashed	1359	4.1	34 46 48 56 99 99	4.1	4.1	4.1	III	P	100 kg
333. (402)	Barium, <i>non pyrophoric</i>	1400	4.3		4.3	4.3	4.3	II	15 kg	50 kg
334. (401)	Barium, powder, pyrophoric <i>see</i> Pyrophoric metal, n.o.s.									
335. (396)	Barium alloys, <i>non-pyrophoric</i>	1399	4.3	99	4.3	4.3	4.3	II	15 kg	50 kg
336. (397)	Barium alloys, pyrophoric	1854	4.2	46 48 56 88 89 99 102	4.2	4.2	4.2	I	P	P
337. (382)	Barium azide, wetted <i>uniformly with not less than 50 per cent water, by mass</i>	1571	4.1 6.1	10 46 48 56 58 90 99	4.1 6.1	4.1 6.1	4.1 6.1	I	P	0.5 kg
338. (461)	Barium bromate	2719	5.1		5.1	5.1	5.1	II	5 kg	25 kg
339. (614)	Barium chlorate or Barium chlorate solution	1445	5.1		5.1	5.1	5.1	II	5 kg	25 kg
340. (615)	Barium chlorate, wetted (<i>uniformly</i>)	1445	5.1	55	5.1	5.1	5.1	II	—	—
341. (398)	BARIUM COMPOUNDS, N.O.S.	1564	6.1	46	6.1	6.1	6.1	I	5 kg	50 kg
342. (399)	BARIUM COMPOUNDS, N.O.S.	1564	6.1	93	6.1	6.1	6.1	II	25 kg	100 kg
343. (400)	BARIUM COMPOUNDS, N.O.S.	1564	NR		6.1	6.1	6.1	III	100 kg	200 kg
344. (854)	Barium cyanide	1565	6.1	46	6.1	6.1	6.1	I	5 kg	50 kg
345. (1667)	Barium hypochlorite with <i>more than 22 per cent available chlorine</i>	2741	9.2 5.1	102 48	5.1	5.1	5.1	II	5 kg	25 kg
346. (2003)	Barium nitrate	1446	5.1		5.1	5.1	5.1	II	5 kg	25 kg
347. (2134)	Barium oxide	1884	8		6.1	6.1	6.1	III	100 kg	200 kg
348. (2206)	Barium perchlorate or Barium perchlorate solutions	1447	5.1		5.1	5.1	5.1	II	5 kg	25 kg
349. (2227)	Barium permanganate	1448	5.1		5.1	5.1	5.1	II	5 kg	25 kg
350. (2247)	Barium peroxide	1449	5.1	48	5.1	5.1	5.1	II	5 kg	25 kg
351. (04)	Batteries, wet, filled with acid, <i>electric, storage</i>	2794	8	87	8	8	8	III	25 kg, Gross	230 kg, Gross
352. (06)	Batteries, wet, filled with alkali, <i>electric, storage</i>	2795	8	87	8	8	8	III	25 kg, Gross	230 kg, Gross
353. (03)	Batteries, wet, non-spillable, <i>electric, storage</i>	2800	8	44 46 87	8	8	8	III	NL	NL
354. (02)	Battery, dry, containing potassium hydroxide, <i>electric, storage</i>	3028	8	100	8	8	8	III	25 kg, Gross	230 kg, Gross

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
355. (05)	Battery, <i>electric storage</i> , wet, filled with acid, with automobile (or specifically named self-propelled vehicle or mechanical apparatus)	2794	8	55 96	—	—	—	—
356. (07)	Battery, <i>electric storage</i> , wet, filled with alkali, with automobile (or specifically named self-propelled vehicle or mechanical apparatus)	2797	8	55 96	—	—	—	—
357. (1274)	Battery fluid, acid	2796	8	56	8	II	1 L	30 L
358. (1276)	Battery fluid, acid, with electronic equipment or actuating device	2796	8	55	—	II	—	—
359. (1275)	Battery fluid, acid, with battery, <i>electric storage</i> , wet, empty or dry	2796	8	55	—	II	—	—
360. (1277)	Battery fluid, alkali	2797	8	56	8	II	1 L	30 L
361. (1279)	Battery fluid, alkali, with electronic equipment or actuating device	2797	8	55	—	II	—	—
362. (1278)	Battery fluid, alkali, with battery, <i>electric storage</i> , wet, empty or dry	2797	8	55	—	II	—	—
363. (227)	Benzaldehyde	1989	9.1	55	—	III	—	—
364. (409)	Benzene	1114	3.2 9.2	—	3	II	5 L	60 L
365. (725)	Benzene diazonium chloride, dry	—	—	47	—	—	—	—
366. (2004)	Benzene diazonium nitrate, dry	—	—	47	—	—	—	—
367. (410)	Benzene-1,3-disulphohydrazide, not more than 52 per cent as a paste	2971	4.1	39 46 48 83 100	4.1	II	15 kg	50 kg
368. (1098)	Benzene phosphorus dichloride, see Phenyl phosphorus dichloride	—	—	—	—	—	—	—
369. (2963)	Benzene phosphorus thiodichloride, see Phenyl phosphorus thiodichloride	—	—	—	—	—	—	—
370. (411)	Benzene sulphohydrazide	2970	4.1	39 46 48 100	4.1	II	15 kg	50 kg
371. (726)	Benzene sulphonyl chloride	2225	8	—	8	III	5 L	60 L
372. (3077)	Benzene triozonide	—	—	47	—	—	—	—
373. (412)	Benzidine	1885	6.1	—	6.1	II	25 kg	100 kg
374. (413)	BENZINE	1115	3.1	—	3	II	5 L	60 L
375. (414)	BENZINE	1115	3.2	—	3	II	5 L	60 L

[129]

376. (415)	BENZENE	1115	3.3	81	3.3	3	II	5 L	60 L
377. (62)	Benzoic acid	9094	9.1	49	-	-	III	-	-
378. (2392)	BENZOIC DERIVATIVE PESTI- CIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., flash point less than 23°C	2770	3.2 6.1	46	3.2 6.1	3 6.1	I	P	30 L
379. (2393)	BENZOIC DERIVATIVE PESTI- CIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., flash point less than 23°C	2770	3.2 6.1		3.2 6.1	3 6.1	II	1 L	60 L
380. (2397)	BENZOIC DERIVATIVE PESTI- CIDES, LIQUID, TOXIC, FLAMM- ABLE, N.O.S., flash point not less than 23°C	3003	6.1	46 89 94	6.1 3	6.1	I	1 L	30 L
381. (2398)	BENZOIC DERIVATIVE PESTI- CIDES, LIQUID, TOXIC, FLAMM- ABLE, N.O.S., flash point not less than 23°C	3003	6.1	89	6.1 3	6.1	II	5 L	60 L
382. (2394)	BENZOIC DERIVATIVE PESTI- CIDES, LIQUID, TOXIC, N.O.S.	3004	6.1	46 94	6.1	6.1	I	1 L	30 L
383. (2395)	BENZOIC DERIVATIVE PESTI- CIDES, LIQUID, TOXIC, N.O.S.	3004	6.1		6.1	6.1	II	5 L	60 L
384. (2396)	BENZOIC DERIVATIVE PESTI- CIDES, LIQUID, TOXIC, N.O.S.	3004	NR		6.1	6.1	III	60 L	220 L
385. (2399)	BENZOIC DERIVATIVE PESTI- CIDES, SOLID, TOXIC, N.O.S.	2769	6.1	46 93	6.1	6.1	I	5 kg	50 kg
386. (2400)	BENZOIC DERIVATIVE PESTI- CIDES, SOLID, TOXIC, N.O.S.	2769	6.1		6.1	6.1	II	25 kg	100 kg
387. (2401)	BENZOIC DERIVATIVE PESTI- CIDES, SOLID, TOXIC, N.O.S.	2769	NR		6.1	6.1	III	100 kg	200 kg
388. (420)	Benzonitrile	2224	6.1	102	6.1	6.1	II	5 L	60 L
389. (421)	Benzoquinone	2587	6.1		6.1	6.1	II	25 kg	100 kg
390. (731)	Benzo-trichloride	2226	8		8	8	II	1 L	30 L
391. (3023)	Benzo-trifluoride	2338	3.2		3.2	3	II	5 L	60 L
392. (422)	Benzoxadiazoles (dry)		-	47	-	-	-	-	-
393. (383)	Benzoyl azide		-	47	-	-	-	-	-
394. (727)	Benzoyl chloride	1736	8 9.2		8	8	II	1 L	30 L
395. (2248)	Benzoyl peroxide, see Dibenzoyl peroxide								
396. (494)	Benzyl bromide	1737	6.1 8	46 56 90	8	6.1 8	II	P	30 L
397. (728)	Benzyl chloride	1738	6.1 8	99 56 90	6.1 8	6.1 8	II	P	30 L
398. (669)	Benzyl chloroformate	1739	8	99 46 56 90	8	8	I	P	2.5 L
399. (423)	Benzyl dimethylamine	2619	8	99	8 3	8	II	1 L	30 L

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
400. (729)		3037	4.1	46 48 96 100 +40°C +45°C	—	—	II	—	—
401. (730)		1886	6.1	99	6.1	6.1	II	5 L	60 L
402. (1685)		2653	6.1		6.1	6.1	II	5 L	60 L
403. (732)		3038	4.1	46 48 96 100 +40°C +45°C	—	—	II	—	—
404. (733)		1566	6.1	55	—	—	II	—	—
405. (424)		1566	6.1		6.1	6.1	II	25 kg	100 kg
406. (1440)		1566	6.1	55	—	—	II	—	—
407. (2013)		2464	9.2 5.1 6.1 9.2	5.1 6.1 6.1	5.1 6.1 6.1	5.1 6.1 6.1	II II II	5 kg	25 kg
408. (425)		1567	6.1	46	6.1	6.1	II	15 kg	50 kg
409. (434)		1740	4.1 8	48 8	4.1 8	4.1 8	II	15 kg	50 kg
410. (3078)			—	47	—	—	—	—	—
411. (2493)		2782	3.2 6.1	46 56	3.2 6.1	3 6.1	I	p	30 L
412. (2494)		2782	3.2 6.1	56	3.2 6.1	3 6.1	II	1 L	60 L
413. (2498)		3015	6.1	46 56 89 94	6.1 3	6.1	I	1 L	30 L
414. (2499)		3015	6.1	56 89 94	6.1 3	6.1	II	5 L	60 L
415. (2495)		3016	6.1	46 56 94	6.1	6.1	I	1 L	30 L
416. (2496)		3016	6.1	56	6.1	6.1	II	5 L	60 L
417. (2497)		3016	NR		6.1	6.1	III	60 L	220 L

418. (2500)	BIPYRIDILUM PESTICIDES, SOLID, TOXIC, N.O.S.	2781	6.1	46	6.1	6.1	I	5 kg	50 kg
419. (2501)	BIPYRIDILUM PESTICIDES, SOLID, TOXIC, N.O.S.	2781	6.1	93	6.1	6.1	II	25 kg	100 kg
420. (2502)	BIPYRIDILUM PESTICIDES, SOLID, TOXIC, N.O.S.	2781	NR		6.1	6.1	III	100 kg	200 kg
421. (440)	Bisulphites, inorganic aqueous solutions, n.o.s.	2693	8		8	8	III	5 L	60 L
422. (738)	Bleaching powder, <i>see</i> Calcium Hypo- chlorite(s)								
423. (284)	Blue asbestos, <i>see</i> Asbestos, blue								
424. (442)	Bombs, smoke, non-explosive <i>with corro- sive liquid without initiating device</i>	2028	8	46 48 99	8	8	II	p	50 kg
425. (448)	Borate and chlorate mixtures, <i>see</i> Chlo- rate and borate mixtures								
426. (352)	Bordeaux arsenite, liquid	2994	6.1	55	-	-	II	-	-
427. (353)	Bordeaux arsenite, solid	2759	6.1	55	-	-	II	-	-
428. (449)	Borneol	1312	4.1	44	4.1	4.1	III	25 kg	100 kg
429. (2992)	Boron tribromide	2692	8	46 56 90	8	8	I	p	2.5 L
430. (3007)	Boron trichloride	1741	2.3 8	56 56 79 88 99 102	2.2 8	2	X	p	p
431. (3024)	Boron trifluoride	1008	2.3 8	46 52 56 79 88 99 102	2.3	2 6.1	X	p	p
432. (3026)	Boron trifluoride acetic acid complex	1742	II		8	8	II	1 L	30 L
433. (1357)	Boron trifluoride diethyl etherate	2604	4.3 8 3 3		4.3 8 3 3	4.3 8 3 3	II	1 L	5 L
434. (3025)	Boron trifluoride dihydrate	2651	8		8	8	II	15 kg	50 kg
435. (1358)	Boron trifluoride dimethyl etherate	2965	4.3 3 8 8	46	4.3 3 3 8	4.3 3 3 8	II	1 L	5 L
436. (3027)	Boron trifluoride propionic acid complex	1743	8		8	8	II	1 L	30 L
437. (1751)	BRAKE FLUID, hydraulic having a flash point less than 23°C	1118	3.2		3.2	3	II	5 L	60 L
438. (1752)	BRAKE FLUID, hydraulic, having a flash point less than 23°C	1118	3.2		-	3	III	60 L	220 L
439. (1753)	BRAKE FLUID, hydraulic, having a flash point less than 37.8°C	1118	3.3		3.3	3	II	5 L	60 L
440. (1754)	BRAKE FLUID, hydraulic, having a flash point less than 37.8°C	1118	3.3		-	3	III	60 L	220 L
441. (466)	Bromates, inorganic, n.o.s.	1450	5.1		5.1	5.1	II	5 kg	25 kg

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
442. (467)	Bromine or Bromine solutions	1744	8 46 6.1 56 90 99 102 47	8 6.1	8 6.1	I	P	2.5 L
443. (384)	Bromine azide							
444. (734)	Bromine chloride	2901	46 5.1 48 5.1 56 8 88 99	2.3 5.1 8	2 5.1 6.1 8	X	P	P
445. (2190)	Bromine pentafluoride	1745	5.1 6.1 8 99	5.1 6.1 8	5.1 6.1 8	I	P	P
446. (3028)	Bromine trifluoride	1746	5.1 6.1 8 99 102	5.1 6.1 8	5.1 6.1 8	I	P	P
447. (65)	Bromoacetic acid, solid	1938	8	8	8	II	15 kg	50 kg
448. (64)	Bromoacetic acid, solution	1938	8	8	—	II	—	—
449. (475)	Bromoacetone, liquid	1569	6.1 46 56 88 99 102	6.1 3	6.1	II	P	P
450. (495)	Bromoacetyl bromide	2513	8	8	8	II	1 L	30 L
451. (476)	Bromobenzene	2514	NR	3.3	3	III	60 L	220 L
452. (869)	Bromobenzyl cyanides	1694	6.1 46 90 99 102	6.1	6.1	I	P	30 L
453. (468)	2-Bromobutane	2339	3.2	3.2	3	II	5 L	60 L
454. (477)	Bromochloromethane	1887	9.2	6.1	6.1	III	60 L	220 L
455. (470)	4-Bromo-1,2-dinitrobenzene (unstable at 59°C)		47	—	—	—	—	—
456. (1329)	2-Bromoethyl ethyl ether	2340	3.2	3.2	3	II	5 L	60 L
457. (478)	Bromoform	2515	9.2	6.1	6.1	III	60 L	220 L
458. (471)	1-Bromo-3-methylbutane	2341	3.2	3.2	3	II	5 L	60 L
459. (479)	BROMOMETHYLPROPANES	2342	3.2	3.2	3	II	5 L	60 L

460. (480)	BROMOMETHYLPROPANES	2342	3.2	—	3	III	60 L	220 L
461. (481)	BROMOMETHYLPROPANES	2342	3.3	81	3	II	5 L	60 L
462. (482)	BROMOMETHYLPROPANES	2342	3.3	81	3	III	60 L	220 L
463. (472)	1-Bromo-2-nitrobenzene (unstable at 59°C)	—	—	47	—	—	—	—
464. (473)	2-Bromopentane	2343	3.2	—	3	II	5 L	60 L
465. (483)	BROMOPROPANES	2344	3.2	—	3	II	5 L	60 L
466. (484)	BROMOPROPANES	2344	3.3	81	3	II	5 L	60 L
467. (474)	3-Bromopropyne	2345	3.2	—	3	II	5 L	60 L
468. (485)	Bromosilane	—	—	47	—	—	—	—
469. (486)	Bromotrifluoroethylene	2419	2.1	48	2	X	p	150 kg
470. (487)	Bromotrifluoromethane (<i>R13B1</i>)	1009	2.2	99	3	X	75 kg	150 kg
471. (514)	Brucine	1570	6.1	—	6.1	II	25 kg	100 kg
472. (1302)	Bush survival kits, <i>see</i> Life rafts, inflatable	—	—	—	—	—	—	—
473. (515)	Butadiene, inhibited	1010	2.1	46	2	X	p	150 kg
474. (516)	Butane or Butane mixtures	1011	2.1	56	3	—	—	—
475. (517)	Butanediol or Diacetyl	2346	3.2	102	2	X	p	150 kg
476. (3049)	1,2,4-Butanetriol trinitrate	—	—	47	3	II	5 L	60 L
477. (518)	BUTANOLS	1120	3.2	—	—	—	—	—
478. (519)	BUTANOLS	1120	3.2	—	3	II	5 L	60 L
479. (520)	BUTANOLS	1120	3.3	81	3	III	60 L	220 L
480. (521)	BUTANOLS	1120	3.3	—	3	II	5 L	60 L
481. (385)	tert-Butoxycarbonyl azide	—	—	81	3	III	60 L	220 L
482. (522)	Butoxyl	2708	NR	—	—	—	—	—
483. (37)	Butyl acetates	1123	3.2	73	3	III	60 L	220 L
484. (2571)	Butyl acid phosphate or Acid butyl phosphate	1718	9.2	—	3	II	5 L	60 L
485. (167)	Butyl acrylates, inhibited	2348	8	8	8	III	5 L	60 L
486. (527)	n-Butylamine	1125	3.3	73	3	II	5 L	60 L
487. (528)	sec-Butylamine, <i>see</i> flammable liquid, n.o.s.	—	3.2	81	3	—	—	—
488. (529)	tert-Butylamine, <i>see</i> flammable liquid, n.o.s.	—	9.2	84	3	II	5 L	60 L

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
489. (530)	N-Butylaniline	2738	6.1	6.1	6.1	II	5 L	60 L
490. (523)	Butyl benzenes	2709	NR	3.3	3	III	60 L	220 L
491. (496)	n-Butyl bromide	1126	3.3	3.3	3	II	5 L	60 L
492. (735)	Butyl chloride, see Chlorobutanes							
493. (671)	n-Butylchloroformate	2743	6.1 8	6.1 8	6.1 8	II	1 L	30 L
494. (2249)	tert-Butyl cumyl peroxide, <i>technically pure</i> or tert-Butyl isopropyl benzene hydroperoxide	2091	5.2	5.2	5.2	II	5 L	10 L
495. (670)	tert-Butylcyclohexylchloroformate	2747	NR	6.1	6.1	III	60 L	220 L
496. (3089)	n-Butyl-4,4-di-(tert-butylperoxy) valerate, <i>not more than 52 per cent, with inert solid</i>	2141	5.2	5.2	5.2	II	5 kg	10 kg
497. (3090)	n-Butyl-4,4-di-(tert-butylperoxy) valerate, <i>technically pure</i>	2140	5.2	5.2	5.2	II	5 L	10 L
498. (531)	Butylene	1012	2.1	2.1	2	X	P	150 kg
499. (2135)	1,2-Butyleneoxide, stabilized	3022	3.1	—	3	II	5 L	60 L
500. (1359)	Butyl ethers, see Dibutyl ethers							
501. (1462)	n-Butyl formate or Butyl formate	1128	3.2	3.2	3	II	5 L	60 L
502. (1619)	tert-Butyl hydroperoxide, <i>more than 72 per cent but not more than 90 per cent, with water</i>	2094	5.2 I	5.2	5.2 I	I	1 L	5 L
503. (1618)	tert-Butyl hydroperoxide, <i>not more than 72 per cent, with water</i>	2093	5.2 I	5.2	5.2 I	I	1 L	5 L
504. (1620)	tert-Butyl hydroperoxide, <i>not more than 80 per cent in di-tert-butyl peroxide, or tert-Butyl hydroperoxide, not more than 80 per cent in di-tert-butyl peroxide and solvent or tert-Butyl hydroperoxide, not more than 80 per cent in solvent</i>	2092	5.2 3	5.2 3	5.2 3	I	1 L	5 L
505. (524)	N,n-Butyl-imidazole	2690	6.1	6.1	6.1	II	5 L	60 L

[135]

506. (1705)	n-Butyl isocyanate	2485	3.2 6.1	46 99	3.2 6.1	3 6.1	II	1 L	60 L
507. (1621)	tert-Butyl isopropyl benzene hydroperoxide, see tert-Butyl cumyl hydroperoxide								
508. (1706)	tert-Butyl isocyanate	2484	3.2 6.1	46 99	3.2 6.1	3 6.1	I	P	30 L
509. (525)	Butyl mercaptan	2347	3.2 3.2	46 56	3.2 3.2	3 3	II	5 L	60 L
510. (1889)	n-Butyl methacrylate	2227	NR	73	3.3	3	III	60 L	220 L
511. (1330)	Butyl methyl ether	2350	3.2		3.2	3	II	5 L	60 L
512. (1958)	tert-Butyl monoperoxymaleate, not more than 55 per cent as a paste	2101	5.2	48 56 83	5.2	5.2	II	5 kg	10 kg
513. (1959)	tert-Butyl monoperoxymaleate, not more than 55 per cent in solution	2100	5.2	48 56 83	5.2	5.2	II	5 L	10 L
514. (1960)	tert-Butyl monperoxymaleate, technically pure	2099	5.2 E	46 48 56 83	5.2 E	5.2 E	II	P	P
515. (1961)	tert-Butyl monperoxyphthalate, technically pure	2105	5.2	48 56 83	5.2	5.2	II	5 kg	10 kg
516. (2063)	Butyl nitrites	2351	3.2	99	3.2	3	II	5 L	60 L
517. (2250)	tert-Butyl peroxide, see Di-tert-butyl peroxide								
518. (2233)	tert-Butyl peroxyacetate, not more than 52 per cent in solution	2096	5.2	48 56	5.2	5.2	II	5 L	10 L
519. (2234)	tert-Butyl peroxyacetate, not more than 76 per cent in solution	2095	5.2 E	46 48 56 83	5.2 E	5.2 E	II	P	P
520. (2236)	tert-Butyl peroxybenzoate, not more than 50 per cent with inert inorganic solid	2890	5.2	48 56	5.2	5.2	II	5 kg	10 kg
521. (2237)	tert-Butyl peroxybenzoate, not more than 75 per cent in solution	2098	5.2	48 56	5.2	5.2	II	5 L	10 L
522. (2238)	tert-Butyl peroxybenzoate, more than 75 per cent in solution or tert-Butyl peroxybenzoate, technically pure	2097	5.2 E	46 48 56 83	5.2 E	5.2 E	II	P	P
523. (2239)	tert-Butyl peroxyacetate, not more than 76 per cent in solution	2183	5.2	48 56 83	5.2	5.2	II	5 L	10 L
524. (2321)	n-Butyl peroxydicarbonate, see Di-n-butyl peroxydicarbonate								
525. (2345)	tert-Butyl peroxydiethylacetate, 33 per cent, with tert-Butyl peroxybenzoate, 33 per cent, and solvent	2551	5.2	48 56 83	5.2	5.2	II	5 L	10 L

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
526. (2346)	tert-Butyl peroxydiethylacetate, technically pure	2144	5.2 E	46 48 56 83 99 +20°C +25°C	5.2 E	5.2 E	II	P	P
527. (1371)	tert-Butyl peroxy-2-ethylhexanoate, not more than 12 per cent with 2,2-Di-(tert-butyl peroxy)butane, not more than 14 per cent, with not less than 14 per cent phlegmatizer, and 60 per cent inert inorganic solid	2887	5.2	48 83 99 +20°C	5.2	5.2	II	5 kg	10 kg
528. (1372)	tert-Butyl peroxy-2-ethylhexanoate, not more than 30 per cent with 2,2-Di-(tert-butyl peroxy)butane, not more than 35 per cent, with not less than 35 per cent phlegmatizer	2886	5.2	46 48 83 99 +35°C +40°C	5.2	5.2	II	P	P
529. (1373)	tert-Butyl peroxy-2-ethylhexanoate, not more than 50 per cent with phlegmatizer	2888	5.2	46 48 56 83 99 +35°C +40°C	5.2	5.2	II	P	P
530. (1374)	tert-Butyl peroxy-2-ethylhexanoate, technically pure	2143	5.2 E	46 48 56 83 99 +35°C +40°C	5.2 E	5.2 E	II	P	P
531. (2349)	tert-Butyl peroxyisobutyrate, more than 52 per cent but not more than 77 per cent in solution	2142	5.2 E	46 48 56 83 99 +20°C +25°C	5.2 E	5.2 E	II	P	P
532. (2348)	tert-Butyl peroxyisobutyrate, not more than 52 per cent in solution	2562	5.2	46 48 56 83 99 +15°C +20°C	5.2	5.2	II	P	P
533. (574)	tert-Butyl peroxyisopropyl carbonate, technically pure	2103	5.2 E	46 48 56 83 99 +15°C +20°C	5.2 E	5.2 E	II	P	P

534. (2351)	tert-Butyl peroxynonanoate, <i>not more than 77 per cent in solution</i>	2177	5.2	46 48 56 83 99 0°C +10°C	5.2	5.2	II	P	P
535. (2352)	tert-Butyl peroxynonanoate, <i>technically pure</i>	2594	5.2	46 48 56 83 99 -5°C +5°C	5.2	5.2	II	P	P
536. (2296)	3-tert-Butyl peroxy-3-phenylphthalide, <i>technically pure</i>	2596	5.2	46 48 56 83 99	5.2	5.2	II	5 kg	10 kg
537. (2356)	tert-Butyl peroxyvalerate, <i>more than 72 per cent but not more than 77 per cent in solution</i>	2110	5.2 E	46 48 56 83 99	5.2	5.2 E	II	P	P
538. (2357)	tert-Butyl peroxyvalerate, <i>not more than 72 per cent in solution</i>	3047	5.2	0°C +10°C	—	5.2	II	P	P
539. (3039)	tert-Butyl peroxy-3,5-trimethylhexanoate or tert-Butyl peroxyisooctanoate, <i>technically pure</i>	2104	5.2	0°C +10°C	5.2	5.2	II	5 L	10 L
540. (332)	Butylphenols, liquid	2228	NR	73	6.1	6.1	III	60 L	220 L
541. (533)	Butylphenols, solid	2229	NR		6.1	6.1	III	100 kg	200 kg
542. (2607)	n-Butyl phthalate	9095	9.2	46 49	—	—	II	—	—
543. (2667)	Butylpropionate	1914	3.3	81	3.3	3	II	5 L	60 L
544. (326)	Butyl toluenes	2667	NR	73	6.1	6.1	III	60 L	220 L
545. (534)	Butyltrichlorosilane	1747	8	46 56 90	3 8 3	8	II	P	30 L
546. (535)	5-tert-Butyl-2,4,6-trinitro-m-xylene or Musk xylene	2956	4.1 E	46 48 100	—	4.1 E	III	P	P
547. (1331)	Butyl vinyl ether, inhibited	2352	3.2	84	3.2	3	II	5 L	60 L
548. (536)	1-Butyne, <i>see</i> Ethyl acetylene, inhibited								
549. (537)	1,4-Butynediol	2716	4.1		4.1	4.1	III	25 kg	100 kg
550. (538)	Butyraldehyde	1129	3.2		3.2	3	II	5 L	60 L
551. (539)	Butyraldoxime	2840	NR	73	3.3	3	III	60 L	220 L
552. (668)	Butyric acid	2820	8		8	8	III	5 L	60 L

SCHEDULE II—Con.
LIST II—Con.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
553. (306)	Butyric anhydride	2739	8	8	8	III	5 L	60 L
554. (548)	Butyronitrile	2411	3.2 6.1	3.2 6.1	3 6.1	II	1 L	60 L
555. (736)	Butyryl chloride	2353	3.2 8	3.2 8	3 8	II	1 L	5 L
556. (549)	Cabazide		—	—	—	—	—	—
557. (69)	Caodylic acid	1572	6.1	6.1	6.1	II	25 kg	100 kg
558. (16)	Cadmium acetate	2570	9.2	—	—	II	—	—
559. (497)	Cadmium bromide	2570	9.2	—	—	II	—	—
560. (737)	Cadmium chloride	2570	9.2	—	—	II	—	—
561. (551)	CADMIUM COMPOUNDS, <i>n.o.s.</i>	2570	6.1	6.1	6.1	I	5 kg	50 kg
562. (552)	CADMIUM COMPOUNDS, <i>n.o.s.</i>	2570	6.1	6.1	6.1	II	25 kg	100 kg
563. (553)	CADMIUM COMPOUNDS, <i>n.o.s.</i>	2570	NR	6.1	6.1	III	100 kg	200 kg
564. (554)	Caesium or Caesium metal	1407	4.3	4.3	4.3	I	p	15 kg
565. (1641)	Caesium hydroxide	2682	8	8	8	II	15 kg	50 kg
566. (1642)	Caesium hydroxide, solution	2681	8	8	8	II	1 L	30 L
567. (2005)	Caesium nitrate	1451	5.1	5.1	5.1	III	25 kg	100 kg
568. (555)	Calcium or Calcium metal or Calcium alloys	1401	4.3	4.3	4.3	II	15 kg	50 kg
569. (335)	Calcium arsenate	1573	6.1	6.1	6.1	II	25 kg	100 kg
570. (334)	Calcium arsenate and calcium arsenite, mixtures, solid	1574	6.1	6.1	6.1	II	25 kg	100 kg
571. (354)	Calcium arsenite, solid	1574	6.1 9.2	—	—	II	—	—
572. (439)	Calcium bisulphite solution, <i>see</i> Calcium hydrogen sulphite solution							
573. (579)	Calcium carbide	1402	4.3 9.2	4.3	4.3	II	p	50 kg
574. (616)	Calcium chlorate	1452	5.1	5.1	5.1	II	5 kg	25 kg
575. (617)	Calcium chlorate, solution	2429	5.1	5.1	5.1	II	1 L	5 L

576. (639)	Calcium chloride	1453	5.1	46 48	5.1	5.1	II	P	25 kg
577. (800)	Calcium chromate	9096	9.2	56 90	—	—	III	—	—
578. (850)	Calcium cyanamide with more than 0.1 per cent calcium carbide	1403	4.3	46 48 77	4.3	4.3	III	25 kg	100 kg
579. (855)	Calcium cyanide	1575	6.1	46	6.1	6.1	I	5 kg	50 kg
580. (1261)	Calcium dithionite or Calcium hydrosulphite	1923	4.2	102 48 99	4.2	4.2	II	15 kg	50 kg
581. (1266)	Calcium dodecylbenzenesulphonate	9097	9.2	49	—	—	II	—	—
582. (1655)	Calcium hydride	1404	4.3	46 48 99 55 89	4.3	4.3	I	P	15 kg
583. (1635)	Calcium hydrogen sulphite solution or Calcium bisulphite solution	2693	8	—	8	—	II	—	—
584. (1636)	Calcium hydrosulphite, see Calcium dithionite	1748	5.1	48 99	5.1	5.1	II	5 kg	25 kg
585. (1670)	Calcium hypochlorite, dry or Calcium hypochlorite mixtures with more than 39 per cent available chlorine (8.8 per cent available oxygen)	2880	5.1 9.2	—	5.1	5.1	II	5 kg	25 kg
586. (1669)	Calcium hypochlorite, hydrated or Calcium hypochlorite, hydrated, mixtures with not less than 5.5 per cent but not more than 10 per cent water	2208	5.1 9.2	89	5.1	5.1	II	25 kg	100 kg
587. (1668)	Calcium hypochlorite mixtures, dry with more than 10 per cent but not more than 39 per cent available chlorine	2844	4.3	—	4.3	4.3	III	25 kg	100 kg
588. (2783)	Calcium manganese silico	1454	5.1	—	5.1	5.1	III	25 kg	100 kg
589. (2006)	Calcium nitrate	1910	8	—	NIR	8	III	25 kg	100 kg
590. (2136)	Calcium oxide	1455	5.1	—	5.1	5.1	II	5 kg	25 kg
591. (2207)	Calcium perchlorate or Calcium perchlorate solutions	1456	5.1	—	5.1	5.1	II	5 kg	25 kg
592. (2228)	Calcium permanganate	1457	5.1	48	5.1	5.1	II	5 kg	25 kg
593. (2251)	Calcium peroxide	1360	4.3	46 48 99 56 99	4.3	4.3	I	P	15 kg
594. (2599)	Calcium phosphide	1855	4.2	102 46 48 90	4.2	4.2	II	P	50 kg
595. (556)	Calcium, pyrophoric or Calcium alloys, pyrophoric	1313	4.1	—	4.1	4.1	III	P	100 kg
596. (2733)	Calcium resinate	1314	4.1	—	4.1	4.1	III	P	100 kg
597. (2734)	Calcium resinate, fused	1314	4.1	—	4.1	4.1	III	P	100 kg

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
598. (2778)	1405	4.3	48	4.3	4.3	II	15 kg	50 kg
Calcium silicide								
599. (2781)	1406	4.3	48	4.3	4.3	III	25 kg	100 kg
Calcium silicon								
600. (557)	9011	9.1	49	—	—	III	—	—
Camphene								
601. (1583)	1130	NR	73	3.3	3	III	60 L	220 L
Camphor oil								
602. (559)	2717	4.1		4.1	4.1	III	25 kg	100 kg
Camphor, <i>synthetic</i>								
603. (70)	2829	8	100	—	8	III	5 L	60 L
Caproic acid or Hexanoic acid								
604. (2252)								
Caprylyl peroxide, solution, <i>see</i> Di-n-octanoyl peroxide, solution								
605. (565)	9099	9.2	49	—	—	II	—	—
Caplan								
606. (2373)	2758	3.2	46	3.2	3	I	R	30 L
CARBAMATE PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., <i>flash point less than 23°C</i>		6.1	56	6.1	6.1			
607. (2372)	2758	3.2	56	3.2	3	II	1 L	60 L
CARBAMATE PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., <i>flash point less than 23°C</i>		6.1		6.1	6.1			
608. (2377)	2991	6.1	46	6.1	6.1	I	1 L	30 L
CARBAMATE PESTICIDES, LIQUID, TOXIC, FLAMMABLE, N.O.S., <i>flash point not less than 23°C</i>			56	3				
			89					
			94					
609. (2378)	2991	6.1	56	6.1	6.1	II	5 L	60 L
CARBAMATE PESTICIDES, LIQUID, TOXIC, FLAMMABLE, N.O.S., <i>flash point not less than 23°C</i>			56	3				
610. (2374)	2992	6.1	46	6.1	6.1	I	1 L	30 L
CARBAMATE PESTICIDES, LIQUID, TOXIC, N.O.S.			56					
			94					
611. (2376)	2992	6.1	56	6.1	6.1	II	5 L	60 L
CARBAMATE PESTICIDES, LIQUID, TOXIC, N.O.S.								
612. (2375)	2992	NR		6.1	6.1	III	60 L	220 L
CARBAMATE PESTICIDES, LIQUID, TOXIC, N.O.S.								
613. (2379)	2757	6.1	46	6.1	6.1	I	5 kg	50 kg
CARBAMATE PESTICIDES, SOLID, TOXIC, N.O.S.			93					
614. (2380)	2757	6.1		6.1	6.1	II	25 kg	100 kg
CARBAMATE PESTICIDES, SOLID, TOXIC, N.O.S.								
615. (2381)	2757	NR		6.1	6.1	III	100 kg	200 kg
CARBAMATE PESTICIDES, SOLID, TOXIC, N.O.S.								
616. (567)	2757	6.1	55	—	—	II	—	—
Carbaryl								
617. (568)	2757	9.2	46	—	—	I	—	—
Carbofuran								
618. (569)	2992	9.2	55	—	—	I	—	—
Carbofuran mixture, liquid								
619. (599)		9.2	55	—	—	I	—	—
Carbon, <i>see</i> Charcoal								

[illegible]

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
643. (2629)	Caustic potash, <i>see</i> Potassium hydroxide							
644. (2818)	Caustic soda, <i>see</i> Sodium hydroxide							
645. (582)	Celluloid, in blocks, rods, rolls, sheets, tubes, etc., except scrap	4.1	48	4.1	4.1	III	25 kg	100 kg
646. (583)	Celluloid, scrap	4.2	48	4.2	4.2	III	p	p
			88					
			99					
647. (584)	Cerium, crude	4.1	99	4.1	4.1	II	15 kg	50 kg
648. (585)	Cerium, crude, compact form	4.1	99	4.1	4.1	III	25 kg	100 kg
649. (586)	Cesium metal, <i>see</i> Caesium							
650. (598)	Charcoal, activated or Carbon, activated	4.2	37	4.2	4.2	III	p	p
651. (601)	Charcoal screenings wet	—	47	—	—	—	—	—
652. (600)	Charcoal wet	—	47	—	—	—	—	—
653. (602)	Charcoal or Carbon, animal or vegetable origin	4.2	37	4.2	4.2	III	p	p
654. (1983)	Chemical kits (containing corrosive substances)	8	55	—	—	II	—	—
655. (612)	Chloral, anhydrous, inhibited	6.1	91	6.1	6.1	II	25 kg	100 kg
656. (628)	Chlorate and borate mixtures	5.1	99	5.1	5.1	II	5 kg	25 kg
657. (629)	Chlorate and magnesium chloride mixtures, solid or solutions	5.1		5.1	5.1	II	5 kg	25 kg
658. (630)	Chlorates, inorganic, n.o.s.	5.1		5.1	5.1	II	5 kg	25 kg
659. (631)	Chlordane, liquid	3.1	46	—	—	I	—	—
660. (632)	Chlordane mixtures	9.2	55	—	—	I	—	—
661. (633)	Chlordecone, <i>see</i> Kepone							
662. (74)	Chloric acid solution with not more than 10 per cent chloric acid	5.1	46	5.1	5.1	II	p	p
			48					
			83					
			88					
			99					
663. (558)	Chlorinated camphene, <i>see</i> Toxaphene							
664. (634)	Chlorine	2.4	46	2.3	2	X	p	p
		9.2	56	6.1				
			88					
			99					
			102					

665. (386) (1229)	Chlorine azide	—	47	—	—	—
666. (1229)	Chlorine dioxide hydrate, frozen	9191	5.1 6.1	—	II	—
667. (1230) (2191)	Chlorine dioxide (not hydrated)	—	—	—	—	—
668. (2191)	Chlorine pentafluoride	2548	2.3 5.1 8	2.3 5.1 8	X	P
669. (3029)	Chlorine trifluoride	1749	2.3 5.1 8	2.3 5.1 8	X	P
670. (642)	Chlorites, inorganic, n.o.s.	1462	5.1	5.1	II	P
671. (228)	Chloroacetaldehyde	2232	6.1	6.1	II	5 L 60 L
672. (71)	Chloroacetic acid, liquid	1750	8	8	II	1 L 30 L
673. (72)	Chloroacetic acid, solid	1751	8	8	II	15 kg 50 kg
674. (650)	Chloroacetone, stabilized <i>or</i> Monochloroacetone, stabilized	1695	6.1	6.1	II	P 60 L
675. (651)	Chloroacetonitrile	2668	6.1	6.1 3	II	5 L 60 L
676. (652)	Chloroacetophenone	1697	6.1	6.1	II	P 60 L
677. (739)	Chloroacetyl chloride	1752	8	8	II	P 30 L
678. (653)	Chloroanilines, liquid	2019	6.1	6.1	II	5 L 60 L
679. (654)	Chloroanilines, solid	2018	6.1	6.1	II	25 kg 100 kg
680. (655)	Chloroanisidines	2233	NR	6.1	III	100 kg 200 kg
681. (656)	Chlorobenzene	1134	3.3 9.2	3.3	II	5 L 60 L
682. (3031)	Chlorobenzotrifluorides	2234	NR	3.3	III	60 L 220 L
683. (2253)	p-Chlorobenzoyl peroxide, <i>see</i> Di-4-chlorobenzoyl peroxide	2235	NR	6.1	III	60 L 220 L
684. (798)	Chlorobenzylchlorides	—	—	—	—	—

SCHEDULE II—Con.
LIST II—Con.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
685. (469)	1-Chloro-3-bromopropane	2688	NR	6.1	6.1	III	60 L	220 L
686. (470)	Chlorobutanes or Butyl chloride	1127	3.2	3.2	3	II	5 L	60 L
687. (657)	Chlorocresols, liquid	2669	6.1	6.1	6.1	II	5 L	60 L
688. (659)	Chlorocresols, solid	2669	6.1	6.1	6.1	II	25 kg	100 kg
689. (660)	3-Chloro-4-diethylamino- benzenediazonium zinc chloride	3033	4.1	—	—	II	—	—
690. (661)	Chlorodifluorobromomethane (R12B1)	1974	2.2	2.2	2	X	75 kg	150 kg
691. (662)	Chlorodifluoroethanes or Difluorochloroethanes (R 142b)	2517	2.1	2.1	2	X	p	150 kg
692. (663)	Chlorodifluoromethane (R22)	1018	2.2	2.2	2	X	75 kg	150 kg
693. (664)	Chlorodifluoromethane and chloropentafluoroethane mixture (R502) with fixed boiling point, with approximately 49 per cent chlorodifluoromethane	1973	2.2	2.2	2	X	75 kg	150 kg
694. (665)	Chlorodinitrobenzene or Dinitrochlorobenzene, liquid	1577	6.1	6.1	6.1	II	5 L	60 L
695. (666)	Chlorodinitrobenzene or Dinitrochlorobenzene, solid	1577	6.1	6.1	6.1	II	25 kg	100 kg
696. (667)	Chloroform (R70)	1888	6.1	6.1	6.1	II	5 L	60 L
697. (680)	Chloroformates, n.o.s., flash point not less than 23°C	2742	9.2 6.1 8	6.1 8 3	6.1	II	1 L	30 L
698. (672)	Chloromethylchloroformate	2745	6.1	6.1	6.1	II	1 L	30 L
699. (1332)	Chloromethyl ethyl ether	2354	8 3.2 6.1	8 3.2 6.1	8 3 6.1	II	1 L	60 L
700. (1707)	3-Chloro-4-methylphenylisocyanate	2236	6.1	6.1	6.1	II	5 L	60 L
701. (683)	Chloromethylpropanes, see Chlorobutanes							
702. (684)	Chloronitroanilines	2237	NR	6.1	6.1	III	60 L	220 L
703. (685)	Chloronitrobenzenes or Nitrochlorobenzenes, meta or para, solid	1578	6.1	6.1	6.1	II	25 kg	100 kg
704. (686)	Chloronitrobenzene or Nitrochlorobenzene, ortho, liquid	1578	6.1	6.1	6.1	II	5 L	60 L
705. (687)	Chloronitrotoluenes	2433	NR	6.1	6.1	III	60 L	220 L
706. (688)	Chloropentafluoroethane (R115)	1020	2.2	2.2	2	X	75 kg	150 kg
707. (76)	3-Chloroperoxybenzoic acid, not more than 86 per cent, with 3-chlorobenzoic acid	2755	5.2 E	5.2 E	5.2 E	II	p	p

708. (689)	Chlorophenates, liquid	2904	8	89	8	8	II	5 L	60 L
709. (690)	Chlorophenates, solid	2905	8		8	8	III	25 kg	100 kg
710. (691)	Chlorophenols, liquid	2021	NR	73	6.1	6.1	III	60 L	220 L
711. (692)	Chlorophenols, solid	2020	NR		6.1	6.1	III	100 kg	200 kg
712. (693)	Chlorophenyl trichlorosilane	1753	8	46	8	8	II	p	30 L
				56					
713. (694)	Chloropierin	1580	6.1	90	6.1	6.1	I	p	p
				46					
				56					
				99					
714. (695)	Chloropierin and methyl bromide mix- tures	1581	2.3	102	2.3	2	X	p	p
				46		6.1			
				88					
				99					
715. (696)	Chloropierin and methyl chloride mixtures	1582	2.3	102	2.3	2	X	p	p
				46		6.1			
				56					
				88					
				99					
716. (697)	Chloropierin and non-flammable, non- liquefied, compressed gas mixture	1955	2.3	102	—	—	X	—	—
717. (698)	CHLOROPICRIN MIXTURES, N.O.S.	1583	6.1	55	6.1	6.1	I	p	p
				46					
				56					
				88					
718. (699)	CHLOROPICRIN MIXTURES, N.O.S.	1583	6.1	102	6.1	6.1	II	p	p
				56					
				88					
719. (700)	CHLOROPICRIN MIXTURES, N.O.S.	1583	NR	102	6.1	6.1	III	p	p
720. (701)	Chloroplatinic acid, solid	2507	8	46	8	8	III	25 kg	100 kg
721. (702)	Chloroprene, inhibited	1991	3.2	46	3.2	3	I	p	30 L
722. (703)	2-Chloropropane	2356	3.1	84	6.1	6.1	I	1 L	30 L
723. (704)	3-Chloropropanol-1	2849	NR	99	3.1	3	I	1 L	30 L
724. (705)	2-Chloropropene	2456	3.1	73	6.1	6.1	III	60 L	220 L
				46					
				56					
				90					
				99					
725. (706)	alpha-Chloropropionic acid	2511	8		8	8	III	5 L	60 L
726. (707)	2-Chloropyridine	2822	6.1		6.1	6.1	II	5 L	60 L
727. (708)	Chlorosilanes, n.o.s.	2987	8	46	—	8	II	1 L	30 L
728. (709)	Chlorosilanes, n.o.s. flash point less than 23°C	2985	3.2	100	—	3	I	0.5 L	2.5 L
729. (710)	Chlorosilanes, n.o.s. flash point not less than 23°C but not more than 61°C	2986	8	100	—	8	II	1 L	30 L
730. (711)	Chlorosilanes, n.o.s., which in contact with water emit flammable gases	2988	4.3	100	—	3	I	p	1 L
				46		4.3			
				3		3			
				8		8			

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
731. (79)	Chlorosulphonic acid (with or without sulphur trioxide)	1754	8	46	8	1	0.5 L	2.5 L
732. (706)	Chlorotetrafluoroethane (R124)	1021	2.2	2	2.2	X	75 kg	150 kg
733. (708)	Chlorotoluenes	2238	NR	73	3.3	3	60 L	220 L
734. (682)	4-Chloro-o-toluidine hydrochloride	1579	9.2	56	6.1	III	p	200 kg
735. (709)	Chlorotoluidines, liquid	2239	NR	90	6.1	III	60 L	220 L
736. (710)	Chlorotoluidines, solid	2239	NR	73	6.1	III	100 kg	200 kg
737. (711)	Chlorotrifluoroethane (R133a)	1983	2.2	2	2.2	X	75 kg	150 kg
738. (712)	Chlorotrifluoromethane (R13)	1022	2.2	2	2.2	X	75 kg	150 kg
739. (713)	Chlorotrifluoromethane and trifluoromethane azeotropic mixture (R503) with approximately 60 per cent chlorotri-fluoromethane	2599	2.2	83	2.2	X	75 kg	150 kg
740. (714)	Chlorpyrifos	2783	6.1	46	—	I	—	—
741. (12)	Chromic acetate	9101	9.2	55	—	III	—	—
742. (81)	Chromic acid, solid, see Chromium trioxide, anhydrous		9.2	49	—			
743. (80)	Chromic acid, solution	1755	8		8	II	1 L	30 L
744. (1436)	Chromic fluoride, solid	1756	9.2		8	II	15 kg	50 kg
745. (1435)	Chromic fluoride, solution	1757	8		8	II	1 L	30 L
746. (2838)	Chromic sulphate	9100	9.2	49	—	III	—	—
747. (2007)	Chromium nitrate	2720	5.1		5.1	III	25 kg	100 kg
748. (741)	Chromium oxychloride	1758	8	46	8	I	p	2.5 L
749. (3073)	Chromium trioxide, anhydrous or Chromic acid, solid	1463	5.1	90	5.1	II	5 kg	25 kg
750. (139)	Chromosulphuric acid	2240	9.2	46	8	I	0.5 L	2.5 L
751. (715)	Chromous chloride	9102	9.2	49	—	III	—	—
752. (805)	Cigarettes, self-lighting	1867	4.1	47	4.1	II	p	p
753. (457)	Coal briquettes, hot		—	47	—	—	—	—

754. (1484)	Coal gas	1023	2.1 6.1	46. 48 56 99 102 46	2.3 2.1	2 3 6.1	X	P	25 kg
755. (1506)	COAL TAR DISTILLATES, flash point less than 23°C	1136	3.2	46	—	3	I	1 L	30 L
756. (1507)	COAL TAR DISTILLATES, flash point less than 23°C	1136	3.2	—	3.2	3	II	5 L	60 L
757. (1508)	COAL TAR DISTILLATES, flash point less than 23°C	1136	3.2	—	—	3	III	60 L	220 L
758. (1509)	COAL TAR DISTILLATES, flash point less than 37.8°C	1136	3.3	46	—	3	I	1 L	30 L
759. (1510)	COAL TAR DISTILLATES, flash point less than 37.8°C	1136	—	—	—	3	II	5 L	60 L
760. (1511)	COAL TAR DISTILLATES, flash point less than 37.8°C	1136	3.3	—	3.3	3	III	60 L	220 L
761. (1512)	COAL TAR DISTILLATES, flash point not less than 37.8°C but less than 61°C	1136	NR	73	3.3	3	III	60 L	220 L
762. (1513)	COATING SOLUTION, flash point less than 23°C	1139	3.2	—	3.2	3	II	5 L	60 L
763. (1514)	COATING SOLUTION, flash point less than 23°C	1139	3.2	—	—	3	III	60 L	220 L
764. (1515)	COATING SOLUTION, flash point less than 61°C	1139	3.3	81	3.3	3	II	5 L	60 L
765. (1516)	COATING SOLUTION, flash point less than 61°C	1139	3.3	81	—	3	III	60 L	220 L
766. (1517)	Cobalt naphthenates, powder	2001	4.1	—	4.1	4.1	III	25 kg	100 kg
767. (1518)	Cobaltous bromide	9103	9.2	49	—	—	III	—	—
768. (1519)	Cobaltous formate	9104	9.2	49	—	—	III	—	—
769. (1520)	Cobaltous sulphamate	9105	9.2	49	—	—	III	—	—
770. (1521)	Cobalt resinate, precipitated	1318	4.1	46 48 56	4.1	4.1	III	p	100 kg
771. (1522)	Cocculus or Cocculus, solid	1584	6.1	90	6.1	6.1	II	25 kg	100 kg
772. (1523)	Coke, hot	—	—	47	—	—	—	—	—
773. (1524)	Combustible liquid, n.o.s.	1993	NR	55 73	—	—	III	—	—
774. (1525)	Compound, cleaning; enamel; lacquer, etc; polishing; rust-preventing; tree or weed killing; or vulcanizing, see Corrosive liquids, n.o.s. or Flammable liquids, n.o.s. or Flammable liquid preparations, n.o.s. or Hydrochloric acid solution or Oxidizing substances, n.o.s. or Paints, etc or Poisonous liquids, n.o.s.	—	—	—	—	—	—	—	—
775. (1478)	Compressed or Liquefied gases, flammable, n.o.s.*	1954	2.1	48 56 100	2.1	2 3	X	p	150 kg
776. (1479)	Compressed or Liquefied gases, flammable, toxic, n.o.s.*	1953	2.1 6.1	46 56 88 100 102	2.1 2.3	2 3 6.1	X	p	p

SCHEDULE II—Con.
LIST II—Con.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
777. (1480)	Compressed or Liquefied gases, n.o.s.*	1956	2.2	48	2.2	2	X	75 kg
778. (1481)	Compressed or Liquefied gases, toxic, n.o.s.*	1955	2.3	46	2.3	2	X	P
				48	6.1	6.1		
				56				
				88				
				100				
				102				
779. (428)	Consumer commodity			97				
780. (38)	Copper acetoarsenite	1585	6.1	6.1	6.1	II	25 kg	100 kg
781. (45)	Copper acetylde			47				
782. (387)	Copper amine azide			47				
783. (355)	Copper arsenite	1586	6.1	6.1	6.1	II	25 kg	100 kg
784. (2382)	COPPER BASED PESTICIDES, LIQ- UID, FLAMMABLE, TOXIC, N.O.S., flash point less than 23°C	2776	3.2	46	3.2	3	I	30 L
785. (2383)	COPPER BASED PESTICIDES, LIQ- UID, FLAMMABLE, TOXIC, N.O.S., flash point less than 23°C	2776	3.2	56	3.2	3	II	60 L
786. (2384)	COPPER BASED PESTICIDES, LIQ- UID, TOXIC, FLAMMABLE, N.O.S., flash point not less than 23°C	3009	6.1	46	6.1	6.1	I	30 L
				56	3			
				89				
				94				
787. (2388)	COPPER BASED PESTICIDES, LIQ- UID, TOXIC, FLAMMABLE, N.O.S., flash point not less than 23°C	3009	6.1	56	6.1	6.1	II	60 L
788. (2385)	COPPER BASED PESTICIDES, LIQ- UID, TOXIC, N.O.S.	3010	6.1	46	6.1	6.1	I	30 L
				56				
				94				
789. (2386)	COPPER BASED PESTICIDES, LIQ- UID, TOXIC, N.O.S.	3010	6.1	56	6.1	6.1	II	60 L
790. (2387)	COPPER BASED PESTICIDES, LIQ- UID, TOXIC, N.O.S.	3010	NR		6.1	6.1	III	220 L
791. (2389)	COPPER BASED PESTICIDES, SOLID, TOXIC, N.O.S.	2775	6.1	46	6.1	6.1	I	50 kg
792. (2390)	COPPER BASED PESTICIDES, SOLID, TOXIC, N.O.S.	2775	6.1	93	6.1	6.1	II	100 kg
793. (2391)	COPPER BASED PESTICIDES, SOLID, TOXIC, N.O.S.	2775	NR		6.1	6.1	III	200 kg
794. (618)	Copper chlorate	2721	5.1		5.1	5.1	II	25 kg
795. (742)	Copper chloride	2802	8		NR	NR	II	100 kg
796. (856)	Copper cyanide	1587	6.1	46	6.1	6.1	II	100 kg
				102				

SCHEDULE II—Con.

LIST II—Con.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
823. (2407)	3025	6.1	46 89 94	—	6.1	I	1 L	30 L
COUMARIN DERIVATIVE PESTICIDES, LIQUID, TOXIC, FLAMMABLE, N.O.S., flash point not less than 23°C								
824. (2408)	3025	6.1	100 89 100	—	6.1	II	5 L	60 L
COUMARIN DERIVATIVE PESTICIDES, LIQUID, TOXIC, FLAMMABLE, N.O.S., flash point not less than 23°C								
825. (2404)	3026	6.1	46 94	—	6.1	I	1 L	30 L
COUMARIN DERIVATIVE PESTICIDES, LIQUID, TOXIC, N.O.S.								
826. (2405)	3026	6.1	100	—	6.1	II	5 L	60 L
COUMARIN DERIVATIVE PESTICIDES, LIQUID, TOXIC, N.O.S.								
827. (2406)	3026	NR	100	—	6.1	III	60 L	220 L
COUMARIN DERIVATIVE PESTICIDES, LIQUID, TOXIC, N.O.S.								
828. (2409)	3027	6.1	46 93	—	6.1	I	5 kg	50 kg
COUMARIN DERIVATIVE PESTICIDES, SOLID, TOXIC, N.O.S.								
829. (2410)	3027	6.1	100	—	6.1	II	25 kg	100 kg
COUMARIN DERIVATIVE PESTICIDES, SOLID, TOXIC, N.O.S.								
830. (2411)	3027	NR	100	—	6.1	III	100 kg	200 kg
COUMARIN DERIVATIVE PESTICIDES, SOLID, TOXIC, N.O.S.								
831. (841)	2076	6.1		6.1	6.1	II	5 L	60 L
Creosote, coal tar, see Wood preservatives, liquid								
832. (842)	2022	6.1		6.1	6.1	II	5 L	60 L
Cresols (<i>o</i> -, <i>m</i> -, <i>p</i> -)								
833. (82)	1143	3.2 9.2	46 84	3.2	3	II	5 L	60 L
Cresylic acid								
834. (229)	2823	8	102	8	8	III	5 L	60 L
Crotonaldehyde, stabilized								
835. (83)	1144	3.1	46 99	3.1	3	I	1 L	30 L
Crotonic acid								
836. (844)	2116	5.2 I	46 83	5.2	5.2 I	I	1 L	5 L
Cumene hydroperoxide, see Cumyl hydroperoxide								
837. (1622)								
Cumene hydroperoxide, or Cumene hydroperoxide, technically pure								
838. (1623)	2963	5.2	46 83	5.2	5.2	II	p	p
Cumyl peroxyneodecanoate, not more than 77 per cent in solution								
839. (2355)			99 -10°C 0°C					

Cumyl peroxypivalate, not more than 77
per cent in solution840.
(2358)

[151]

841. (13)	Cupric acetate	2964	5.2	46 48 56 83 99 -5°C +5°C	5.2	5.2	II	P	P
842. (1996)	Cupric nitrate	1479	5.1	55	-	-	II	-	-
843. (2121)	Cupric oxalate	2449	9.2	55	-	-	II	-	-
844. (2839)	Cupric sulphate	9109	9.2	49	-	-	II	-	-
845. (2840)	Cupric sulphate, ammoniated	9110	9.2	49	-	-	II	-	-
846. (2885)	Cupric tartrate	9111	9.2	49	-	-	II	-	-
847. (845)	Cupriethylenediamine solution	1761	8	46	8	8	II	1 L	30 L
848. (870)	Cyanide solutions, n.o.s.	1935	6.1	102	6.1	6.1	I	1 L	30 L
849. (871)	CYANIDES, INORGANIC, N.O.S.	1588	6.1	102	6.1	6.1	I	5 kg	50 kg
850. (872)	CYANIDES, INORGANIC, N.O.S.	1588	6.1	102	6.1	6.1	II	25 kg	100 kg
851. (873)	CYANIDES, INORGANIC, N.O.S.	1588	NR		6.1	6.1	III	100 kg	200 kg
852. (498)	Cyanogen bromide	1889	6.1 8	46 48 56 90 99	6.1 8	6.1 8	I	p	25 kg
853. (743)	Cyanogen chloride	1589	2.3 9.2	102 33 46 48 52 56 79 88 98 99	2.3	2 6.1	X	p	p
854. (852)	Cyanogen, liquefied or Cyanogen, gas	1026	2.3 2.1	102 46 48 52 56 79 88 99	2.3 2.1	2 3 6.1	X	p	p
855. (716)	Cyanuric chloride	2670	8	102	8	8	III	25 kg	100 kg
856. (2989)	Cyanuric triazide		-	47	-	-	-	-	-
857. (874)	Cyclobutane	2601	2.1	48	2.1	2	X	p	150 kg
858. (673)	Cyclobutylchloroformate	2744	6.1 8	56	6.1 8 3	6.1 8 3	II	1 L	30 L

SCHEDULE II—Con.

LIST II—Con.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
859 (875)	2518	8	89	8	6.1	III	60 L	220 L
1,5,9-Cyclododecatriene			99	3.2	3	II	5 L	60 L
860. (876)	2241	3.2						
Cycloheptane								
861. (877)	2603	3.2	99	3.2	3	II	1 L	60 L
Cycloheptatriene								
862. (878)	2242	3.2		6.1	6.1	II	5 L	60 L
Cycloheptene				3.2	3	II		
863. (879)	1145	3.1	99	3.1	3	II	5 L	60 L
Cyclohexane		9.2						
864. (880)	1915	NR	73	3.3	3	III	60 L	220 L
Cyclohexanone								
865. (2311)	2117	5.2 E I	46 48 56 83 99	5.2 E I	5.2 E I	I	P	P
Cyclohexanone peroxide(s), more than 90 per cent, with water								
866. (2309)	2118	5.2 I	46 48 56 83 99	5.2	5.2 I	I	1 L	5 L
Cyclohexanone peroxide(s), not more than 72 per cent in solution, with not more than 9 per cent available oxygen								
867. (2308)	2896	5.2 I	46 48 56 83 99	5.2	5.2 I	II	1 kg	5 kg
Cyclohexanone peroxide(s), not more than 72 per cent as a paste, with not more than 9 per cent available oxygen								
868. (2310)	2119	5.2 I	46 48 56 83 99	5.2	5.2 I	I	1 kg	5 kg
Cyclohexanone peroxide(s), not more than 90 per cent, with water								
869. (881)	2256	3.1	99	3.1	3	II	5 L	60 L
CYCLOHEXENE								
870. (882)	2256	3.2		3.2	3	II	5 L	60 L
CYCLOHEXENE								
871. (883)	1762	8	46 56 83 99	8	8	II	P	30 L
Cyclohexenyltrichlorosilane								
872. (17)	2243	NR	99	3.3	3	III	60 L	220 L
Cyclohexyl acetate								
873. (884)	2357	8 3		3.2 8 or 3.3 8	8 3	II	1 L	30 L
Cyclohexylamine								
874. (1708)	2488	6.1	90	6.1	6.1	II	P	60 L
Cyclohexyl isocyanate								
875. (1851)	3054	NR	100	—	3	III	60 L	220 L
Cyclohexyl mercaptan								
876. (885)	1763	8	46 56 90	8	8	II	P	30 L
Cyclohexyltrichlorosilane								

Cyclooctadiene phosphines, *see* 9-Phos-

phabicyclononanes

Cyclooctadienes

Cyclooctatetraene

Cyclopentane

Cyclopentanol

Cyclopentanone

Cyclopentene

Cyclopropane, liquefied *or* Cyclopropane

Cyclooctamethylene tetranitramine (dry)

(HMX) or with less than 1.5 per cent

water or with less than 18 per cent phleg-

matiser

Cymenes

2,4-D, *see* 2,4-Dichlorophenoxyacetic acidDDT *or* Dichlorodiphenyltrichloroethane

Decaborane

Decahydronaphthalene

n-Decane

Decanoyl peroxide, *see* Didecanoyl perox-

ide

2,4-D ester, *see* 2,4-Dichlorophenoxya-

cetic acid ester

Denatured alcohol, *see* Alcohols, toxic,

n.o.s.

Deuterium

DIACETONE ALCOHOL

DIACETONE ALCOHOL

DIACETONE ALCOHOL

DIACETONE ALCOHOL

Diacetone alcohol peroxides, *not more**than 57 per cent in solution, with not**more than 9 per cent hydrogen peroxide;**not less than 26 per cent diacetone**alcohol, and not less than 9 per cent*

877.

(2589)

878.

(886)

879.

(887)

880.

(888)

881.

(889)

882.

(890)

883.

(891)

884.

(892)

885.

(893)

886.

(894)

887.

(895)

888.

(896)

889.

(897)

890.

(898)

891.

(899)

892.

(2254)

893.

(1315)

894.

(221)

895.

(1011)

896.

(1012)

897.

(1013)

898.

(1014)

899.

(1015)

900.

(2312)

901.

(1016)

901.

(1016)

901.

(1016)

901.

(1016)

901.

(1016)

901.

(1016)

901.

(1016)

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
902. (2255)	Diacetyl peroxide, or Acetyl peroxide, <i>not more than 27 per cent in solution, with dimethyl phthalate or other approved phlegmaliser</i>	2084	5.2 I	5.2	5.2 I	II	p	p
903. (1017)	Diallylamine	2359	3.2	3.2	3	II	5 L	60 L
904. (1334)	Diallylether	2360	3.2	3.2	3	II	1 L	60 L
905. (1019)	4,4'-Diaminodiphenyl methane	2651	6.1 NR	6.1 6.1	6.1 6.1	III	100 kg	200 kg
906. (1020)	Di-(aminopropyl)piperazine	1760	8	—	—	II	—	—
907. (1021)	Di-n-nylamine	2841	9.2	6.1 3	6.1	III	60 L	220 L
908. (1023)	p-Diazidobenzine	—	—	—	—	—	—	—
909. (1024)	1,2-Diazidoethane	—	—	—	—	—	—	—
910. (1025)	Diazinon	2783	9.2	—	—	I ^s	—	—
911. (1022)	1,1-Diazoaminonaphthalene	—	—	—	—	—	—	—
912. (1026)	Diazaminotetrazole (dry)	—	—	—	—	—	—	—
913. (1027)	Diazodinitrophenol (dry)	—	—	—	—	—	—	—
914. (1028)	Diazodiphenylmethane	—	—	—	—	—	—	—
915. (744)	2-Diazo-1-naphthol-4-sulpho-chloride	3042	4.1 E	—	—	II	—	—
916. (745)	2-Diazo-1-naphthol-5-sulpho-chloride	3043	4.1 E	—	—	II	—	—
917. (2050)	Diazonium nitrates (dry)	—	—	—	—	—	—	—
918. (2222)	Diazonium perchlorates (dry)	—	—	—	—	—	—	—
919. (1031)	1,3-Diazopropane	—	—	—	—	—	—	—
920. (2260)	Dibenzoyl peroxide, or Benzoyl peroxide, <i>more than 77 per cent but less than 95 per cent, with water</i>	2088	5.2 E	5.2 E	5.2 E	I	p	p

921. (2258)	Dibenzoyl peroxide, or Benzoyl peroxide, not less than 30 per cent but not more than 52 per cent, with inert solid	2089	5.2	48 56 83 99	5.2	5.2	5.2	II	10 kg	25 kg
922. (2257)	Dibenzoyl peroxide, or Benzoyl peroxide, not more than 72 per cent as a paste	2087	5.2	48 50 56 83 99	5.2	5.2	5.2	II	10 kg	25 kg
923. (2259)	Dibenzoyl peroxide, or Benzoyl peroxide, not more than 77 per cent, with water	2090	5.2	46 48 56 83 99	5.2	5.2	5.2	II	5 kg	10 kg
924. (2256)	Dibenzoyl peroxide, or Benzoyl peroxide, more than 52 per cent, with inert solid or Dibenzoyl peroxide, or Benzoyl peroxide, technically pure	2085	5.2 E	42 46 48 56 83 99	5.2 E	5.2 E	5.2 E	I	p	p
925. (1034)	Dibenzylidichlorosilane	2434	8	46 48 56 83 99	8	8	8	II	1 L	30 L
926. (2330)	Dibenzyl peroxydicarbonate, not more than 87 per cent, with water	2149	5.2 E	46 48 56 83 99	5.2 E	5.2 E	5.2 E	I	p	p
927. (1035)	Diborane or Diborane mixtures	1911	2.1 6.1	46 48 56 79 88 99 102 47	2.1 6.1	2.1 2.3	2 3 6.1	X	p	p
928. (1036)	Dibromoacetylene		-		-	-	-	-	-	-
929. (1037)	Dibromobenzene	2711	NR	73	3.3	3	3	III	60 L	220 L
930. (1038)	1,2-Dibromobutan-3-one	2648	6.1		6.1	6.1	6.1	II	5 L	60 L
931. (1039)	Dibromochloropropane	2872	NR	73	6.1	6.1	6.1	III	60 L	220 L
932. (1040)	Dibromodifluoromethane	1941	9.1	44	9	9	9	III	100 L	220 L
933. (1041)	Dibromomethane	2664	NR		6.1	6.1	6.1	III	60 L	220 L
934. (1044)	Di-(n-butyl)amine	2248	8		8	8	8	II	1 L	30 L
935. (1045)	Dibutylaminoethanol	2873	NR	73	3 6.1	3 6.1	3 6.1	III	60 L	220 L
936. (2331)	Di-(4-tert-butylcyclohexyl) peroxydicarbonate, not more than 42 per cent, stable dispersion, in water	2894	5.2	46 48 56 83 99	5.2	5.2	5.2	II	p	p

SCHEDULE II—Con.
LIST II—Con.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
937. (2332)	Di-(4-tert-butylcyclohexyl) peroxydicar- bonate, <i>technically pure</i>	2154	5.2	46 48 56 83 99 +30°C +35°C 81	5.2	5.2	II	P	P
938. (1360) 939. (1046) 940. (2261)	Di-butyl ethers or Butyl ethers Dibutylnitrosamine <i>see</i> Poisonous solids, n.o.s. Di-tert-butyl peroxide, or tert-butyl peroxide, <i>technically pure</i>	1149 2102	3.3 5.2 3	 48 56 83 99	3.3 5.2 3	3 5.2 3	III II	60 L 1 L	220 L 5 L
941. (1047)	2,2-Di-(tert-butylperoxy) butane, <i>not more than 55 per cent in solution</i>	2111	5.2	48 56 83 99	5.2	5.2	II	5 L	10 L
942. (1048)	1,1-Di-(tert-butylperoxy) cyclohexane, <i>not more than 40 per cent with inert inor- ganic solid, with not less than 13 per cent phlegmatiser</i>	2885	5.2	48 56 83 99	5.2	5.2	II	5 kg	10 kg
943. (1049)	1,1-Di-(tert-butylperoxy) cyclohexane, <i>not more than 50 per cent, with phlegma- tiser</i>	2897	5.2	48 56 83 99	5.2	5.2	II	5 L	10 L
944. (1050)	1,1-Di-(tert-butylperoxy) cyclohexane, <i>not more than 77 per cent in solution</i>	2180	5.2 E	46 48 56 83 99	5.2 E	5.2 E	II	P	P
945. (1051)	1,1-Di-(tert-butylperoxy) cyclohexane, <i>technically pure</i>	2179	5.2 E	46 48 56 83 99	5.2 E	5.2 E	II	P	P
946. (2333)	Di-n-butyl peroxydicarbonate, or n-Butyl peroxydicarbonate, <i>not more than 27 per cent in solution</i>	2170	5.2	46 48 56 83 99 0°C	5.2	5.2	II	P	P
947. (2334)	Di-n-butyl peroxydicarbonate, or n-Butyl peroxydicarbonate, <i>not more than 52 per cent in solution</i>	2169	5.2	46 48 56 83 99 +10°C -15°C -5°C	5.2	5.2	II	P	P

948. (2335)	Di-(sec-butyl) peroxydicarbonate, <i>not more than 52 per cent in solution</i>	2151	5.2	46 48 56 83 99	5.2	5.2	II	P	P
949. (2336)	Di-(sec-butyl) peroxydicarbonate, <i>technically pure</i>	2150	5.2 E	-15°C 46 48 56 83 99	5.2 E	5.2 E	I	P	P
950. (1057)	1,3-Di-(2-tert-butylperoxyisopropyl) benzene, <i>more than 40 per cent, with inert solid or 1,3-Di-(2-tert-butylperoxyisopropyl) benzene, technically pure</i>	2112	5.2	-20°C 48 56 83 99	5.2	5.2	II	10 kg	25 kg
951. (1058)	1,4-Di-(2-tert-butylperoxyisopropyl) benzene, <i>more than 40 per cent, with inert solid or 1,4-Di-(2-tert-butylperoxyisopropyl) benzene, technically pure</i>	2112	5.2	48 56 83 99	5.2	5.2	II	10 kg	25 kg
952. (1059)	1,4-Di-(2-tert-butylperoxyisopropyl) benzene and 1,3-Di-(2-tert-butylperoxyisopropyl) benzene mixtures, <i>more than 40 per cent, with inert solid or 1,4-Di-(2-tert-butylperoxyisopropyl) benzene and 1,3-Di-(2-tert-butylperoxyisopropyl) benzene mixtures, technically pure</i>	2112	5.2	48 56 83 99	5.2	5.2	II	10 kg	25 kg
953. (1237)	Di-(tert-butylperoxy) phthalate, <i>not more than 55 per cent as a paste</i>	2108	5.2	48 56 83 99	5.2	5.2	II	5 kg	10 kg
954. (1236)	Di-(tert-butylperoxy) phthalate, <i>not more than 55 per cent in solution</i>	2107	5.2	48 56 83 99	5.2	5.2	II	5 L	10 L
955. (1238)	Di-(tert-butylperoxy) phthalate, <i>technically pure</i>	2106	5.2 E	46 48 56 83 99	5.2 E	5.2 E	II	P	P
956. (1053)	2,2-Di-(tert-butylperoxy) propane, <i>not more than 40 per cent, with inert inorganic solid, with not less than 13 per cent phlegmatizer</i>	2884	5.2	48 56 83 99	5.2	5.2	II	5 kg	10 kg
957. (1054)	2,2-Di-(tert-butylperoxy) propane, <i>not more than 50 per cent, with phlegmatizer</i>	2883	5.2	48 83 99	5.2	5.2	II	5 L	10 L
958. (1055)	1,1-Di-(tert-butylperoxy)-3,3,5-trimethyl cyclohexane, <i>not more than 57 per cent in solution</i>	2146	5.2	48 56 83 99	5.2	5.2	II	5 L	10 L
959. (1056)	1,1-Di-(tert-butylperoxy)-3,3,5-trimethyl cyclohexane, <i>not more than 58 per cent, with inert solid</i>	2147	5.2	48 56 83 99	5.2	5.2	II	5 kg	10 kg
960. (1060)	1,1-Di-(tert-butylperoxy)-3,3,5-trimethyl cyclohexane, <i>technically pure</i>	2145	5.2	48 56 83 99	5.2	5.2	II	5 L	10 L

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
961. (1061)	Dicamba	3004	9.2	55	—	—	III	—	—
962. (2322)	Diethyl peroxydicarbonate, <i>not more than 42 per cent. stable dispersion, in water</i>	2895	5.2	46 48 83 99 +25°C +30°C	5.2	5.2	II	p	p
963. (2323)	Diethyl peroxydicarbonate, <i>technically pure</i>	2164	5.2	46 48 56 83 99 +20°C +25°C	5.2	5.2	II	p	p
964. (1063)	Dichlobenil	2769	9.2	55	—	—	III	—	—
965. (1064)	Dichlone	2996	9.2	46 55	—	—	I	—	—
966. (1067)	N,N'-Dichlorazodicarbon amidine (salts of, dry)	1764	8	47	—	—	—	—	—
967. (85)	Dichloroacetic acid	2649	6.1	—	—	—	—	—	—
968. (1066)	1,3-Dichloroacetone	1765	8	46 99 47	8 6.1	8 6.1	II II	1 L 25 kg	30 L 100 kg
969. (746)	Dichloroacetyl chloride	1765	8	—	—	—	—	—	—
970. (1068)	Dichloroacetylene	1590	6.1	—	—	—	—	—	—
971. (1069)	Dichloroanilines	1591	9.2	46	6.1	6.1	II	5 L	60 L
972. (1070)	o-Dichlorobenzene or Dichlorobenzene, ortho, <i>liquid</i>	1592	9.2	46	6.1	6.1	III	60 L	220 L
973. (1071)	p-Dichlorobenzene or Dichlorobenzene, para, <i>solid</i>	2114	5.2	48 56 83 99	5.2	5.2	II	100 kg 5 kg	200 kg 10 kg
974. (2262)	Di-4-chlorobenzoyl peroxide, or p-Chlorobenzoyl peroxide, <i>not more than 52 per cent as paste</i>	2115	5.2	48 56 83 99	5.2	5.2	II	5 L	10 L
975. (2263)	Di-4-chlorobenzoyl peroxide, or p-Chlorobenzoyl peroxide <i>not more than 52 per cent in solution</i>	2113	5.2	46 48 56 83 99	5.2	5.2	II	5 kg	10 kg
976. (2264)	Di-4-chlorobenzoyl peroxide, or p-Chlorobenzoyl peroxide, <i>not more than 75 per cent, with water</i>	2113	5.2	46 48 56 83 99	5.2	5.2	II	5 kg	10 kg
977. (-)	2,4-Dichlorobenzoyl peroxide, <i>see</i> Di-2,4-dichlorobenzoyl peroxide								

978. (1073)	Dichlorobutene, <i>flammable or 1,3-</i>	2924	3.3	55	—	—	III	—	—
979. (1072)	Dichlorobutene-2	2924	8	55	—	—	II	—	—
980. (1074)	Dichlorodifluoroethylene (<i>R112a</i>)	9018	9.2	49	—	—	III	—	—
981. (1075)	Dichlorodifluoromethane (<i>R12</i>)	1028	2.2	—	2.2	2	X	75 kg	150 kg
982. (1078)	Dichlorodifluoromethane and difluoroethane azeotropic mixture, (<i>R500</i>) with approximately 74 per cent dichlorodifluoromethane	2602	2.2	83	2.2	2	X	75 kg	150 kg
983. (1077)	Dichlorodifluoromethane and dichlorotetrafluoroethane mixture, <i>see</i> Refrigerant gases, n.o.s.								
984. (1076)	Dichlorodifluoromethane and chlorodifluoromethane mixture, <i>see</i> Refrigerant gases, n.o.s.								
985. (1079)	Dichlorodifluoromethane and trichlorofluoromethane mixture, <i>see</i> Refrigerant gases, n.o.s.								
986. (1080)	Dichlorodifluoromethane and trichlorofluoromethane and chlorodifluoromethane mixture, <i>see</i> Refrigerant gases, n.o.s.								
987. (1081)	Dichlorodifluoromethane and trichlorofluoromethane mixture, <i>see</i> Refrigerant gases, n.o.s.								
988. (1335)	Dichlorodimethyl ether, symmetrical	2249	6.1	46 100 102	6.1 3	6.1	I	P	P
989. (1082)	Dichlorodiphenyltrichloroethane, <i>see</i> DDT								
990. (1083)	1,1-Dichloroethane (<i>R150a</i>)	2362	3.2	—	3.2	3	II	5 L	60 L
991. (1084)	Dichloroethylene (<i>R1130</i>)	1150	3.2	—	3.2	3	II	5 L	60 L
992. (1336)	Dichloroethyl ether	1916	6.1	—	6.1	6.1	II	5 L	60 L
993. (1085)	Dichlorofluoromethane (<i>R21</i>)	1029	2.2	—	2.2	2	X	75 kg	150 kg
994. (86)	Dichloroisocyanuric acid, dry or Dichloroisocyanuric acid salts	2465	5.1	—	5.1	5.1	II	5 kg	25 kg
995. (1337)	Dichloroisopropyl ether	2490	6.1	—	6.1	6.1	II	5 L	60 L
996. (1086)	Dichloromethane or Methylene chloride (<i>R30</i>)	1593	9.2	—	6.1	6.1	III	60 L	220 L
997. (1087)	1,1-Dichloro-1-methoxyethane	2650	6.1	—	6.1	6.1	II	5 L	60 L
998. (1088)	Dichloropentanes	1152	3.3	81	3.3	3	II	5 L	60 L
999. (87)	2,4-Dichlorophenoxyacetic acid or 2,4-D	2765	9.2	55	—	—	II	—	—
1000. (1317)	2,4-Dichlorophenoxyacetic acid ester or 2,4-D ester	2765	9.2	55	—	—	II	—	—
1001. (1716)	Dichlorophenyl isocyanates	2250	6.1	46	6.1	6.1	II	25 kg	100 kg
1002. (1090)	Dichlorophenyltrichlorosilane	1766	8	46 56	8	8	II	P	30 L
1003. (1092)	1,3-Dichloropropanol-2	2750	6.1	90	6.1	6.1	II	5 L	60 L
1004. (1091)	Dichloropropane, <i>see</i> Propylene dichloride								

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1005. (1093)	Dichloropropene	2047	81	3.3	3	II	5 L	60 L
1006. (1094)	Dichloropropene and dichloropropane mixtures, see Dichloropropene and propylene dichloride mixtures	2047	43	—	—	II	—	—
1007. (1095)	Dichloropropene and propylene dichloride mixtures	1760	55	—	—	II	—	—
1008. (88)	2,2-Dichloropropionic acid	2189	46	2.3	2	X	p	p
1009. (1096)	Dichlorosilane	2189	48	2.1	3			
			56		6.1			
			88					
			99					
			102					
1010. (1097)	Dichlorotetrafluoroethane (R114)	1958	2.2	2.2	2	X	75 kg	150 kg
1011. (1106)	Dichlorvos	3018	6.1	—	—	II	—	—
1012. (1107)	Dichlorvos mixture, dry	2783	9.2	—	—	II	—	—
1013. (1110)	Dicofol, see Kelthane							
1014. (2268)	Dicumyl peroxide, not more than 50 per cent in solution	2121	5.2	—	—	II	—	—
1015. (2269)	Dicumyl peroxide, technically pure or Dicumyl peroxide, with inert solid	2121	5.2	5.2	5.2	II	10 kg	25 kg
			83					
			99					
1016. (1111)	Dicycloheptadiene	2251	3.2	—	3	II	5 L	60 L
1017. (1112)	Dicyclohexylamine	2565	8	8	8	III	5 L	60 L
1018. (2056)	Dicyclohexylammonium nitrite	2687	NR	6.1	6.1	III	100 kg	200 kg
1019. (2337)	Dicyclohexyl peroxydicarbonate, not more than 91 per cent, with water	2153	5.2	5.2	5.2	I	p	p
			46					
			48					
			56					
			83					
			99					
			+5°C					
			+10°C					
1020. (2338)	Dicyclohexyl peroxydicarbonate, technically pure	2152	5.2	5.2	5.2	I	p	p
			E	E	E			
			46					
			56					
			83					
			99					
			+5°C					
			+10°C					
1021. (1113)	Dicyclopentadiene	2048	3.3	3.3	3	II	5 L	60 L

1022. (2270)	Didecanoyl peroxide, or Decanoyl peroxide, technically pure	2120	5.2	46 48 56 83 99 +15°C +20°C	5.2	5.2	5.2	II	p	p
1023. (1052)	2,2-Di-(4,4-di-tert-butylperoxycyclohexyl) propane, not more than 42 per cent, with inert solid	2168	5.2	48 56 83 99	5.2	5.2	5.2	II	5 kg	10 kg
1024. (2267)	Di-2,4-dichlorobenzoyl peroxide, or 2,4-Dichlorobenzoyl peroxide, not more than 52 per cent as a paste	2138	5.2	48 56 83 99	5.2	5.2	5.2	II	10 kg	25 kg
1025. (2265)	Di-2,4-dichlorobenzoyl peroxide, or 2,4-Dichlorobenzoyl peroxide, not more than 52 per cent in solution	2139	5.2	48 56 83 99	5.2	5.2	5.2	II	5 L	10 L
1026. (2266)	Di-2,4-dichlorobenzoyl peroxide, or 2,4-Dichlorobenzoyl peroxide, not more than 75 per cent, with water	2137	5.2	48 56 83 99	5.2	5.2	5.2	II	5 kg	10 kg
1027. (1114)	1,2-Di-(dimethylamino) ethane	2372	3.2	99	3.2	3	3	II	5 L	60 L
1028. (2011)	Didymium nitrate	1465	5.1	46 55 47	5.1	5.1	5.1	III	25 kg	100 kg
1029. (1115)	Dieldrin	2761	9.2	46 55 47	9.2	—	—	I	—	—
1030. (1184)	Diethanol nitrosamine dinitrate (dry)		—	46 55 47	—	—	—	—	—	—
1031. (1116)	Diethoxymethane	2373	3.1	99	3.1	3	3	II	5 L	60 L
1032. (749)	2,5-Diethoxy-4-morpholino-benzenediazonium zinc chloride	3036	4.1	46 48 96 100	4.1	—	—	II	—	—
1033. (1117)	3,3-Diethoxypropene	2374	3.2		3.2	3	3	II	5 L	60 L
1034. (747)	Diethyl aluminum chloride <i>see</i> Aluminum alkyl halides									
1035. (1118)	Diethylamine	1154	3.1 9.2	56 90	3.1	3	3	II	p	60 L
1036. (1119)	Diethylaminoethanol	2686	NR	73	3.3	3	3	III	60 L	220 L
1037. (1120)	Diethylaminopropylamine	2684	8		8	8	8	III	5 L	60 L
1038. (1121)	N,N-Diethyl aniline	2432	NR	73	3	3	6.1	III	60 L	220 L
1039. (1122)	Diethylbenzene	2049	3.3	81	3.3	3	3	II	5 L	60 L
1040. (571)	Diethyl carbonate	2366	3.3	81	3.3	3	3	II	5 L	60 L
1041. (1124)	Diethyldichlorosilane	1767	8	46	8	8	8	II	p	30 L
1042. (1125)	Diethylenetriamine	2079	3 8	56	3 8	3 8	3 8	II	1 L	30 L
1043. (1338)	Diethyl ether or Ethyl ether	1155	3.1	46 56 90 99	3.1	3	3	I	p	30 L

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1044. (1185) 1045. (1126) 1046. (505) 1047. (2325)	Diethylene glycol dinitrate N,N-Diethylethylene diamine Diethylgold bromide Di-(2-ethylhexyl) peroxydicarbonate, <i>not more than 42 per cent. stable dispersion, in water</i>	— 8 3 — 5.2	47 — 47 46 48 83 —15°C —5°C	— 8 3 — 5.2	— 8 3 — 5.2	— II — II	— 1 L — P	— 30 L — P
1048. (2326)	Di-(2-ethylhexyl) peroxydicarbonate, <i>not more than 77 per cent in solution</i>	2123	5.2 46 48 56 83 99	5.2	5.2	II	P	P
1049. (2327)	Di-(2-ethylhexyl) peroxydicarbonate, <i>technically pure</i>	2122	5.2 46 48 56 83 99	5.2	5.2	II	P	P
1050. (1123) 1051. (1805) 1052. (1127) 1053. (1128) 1054. (2324)	Diethyl ketone Diethyl magnesium, <i>see</i> magnesium alkyls Diethylnitrosamine, <i>see</i> Poisonous solids, n.o.s. Diethyl-p-Nitrosilane Diethyl peroxydicarbonate, <i>not more than 27 per cent in solution</i>	1156 — — — — — —	— — — — — — —	3.2 — — — — — —	3 — — — — — —	II — — — — — —	5 L — — — — — — —	60 L — — — — — — —
1055. (2843) 1056. (2873) 1057. (748) 1058. (3105) 1059. (1130)	Diethyl sulphate Diethyl sulphide Diethylthiophosphoryl chloride Diethylzinc Difluorochloroethanes, <i>see</i> Chlorodifluoroethanes	1594 2375 2751 1366	6.1 3.2 6.1 8 56 99 46 99	6.1 3.2 6.1 3 4.2	6.1 3 6.1 8 4.2	II II II I	5 L 1 L 15 kg P	60 L 60 L 50 kg P

1060. (1131)	Diffuoroethane (R152a)	1030	2.1	56	X	P	150 kg
1061. (1129)	1,1-Difluoroethylene (R1132a)	1959	2.1	102 46 48 56 99	X	P	150 kg
1062. (89)	Difluorophosphoric acid, anhydrous	1768	8	102 46 56	II	P	30 L
1063. (1133)	2,2-Dihydroperoxy propane, <i>not more than 25 per cent, with inert organic solid</i>	2178	5.2 E	46 48 56 83 99	II	P	P
1064. (1136)	2,3-Dihydroxypropan or Dihydroxyran	2376	3.2	46 56	II	5 L	60 L
1065. (2272)	Di-(1-hydroxycyclohexyl) peroxide, <i>technically pure</i>	2148	5.2	48 56 83 99	II	5 kg	10 kg
1066. (1138)	Di-(1-hydroxytetrazole) (dry)		-	47	-	-	-
1067. (1137)	1,8-Dihydroxy-2,4,5,7-tetranitroanthraquinone		-	47	-	-	-
1068. (1139)	Diiodoacetylene		-	47	-	-	-
1069. (1140)	Diisobutylamine	2361	3.3	81	II	5 L	60 L
1070. (1142)	Diisobutylene, isomeric compounds	2050	3.2		II	5 L	60 L
1071. (1141)	Diisobutyl ketone	1157	NR	73	III	60 L	220 L
1072. (2271)	Diisobutryl peroxide, <i>not more than 52 per cent in solution</i>	2182	5.2	46 48 56 83 99	II	P	P
1073. (2573)	Diisocetyl acid phosphate	1902	8	-10°C	III	5 L	60 L
1074. (1148)	Diisopropylamine	1158	3.2	-20°C	II	5 L	60 L
1075. (1624)	Diisopropylbenzene hydroperoxide, <i>see</i>						
1076. (1149)	Diisopropylcumyl hydroperoxide	2825	8		III	5 L	60 L
1077. (1345)	Diisopropylethanolamine	1159	3.1	99	II	5 L	60 L
1078. (2339)	Diisopropyl ether				II	P	P
1079. (2340)	Diisopropyl peroxydicarbonate, or Isopropyl peroxydicarbonate, <i>technically pure</i>	2134	5.2 E	46 48 56 83 99 -10°C 0°C	II	P	P
		2133	5.2 E	46 48 56 83 99 -15°C -5°C			

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1080. (2341)	Disotridecyl peroxydicarbonate, <i>technically pure</i>	2889	5.2	5.2	5.2	II	p	p
			46 48 83 99 -10°C					
1081. (1062)	Diketene, inhibited	2521	3.3	3.3	3	II	5 L	60 L
1082. (2273)	Dilauroyl peroxide, or Lauroyl peroxide, <i>not more than 42 per cent, stable dispersion, in water</i>	2893	5.2	5.2	5.2	II	10 L	25 L
1083. (2274)	Dilauroyl peroxide, or Lauroyl peroxide, <i>technically pure</i>	2124	5.2	5.2	5.2	II	10 kg	25 kg
			46 83 99					
1084. (1150)	1,1-DIMETHOXYETHANE	2377	3.1	3.1	3	II	5 L	60 L
1085. (1151)	1,1-DIMETHOXYETHANE	2377	3.2	3.2	3	II	5 L	60 L
1086. (1152)	1,2-Dimethoxyethane	2252	3.2	3.2	3	II	5 L	60 L
1087. (1153)	Dimethylamine, anhydrous	1032	2.1 9.2	2.1	2 3	X	p	150 kg
			46 56 99					
1088. (1154)	Dimethylamine, solution	1160	3.2 9.2	3.2	3	II	5 L	60 L
1089. (1155)	2-Dimethylaminoacetone nitrile	2378	3.3 6.1	3.3 6.1	3 6.1	II	1 L	60 L
1090. (1156)	Dimethylaminoethanol, <i>see</i> Dimethyl- thanolamine							
1091. (750)	4-Dimethylamino-6-(2-dimethylamino- thoxy) toluene-2-diazonium zinc chloride	3039	4.1	—	—	II	—	—
			46 48 96 100 +40°C +45°C					
1092. (1890)	Dimethylaminoethyl methacrylate	2522	6.1	6.1	6.1	II	5 L	60 L
1093. (1157)	N,N-Dimethylaniline	2253	6.1	6.1	6.1	II	5 L	60 L
1094. (2275)	Di-(2-methylbenzoyl) peroxide, <i>not more than 65 per cent, with water</i>	2593	5.2 E	5.2 E	5.2 E	I	p	p
			46 48 83 99 +30°C +35°C					
1095. (1158)	2,3-Dimethylbutane	2457	3.1	3.1	3	II	5 L	60 L
1096. (1159)	1,3-Dimethylbutylamine	2379	3.2	3.2	3	II	5 L	60 L

1097. (751)	Dimethylcarbamoyl chloride	2262	8					8	II	1 L	30 L
1098. (572)	Dimethyl carbonate	1161	3.2					3.2	II	5 L	60 L
1099. (2957)	Dimethyl chlorothiophosphate	2922	8				55	—	II	—	—
1100. (1160)	Dimethylcyclohexanes	2263	3.2					3.2	II	5 L	60 L
1101. (1161)	Dimethylcyclohexylamine	2264	8					8	II	1 L	30 L
1102. (1162)	2,5-Dimethyl-2,5-di-(benzoylperoxy)hexane, <i>not more than 82 per cent, with inert solid</i>	2173	5.2 E				46 48 56 76	5.2 E	II	p	p
1103. (1163)	2,5-Dimethyl-2,5-di-(benzoylperoxy) hexane, <i>not more than 82 per cent, with water</i>	2959	5.2				99 48 56 76 83	5.2	II	5 kg	10 kg
1104. (1164)	2,5-Dimethyl-2,5-di-(benzoylperoxy) hexane, <i>technically pure</i>	2172	5.2 E				99 46 48 56 76 83	5.2 E	II	p	p
1105. (1165)	2,5-Dimethyl-2,5-di-(tert-butylperoxy) hexane, <i>not more than 52 per cent, with inert solid</i>	2156	5.2				99 48 56 83	5.2	II	5 kg	10 kg
1106. (1166)	2,5-Dimethyl-2,5-di-(tert-butylperoxy) hexane, <i>technically pure</i>	2155	5.2				99 48 56 83	5.2	II	5 L	10 L
1107. (1167)	2,5-Dimethyl-2,5-di-(tert-butylperoxy) hexyne-3, <i>not more than 52 per cent, with inert solid</i>	2159	5.2				99 48 56 83	5.2	II	5 kg	10 kg
1108. (1168)	2,5-Dimethyl-2,5-di-(tert-butylperoxy) hexyne-3, <i>technically pure</i>	2158	5.2 E				99 46 48 56 83	5.2 E	II	p	p
1109. (1169)	Dimethyldichlorosilane	1162	3.2 8				99 46 56 90	3.2 8	I	p	2.5 L
1110. (1170)	Dimethyldiethoxysilane	2380	3.2					3.2	II	5 L	60 L
1111. (1171)	2,5-Dimethyl-2,5-di-(2-ethylhexanoyl-peroxy) hexane, <i>technically pure</i>	2157	5.2				46 48 56 99	5.2	II	p	p
1112. (1172)	2,5-Dimethyl-2,5-dihydroperoxy hexane, or Dimethylhexane dihydroperoxide, <i>not more than 82 per cent, with water</i>	2174	5.2 E				+20°C 46 48 56 83 99	5.2 E	I	p	p
1113. (1173)	3,5-Dimethyl-3,5-dihydroxydioxolane-1,2, see Acetyl acetone peroxide										

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1114. (1174)	2707	3.2		3.2	3	II	5 L	60 L
DIMETHYLDIOXANES								
1115. (1175)	2707	3.3	81	3.3	3	II	5 L	60 L
DIMETHYLDIOXANES								
1116. (1176)	2381	3.2		3.2	3	II	5 L	60 L
Dimethyl disulphide								
1117. (1177)	2051	3.3	81	3.3	3	II	5 L	60 L
Dimethylethanamine								
1118. (1348)	1033	2.1	56 102	2.1	2	X	p	150 kg
Dimethyl ether								
1119. (1177)	2265	NR		3.3	3	III	60 L	220 L
N,N-Dimethylformamide								
1120. (1134)								
Dimethyl/hexane dihydroperoxide, <i>see</i> 2,5-Dimethyl-2,5-dihydroperoxy hexane								
1121. (1135)			47					
Dimethyl/hexane dihydroperoxide (dry)								
1122. (1179)	2382	3.2	46 99	3.2 6.1	3 6.1	I	p	30 L
Dimethylhydrazine, symmetrical or 1,2-Dimethylhydrazine								
1123. (1178)	1163	3.2 8	46 90	3.2 8	3 8	I	p	2.5 L
Dimethylhydrazine, unsymmetrical or 1,1'-Dimethylhydrazine								
1124. (1806)								
Dimethylmagnesium, <i>see</i> Magnesium alkyls								
1125. (1180)								
Dimethylnitrosamine, <i>see</i> Poisonous solids, n.o.s.								
1126. (1181)	2044	2.1	46 56	2.1	2 3	X	p	150 kg
2,2-Dimethyl propane, <i>other than pentane and isopentane</i>								
1127. (1182)	2266	3.2	102	3.2	3	II	1 L	5 L
Dimethyl-N-propylamine								
1128. (2845)	1595	6.1	46 56 90 99	6.1	6.1	I	p	30 L
Dimethyl sulphate								
1129. (2875)	1164	3.1	102 46 56 90 99	3.1	3	I	p	30 L
Dimethyl sulphide								
1130. (752)	2267	8		8	8	III	5 L	60 L
Dimethyl thiophosphoryl chloride								
1131. (3106)	1370	4.2	46 99	4.2	4.2	I	p	p
Dimethylzinc								
1132. (2342)	2892	5.2	46 48 68 83 99	5.2	5.2	II	p	p
Dimyristyl peroxycarbonate, <i>not more than 42 per cent. stable dispersion, in water</i>								

1133. (2343)	Dimethyl peroxycarbonate, <i>technically pure</i>	2595	5.2	46 48 56 83 99 +20°C +25°C	5.2	5.2	II	P	P
1134. (2276)	Di-(1-naphthoxy) peroxide		—	47	—	—	—	—	—
1135. (2201)	Dinitromethane		—	47	—	—	—	—	—
1136. (1190)	Dinitroanilines	1596	6.1		6.1	6.1	II	5 L	60 L
1137. (1191)	Dinitrobenzenes	1597	6.1 9.2	46 102	6.1	6.1	II	25 kg	100 kg
1138. (1192)	Dinitrochlorobenzene, <i>see</i> Chlorodinitrobenzene								
1139. (1193)	Dinitro-o-cresol	1598	6.1	89	6.1	6.1	II	25 kg	100 kg
1140. (1194)	Dinitrocyclohexylphenol	9026	9.1	102 49	—	—	III	—	—
1141. (1195)	Dinitro-7,8-dimethylglycoluril (dry)		—	47	—	—	—	—	—
1142. (1196)	1,3-Dinitro-4,5-dinitrobenzene		—	47	—	—	—	—	—
1143. (1197)	1-3-Dinitro-5,5-dimethyl hydantoin		—	47	—	—	—	—	—
1144. (1198)	1,1-Dinitroethane (dry)		—	47	—	—	—	—	—
1145. (1199)	1,2-Dinitroethane		—	47	—	—	—	—	—
1146. (1200)	Dinitroglycoluril		—	47	—	—	—	—	—
1147. (1203)	Dinitrophenol solutions	1599	6.1		6.1	6.1	II	5 L	60 L
1148. (1204)	Dinitrophenol, wetted <i>uniformly</i> , with <i>not less than 15 per cent water, by mass</i>	1320	9.2 4.1 6.1 9.2	10 46 48 58	4.1 6.1	4.1 6.1	I	1 kg	15 kg
1149. (1205)	Dinitrophenolates, wetted <i>uniformly</i> , with <i>not less than 15 per cent water, by mass</i>	1321	4.1 6.1	99 10 46 48 58	4.1 6.1	4.1 6.1	I	1 kg	15 kg
1150. (1206)	2,4-Dinitrophenylhydrazine, wetted <i>uniformly</i> , with <i>not less than 10 per cent water</i>		—	47	—	—	—	—	—
1151. (1207)	Dinitropropylene glycol		—	47	—	—	—	—	—
1152. (1208)	Dinitroresorcinol, wetted <i>uniformly</i> , with <i>not less than 15 per cent water, by mass</i>	1322	4.1	10 46 48 58	4.1	4.1	I	1 kg	15 kg
1153. (1209)	2,4-Dinitroresorcinol (heavy metal salts of), (dry)		—	47	—	—	—	—	—
1154. (1210)	4,6-Dinitroresorcinol (heavy metal salts of), (dry)		—	47	—	—	—	—	—
1155. (90)	3,5-Dinitrosalicylic acid (lead salt), (dry)		—	47	—	—	—	—	—
1156. (1211)	Dinitrosobenzylamide and salts of (dry)		—	47	—	—	—	—	—

SCHEDULE II Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1157. (1212)	N,N'-Dinitroso-N,N'-dimethyl terephthalamide, <i>not more than 72 per cent as a paste</i>	2973	4.1 E 48 83 100		4.1 E	II	p	p
1158. (1213)	N,N'-Dinitrosopentamethylene tetramine, <i>not more than 82 per cent, with phlegmatizer</i>	2972	4.1 E 46 48 83 100		4.1 E	II	p	p
1159. (1214)	Dinitrostilbene		47					
1160. (2925)	1,4-Dinitro-1,1,4,4-tetramethylolbutane tetranitrate (dry)		47					
1161. (1215)	Dinitrotoluenes, molten or Dinitrotoluene, liquid	1600	46 9.2	6.1	6.1	II	p	p
1162. (1216)	Dinitrotoluenes, solid	2038	46 9.2	6.1	6.1	II	25 kg	100 kg
1163. (3045)	2,4-Dinitro-1,3,5-trimethylbenzene		47					
1164. (2277)	Di-n-nonanoyl peroxide, or Pelargonyl peroxide, <i>technically pure</i>	2130	46 48 56 83 99 0°C +10°C	5.2	5.2	II	p	p
1165. (2010)	Di(beta-nitroxyethyl) ammonium nitrate		47					
1166. (1217)	a,a'-Di-(nitroxy) methyl ether		47					
1167. (1218)	1,9-Dinitroxy pentamethylene-2,4,6,8-tetramine (dry)		47					
1168. (2279)	Di-n-octanoyl peroxide, or n-Octanoyl peroxide, <i>technically pure</i>	2129	46 48 56 83 99 +10°C	5.2	5.2	II	p	p
1169. (2278)	Di-n-octanoyl peroxide, solution or Caprylyl peroxide, solution	2129	48 +15°C	5.2		II		
1170. (1219)	Dioxane	1165	55	3.2	3	II	5 L	60 L
1171. (1220)	Dioxolane	1166		3.2	3	II	5 L	60 L
1172. (1233)	Dipentene	2052	63	3.3	3	II	5 L	60 L
1173. (131)	Diperoxy azelaic acid, <i>not more than 27 per cent, with not less than 13 per cent azelaic acid, and not less than 53 per cent sodium sulphate</i>	2958	46 48 83 +35°C +40°C	5.2 I	5.2 I	II	p	p

1174. (1239)	Diphenylamine chlorarsine	1698	6.1	46 48 56 99	6.1	6.1	I	P	P
1175. (1240)	Diphenylchlorarsine	1699	6.1	102 46 48 99	6.1	6.1	I	P	15 kg
1176. (1241)	Diphenyldichlorosilane	1769	8	102 46 56 90	8	8	II	P	30 L
1177. (1147)	Diphenylmethane-4,4'-diisocyanate	2489	9.2		6.1	6.1	III		220 L
1178. (510)	Diphenylmethyl bromide	1770	8	99	8	8	II		15 kg
1179. (1247)	Diphenyloxide-4,4'-disulphohydrazide	2951	4.1	46 48	-	4.1	II		50 kg
1180. (2872)	Dipicryl sulphide, wetted uniformly, with not less than 10 per cent water, by mass	2852	4.1	100 10 46 48 56 83 99	4.1	4.1	I	P	0.5 kg
1181. (2280)	Dipropionyl peroxide, or Propionyl peroxide, not more than 28 per cent in solution	2132	5.2	46 48 56 83 99	5.2	5.2	II	P	
1182. (1243)	Dipropylamine	2383	3.2		3.2	3	II		60 L
1183. (753)	4-Dipropylaminobenzenediazonium zinc chloride	3034	4.1	48 96	-	-	II	-	
1184. (1355)	Dipropyl ether	2384	3.1	100 99	3.1	3	II		5 L
1185. (1244)	Dipropylketone	2710	NR	73	3.3	3	III		60 L
1186. (2344)	Di-n-propyl peroxydicarbonate, technically pure	2176	5.2 E	46 48 56 76 83 99 -25°C -15°C	5.2 E	5.2 E	I	P	
1187. (1245)	Diquat	2781	9.2	55	-	-	III	-	
1188. (1000)	DISINFECTANTS, CORROSIVE LIQ- UID, N.O.S.*	1903	8		8	8	II		30 L
1189. (1001)	DISINFECTANTS, CORROSIVE LIQ- UID, N.O.S.*	1903	8		-	8	III		60 L
1190. (1002)	DISINFECTANTS, N.O.S.*, poisonous, liquid	1601	6.1	46 94	6.1	6.1	I		30 L
1191. (1003)	DISINFECTANTS, N.O.S.*, poisonous, liquid	1601	6.1	102 102	6.1	6.1	II		60 L
1192. (1004)	DISINFECTANTS, N.O.S.*, poisonous, liquid	1601	NR		6.1	6.1	III		220 L
1193. (1005)	DISINFECTANTS, N.O.S.*, poisonous, solid	1601	6.1	46 89 93 102	6.1	6.1	I		5 kg

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1194. (1006) Disinfectants, N.O.S.*; poisonous, solid	1601	6.1	89 102	6.1	6.1	II	25 kg	100 kg
1195. (1487) Dispersant gas, n.o.s., see Refrigerant gas, n.o.s.	2592	5.2	48 56 83 99	5.2	5.2	II	5 kg	10 kg
1196. (2329) Diisobutyl peroxycarbonate, not more than 85 per cent, with stearyl alcohol								
1197. (2281) Disuccinic acid peroxide, or Succinic acid peroxide, not more than 72 per cent, uni- formly wetted, with water	2962	5.2	46 48 83 +10°C +15°C	5.2	5.2	I	p	p
1198. (2303) Disuccinic acid peroxide, or Succinic acid peroxide, technically pure	2135	5.2 E	46 48 56 83 99	5.2 E	5.2 E	I	p	p
1199. (1248) Disulfoton	3018	6.1	46	—	—	I	—	—
1200. (1250) Disulfoton mixture, dry	2783	9.2 6.1	55	—	—	I	—	—
1201. (1249) Disulfoton mixture, liquid	3018	9.2 6.1	55 46	—	—	I	—	—
1202. (2422) DITHIOCARBAMATE PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., flash point less than 23°C	2772	3.2 6.1	46 56	3.2 6.1	3 6.1	I	p	30 L
1203. (2423) DITHIOCARBAMATE PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., flash point less than 23°C	2772	3.2 6.1	56	3.2 6.1	3 6.1	II	1 L	60 L
1204. (2427) DITHIOCARBAMATE PESTICIDES, LIQUID, TOXIC, FLAMMABLE, N.O.S., flash point not less than 23°C	3005	6.1	46 56 89 94	6.1 3	6.1	I	1 L	30 L
1205. (2428) DITHIOCARBAMATE PESTICIDES, LIQUID, TOXIC, FLAMMABLE, N.O.S., flash point not less than 23°C	3005	6.1	56 89 94	6.1 3	6.1	II	5 L	60 L
1206. (2424) DITHIOCARBAMATE PESTICIDES, LIQUID, TOXIC, N.O.S.	3006	6.1	46 56 94	6.1	6.1	I	1 L	30 L
1207. (2425) DITHIOCARBAMATE PESTICIDES, LIQUID, TOXIC, N.O.S.	3006	6.1	56	6.1	6.1	II	5 L	60 L
1208. (2426) DITHIOCARBAMATE PESTICIDES, LIQUID, TOXIC, N.O.S.	3006	NR		6.1	6.1	III	60 L	220 L
1209. (2429) DITHIOCARBAMATE PESTICIDES, SOLID, TOXIC, N.O.S.	2771	6.1	46	6.1	6.1	I	5 kg	50 kg
1210. (2430) DITHIOCARBAMATE PESTICIDES, SOLID, TOXIC, N.O.S.	2771	6.1	93	6.1	6.1	II	25 kg	100 kg
1211. (2431) DITHIOCARBAMATE PESTICIDES, SOLID, TOXIC, N.O.S.	2771	NR		6.1	6.1	III	100 kg	200 kg

1212. (2282)	Di-(3,5,5-trimethyl-1,2-dioxolanyl-3) peroxide, <i>not more than 50 per cent as a paste, with phlegmatiser</i>	2597	5.2	46 48 56 83 99 +30°C +35°C	5.2	5.2	II	p	p
1213. (2283)	Di-(3,5,5-trimethylhexanoyl) peroxide or Isononanoyl peroxide <i>in solution</i> or Di-(3,5-trimethylhexanoyl) peroxide, or Isononanoyl peroxide, <i>technically pure</i>	2128	5.2	46 48 56 83 99 0°C +10°C	5.2	5.2	II	p	p
1214. (1265)	Diuron	2767	9.2	55	—	—	II	—	—
1215. (1356)	Divinyl ether, inhibited	1167	3.1	46 56 84 90	3.1	3	II	p	60 L
1216. (91)	Dodecylbenzenesulphonic acid	2584	8	99	—	—	II	—	—
1217. (1270)	Dodecyltrichlorosilane	1771	8	46 56 90	8	8	II	p	30 L
1218. (329)	Dressing, leather, see Flammable liquid preparations, n.o.s.								
1219. (2768)	DRIERS, PAINT or VARNISH, LIQ-UID, N.O.S., <i>flash point less than 23°C</i>	1168	3.2		3.2	3	II	5 L	60 L
1220. (2769)	DRIERS, PAINT or VARNISH, LIQ-UID, N.O.S., <i>flash point less than 23°C</i>	1168	3.2		—	3	III	60 L	220 L
1221. (2770)	DRIERS, PAINT or VARNISH, LIQ-UID, N.O.S., <i>flash point less than 37.8°C</i>	1168	3.3		3.3	3	II	5 L	60 L
1222. (2771)	DRIERS, PAINT or VARNISH, LIQ-UID, N.O.S., <i>flash point less than 37.8°C</i>	1168	3.3		—	3	III	60 L	220 L
1223. (2772)	Driers, paint or varnish, liquid, n.o.s., <i>flash point not less than 37.8°C but less than 61°C</i>	1168	NR		—	3	III	60 L	220 L
1224. (2773)	Driers, paint or varnish, solid, n.o.s.	1371	4.1		4.1	4.1	III	25 kg	100 kg
1225. (1271)	Drugs or Medicines, n.o.s., see Corrosive liquids or solids, n.o.s. or Flammable liquids or solids, n.o.s. or Oxidizing substances, n.o.s. or Poisonous liquids or solids, n.o.s. or Aerosols								
1226. (1503)	Dry ice, see Carbon dioxide, solid								
1227. (816)	DYES, N.O.S. or DYE INTERMEDIATE, N.O.S.* <i>corrosive liquid</i>	2801	8		8	8	II	1 L	30 L
1228. (817)	DYES, N.O.S. or DYE INTERMEDIATE, N.O.S.* <i>corrosive liquid</i>	2801	8		3	8	III	5 L	60 L
1229. (818)	DYES, N.O.S. or DYE INTERMEDIATE, N.O.S.* <i>corrosive solid</i>	2801	8		3	8	II	15 kg	50 kg
1230. (819)	DYES, N.O.S. or DYE INTERMEDIATE, N.O.S.* <i>corrosive solid</i>	2801	8		8	8	III	25 kg	100 kg
1231. (820)	DYES, N.O.S. or DYE INTERMEDIATE, N.O.S.* <i>poisonous, liquid</i>	1602	6.1	46	6.1	6.1	I	1 L	30 L
1232. (821)	DYES, N.O.S. or DYE INTERMEDIATE, N.O.S.* <i>poisonous, liquid</i>	1602	6.1	94	6.1	6.1	II	5 L	60 L
1233. (822)	DYES, N.O.S. or DYE INTERMEDIATE, N.O.S.* <i>poisonous, liquid</i>	1602	NR		6.1	6.1	III	60 L	220 L

SCHEDULE II—Con.
LIST II—Con.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1234. (823)	DYES, N.O.S. or DYE INTERMEDIATES, N.O.S.* <i>poisonous, solid</i>	1602	6.1	46 93	6.1	6.1	I	15 kg	50 kg
1235. (824)	DYES, N.O.S. or DYE INTERMEDIATES, N.O.S.* <i>poisonous, solid</i>	1602	6.1		6.1	6.1	II	25 kg	100 kg
1236. (825)	DYES, N.O.S. or DYE INTERMEDIATES, N.O.S.* <i>poisonous, solid</i>	1602	NR		6.1	6.1	III	100 kg	200 kg
1237. (1273)	EDTA, <i>see</i> Ethylenediamine tetraacetic acid								
1238. (1285)	Endosulfan	2761	6.1 9.2	46 55	—	—	I	—	—
1239. (1286)	Endosulfan mixture, liquid	2996	6.1	46	—	—	I	—	—
1240. (1287)	Endrin	2761	6.1 9.2	46 55	—	—	I	—	—
1241. (1288)	Endrin mixture, liquid	2996	6.1 9.2	46 55	—	—	I	—	—
1242. (1289)	Engines or Motors, internal combustion, employing fuel classed as flammable		—	—	—	—	—	—	—
1243. (1417)	Engine starting fluid, with <i>flammable gas</i>	1960	2.1	46 48 56	2.1	2 3	X	P	150 kg
1244. (1297)	Epibromohydrin	2558	6.1	46 99	6.1 3	6.1	I	P	P
1245. (1298)	Epichlorohydrin	2023	6.1 9.2	102	6.1 3	6.1	II	5 L	60 L
1246. (1299)	1,2-Epoxy-3-ethoxypropane	2752	NR	73	3.3	3	III	60 L	220 L
1247. (2648)	ERADICATORS, PAINT or GREASE, LIQUID, <i>flash point less than -18°C</i>	1850	3.1	46 99	3.1	3	I	1 L	30 L
1248. (2649)	ERADICATORS, PAINT or GREASE, LIQUID, <i>flash point less than -18°C</i>	1850	3.1	99	3.1	3	II	5 L	60 L
1249. (2650)	ERADICATORS, PAINT or GREASE, LIQUID, <i>flash point less than -18°C</i>	1850	3.1	99	3.1	3	III	60 L	220 L
1250. (2651)	ERADICATORS, PAINT or GREASE, LIQUID, <i>flash point less than 23°C</i>	1850	3.2	46 99	3.2	3	I	1 L	30 L
1251. (2652)	ERADICATORS, PAINT or GREASE, LIQUID, <i>flash point less than 23°C</i>	1850	3.2		3.2	3	II	5 L	60 L
1252. (2653)	ERADICATORS, PAINT or GREASE, LIQUID, <i>flash point less than 23°C</i>	1850	3.2		3.2	3	III	60 L	220 L
1253. (2641)	ERADICATORS, PAINT or GREASE, LIQUID, <i>flash point not less than 23°C</i>	1850	3.3	46 81 99	3.3	3	I	1 L	30 L
1254. (2642)	ERADICATORS, PAINT or GREASE, LIQUID, <i>flash point not less than 23°C</i>	1850	3.3	81	3.3	3	II	5 L	60 L
1255. (2643)	ERADICATORS, PAINT or GREASE, LIQUID, <i>flash point not less than 23°C</i>	1850	3.3	81	3.3	3	III	60 L	220 L
1256. (2646)	ERADICATORS, PAINT or GREASE, LIQUID, <i>poisonous</i>	1850	6.1		6.1	6.1	II	5 L	60 L
1257. (2647)	ERADICATORS, PAINT or GREASE, LIQUID, <i>poisonous</i>	1850	NR		6.1	6.1	III	60 L	220 L

1258. (2644)	ERADICATORS, PAINT or GREASE, LIQUID, <i>corrosive</i>	1850	8		8	II	1 L	30 L
1259. (2645)	ERADICATORS, PAINT or GREASE, LIQUID, <i>corrosive</i>	1850	8		8	III	5 L	60 L
1260. (134)	Etching acid, liquid, n.o.s. containing a mixture of nitric and hydrofluoric acids	1790	8	46 48 55 99	—	I	—	—
1261. (1320)	Ethane, compressed or Ethane	1035	2.1	56 99	2.1	X	P	150 kg
1262. (1321)	Ethane, refrigerated liquid	1961	2.1	102 46 56 100	2.1	X	P	P
1263. (1322)	ETHANOL or ETHYL ALCOHOL or ETHANOL SOLUTIONS or ETHYL ALCOHOL SOLUTIONS or ALCOHOLIC BEVERAGES	1170	3.2	102	3.2	II	5 L	60 L
1264. (1323)	ETHANOL or ETHYL ALCOHOL or ETHANOL SOLUTIONS or ETHYL ALCOHOL SOLUTIONS or ALCOHOLIC BEVERAGES	1170	3.2		3.2	III	60 L	220 L
1265. (1324)	ETHANOL or ETHYL ALCOHOL or ETHANOL SOLUTIONS or ETHYL ALCOHOL SOLUTIONS or ALCOHOLIC BEVERAGES	1170	—		—	II	5 L	60 L
1266. (1325)	ETHANOL or ETHYL ALCOHOL or ETHANOL SOLUTIONS or ETHYL ALCOHOL SOLUTIONS or ALCOHOLIC BEVERAGES	1170	3.3	81	3.3	III	60 L	220 L
1267. (1186)	Ethanolamine dimitate		—	47	—	—	—	—
1268. (1326)	Ethanolamine or Monoethanolamine or Ethanolamine solutions or Monoethanol- amine solutions	2491	8		8	III	5 L	60 L
1269. (1361)	Ethion	3018	6.1	55	—	II	—	—
1270. (1362)	Ethion mixture, dry	2783	9.2	55	—	II	—	—
1271. (19)	Ethyl acetate	1173	3.2		3.2	II	5 L	60 L
1272. (1363)	Ethyl acetylene, inhibited	2452	2.1	46 48 84 99	2.1	X	P	150 kg
1273. (168)	Ethyl acrylate, inhibited	1917	3.2	84	3.2	II	5 L	60 L
1274. (202)	Ethyl alcohol, see Ethanol							
1275. (1099)	Ethyl aluminum dichloride or Ethyl aluminum sesquichloride, see Aluminum alkyl halides	1036	2.1 9.2	46 56 99	2.1	X	P	150 kg
1276. (1577)	Ethylamine or Monoethylamine							
1277. (1378)	ETHYLAMINE, AQUEOUS SOLU- TIONS, with not less than 50 per cent but not more than 70 per cent ethylamine	2270	3.1 9.2	102 83	3.1	II	5 L	60 L
1278. (1579)	ETHYLAMINE, AQUEOUS SOLU- TIONS, with not less than 50 per cent but not more than 70 per cent ethylamine	2270	3.2 9.2	99 46 83	3.2	II	5 L	60 L

SCHEDULE II—Con.

LIST II—Con.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1279. (1380)	2270	3.3 9.2	46 81 83 99	3.3	3	II	5 L	60 L
ETHYLAMINE, AQUEOUS SOLUTIONS, with not less than 50 per cent but not more than 70 per cent ethylamine								
1280. (1381)	2271	NR	73	3.3	3	III	60 L	220 L
1281. (1364)	2272	NR	73	6.1	6.1	III	60 L	220 L
1282. (1365)	2273	NR	73	6.1	6.1	III	60 L	220 L
1283. (1382)	1175	3.2 9.2		3.2	3	II	5 L	60 L
1284. (1366)	2274	NR	73	6.1	6.1	III	60 L	220 L
1285. (1367)	2753	NR	73	6.1	6.1	III	60 L	220 L
1286. (443)	1176	3.2		3.2	3	II	5 L	60 L
1287. (499)	1891	6.1		6.1	6.1	II	5 L	60 L
1288. (458)	1603	6.1	88 99 102	6.1 3	6.1	II	P	P
1289. (1368)	2275	NR	73	3.3	3	III	60 L	220 L
1290. (18)	1177	NR	73	3.3	3	III	60 L	220 L
1291. (1340)	1179	3.2		3.2	3	II	5 L	60 L
1292. (232)	1178	3.2		3.2	3	II	5 L	60 L
1293. (343)	1180	3.3	81	3.3	3	II	5 L	60 L
1294. (754)	1037	2.1	46 102	2.1 3	2 3	X	P	150 kg
1295. (607)	1181	6.1		6.1 3	6.1	II	5 L	60 L
1296. (675)	1182	3.2 6.1 8	46 56	3.2 6.1 8	3 6.1 8	I	P	2.5 L
1297. (646)	2935	NR		3.3	3	III	60 L	220 L
1298. (707)	2826	8	56	8	8	II	1 L	30 L
1299. (843)	1862	3.2		3.2	3	II	5 L	60 L
1300. (849)	2666	NR	73	6.1	6.1	III	60 L	220 L
1301. (540)	2598	5.2	48 56 83 99	5.2	5.2	II	5 kg	10 kg
Ethyl-3,3-di-(tert-butylperoxy) butyrate, not more than 50 per cent, with inert inorganic solid								

1302. (541)	Ethyl-3,3-di-(tert-butylperoxy) butyrate, not more than 77 per cent in solution	2185	5.2	48 56 83	5.2	5.2	II	5 L	10 L
1303. (542)	Ethyl-3,3-di-(tert-butylperoxy) butyrate, technically pure	2184	5.2 E	46 48 56 83 99	5.2 E	5.2 E	II	P	P
1304. (1383)	Ethylchloroarsine	1892	6.1	46 46 99	6.1	6.1	I	P	P
1305. (1384)	Ethylchlorosilane	1183	4.3 3 56 8 89	102 46 56 8 89	3.2 8 3	4.3 8 3	I	P	1 L
1306. (1952)	Ethylene chlorohydrin	1135	6.1	56	6.1 3	6.1 3	II	5 L	60 L
1307. (1385)	Ethylene, compressed or Ethylene	1962	2.1	102	2.1	2	X	P	150 kg
1308. (1386)	Ethylene, refrigerated liquid	1038	2.1	56 56 100 102	2.1 2 3	2 2 3	X	P	P
1309. (1387)	Ethylenediamine	1604	8 3 9.2	102	8 3	8 3	II	1 L	30 L
1310. (1234)	Ethylenediamine diperchlorate			47	-	-	-	-	-
1311. (92)	Ethylenediaminetetraacetic acid or EDTA	9117	9.2	49	-	-	III	-	-
1312. (1042)	Ethylene dibromide	1605	6.1 9.2	102	6.1	6.1	II	5 L	60 L
1313. (1043)	Ethylene dibromide and methyl bromide mixtures, see Methyl bromide and ethy- lene dibromide mixtures								
1314. (1101)	Ethylene dichloride	1184	3.2 6.1 9.2		3.2 6.1	3 6.1	II	1 L	60 L
1315. (1339)	Ethylene glycol diethyl ether	1153	NR	73	3.3	3	III	60 L	220 L
1316. (1185)	Ethylene glycol dinitrate		-	47	-	-	-	-	-
1317. (1352)	Ethylene glycol monobutyl ether	2369	NR	73	6.1 3	6.1	III	60 L	220 L
1318. (1353)	Ethylene glycol monoethyl ether	1171	NR	73	3.3	3	III	60 L	220 L
1319. (24)	Ethylene glycol monoethyl ether acetate	1172	NR	73	3.3	3	III	60 L	220 L
1320. (1354)	Ethylene glycol monomethyl ether	1188	NR	73	3.3	3	III	60 L	220 L
1321. (25)	Ethylene glycol monomethyl ether acetate	1189	NR	73	3.3	3	III	60 L	220 L
1322. (1388)	Ethylensimine, inhibited	1185	6.1 3	46 56 84	3.2 6.1 3	6.1 3	I	P	P
1323. (2140)	Ethylene oxide, pure or with nitrogen	1040	2.1 6.1	46 56 102	2.1 2.3	2 3	X	P	25 kg
1324. (2141)	Ethylene oxide and carbon dioxide mix- tures, see Carbon dioxide and ethylene oxide mixtures								

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1325. (2142)	Ethylene oxide and propylene oxide mix- tures, <i>not more than 30 per cent ethylene oxide</i>	2983	46 56 83 99	3.1 6.1	3 6.1	I	P	30 L
1326. (1341)	Ethyl ether, <i>see</i> Diethyl ether							
1327. (1439)	Ethyl fluoride	2453	46 48 90 99	2.1	2	X	P	150 kg
1328. (1463)	Ethyl formate	1190	3.1 99	3.1	3	II	5 L	60 L
1329. (1369)	2-Ethylhexylamine	2276	8	8	8	III	5 L	60 L
1330. (674)	2-Ethylhexylchloroformate	2748	6.1 8	6.1 8	6.1 8	II	1 L	30 L
1331. (1625)	Ethyl hydroperoxide		47	—	—	—	—	—
1332. (1701)	Ethyl isobutyrate	2385	3.2	3.2	3	II	5 L	60 L
1333. (1709)	Ethyl isocyanate	2481	46 99	3.2 6.1	3 6.1	I	P	30 L
1334. (1745)	Ethyl lactate	1192	NR	3.3	3	III	60 L	220 L
1335. (1855)	Ethyl mercaptan	2363	3.1 6.1 99	3.1 6.1	3 6.1	II	P	60 L
1336. (1891)	Ethyl methacrylate	2277	3.2	3.2	3	II	5 L	60 L
1337. (1347)	Ethyl methyl ether	1039	46 56	2.1 3	2 3	X	P	150 kg
1338. (1389)	Ethyl methyl ketone <i>or</i> Methyl ethyl ketone	1193	102	3.2	3	II	5 L	60 L
1339. (2012)	Ethyl nitrate	1993	55	P	—	II	—	—
1340. (2055)	Ethyl nitrite, solutions	1194	46 56 83 88	3.1	3	I	P	P
1341. (2118)	Ethyl orthoformate	2524	81	3.3	3	II	5 L	60 L
1342. (2124)	Ethyl oxalate	2525	NR	6.1	6.1	III	60 L	220 L
1343. (2165)	Ethyl parathion, <i>see</i> Parathion							
1344. (2208)	Ethyl perchlorate		47	—	—	—	—	—

1345. (1390)	Ethylphenyldichlorosilane	2435	8	46 56	8	8	II	p	30 L
1346. (1100)	Ethyl phosphonothioic dichloride, anhy- drous	1760	8	55	—	—	II	—	—
1347. (1102)	Ethyl phosphonous dichloride, anhydrous	2845	4.2	55	—	—	II	—	—
1348. (2597)	Ethyl phosphorodichloridate	1760	8	55	—	—	II	—	—
1349. (1376)	1-Ethyl piperidine	2386	3.2	—	3.2	3	II	5 L	60 L
1350. (2668)	Ethyl propionate	1195	3.2	—	3.2	3	II	5 L	60 L
1351. (1342)	Ethyl propyl ether	2615	3.1	99	3.1	3	II	5 L	60 L
1352. (2775)	Ethyl silicate, <i>see</i> Tetraethyl silicate								
1353. (93)	Ethylsulphuric acid	2571	8	56	8	8	II	1 L	30 L
1354. (1391)	N-Ethyltoluidines	2754	6.1	—	6.1	6.1	II	5 L	60 L
1355. (1392)	Ethyltrichlorosilane	1196	3.2 8	46 56 90	3.2 8	3 8	I	p	2.5 L
1356. (189)	Etiologic agent, n.o.s., <i>see</i> Infectious sub- stances, n.o.s.								
1357. (1394)	EXTRACTS, AROMATIC, LIQUID, <i>flash point less than 23°C</i>	1169	3.2	46	—	3	I	1 L	30 L
1358. (1395)	EXTRACTS, AROMATIC, LIQUID, <i>flash point less than 23°C</i>	1169	3.2	—	3.2	3	II	5 L	60 L
1359. (1396)	EXTRACTS, AROMATIC, LIQUID, <i>flash point less than 23°C</i>	1169	3.2	—	3.2	3	III	60 L	220 L
1360. (1397)	EXTRACTS, AROMATIC, LIQUID, <i>flash point not less than 23°C, but less than 61°C</i>	1169	3.3	46 81	—	3	I	1 L	30 L
1361. (1398)	EXTRACTS, AROMATIC, LIQUID, <i>flash point not less than 23°C, but less than 61°C</i>	1169	—	—	—	3	II	5 L	60 L
1362. (1399)	EXTRACTS, AROMATIC, LIQUID, <i>flash point not less than 23°C but less than 61°C</i>	1169	3.3	81	3.3	3	III	60 L	220 L
1363. (1400)	Extracts, aromatic, liquid, <i>flash point not less than 37.8°C but less than 61°C</i>	1169	NR	73	3.3	3	III	60 L	220 L
1364. (1401)	EXTRACTS, FLAVOURING, LIQUID	1197	3.2	46	—	3	I	1 L	30 L
1365. (1402)	EXTRACTS, FLAVOURING, LIQUID	1197	3.2	—	3.2	3	II	5 L	60 L
1366. (1403)	EXTRACTS, FLAVOURING, LIQUID	1197	3.2	—	3.2	3	III	60 L	220 L
1367. (1404)	EXTRACTS, FLAVOURING, LIQUID	1197	3.3	46	—	3	I	1 L	30 L
1368. (1405)	EXTRACTS, FLAVOURING, LIQUID	1197	3.3	81	—	3	II	5 L	60 L
1369. (1406)	EXTRACTS, FLAVOURING, LIQUID	1197	3.3	81	—	3	III	60 L	220 L
1370. (2971)	Fabrics, <i>see</i> Fibres								
1371. (807)	Ferric ammonium citrate	9118	9.2	49	—	—	III	—	—
1372. (2125)	Ferric ammonium oxalate	9119	9.2	49	—	—	III	—	—

SCHEDULE II—Con.
LIST II—Con.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1373. (341)	Ferric arsenate	6.1	6.1	6.1	6.1	II	25 kg	100 kg
1374. (362)	Ferric arsenite	6.1		6.1	6.1	II	25 kg	100 kg
1375. (791)	Ferric chloride	8		8	8	III	25 kg	100 kg
1376. (792)	Ferric chloride solution	8		8	8	III	5 L	60 L
1377. (1453)	Ferric fluoride	9.2	49	—	—	II	—	—
1378. (2044)	Ferric nitrate	5.1		5.1	5.1	III	25 kg	100 kg
1379. (2858)	Ferric sulphate	9.2	49	—	—	III	—	—
1380. (1411)	Ferrocenium	4.1		4.1	4.1	II	15 kg	50 kg
1381. (1412)	Ferrosilicon, with 30 per cent or more, but less than 50 per cent silicon	4.3	34	4.3	4.3	III	p	100 kg
1382. (2857)	Ferrous ammonium sulphate	9.2	49	—	—	III	—	—
1383. (340)	Ferrous arsenate	6.1	89	6.1	6.1	II	25 kg	100 kg
1384. (790)	Ferrous chloride, solid	8	34	—	—	III	—	—
1385. (789)	Ferrous chloride, solution	9.2	55	—	—	III	—	—
1386. (2752)	Ferrous metal borings, shavings, turnings or cuttings, in a form liable to self-heating	4.2	48	4.2	4.2	III	25 kg	100 kg
1387. (2856)	Ferrous sulphate	9.2	49	—	—	III	—	—
1388. (1296)	Fertilizer ammoniating solution, with free ammonia (with absolute pressure greater than 276 kPa)	2.2	56	2.2	2	X	p	150 kg
1389. (1413)	Fibres, animal or vegetable, n.o.s., burnt, wet or damp	4.2	102	4.2	4.2	III	p	p
1390. (1414)	Fibres or Fabrics, animal or vegetable, n.o.s., with animal or vegetable oil	4.2	37	4.2	4.2	III	p	p
1391. (1415)	Films, nitrocellulose base, gelatin coated, except scrap	4.1	100	4.1	4.1	III	25 kg	100 kg
1392. (603)	Fire extinguisher charges, corrosive liquid	8	48	8	8	II	1 L	30 L
1393. (1393)	Fire extinguishers, with compressed or liquefied gas	2.2	99	2.2	2	X	75 kg	150 kg

1394. (264)	Firelighters, solid, with liquid having a flash point less than 37.8°C	2623	4.1	47	4.1	4.1	II	15 kg	50 kg
1395. (1408)	Fish meal, stabilized or Fish scrap, stabilized	2216	9.1	34	9	—	III	—	—
1396. (1407)	Fish meal, unstabilized or Fish scrap, unstabilized	1374	4.2	37	4.2	4.2	II	15 kg	50 kg
				46					
				48					
				56					
				89					
				100					
1397. (1490)	Flammable gas in lighters, see Lighters for cigars, cigarettes, etc. with flammable gas								
1398. (2635)	FLAMMABLE LIQUID PREPARATIONS, N.O.S., for the purpose of: - cleaning enamel, lacquer, paint, varnish, etc.; - removing, reducing or thinning liquids; - making products for polishing, vulcanizing, or de-icing, or for dressing leather	1142	3.2		3.2	3	II	5 L	60 L
1399. (2637)	FLAMMABLE LIQUID PREPARATIONS, N.O.S., for the purpose of: - cleaning enamel, lacquer, paint, varnish, etc.; - removing, reducing or thinning liquids; - making products for polishing, vulcanizing, or de-icing, or for dressing leather	1142	3.2	81	—	3	III	60 L	220 L
1400. (2638)	FLAMMABLE LIQUID PREPARATIONS, N.O.S., for the purpose of: - cleaning enamel, lacquer, paint, varnish, etc.; - removing, reducing or thinning liquids; - making products for polishing, vulcanizing, or de-icing, or for dressing leather	1142	3.3	81	3.3	3	II	5 L	60 L
1401. (2639)	FLAMMABLE LIQUID PREPARATIONS, N.O.S., for the purpose of: - cleaning enamel, lacquer, paint, varnish, etc.; - removing, reducing or thinning liquids; - making products for polishing, vulcanizing, or de-icing, or for dressing leather	1142	3.3	81	—	3	III	60 L	220 L
1402. (2640)	FLAMMABLE LIQUID PREPARATIONS, N.O.S., for the purpose of: - cleaning enamel, lacquer, paint, varnish, etc.; - removing, reducing or thinning liquids; - making products for polishing, vulcanizing, or de-icing, or for dressing leather	1142	NR		—	3	III	60 L	220 L
1403. (1776)	FLAMMABLE LIQUIDS, CORROSIVE, N.O.S.*	2924	3.1	46	3.1	3	I	0.5 L	2.5 L
1404. (1777)	FLAMMABLE LIQUIDS, CORROSIVE, N.O.S.*	2924	8		8	8	II	1 L	5 L
1405. (1778)	FLAMMABLE LIQUIDS, CORROSIVE, N.O.S.*	2924	8		8	8	III	5 L	60 L
1406. (1779)	FLAMMABLE LIQUIDS, CORROSIVE, N.O.S.*	2924	—		—	3	I	0.5 L	2.5 L
1407. (1780)	FLAMMABLE LIQUIDS, CORROSIVE, N.O.S.*	2924	3.2	46	3.2	3	II	1 L	5 L
1408. (1781)	FLAMMABLE LIQUIDS, CORROSIVE, N.O.S.*	2924	8		8	8	III	5 L	60 L
1409. (1767)	FLAMMABLE LIQUIDS, N.O.S.*	1993	—		—	3	I	1 L	30 L
			3.1	46	3.1	3			
				99					

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1410. (1768)	1993	3.1	99	3.1	3	II	5 L	60 L
1411. (1769)	1993	—		—	3	III	60 L	220 L
1412. (1770)	1993	3.2	46	—	3	I	1 L	30 L
1413. (1771)	1993	3.2		3.2	3	II	5 L	60 L
1414. (1772)	1993	3.2		—	3	III	60 L	220 L
1415. (1773)	1993	—		—	3	I	1 L	30 L
1416. (1774)	1993	3.3	81	3.3	3	II	5 L	60 L
1417. (1775)	1993	3.3	81	—	3	III	60 L	220 L
1418. (1782)	1992	3.1 6.1	46 99	3.1 6.1	3 6.1	I	p	30 L
1419. (1783)	1992	3.1	99	3.1	3	II	1 L	60 L
1420. (1784)	1992	3.2	46	—	3	I	p	30 L
1421. (1785)	1992	3.2		3.2	3	II	1 L	60 L
1422. (1786)	1992	3.3	46	6.1	3	I	p	30 L
1423. (1787)	1992	3.3	81	3.3	3	II	1 L	60 L
1424. (2802)	2925	4.1 8	46 89	4.1 8	4.1 8	I	1 kg	15 kg
1425. (2801)	1325	4.1	99	4.1	4.1	II	15 kg	50 kg
1426. (2803)	2926	4.1 6.1	46 99	4.1 6.1	4.1 6.1	I	1 kg	15 kg
1427. (1416)	1775	8		8	8	II	1 L	30 L
1428. (94)	1045	2.3 5.1	46 48	2.3 5.1	2 5.1	X	p	p
1429. (1420)			56 88 99		6.1			
1430. (95)	2642	6.1	102 46 56	6.1	6.1	I	1 kg	15 kg

1431. (1423)	Fluoroanilines	2941	NR	73 100	6.1 3	6.1	III	60 L	220 L
1432. (1424)	2-Fluoroaniline, <i>see</i> Fluoroanilines								
1433. (1425)	4-Fluoroaniline, <i>see</i> Fluoroanilines								
1434. (1426)	Fluorobenzene	2387	3.2		3.2	3	II	5 L	60 L
1435. (1426)	Fluorophosphoric acid, anhydrous	1776	8	46 56 90	8	8	II	p	30 L
1436. (1432)	Fluorosilicates, n.o.s.	2856	NR		6.1	6.1	III	100 kg	200 kg
1437. (101)	Fluoresulphonic acid	1777	8	46 56 90 99	8	8	I	p	2.5 L
1438. (1433)	FLUOROTOLUENES	2388	3.2		3.2	3	II	5 L	60 L
1439. (1434)	FLUOROTOLUENES	2388	3.3	81	3.3	3	II	5 L	60 L
1440. (100)	Fluosilicic acid or Hydrofluosilicic acid	1778	8	46	8	8	II	1 L	30 L
1441. (1456)	Formaldehyde, solutions, <i>flash point more than 61°C</i>	2209	9.1	44	9	9	III	100 L	220 L
1442. (1457)	FORMALDEHYDE SOLUTIONS, <i>flash point not more than 61°C in containers having a water capacity not greater than 454 litres</i>	1198	3.3 9.2	63	3.3	3	II	5 L	60 L
1443. (1458)	FORMALDEHYDE SOLUTIONS, <i>flash point not more than 61°C, in containers having a water capacity greater than 454 litres</i>	1198	3.3 9.2	63	-	3	III	60 L	220 L
1444. (1459)	Formalin, <i>see</i> Formaldehyde, solutions								
1445. (102)	Formic acid	1779	8		8	8	II	1 L	30 L
1446. (575)	Fuel, aviation, turbine engine, <i>flash point less than 23°C</i>	1863	3.2		3.2	3	II	5 L	60 L
1447. (576)	Fuel, aviation, turbine engine, <i>flash point not less than 23°C but less than 37.8°C</i>	1863	3.3		-	3	III	60 L	220 L
1448. (577)	Fuel, aviation, turbine engine, <i>flash point not less than 37.8°C but less than 61°C</i>	1863	NR	73	-	3	III	60 L	220 L
1449. (1578)	FUEL OIL or FUEL OIL, No. 1, 2, 4, 5 or 6 or GAS OIL, <i>(boiling point range: 35°C to 135°C)</i>	1202	3.2		-	3	II	5 L	60 L
1450. (1579)	FUEL OIL or FUEL OIL, No. 1, 2, 4, 5 or 6 or GAS OIL, <i>(boiling point range: 35°C to 135°C)</i>	1202	3.2		-	3	III	60 L	220 L
1451. (1580)	FUEL OIL or FUEL OIL, No. 1, 2, 4, 5 or 6 or GAS OIL, <i>(boiling point range: 35°C to 135°C)</i>	1202	3.3	81	3.3	3	II	5 L	60 L
1452. (1581)	FUEL OIL or FUEL OIL, No. 1, 2, 4, 5 or 6 or GAS OIL, <i>(boiling point range: 35°C to 135°C)</i>	1202	3.3		-	3	III	60 L	220 L
1453. (1582)	Fuel oil or Fuel oil No. 1, 2, 4, 5 or 6 or Gas oil, <i>(boiling point range: 35°C to 135°C), flash point not less than 37.8°C</i>	1202	NR		-	3	III	60 L	220 L
1454. (826)	Fuel, pyrophoric, n.o.s.*	1375	4.2	46 48 56 99 102	4.2	4.2	I	p	p

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1455. (1472)	Fulminate of mercury (dry)	—	47	—	—	—	—	—
1456. (2117)	Fulminating gold	—	47	—	—	—	—	—
1457. (1870)	Fulminating mercury	—	47	—	—	—	—	—
1458. (2622)	Fulminating platinum	—	47	—	—	—	—	—
1459. (329)	Fulminating silver	—	47	—	—	—	—	—
1460. (103)	Fulminic acid	—	47	—	—	—	—	—
1461. (104)	Fumaric acid	9.2	49	—	—	III	—	—
1462. (755)	Fumaryl chloride	8	46	8	8	II	h.L	30 L
1463. (1473)	Furan	3.1	46	3.1	3	I	1 L	30 L
1464. (1474)	Furfural	3.3	81	3.3	3	II	5 L	60 L
1465. (203)	Furfuryl alcohol	NR	73	6.1	6.1	III	60 L	220 L
1466. (1475)	Furfurylamine	3.3	81	3.3	3	II	5 L	60 L
1467. (1584)	Fusel oil	3.2	—	3.2	3	II	5 L	60 L
1468. (1585)	Fusel oil	—	—	—	3	III	60 L	220 L
1469. (3050)	Galactosan trinitrate	—	47	—	—	—	—	—
1470. (1476)	Gallium	8	46 48 59	8	8	III	20 kg	20 kg
1471. (1601)	Gas drips, hydrocarbon	3.2	—	3.2	3	II	5 L	60 L
1472. (1482)	Gas identification sets, containing poisonous gases	2.3	46 96 100	—	—	II	—	—
1473. (1483)	Gas identification sets, containing poisonous or irritating liquids	6.1	46 96 100	—	—	II	—	—
1474. (1477)	Gas oil, see Fuel oil	—	—	—	—	—	—	—
1475. (1313)	Gasoline	3.1	99	3.1	3	II	5 L	60 L
1476. (1502)	Germane	2.3 2.1	46 48 52 56 88 99	2.3 2.1	2 3 6.1	X	p	p

[183]

1477. (1951)	Glycerol alpha-monochlorohydrin	2689	NR	73	6.1	6.1	III	60 L	220 L
1478. (1187)	Glycerol-1,3-dinitrate		-	47	-	-	-	-	-
1479. (3052)	Glycerol monogluconate trinitrate		-	47	-	-	-	-	-
1480. (3053)	Glycerol monolactate trinitrate		-	47	-	-	-	-	-
1481. (1505)	Glycidaldehyde	2622	3.3	81	3.3	3	II	1 L	60 L
1482. (2014)	Guanidine nitrate	1467	6.1 5.1 E	46	6.1 5.1	5.1	III	25 kg	100 kg
1483. (1522)	Guanyl nitrosamino guanylidene hydrazine (dry)		-	47	-	-	-	-	-
1484. (1523)	GUTTA PERCHA SOLUTION	1205	3.2		3.2	3	II	5 L	60 L
1485. (1524)	GUTTA PERCHA SOLUTION	1205	3.2		-	3	III	60 L	220 L
1486. (1525)	GUTTA PERCHA SOLUTION	1205	3.3	81	3.3	3	II	5 L	60 L
1487. (1526)	GUTTA PERCHA SOLUTION	1205	NR	73	-	3	III	60 L	220 L
1488. (1528)	Hafnium powder, dry, (a) Mechanically produced, particle size between 3 and 53 micrometres; (b) Chemically produced, particle size between 10 and 840 micrometres	2545	4.2	46 48 56 64 83 90 99	4.2	4.2	II	P	50 kg
1489. (1527)	Hafnium powder, wetted with not less than 25 per cent water (a visible excess of water must be present), (a) Mechanically produced, particle size less than 53 micrometres; (b) Chemically produced, particle size less than 840 micrometres	1326	4.1	46 48 56 64 83 90 99	4.1	4.1	II	P	50 kg
1490. (1765)	HALOGENATED IRRITATING LIQUIDS, N.O.S.*	1610	6.1	46 48 89 99	6.1 3	6.1	I	P	P
1491. (1766)	HALOGENATED IRRITATING LIQUIDS, N.O.S.*	1610	6.1	102 48 89 99	6.1 3	6.1	II	5 L	60 L
1492. (1455)	Hay, Straw or Bhusa	1327	4.1	102	4.1	-	III	-	-
1493. (1531)	Helium, compressed	1046	4.2 2.2	34 37	4.1 2.2	-	X	75 kg	150 kg
1494. (1532)	Helium-oxygen mixture	1980	2.2	55	-	-	X	-	-
1495. (1533)	Helium, refrigerated liquid	1963	2.2		2.2	2	X	50 kg	500 kg
1496. (1534)	Hepachlor	2761	9.2	46 55	-	-	I	-	-
1497. (1535)	Heptanes	1206	3.2		3.2	3	II	5 L	60 L
1498. (1536)	n-Heptene	2278	3.2		3.2	3	II	5 L	60 L
1499. (1538)	Hexachloroacetone	2661	NR	73 89	6.1	6.1	III	60 L	220 L
1500. (1540)	Hexachlorobenzene	2729	9.2		6.1	6.1	III	60 L	220 L

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1501. (1541)	Hexachlorobutadiene	2279	9.2	73	6.1	III	60 L	220 L
1502. (1542)	Hexachlorocyclopentadiene	2646	6.1 9.2	46 56 99	6.1	I	p	p
1503. (1539)	Hexachloroethane (R110)	9037	9.2	49	—	III	—	—
1504. (1543)	Hexachlorophene	2875	NR	6.1	6.1	III	100 kg	200 kg
1505. (1544)	Hexadecyltrichlorosilane	1781	8	46 56 90	8	II	p	30 L
1506. (1545)	Hexadiene	2458	3.1	46 56 90	3.1	II	p	60 L
1507. (2939)	HEXAETHYL TETRAPHOSPHATE, liquid	1611	6.1	99 46 48 56 99	6.1	I	1 L	30 L
1508. (2940)	HEXAETHYL TETRAPHOSPHATE, liquid	1611	6.1	102 46 48 56	6.1	II	5 L	60 L
1509. (2941)	HEXAETHYL TETRAPHOSPHATE, liquid	1611	NR	102	6.1	III	60 L	220 L
1510. (2942)	HEXAETHYL TETRAPHOSPHATE, solid	1611	6.1	46 48 56	6.1	II	25 kg	100 kg
1511. (2943)	HEXAETHYL TETRAPHOSPHATE, solid	1611	NR	102	6.1	III	100 kg	200 kg
1512. (2948)	Hexaethyl tetraphosphate and com- pressed gas mixtures	1612	2.3	46 48 56 88 99	2.3 6.1	X	p	p
1513. (2946)	Hexaethyl tetraphosphate mixture, dry (containing more than 2 per cent hexa- ethyl tetraphosphate)	2783	6.1	102 46 55	—	II	—	—
1514. (2947)	Hexaethyl tetraphosphate mixture, dry (containing not more than 2 per cent hexa- ethyl tetraphosphate)	2783	6.1	55	—	II	—	—
1515. (2944)	Hexaethyl tetraphosphate mixture, liquid (containing more than 25 per cent hexa- ethyl tetraphosphate)	3018	6.1	46 55	—	II	—	—
1516. (2945)	Hexaethyl tetraphosphate mixture, liquid (containing not more than 25 per cent hexaethyl tetraphosphate)	3018	6.1	55	—	II	—	—

1517. (1546)	Hexafluoroacetone	2420	2.3	46 48 56 88 99 102	2.3	2 6.1	X	P	25 kg
1518. (1598)	Hexafluoroacetone hydrate	2552	6.1		6.1		II	5 L	60 L
1519. (1547)	Hexafluoroethane (R116)	2193	2.2	48 99	2.2	2	X	75 kg	150 kg
1520. (105)	Hexafluorophosphoric acid	1782	8	46 56 90	8	8	II	P	30 L
1521. (1548)	Hexafluoropropylene	1858	2.2		2.2	2	X	75 kg	150 kg
1522. (2150)	Hexafluoropropylene oxide	1956	2.2	55	-	-	X		
1523. (1555)	Hexaldehyde	1207	3.3	81	3.3	3	III	60 L	220 L
1524. (1561)	Hexamethylenediamine, solid	2280	8		8	8	III	25 kg	100 kg
1525. (1560)	Hexamethylenediamine solution	1783	8		8	8	II	1 L	30 L
1526. (1143)	Hexamethylenedicyanate	2281	6.1	6.1	6.1	6.1	II	5 L	60 L
1527. (1562)	Hexamethyleneimine	2493	3.2 8		3.2 8	3 8	II	1 L	5 L
1528. (1559)	Hexamethylene triperoxide diamine (dry)		-	47	-	-	-	-	-
1529. (1565)	Hexamethylol benzene hexanitrate		-	47	-	-	-	-	-
1530. (1556)	3,3,6,6,9,9-Hexamethyl-1,2,4,5-tetraoxacyclononane, not more than 52 per cent in solution	2167	5.2	48 56 83	5.2	5.2	II	5 L	10 L
1531. (1557)	3,3,6,6,9,9-Hexamethyl-1,2,4,5-tetraoxacyclononane, not more than 52 per cent, with inert solid	2166	5.2	99	5.2	5.2	II	5 kg	10 kg
1532. (1558)	3,3,6,6,9,9-Hexamethyl-1,2,4,5-tetraoxacyclononane, technically pure	2165	5.2 E	46 48 56 83 99	5.2 E	5.2 E	I	P	P
1533. (1563)	Hexamine	1328	4.1		4.1	4.1	III	25 kg	100 kg
1534. (1564)	Hexanes	1208	3.1	99	3.1	3	II	5 L	60 L
1535. (1567)	Hexanitroazoxy benzene			47		-	-	-	-
1536. (1568)	2,2',4,4',6,6'-Hexanitro-3,3'-dihydroxazobenzene (dry)		-	47	-	-	-	-	-
1537. (1569)	2,2',3',4',4',6'-hexanitrodiphenylamine		-	47	-	-	-	-	-
1538. (1570)	2,3',4,4',6,6'-hexanitrodiphenylether		-	47	-	-	-	-	-
1539. (1571)	N',N'-(hexanitrodiphenyl) ethylene diamine (dry)		-	47	-	-	-	-	-
1540. (1572)	Hexanitrodiphenyl urea		-	47	-	-	-	-	-
1541. (1573)	Hexanitroethane		-	47	-	-	-	-	-

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1542. (1574)	Hexanitrooxanilide	—	47	—	—	—	—	—
1543. (1575)	Hexanols	NR	73	3.3	3	III	60 L	220 L
1544. (1576)	1-Hexene	3.1	99	3.1	3	II	5 L	60 L
1545. (1577)	Hexyltrichlorosilane	1784	46 56	8	8	II	p	30 L
1546. (1600)	Hydrazine, anhydrous or Hydrazine, aqueous solutions, with more than 64 per cent hydrazine, by mass	2029	90 3.3 46 56 6.1 81 8	3.3 6.1 8	3 6.1 8	I	p	2.5 L
1547. (388)	Hydrazine azide	—	47	—	—	—	—	—
1548. (619)	Hydrazine chlorate	—	47	—	—	—	—	—
1549. (1032)	Hydrazine dicarbonic acid diazide	—	47	—	—	—	—	—
1550. (1599)	Hydrazine hydrate or Hydrazine, aqueous solutions, with not more than 64 per cent hydrazine, by mass	2030	46 56 90 99	8 6.1	8 6.1	II	p	30 L
1551. (2209)	Hydrazine perchlorate	—	47	—	—	—	—	—
1552. (2759)	Hydrazine selenate	—	47	—	—	—	—	—
1553. (1666)	Hydrides, metal, n.o.s.	1409	46 99	4.3	4.3	I	p	15 kg
1554. (108)	Hydroiodic acid, solution	1787	8	8	8	II	1 L	30 L
1555. (66)	Hydrobromic acid, solution, more than 49 per cent hydrogen bromide	1788	46 56 88	8	8	II	p	p
1556. (67)	Hydrobromic acid, solution, not more than 49 per cent hydrogen bromide	1788	8	8	8	II	1 L	30 L
1557. (1602)	Hydrocarbon gases, compressed, or non-liquefied n.o.s.* or Hydrocarbon gases mixtures, compressed, or nonliquefied, n.o.s.*	1964	56 102	2.1 3	2 3	X	p	150 kg
1558. (1603)	Hydrocarbon gases, liquefied, n.o.s.* or Hydrocarbon gases mixtures, liquefied, n.o.s.*	1965	56 102	2.1 3	2 3	X	p	150 kg
1559. (73)	Hydrochloric acid solution or Hydrochloric acid	1789	8 9.2	8	8	II	1 L	30 L
1560. (84)	Hydrocyanic acid, aqueous solutions, with not more than 20 per cent hydrogen cyanide	1613	46 56 83 99 102	6.1	6.1	I	p	p

1561. (98)	Hydrofluoric acid and sulphuric acid mix- tures	1786	8 6.1 9.2	46 56 90	8 6.1	I	P	2.5 L
1562. (96)	Hydrofluoric acid solution, <i>more than 60 per cent hydrogen fluoride</i>	1790	8 6.1 9.2	99 99 99	8 6.1	I	0.5 L	2.5 L
1563. (97)	Hydrofluoric acid solution, <i>not more than 60 per cent hydrogen fluoride</i>	1790	8 6.1 9.2	46 99	8 6.1	II	I L	30 L
1564. (106)	Hydrofluorosilicic acid, <i>see</i> Fluosilicic acid							
1565. (1605)	Hydrogen, compressed <i>or</i> Hydrogen	1049	2.1	56 99	2.1 3	X	P	150 kg
1566. (1608)	Hydrogen, refrigerated liquid <i>or</i> Hydrogen, liquefied	1966	2.1	102 46 56 99 102	2.1 3	X	P	P
1567. (1607)	Hydrogen and carbon monoxide mixture, <i>see</i> Carbon monoxide and hydrogen mixture							
1568. (1606)	Hydrogen and methane mixtures, compressed	2034	2.1	46 48 56 99	2.1 3	X	P	150 kg
1569. (500)	Hydrogen bromide, anhydrous	1048	2.4	102 46 48 52 56 99	2.3 6.1	X	P	25 kg
1570. (756)	Hydrogen chloride, anhydrous	1050	2.4 9.2	102 46 52 56 99	2.2 8	X	P	P
1571. (757)	Hydrogen chloride, refrigerated liquid	2186	2.4 9.2	102 46 52 56	— 8	X	P	P
1572. (857)	Hydrogen cyanide, anhydrous, stabilized	1051	6.1 3 9.2	100 46 56 79 84 99	6.1 3	I	P	P
1573. (858)	Hydrogen cyanide, anhydrous, stabilized, <i>absorbed in a porous inert material</i>	1614	6.1	102 46 48 83 99	6.1	I	P	P
1574. (1441)	Hydrogen fluoride, anhydrous	1052	2.4 6.1 9.2	102 46 52 56 88 99 102	2.3 8 6.1	X	P	P

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1575. (1686)	Hydrogen iodide, anhydrous	2197	2.4	46 48 52 56 99 102	2.2 8	X	p	p
1576. (2284)	Hydrogen peroxide, aqueous solutions, with not less than 8 per cent but less than 20 per cent hydrogen peroxide (stabilized as necessary)	2984	5.1	56	5.1	III	2.5 L	30 L
1577. (2286)	Hydrogen peroxide, aqueous solutions, with more than 40 per cent but not more than 60 per cent hydrogen peroxide (sta- bilized as necessary)	2014	5.1 8	46 56 78 89 99	5.1 8	I	p	p
1578. (2285)	Hydrogen peroxide, aqueous solutions, with not less than 20 per cent but not more than 40 per cent hydrogen peroxide (stabilized as necessary)	2014	5.1 8	56 99	5.1 8	II	1 L	5 L
1579. (2287)	Hydrogen peroxide, stabilized or Hydro- gen peroxide, aqueous solutions, stabil- ized, with more than 60 per cent hydrogen peroxide	2015	5.1 8	46 56 78 84 99	5.1 8	I	p	p
1580. (2764)	Hydrogen selenide, anhydrous	2202	2.3 2.1	46 48 52 56 88 99	2.3 2.1 6.1	X	p	p
1581. (2874)	Hydrogen sulphide, liquefied or Hydrogen sulphide	1053	2.1 6.1 9.2	52 56 88 99 102	2.1 2.3 6.1	X	p	p
1582. (1634)	Hydroquinone	2662	NR	73	6.1	III	100 kg	200 kg
1583. (758)	3-(2-Hydroxyethoxy)-4-pyrrolidin-1-ylben- zenediazonium zinc chloride	3035	4.1	46 48 96 100 +40°C +45°C	—	II	—	—
1584. (1687)	Hydroxylamine iodide	—	—	47	—	—	—	—
1585. (2844)	Hydroxylamine sulphate	2865	8	56	8	III	25 kg	100 kg
1586. (1672)	Hypochlorite solutions, with more than 5 per cent but less than 16 per cent avail- able chlorine	1791	8 9.2	89	8	III	5 L	60 L

1587. (1673)	Hypochlorite solutions, with not less than 16 per cent available chlorine	1791	8	8	8	II	1 L	30 L
1588. (107)	Hyponitrous acid		9.2	—	—	—	—	—
1589. (1675)	Igniter for aircraft thrust device for assisted take-off	2792	4.1	4.1	4.1	II	p	50 kg
1590. (1674)	3,3'-Iminodipropylamine or Iminobispropylamine	2269	8	8	8	III	5 L	60 L
1591. (1819)	Infectious substances, human, n.o.s.*	2814	6.2	—	6.2	I	50 ml	4 L
1592. (1820)	Infectious substances, non-human, n.o.s.*	2900	6.2	—	6.2	I	50 ml	4 L
1593. (—)	Inflammable, see Flammable							
1594. (1280)	INK, printer's, flash point less than 23°C	1210	3.2	3.2	3	II	5 L	60 L
1595. (1281)	INK, printer's, flash point less than 23°C	1210	3.2	—	3	III	60 L	220
1596. (1282)	INK, printer's, flash point less than 37.8°C	1210	—	—	3	II	5 L	60 L
1597. (1283)	INK, printer's, flash point less than 37.8°C	1210	3.3	3.3	3	III	60 L	220
1598. (1284)	INK, printer's, flash point not less than 37.8°C but less than 61°C	1210	NR	73	3	III	60 L	220
1599. (1266)	Inositol hexantrate (dry)		—	—	—	—	—	—
1600. (1676)	Insecticide dry or liquid, see appropriate pesticide entry							
1601. (1491)	Insecticide gases, n.o.s.*	1968	2.2	Y	2	X	75 kg	150 kg
1602. (1492)	Insecticide gases, toxic, n.o.s.*	1967	2.3	2.3	2	X	p	p
1603. (3051)	Inulin trinitrate (dry)		—	—	—	—	—	—
1604. (389)	Iodine azide (dry)		—	—	—	—	—	—
1605. (1954)	Iodine monochloride	1792	8	8	8	II	p	50 kg
1606. (2192)	Iodine pentafluoride	2495	5.1	5.1	5.1	I	p	2.5 L
1607. (1677)	2-Iodobutane	2390	3.2	3.2	3	II	5 L	60 L

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1608. (1678)	2391	3.2		3.2	3	II	5 L	60 L
Iodomethylpropanes								
1609. (1679)	2392	3.2		3.2	3	II	5 L	60 L
IODOPROPANES								
1610. (1680)	2392	3.3	81	3.3	3	II	5 L	60 L
IODOPROPANES								
1611. (1681)		—	47	—	—	—	—	—
Iodoxy compounds (dry)								
1612. (1682)		—	47	—	—	—	—	—
Iridium nitropentamine iridium nitrate								
1613. (1683)	1383	4.1	46	—	—	II	—	—
Iron mass or Iron sponge, <i>not properly oxidized</i>			48					
1614. (1684)	1376	4.2	55	4.2	4.2	III	P	P
Iron oxide, spent, or Iron sponge, spent (<i>obtained from coal gas purification</i>)			46					
			56					
			88					
			99					
1615. (1610)	1994	6.1	46	6.1	6.1	I	P	P
Iron pentacarbonyl		3	48	3	3			
1616. (1696)	1969	2.1	56	2.1	2	X	P	150 kg
Isobutane or Isobutane mixtures			99		3			
1617. (1697)	1212	3.3	102	3.3	3	II	5 L	60 L
Isobutanol or Isobutyl alcohol			81					
1618. (1698)	1213	3.2		3.2	3	II	5 L	60 L
Isobutyl acetate		9.2						
1619. (1699)	2527	3.3	81	3.3	3	II	5 L	60 L
Isobutyl acrylate								
1620. (1700)								
Isobutyl alcohol, <i>see</i> Isobutanol								
1621. (1701)	1214	3.2		3.2	3	II	5 L	60 L
Isobutyl aldehyde, <i>see</i> Isobutyraldehyde								
1622. (1702)	1055	2.1	56	2.1	2	X	P	150 kg
Isobutylamine			102					
1623. (1703)	2393	3.2		3.2	3	II	5 L	60 L
Isobutylene								
1624. (1704)	2528	NR	73	3.3	3	III	60 L	220 L
Isobutyl formate								
1625. (1705)	2486	3.2	99	3.2	3	II	60 L	220 L
Isobutyl isobutyrate								
1626. (1706)	2283	NR	73	3.3	3	III	60 L	220 L
Isobutyl isocyanate								
1627. (1707)								
Isobutyl methacrylate								
1628. (1708)	2394	3.2		3.2	3	II	5 L	60 L
Isobutyl methyl ketone peroxide, <i>see</i> Methyl isobutyl ketone peroxide								
1629. (1709)	2045	3.1	99	3.1	3	II	5 L	60 L
Isobutyl isobutyl ketone peroxide								
1630. (1710)	2529	9.2		3.3	3	III	60 L	220 L
Isobutyraldehyde or Isobutyl aldehyde								
1631. (1711)								
Isobutyric acid								

1632. (307)	Isobutyric anhydride	2530	NR	73	3.3	3	III	60 L	220 L
1633. (1704)	Isobutyronitrile	2284	3.2 6.1	99	3.2 6.1	3	II	1 L	60 L
1634. (759)	Isobutyryl chloride	2395	3.2 8		3.2 8	3	II	1 L	5 L
1635. (1720)	Isocyanates, n.o.s. or Isocyanate solutions, n.o.s., boiling point not less than 300°C	2207	NR				III	60 L	220 L
1636. (1717)	ISOCYANATES, N.O.S. or ISOCYA- NATE SOLUTIONS, N.O.S., flash point less than 23°C	2478	3.1 6.1	99	3.1 6.1	3	II	1 L	60 L
1637. (1718)	ISOCYANATES, N.O.S. or ISOCYA- NATE SOLUTIONS, N.O.S., flash point less than 23°C	2478	3.2 6.1	99	3.2 6.1	3	II	1 L	60 L
1638. (1719)	Isocyanates, n.o.s. or Isocyanate solutions, n.o.s., flash point not less than 23°C and boiling point less than 300°C	2206	6.1 3	100	6.1 3	6.1	II	5 L	60 L
1639. (3032)	Isocyanatobenzotrifluorides	2285	6.1		6.1	6.1	II	5 L	60 L
1640. (1721)	Isoheptene	2287	3.1	99	3.1	3	II	5 L	60 L
1641. (1722)	Isohexene	2288	3.1	99	3.1	3	II	5 L	60 L
1642. (2289)	Isononanyl peroxide, see Di-(3,5,5- trimethylhexan-1-yl) peroxide								
1643. (1723)	Isocutane, see Octanes								
1644. (1724)	Isocutene	1216	3.2		3.2	3	II	5 L	60 L
1645. (1725)	Isopentane	1265	3.1	46 56 90	3.1	3	I	P	30 L
1646. (110)	Isopentanoic acid	1760	8	55	—	—	II	—	—
1647. (1726)	Isopentenes	2371	3.1	46 99	3.1	3	I	1 L	30 L
1648. (1727)	Isophoronediamine	2289	8		8	8	III	5 L	60 L
1649. (1144)	Isophoronediisocyanate	2290	NR	73	6.1	6.1	III	60 L	220 L
1650. (1728)	Isoprene, inhibited	1218	3.1 9.2	89 46 56 84 90 99	3.1	3	I	P	30 L
1651. (1729)	Isopropanol or Isopropyl alcohol	1219	3.2	99	3.2	3	II	5 L	60 L
1652. (1267)	Isopropanolamine dodecylbenzenesul- phonate	9127	9.2	49	—	—	III	—	—
1653. (21)	Isopropenyl acetate	2403	3.2		3.2	3	II	5 L	60 L
1654. (1730)	Isopropenylbenzene	2303	3.3	81	3.3	3	II	5 L	60 L
1655. (22)	Isopropyl acetate	1220	3.2		3.2	3	II	5 L	60 L
1656. (2572)	Isopropyl acid phosphate or Isopropyl acid phosphate, solid	1793	8		8	8	III	25 kg	100 kg
1657. (201)	Isopropyl alcohol, see Isopropanol								

SCHEDULE II—Con.
LIST II—Con.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1658. (1731)	Isopropylamine	1221	3.1	46 56 90	3.1	3	I	30 L
1659. (1732)	Isopropylbenzene	1918	3.3	81	3.3	3	II	60 L
1660. (544)	Isopropyl butyrate	2405	3.3	81	3.3	3	II	60 L
1661. (608)	Isopropyl chloroacetate	2947	NR	73	3.3	3	III	220 L
1662. (676)	Isopropyl chloroformate	2407	3.2 8	3.2 8	3.2 8	3	II	5 L
1663. (647)	Isopropyl-2-chloropropionate	2934	NR	3.3	3.3	3	III	220 L
1664. (1626)	Isopropylcumyl hydroperoxide, or Diisopropylbenzene hydroperoxide, <i>not more than 72 per cent in solution</i>	2171	5.2	46 83 99	5.2	5.2	I	5 L
1665. (1465)	Isopropyl formates, <i>see</i> Propyl formates							
1666. (1703)	Isopropyl isobutyrate	2406	3.2	3.2	3	3	II	60 L
1667. (1711)	Isopropyl isocyanate	2483	3.2 6.1	46 99	3.2 6.1	3	I	30 L
1668. (1852)	Isopropyl mercaptan, <i>see</i> Propanethiols							
1669. (2015)	Isopropyl nitrate	1222	3.2	3.2	3	3	II	60 L
1670. (2328)	Isopropyl peroxydicarbonate, <i>see</i> Diisopropyl peroxydicarbonate							
1671. (2670)	Isopropyl propionate	2409	3.2	3.2	3	3	II	60 L
1672. (1188)	Isosorbide dinitrate mixture <i>with not less than 60 per cent lactose, mannose, starch, or calcium hydrogen phosphate</i>	2907	4.1	83 99	4.1	4.1	II	15 kg
1673. (111)	Isothiocyanic acid (polymerization hazard)		—	47	—	—	—	—
1674. (1736)	Jute <i>see</i> Fibres							
1675. (1737)	Kapok <i>see</i> Fibres							
1676. (1738)	Kelthane or Dicofof	2761	9.2	55	—	—	III	—
1677. (1739)	Kepone or Chlordecone	2761	9.2	46 55	—	—	I	—
1678. (2551)	KEROSENE	1223	3.3	81	3.3	3	II	60 L
1679. (1740)	KEROSENE	1223	NR	73	—	3	III	220 L
1680. (587)	KETONES, LIQUID, N.O.S.	1224	3.1	46 99	3.1	—	I	—

1681. (588)	KETONES, LIQUID, N.O.S.	1224	3.1	99	3.1	3	II	5 L	60 L
1682. (589)	KETONES, LIQUID, N.O.S.	1224	3.2		3.2	3	II	5 L	60 L
1683. (590)	KETONES, LIQUID, N.O.S.	1224	3.3	81	3.3	3	II	5 L	60 L
1684. (591)	KETONES, LIQUID, TOXIC, N.O.S.		—		—	—	—	—	—
1685. (592)	KETONES, LIQUID, TOXIC, N.O.S.		—		—	—	—	—	—
1686. (593)	KETONES, LIQUID, TOXIC, N.O.S.		—		—	—	—	—	—
1687. (594)	KETONES, LIQUID, TOXIC, N.O.S.		—		—	—	—	—	—
1688. (1742)	Krypton, compressed or Krypton	1056	2.2		2.2	2	X	75 kg	150 kg
1689. (1743)	Krypton, refrigerated liquid	1970	2.2	46	2.2	2	X	50 kg	500 kg
1690. (1748)	Lacquers, see Paints, Enamels, Lacquers, Stains, Shellac, Varnish, Polishes, Fillers (liquid), Lacquer base or Thinners, etc. (not including substances containing nitrocellulose for which see 'Nitrocellulose'), flash point less than 37.8°C								
1691. (403)	LACQUER BASES	1263	3.2	55	3.2	—	II	—	—
1692. (404)	LACQUER BASES	1263	3.2	55	3.2	—	III	—	—
1693. (405)	LACQUER BASES	1263	—	55	3.3	—	II	—	—
1694. (406)	LACQUER BASES	1263	3.3	55	3.3	—	III	—	—
1695. (1746)	LACQUER CHIPS, WET, with alcohol or solvent	1263	3.2	81	3.2	—	II	—	—
1696. (1747)	LACQUER CHIPS, WET, with alcohol or solvent	1263	3.3	55	3.3	—	II	—	—
1697. (407)	Lacquer base or Lacquer chips, dry	2557	4.1	81	—	—	II	—	—
1698. (2290)	Lauroyl peroxide, see Dilauroyl peroxide								
1699. (28)	Lead acetate	1616	9.2		6.1	6.1	III	100 kg	200 kg
1700. (343)	Lead arsenates	1617	6.1		6.1	6.1	II	25 kg	100 kg
1701. (363)	Lead arsenites	1618	9.2		6.1	6.1	II	25 kg	100 kg
1702. (590)	Lead azide (dry)		—	47	—	—	—	—	—
1703. (771)	Lead chloride	2291	8	34	—	—	III	—	—
1704. (2623)	Lead compounds, soluble, n.o.s.	2291	9.2	48	6.1	6.1	III	100 kg	200 kg
1705. (862)	Lead cyanide	1620	6.1	102	6.1	6.1	II	25 kg	100 kg
1706. (1231)	Lead dioxide or Lead peroxide	1872	5.1		5.1	5.1	III	25 kg	100 kg
1707. (2758)	Lead dross (containing not less than 3 per cent free acid)	1794	9.1	55	8	—	III	—	—
1708. (1419)	Lead fluoroborate	2291	8	34	—	—	III	—	—
			9.2	55					

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1709. (1444)	Lead fluoride	8	34	—	—	III	—	—
1710. (1692)	Lead iodide	9.2 9.2	55 55	—	—	III	—	—
1711. (1957)	Lead mononitrosesuccinate (dry)	—	47	—	—	—	—	—
1712. (2026)	Lead nitrate	5.1 6.1	48 6.1	5.1 6.1	5.1 6.1	II	5 kg	25 kg
1713. (2215)	Lead perchlorate	9.2	9.2	5.1	5.1	II	5 kg	25 kg
1714. (2297)	Lead peroxide, <i>see</i> Lead dioxide	5.1 6.1	5.1 6.1	5.1 6.1	5.1 6.1	II	5 kg	25 kg
1715. (2616)	Lead picrate (dry)	—	47	—	—	—	—	—
1716. (2591)	Lead phosphite dibasic	4.1	4.1	4.1	4.1	II	5 kg	25 kg
1717. (2823)	Lead stearate	9.2	55	—	—	III	—	—
1718. (2832)	Lead stypnate (dry)	—	47	—	—	—	—	—
1719. (2830)	Lead sulphate with more than 3 per cent free acid	8	8	8	8	II	15 kg	50 kg
1720. (2876)	Lead sulphide	9.2 9.2	55 55	—	—	III	—	—
1721. (2961)	Lead thiocyanate	9.2	55	—	—	III	—	—
1722. (999)	Leather bleach or dressing, <i>see</i> Flammable liquid preparations, n.o.s.	—	—	—	—	—	—	—
1723. (2729)	Life-rfts, inflatable, or Aircraft survival kits, or Aircraft evacuation slides, containing non-flammable compressed gas, smoke and illumination signal flares, strike-anywhere matches and which may also contain a repair kit having a flammable liquid	9.1	37 44 86	9	9	—	NL	NL
1724. (1750)	Lighter fluid	3.2	3.2	3.2	3	II	5 L	60 L
1725. (455)	Lighters for cigars, cigarettes, etc., with flammable gas, or Cigarette lighter or flammable gas in lighters	2.1	2.1	2.1	2	X	1 kg	15 kg
1726. (456)	Lighters for cigars, cigarettes, etc., with lighter fluid, or Cigarette lighter	3.2	47	3.2	3	II	p	p
1727. (1749)	Lindane	6.1 9.2	46 55	—	—	I	—	—
1728. (1495)	Liquefied gases n.o.s., <i>see</i> Compressed gases, n.o.s.	—	—	—	—	—	—	—
1729. (1497)	Liquefied gases, non-flammable, charged with nitrogen, carbon dioxide or air	2.2	48	2.2	2	X	75 kg	150 kg
1730. (1496)	Liquefied petroleum gas, <i>see</i> Petroleum gases, liquefied, n.o.s.	—	—	—	—	—	—	—

1731. (1796)	Lithium <i>or</i> Lithium, metal <i>or</i> Lithium in cartridges	1415	4.3	46 48 56	4.3	4.3	4.3	II	P	50 kg
1732. (46)	Lithium acetylde-ethylenediamine complex	2813	4.3	90 46 48	4.3	—	—	I	—	—
1733. (1797)	Lithium alkyls	2445	4.2	55 46 48	4.2	4.2	4.2	I	p	p
1734. (1637)	Lithium aluminum hydride	1410	4.3	56 46 48	4.3	4.3	4.3	I	p	15 kg
1735. (1658)	Lithium aluminum hydride, ethereal	1411	4.3 3	99 46 48	4.3 3	4.3	4.3	I	p	I L
1736. (285)	Lithium amide	1412	4.3	99 46 48	4.3	4.3	4.3	II	15 kg	50 kg
1737. (1)	Lithium batteries	1415	4.3	90	—	—	4.3	X	p	35 kg
1738. (451)	Lithium borohydride	1413	4.3	96 46 48	4.3	4.3	4.3	I	p	15 kg
1739. (801)	Lithium chromate	9134	9.2	56 99	—	—	—	III	—	—
1740. (1798)	Lithium ferrosilicon	2830	4.3	46 48 56	4.3	4.3	4.3	II	p	50 kg
1741. (1656)	Lithium hydride	1414	4.3	99 46 48	4.3	4.3	4.3	I	p	15 kg
1742. (1659)	Lithium hydride, fused solid	2805	4.3	99 46 56	4.3	4.3	4.3	II	p	50 kg
1743. (1644)	Lithium hydroxide, monohydrate	2680	8	99	8	8	8	II	15 kg	50 kg
1744. (1643)	Lithium hydroxide, solution	2679	8	—	8	8	8	II	I L	30 L
1745. (1671)	Lithium hypochlorite dry <i>or</i> Lithium hypochlorite mixtures	1471	5.1	48	5.1	5.1	5.1	II	5 kg	25 kg
1746. (2016)	Lithium nitrate	2722	5.1	48	5.1	5.1	5.1	III	25 kg	100 kg
1747. (2100)	Lithium nitride	2806	4.3	46 48 56	4.3	4.3	4.3	I	p	15 kg
1748. (2291)	Lithium peroxide	1472	5.1	99	5.1	5.1	5.1	II	5 kg	25 kg
1749. (2782)	Lithium silicon	1417	4.3	46 48 56	4.3	4.3	4.3	II	p	50 kg
1750. (2634)	London Purple	1621	6.1 9.2	90	6.1	6.1	6.1	II	25 kg	100 kg

SCHEDULE II—Con.

LIST II—Con.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1751. (1802)	Magnesium or Magnesium alloys, with more than 50 per cent magnesium, in pellets, turnings or ribbons	1869	4.1	4.1	4.1	III	25 kg	100 kg
1752. (1804)	Magnesium alkyls	3053	4.2	—	4.2	I	P	P
1753. (2661)	Magnesium aluminum phosphide	1419	4.3	4.3	4.3	I	P	15 kg
1754. (336)	Magnesium arsenate	1622	6.1	6.1	6.1	II	25 kg	100 kg
1755. (462)	Magnesium bromate	1473	5.1	5.1	5.1	II	5 kg	25 kg
1756. (620)	Magnesium chlorate	2723	5.1	5.1	5.1	II	5 kg	25 kg
1757. (788)	Magnesium chloride and chlorate mixtures, see Chlorate and magnesium chloride mixtures							
1758. (1018)	Magnesium diamide	2004	4.2	4.2	4.2	II	15 kg	50 kg
1759. (1807)	Magnesium diphenyl	2005	4.2	4.2	4.2	I	P	P
1760. (2757)	Magnesium dross, wet or hot		—	—	—	—	—	—
1761. (1428)	Magnesium fluorosilicate	2853	NR	6.1	6.1	III	100 kg	200 kg
1762. (1519)	Magnesium granules, coated, particle size not less than 149 micrometres	2950	4.3	4.3	4.3	III	25 kg	100 kg
1763. (1320)	Magnesium granules, uncoated, or particle size less than 149 micrometres, see Magnesium powder							
1764. (1660)	Magnesium hydride	2010	4.3	4.3	4.3	I	P	15 kg
1765. (207)	Magnesium nitrate	1474	5.1	5.1	5.1	III	25 kg	100 kg
1766. (2210)	Magnesium perchlorate	1475	5.1	5.1	5.1	II	5 kg	25 kg
1767. (2292)	Magnesium peroxide	1476	5.1	5.1	5.1	II	5 kg	25 kg
1768. (2600)	Magnesium phosphide	2011	4.3	4.3	4.3	I	P	15 kg
1769. (1803)	Magnesium powder or Magnesium alloys, powder	1418	4.3	4.3	4.3	II	15 kg	50 kg
1770. (1808)	Magnesium scrap	1869	4.3	—	—	III	—	—
1771. (2779)	Magnesium silicide	2624	4.3	4.3	4.3	II	15 kg	50 kg
1772. (1821)	Magnetized materials	2807	9.1	NR	9	III	NL	NL

1773. (1809)	Malathion	3018	9.2	55	—	—	II	—	—
1774. (112)	Maleic acid	2215	9.2	55	—	—	III	—	—
1775. (308)	Maleic anhydride	2215	8	44	8	8	III	25 kg	100 kg
1776. (1810)	Malononitrile	2647	9.2 6.1	— —	6.1	6.1	II	25 kg	100 kg
1777. (1812)	Maneb or Maneb preparations, stabilized against self-heating	2968	4.3	48	4.3	4.3	III	25 kg	100 kg
1778. (1811)	Maneb or Maneb preparations, with not less than 60 per cent maneb	2210	4.2 4.3	48 83	4.2 4.3	4.2 4.3	III	25 kg	100 kg
1779. (435)	Manganese dioxide	1479	5.1	55	—	—	II	—	—
1780. (2018)	Manganese nitrate	2724	5.1	48	5.1	5.1	III	25 kg	100 kg
1781. (2736)	Manganese resinates	1330	4.1	—	4.1	4.1	III	25 kg	100 kg
1782. (2926)	Mannian tetranitrate	—	—	47	—	—	—	—	—
1783. (268)	Matches, fusee	2254	4.1	88	4.1	4.1	III	P	P
1784. (266)	Matches, safety, (book, card or strike on box)	1944	4.1	—	4.1	4.1	III	25 kg	100 kg
1785. (267)	Matches, "strike anywhere"	1331	4.1	46 56 88	4.1	4.1	III	P	P
1786. (265)	Matches, wax "vesta"	1945	4.1	—	4.1	4.1	III	25 kg	100 kg
1787. (1834)	MEDICINES, N.O.S.*, corrosive, liquid	1851	8	—	8	8	II	1 L	30 L
1788. (1835)	MEDICINES, N.O.S.*, corrosive, liquid	1851	8	—	8	8	III	5 L	60 L
1789. (1836)	MEDICINES, N.O.S.*, corrosive, solid	1851	8	—	8	8	II	15 kg	50 kg
1790. (1837)	MEDICINES, N.O.S.*, corrosive, solid	1851	8	—	8	8	III	25 kg	100 kg
1791. (1838)	MEDICINES, N.O.S.*, flammable, liquid, flash point less than -18°C	1851	3.1	46 99	3.1	3.1	I	1 L	30 L
1792. (1839)	MEDICINES, N.O.S.*, flammable, liquid, flash point not less than -18°C but less than 23°C	1851	3.2	—	3.2	3.2	II	5 L	60 L
1793. (1840)	MEDICINES, N.O.S.*, flammable, liquid, flash point not less than 23°C but less than 37.8°C	1851	3.3	—	3.3	3.3	III	60 L	220 L
1794. (1841)	Medicines, n.o.s.*, flammable, solid	1851	4.1	—	4.1	4.1	II	15 kg	50 kg
1795. (1843)	Medicines, n.o.s.*, flash point not less than 37.8°C but less than 61°C	1851	NR	—	3.3	3.3	III	60 L	220 L
1796. (1842)	Medicines, n.o.s.*, oxidizing substance, solid	1851	5.1	—	5.1	5.1	II	5 kg	25 kg
1797. (1844)	MEDICINES, N.O.S.*, toxic, liquid	1851	6.1	46 94	6.1	6.1	I	1 L	30 L
1798. (1845)	MEDICINES, N.O.S.*, toxic, liquid	1851	6.1	—	6.1	6.1	II	5 L	60 L
1799. (1846)	MEDICINES, N.O.S.*, toxic, liquid	1851	NR	—	6.1	6.1	III	60 L	220 L
1800. (1847)	MEDICINES, N.O.S.*, toxic, solid	1851	6.1	46 93	6.1	6.1	I	5 kg	50 kg
1801. (1848)	MEDICINES, N.O.S.*, toxic, solid	1851	6.1	—	6.1	6.1	II	25 kg	100 kg

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1802. (1849)	MEDICINES, N.O.S.* <i>toxic, solid</i>	1851	NR		6.1	6.1	III	100 kg	200 kg
1803. (309)	Mentetrahydrophthalic anhydride <i>or</i> Methyl norbornene dicarboxylic anhy- dride	1760	8	46 55	—	—	I	—	—
1804. (1627)	p-Menthyl hydroperoxide, <i>or</i> p-Menthane hydroperoxide, <i>technically pure</i>	2125	5.2 I	46 83 99	5.2	5.2 I	I	I L	5 L
1805. (1858)	MERCAPTANS, LIQUID, N.O.S. <i>or</i> MERCAPTAN MIXTURES, LIQUID, N.O.S.	1228	3.1 6.1	46 62 90	3.1	3 6.1	II	P	60 L
1806. (1859)	MERCAPTANS, LIQUID, N.O.S. <i>or</i> MERCAPTAN MIXTURES, LIQUID, N.O.S.	1228	3.2 6.1	62 90	3.2	3 6.1	II	P	60 L
1807. (1860)	MERCAPTANS, LIQUID, N.O.S. <i>or</i> MERCAPTAN MIXTURES, LIQUID, N.O.S.	1228	3.3 6.1	62 81 90	3.3	3 6.1	II	P ¹	60 L
1808. (1861)	Meraptodimethur	2757	9.2	55	—	—	II	—	—
1809. (33)	Mercuric acetate, <i>see</i> Mercury acetate								
1810. (793)	Mercuric ammonium chloride, <i>see</i> Mer- cury ammonium chloride								
1811. (342)	Mercuric arsenate	1623	6.1		6.1	6.1	II	25 kg	100 kg
1812. (419)	Mercuric benzoate, <i>see</i> Mercury benzoate								
1813. (512)	Mercuric bromide, <i>see</i> Mercury bromides								
1814. (794)	Mercuric chloride	1624	6.1	56 102	6.1	6.1	II	25 kg	100 kg
1815. (1695)	Mercuric iodide, <i>see</i> Mercury iodide								
1816. (2046)	Mercuric nitrate	1625	5.1 6.1 9.2	99	6.1	6.1	II	25 kg	100 kg
1817. (2115)	Mercuric oleate, <i>see</i> Mercury oleate								
1818. (2152)	Mercuric oxide, <i>see</i> Mercury oxide								
1819. (2133)	Mercuric oxycyanide, <i>see</i> Mercury oxycyanide, desensitized								
1820. (868)	Mercuric potassium cyanide	1626	6.1	46 102	6.1	6.1	I	5 kg	50 kg
1821. (1693)	Mercuric potassium iodide, <i>see</i> Mercury potassium iodide								
1822. (2822)	Mercuric subsulphate	2025	6.1	55	—	—	II	—	—
1823. (2860)	Mercuric sulphate	1645	6.1 9.2		6.1	6.1	II	25 kg	100 kg

1824. (2960)	Mercuric thiocyanate, <i>see</i> Mercury thiocyanate
1825. (32)	Mercurous acetate, <i>see</i> Mercury acetate
1826. (394)	Mercurous azide
1827. (511)	Mercurous bromide, <i>see</i> Mercury bromides
1828. (1694)	Mercurous iodide, <i>see</i> Mercury iodide
1829. (2045)	Mercurous nitrate
1830. (2151)	Mercurous oxide, black, <i>see</i> Mercury oxide
1831. (2859)	Mercurous sulphate
1832. (1862)	Mercury
1833. (1863)	Mercury
1834. (26)	Mercury acetate or Mercuric acetate
1835. (47)	Mercury acetylde
1836. (760)	Mercury ammonium chloride or Mercuric ammonium chloride
1837. (2432)	MERCURY BASED PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., <i>flash point less than 23°C</i>
1838. (2433)	MERCURY BASED PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., <i>flash point less than 23°C</i>
1839. (2437)	MERCURY BASED PESTICIDES, LIQUID, TOXIC, FLAMMABLE, N.O.S., <i>flash point not less than 23°C</i>
1840. (2438)	MERCURY BASED PESTICIDES, LIQUID, TOXIC, FLAMMABLE, N.O.S., <i>flash point not less than 23°C</i>
1841. (2435)	MERCURY BASED PESTICIDES, LIQUID, TOXIC, N.O.S.
1842. (2436)	MERCURY BASED PESTICIDES, LIQUID, TOXIC, N.O.S.
1843. (2434)	MERCURY BASED PESTICIDES, LIQUID, TOXIC, N.O.S.
1844. (2441)	MERCURY BASED PESTICIDES, SOLID, TOXIC, N.O.S.
1845. (2440)	MERCURY BASED PESTICIDES, SOLID, TOXIC, N.O.S.
1846. (2439)	MERCURY BASED PESTICIDES, SOLID, TOXIC, N.O.S.
1847. (417)	Mercury benzoate or Mercuric benzoate
1848. (436)	Mercury bisulphate
1849. (513)	Mercury bromides or Mercuric bromide, or Mercurous bromide

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1850. (1864)	MERCURY COMPOUNDS, LIQUID, N.O.S.	2024	6.1	6.1	6.1	I	1 L	30 L
1851. (1865)	MERCURY COMPOUNDS, LIQUID, N.O.S.	2024	6.1	6.1	6.1	II	5 L	60 L
1852. (1866)	MERCURY COMPOUNDS, LIQUID, N.O.S.	2024	NR	6.1	6.1	III	60 L	220 L
1853. (1867)	MERCURY COMPOUNDS, SOLID, N.O.S.	2025	6.1	6.1	6.1	I	5 kg	50 kg
1854. (1868)	MERCURY COMPOUNDS, SOLID, N.O.S.	2025	6.1	6.1	6.1	II	25 kg	100 kg
1855. (1869)	MERCURY COMPOUNDS, SOLID, N.O.S.	2025	NR	6.1	6.1	III	100 kg	200 kg
1856. (859)	Mercury cyanide <i>or</i> Mercuric cyanide	1636	6.1	6.1	6.1	II	25 kg	100 kg
1857. (1504)	Mercury gluconate <i>or</i> Mercurous gluconate	1637	6.1	6.1	6.1	II	25 kg	100 kg
1858. (1688)	Mercury iodide aquabasic ammonobasic (Iodide of Million's base)		—	—	—	—	—	—
1859. (1690)	Mercury iodide, <i>or</i> Mercuric iodide, <i>or</i> Mercurous iodide	1638	6.1	6.1	6.1	II	25 kg	100 kg
1860. (1699)	Mercury iodide, solution <i>or</i> Mercuric iodide, solution	1638	6.1	6.1	6.1	II	5 L	60 L
1861. (2001)	Mercury nitride		—	—	—	—	—	—
1862. (2105)	Mercury nucleate	1639	6.1	6.1	6.1	II	25 kg	100 kg
1863. (2114)	Mercury oleate <i>or</i> Mercuric oleate	1640	6.1	6.1	6.1	II	25 kg	100 kg
1864. (2144)	Mercury oxide <i>or</i> Mercuric oxide, <i>or</i> Mer- curous oxide, black	1641	6.1	6.1	6.1	II	25 kg	100 kg
1865. (2132)	Mercury oxycyanide, desensitized <i>or with</i> <i>phlegmatizer</i>	1642	6.1	6.1	6.1	II	25 kg	100 kg
1866. (1693)	Mercury potassium iodide <i>or</i> Mercuric potassium iodide	1643	6.1	6.1	6.1	II	25 kg	100 kg
1867. (2755)	Mercury salicylate <i>or</i> Mercuric salicylate	1644	6.1	6.1	6.1	II	25 kg	100 kg
1868. (2959)	Mercury thiocyanate <i>or</i> Mercuric thiocya- nate	1646	6.1	6.1	6.1	II	25 kg	100 kg
1869. (2145)	Mesityl oxide	1229	3.3	3.3	3	II	5 L	60 L
1870. (1530)	Metal alkyl halides, n.o.s.	3049	4.2	—	4.2	I	p	p
1871. (1665)	Metal alkyl hydrides, n.o.s.	3050	4.2	—	4.2	I	p	p
1872. (1883)	Metal alkyls, n.o.s.*	2003	4.2	4.2	4.2	I	p	p
1873. (1884)	METAL ALKYL, SOLUTION, N.O.S.*	9195	3.1	—	—	II	—	—

1874. (1885)	METAL ALKYL. SOLUTION, N.O.S.*	9195	3.2	40	—	—	II	—	—
1875. (1886)	METAL ALKYL. SOLUTION, N.O.S.*	9195	3.3	40	—	—	II	—	—
1876. (1873)	Metaldehyde	1332	4.1	81	4.1	4.1	III	25 kg	100 kg
1877. (1937)	Metal salts of methyl nitramine (dry)		—	47	—	—	—	—	—
1878. (1917)	Methacrylaldehyde	2396	3.2	46	3.2	3	II	1 L	60 L
1879. (1113)	Methacrylic acid, inhibited	2531	8	84	6.1	6.1	III	5 L	60 L
1880. (204)	Methallyl alcohol	2614	3.3	81	3.3	3	II	5 L	60 L
1881. (1893)	Methane, compressed or Methane or Natural gas, compressed (with high methane content)	1971	2.1	56	2.1	2	X	P	150 kg
1882. (1894)	Methane, refrigerated liquid or Natural gas, refrigerated liquid (with high methane content)	1972	2.1	102	2.1	2	X	P	P
1883. (1895)	Methane and hydrogen mixtures, see Hydrogen and methane mixtures			56					
1884. (1896)	Methanol or Methyl alcohol	1230	3.2	80	6.1	6.1	II	1 L	60 L
1885. (114)	Methazoic acid		—	47	—	—	—	—	—
1886. (1897)	Methiocarb, see Mercaptodimethur								
1887. (1898)	Methoxychlor	2761	9.2	46	—	—	I	—	—
1888. (1712)	Methoxymethylisocyanate	2605	3.2	55	3.2	3	I	P	30 L
1889. (1899)	4-Methoxy-4-methylpentan-2-one	2293	NR	99	6.1	6.1	III	60 L	220 L
1890. (27)	Methyl acetate	1231	3.2	73	3.3	3	II	5 L	60 L
1891. (1915)	Methyl acetone	1232	3.2		3.2	3	II	5 L	60 L
1892. (1916)	Methyl acetylene and propadiene mixtures, stabilized	1060	2.1	52	2.1	2	X	P	150 kg
1893. (170)	Methyl acrylate, inhibited	1919	3.2	56	3.2	3	II	5 L	60 L
1894. (1918)	Methylal	1234	3.1	84	3.1	3	II	P	60 L
1895. (207)	Methyl alcohol, see Methanol			102					
1896. (762)	Methyl allyl chloride	2554	3.1	99	3.1	3	II	5 L	60 L
1897. (2765)	Methyl aluminum sesquibromide, see Aluminum alkyl halides								
1898. (2766)	Methyl aluminum sesquichloride, see Aluminum alkyl halides								
1899. (1919)	Methylamine, anhydrous	1061	2.1	46	2.1	2	X	P	150 kg
			9.2	56		3			
				99					
				102					

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1900. (1920)	1235	3.1 9.2	70 99	3.1	3	II	5 L	60 L
Methylamine, aqueous solution								
Methylamine dinitramine and dry salts thereof		—	47	—	—	—	—	—
(1921)								
Methylamine nitroform		—	47	—	—	—	—	—
(1922)								
Methylamine perchlorate (dry)		—	47	—	—	—	—	—
(1923)								
(2211)								
1904. (300)	1233	NR	73	3.3	3	III	60 L	220 L
Methylamyl acetate								
Methyl amyl ketone, <i>see</i> Amyl methyl ketone								
(1923)								
1906. (1924)	2294	NR	73	6.1	6.1	III	60 L	220 L
N-Methyl aniline								
1907. (148)	2938	NR	73	6.1	6.1	III	60 L	220 L
Methyl benzoate								
1908. (206)	2937	NR	73	6.1	6.1	III	60 L	220 L
alpha-Methylbenzyl alcohol								
1909. (501)	1062	2.3	46 56 99 102	2.3 6.1	2 6.1	X P	P	P
Methyl bromide								
1910. (502)								
Methyl bromide and chloropierin mix- tures, <i>see</i> Chloropierin and methyl bro- mide mixtures								
1911. (503)	1647	6.1 9.2	46 56 90	6.1	6.1	I	P	30 L
Methyl bromide and ethylene dibromide mixtures, liquid								
1912. (459)	2643	6.1	102	6.1	6.1	II	5 L	60 L
Methyl bromoacetate								
1913. (1912)	2397	3.2	99	3.2	3	II	5 L	60 L
3-Methyl butan-2-one								
1914. (1907)	2459	3.1	46 90	3.1	3	I	P	30 L
2-Methyl-1-butene								
1915. (1908)	2460	3.1	99	3.1	3	II	5 L	60 L
2-Methyl-2-butene								
1916. (1913)	2561	3.2	46 56 89	3.2	3	I	1 L	30 L
3-Methyl-1-butene								
1917. (1928)	2945	3.2	89	3.2	3	II	5 L	60 L
N-Methylbutylamine								
1918. (1346)	2398	3.2	99	3.2	3	II	5 L	60 L
Methyl-tert-butylether								
1919. (545)	1237	3.2	99	3.2	3	II	5 L	60 L
Methyl butyrate								
1920. (761)	1063	2.1 6.1	46 56 99 102	2.3 2.1	2 6.1	X P	P	25 kg
Methyl chloride (R40)								

1921. (763)	Methyl chloride and chloropicrin mixtures, see Chloropicrin and methyl chloride mixtures	1912	2.1	46 56 90 99 102	2.1	2.1	2	X	P	150 kg
1922. (764)	Methyl chloride and methylene chloride mixtures									
1923. (609)	Methyl chloroacetate	2295	6.1		3.3	6.1		II	5 L	60 L
1924. (677)	Methyl chloroformate	1238	3.2 6.1 8	46 56 8	3.2 6.1 8	3	6.1	I	P	2.5 L
1925. (1349)	Methylchloromethyl ether	1239	3.1	46 56 88 99	3.1	3	3	II	P	P
1926. (648)	Methyl 2-chloropropionate	2933	3.3	81	3.3	3	3	III	60 L	220 L
1927. (1901)	Methyl chlorosilane	2534	4.3 8	46	3.2 8	4.3	3	I	P	1 L
1928. (860)	Methyl cyanide or Acetonitrile	1648	3.2 6.1 3.2	46 102	3.2 6.1 3.2	3 6.1 3	3	II	1 L	60 L
1929. (1902)	Methyl cyclohexane	2296						II	5 L	60 L
1930. (1903)	Methyl cyclohexanols	2617	NR	73	3.3	3	3	III	60 L	220 L
1931. (1904)	Methyl cyclohexanone	2297	NR	73	3.3	3	3	III	60 L	220 L
1932. (2313)	Methylcyclohexanone peroxide(s), not more than 67 per cent in solution	3046	5.2 1	46 48 83 100 +35°C +40°C	—	5.2	3	I	P	P
1933. (1905)	Methyl cyclopentane	2298	3.2		3.2	3	3	II	5 L	60 L
1934. (1065)	Methyl dichloroacetate	2299	6.1 8	89	6.1	6.1	6.1	II	60 L	220 L
1935. (1929)	Methyldichloroarsine	1556	2.3	46 48 55	—	—	—	X	—	—
1936. (1930)	Methyldichlorosilane	1242	3.2 8	46 56	3.2 8 3	4.3 8 3	4.3	I	P	1 L
1937. (765)	Methylene chloride, see Dichloromethane									
1938. (766)	Methylene chloride and methyl chloride mixtures, see Methyl chloride and methylene chloride mixtures									
1939. (1189)	Methylene glycol dinitrate		—	47	—	—	—	—	—	—
1940. (1031)	Methyl ethyl ketone, see Ethyl methyl ketone									
1941. (2315)	Methyl ethyl ketone peroxide(s), not more than 50 per cent in solution, with more than 9 per cent available oxygen	2563	5.2 1	47	5.2	5.2	5.2	I	P	P
1942. (2314)	Methyl ethyl ketone peroxide(s), not more than 50 per cent in solution, with not more than 9 per cent available oxygen	2550	5.2 1	46 48 56 99	5.2	5.2	5.2	I	1 L	5 L

SCHEDULE II—Con.
LIST II—Con.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1943. (2316)	Methyl ethyl ketone peroxide(s), <i>not more than 60 per cent in solution</i>	2127	38 46 48 56 83 99	5.2 E I	5.2 E I	I	p	p
1944. (1909)	2-Methyl-5-ethyl pyridine	2300		6.1	6.1	III	60 L	220 L
1945. (1442)	Methyl fluoride (R41)	2454	46 56	2.1	2 3	X	p	150 kg
1946. (1466)	Methyl formate	1243	99 46 56 90	3.1	3	I	p	30 L
1947. (1910)	2-Methylfuran or Methylfuran	2301	99	3.1	3	II	5 L	60 L
1948. (2027)	a-Methylglucoside tetranitrate		47	—	—	—	—	—
1949. (2928)	a-Methylglycerol trinitrate		47	—	—	—	—	—
1950. (1914)	5-Methylhexan-2-one	2302	73	3.3	3	III	60 L	220 L
1951. (1932)	Methylhydrazine	1244	46 56	3.2 8	3 8	I	p	2.5 L
1952. (1691)	Methyl iodide	2644		6.1	6.1	II	5 L	60 L
1953. (2051)	Methyl isobutyl carbinol	2053	73	3.3	3	III	60 L	220 L
1954. (1933)	Methyl isobutyl ketone	1245		3.2	3	II	5 L	60 L
1955. (2293)	Methyl isobutyl ketone peroxide, <i>not more than 62 per cent, with phlegmatizer, or</i> Methyl isobutyl ketone peroxide, <i>not more than 62 per cent, with 20 per cent methyl isobutyl ketone and 20 per cent phlegmatizer</i>	2126	38 46 56 99	5.2 I	5.2 I	I	1 L	5 L
1956. (1713)	Methyl isocyanate or Methyl isocyanate, solutions	2480	46 99	3.2 6.1	3 6.1	I	p	30 L
1957. (1934)	Methyl isopropenyl ketone, inhibited	1246	84	3.2	3	II	5 L	60 L
1958. (1734)	Methyl isothiocyanate	2477	99	3.2	3	II	p	60 L
1959. (1735)	Methyl isovalerate	2400		6.1 3.2	6.1 3	II	5 L	60 L
1960. (504)	Methyl magnesium bromide in ethyl ether	1928	46 56	4.2	4.2	I	p	p
1961. (1856)	Methyl mercaptan	1064	99 46 52 56	2.1	2 3 6.1	X	p	25 kg

1962. (1892)	Methyl methacrylate monomer, inhibited	1247	3.2	84	3.2	3	II	5 L	60 L
1963. (1935)	METHYLMORPHOLINE	2535	3.2		3.2	3	II	1 L	5 L
1964. (1936)	METHYLMORPHOLINE	2535	8	81	8	8	II	1 L	5 L
1965. (2019)	Methyl nitrate		3.3	47	8	8	-	-	-
1966. (2037)	Methyl nitrite	2455	2.1	47	P	P	X	P	P
1967. (309)	Methyl norbornene dicarboxylic anhydride, <i>see</i> Memtetrahydrophthalic anhydride								
1968. (2119)	Methyl orthosilicate	2606	3.2	46	3.2	3	I	P	30 L
1969. (2173)	Methyl parathion, liquid	3018	6.1	99	6.1	6.1	II	-	-
1970. (2172)	Methyl parathion mixture, dry	2783	9.2	55	-	-	II	-	-
1971. (2170)	Methyl parathion mixture, liquid (<i>containing 25 per cent or less methyl parathion</i>)	3018	6.1	55	-	-	II	-	-
1972. (2171)	Methyl parathion mixture, liquid (<i>containing more than 25 per cent methyl parathion</i>)	3018	9.2	55	-	-	II	-	-
1973. (1938)	Methylpentadiene	2461	3.1	99	3.1	3	II	5 L	60 L
1974. (1939)	Methyl pentane, <i>see</i> Hexanes								
1975. (1911)	2-Methylpentan-2-ol	2560	3.3	81	3.3	3	II	5 L	60 L
1976. (1940)	Methylphenyldichlorosilane	2437	3.3	81	3.3	3	II	5 L	60 L
1977. (1104)	Methyl phosphonothioic dichloride, anhydrous	1760	8	55	-	-	II	-	-
1978. (1103)	Methyl phosphonous dichloride	2845	4.2	55	-	-	II	-	-
1979. (115)	Methyl picric acid (heavy metal salts of)		-	47	-	-	-	-	-
1980. (1906)	1-Methylpiperidine	2399	3.2		3.2	3	II	5 L	60 L
1981. (2671)	Methyl propionate	1248	3.2		3.2	3	II	5 L	60 L
1982. (1350)	Methyl propylether	2612	3.1	99	3.1	3	II	5 L	60 L
1983. (1941)	Methyl propyl ketone	1249	3.2		3.2	3	II	5 L	60 L
1984. (1942)	Methyltetrahydrofuran	2536	3.2		3.2	3	II	5 L	60 L
1985. (2995)	Methyl trichloroacetate	2533	NR	73	6.1	6.1	III	60 L	220 L
1986. (1943)	Methyltrichlorosilane	1250	3.2	46	3.2	3	I	P	2.5 L
			8	56	8	8			
				90					
				47					
1987. (3056)	Methyltrimethylol methane trinitrate		-		-	-	-	-	-
1988. (1944)	alpha-Methyl valeraldehyde	2367	NR	73	3.3	3	III	60 L	220 L
1989. (1945)	Methyl vinyl ketone, inhibited	1251	3.2	84	3.2	3	II	5 L	60 L
1990. (1946)	Mevinphos	3018	6.1	46	-	-	I	-	-
			9.2	55					

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1991. (1948)	Mevinphos mixture, dry	2783	6.1 9.2	46 55	—	—	I	—	—
1992. (1947)	Mevinphos mixture, liquid	3018	6.1 9.2	46 55	—	—	I	—	—
1993. (1949)	Mexacarbate	2757	6.1 9.2	55	—	—	II	—	—
1994. (1940)	Mine rescue equipment containing carbon dioxide	1956	2.2	37	—	—	X	—	—
1995. (1950)	Mipalfox	2783	9.2	55	—	—	III	—	—
1996. (1950)	Molybdenum pentachloride	2508	8	8	8	8	III	25 kg	100 kg
1997. (1953)	Monochloroacetone, <i>see</i> Chloroacetone								
1998. (1955)	Monoethanolamine, <i>see</i> Ethanolamine								
1999. (1956)	Monoethylamine, <i>see</i> Ethylamine								
2000. (1964)	Morpholine	2054	3.3	81	3.3	3	II	5 L	60 L
2001. (1964)	Motor fuel antiknock mixtures	1649	6.1	46 56 90 99	6.1 3	6.1	I	p	30 L
2002. (319)	Motor fuel antiknock mixtures containing lead compounds	1649	6.1 9.2	102 46 55 56 102	—	—	I	—	—
2003. (1314)	Motor spirit, <i>see</i> Gasoline								
2004. (3093)	Motorized vehicles, <i>see</i> Vehicles, self propelled								
2005. (116)	Muriatic acid, <i>see</i> Hydrochloric acid								
2006. (1967)	Musk xylene, <i>see</i> 5-tert-Butyl-2,4,6-trinitro-m-xylene								
2007. (1968)	Naled	2783	9.2	55	—	—	II	—	—
2008. (1972)	Naphtha	2553	3.2	—	3.2	3	II	5 L	60 L
2009. (1973)	Naphtha	2553	—	—	—	3	III	60 L	220 L
2010. (1974)	Naphtha distillates, <i>see</i> Petroleum distillates								
2011. (1975)	Naphtha, petroleum	1255	—	—	—	3	I	1 L	5 L
2012. (1976)	Naphtha, petroleum	1255	3.2	—	3.2	3	II	5 L	60 L
2013. (1977)	Naphtha, petroleum	1255	—	—	—	3	III	60 L	220 L

2014. (2816)	Naphtha, solvent	1256	3.2	47	3.2	3	II	5 L	60 L
2015. (2817)	Naphtha, solvent	1256	—	—	—	3	III	60 L	220 L
2016. (1969)	Naphthalene, crude or Naphthalene, refined	1334	4.1 9.2	—	4.1	4.1	III	25 kg	100 kg
2017. (1970)	Naphthalene diozonide	—	—	47	—	—	—	—	—
2018. (1971)	Naphthalene, molten	2304	4.1 9.2	—	4.1	4.1	III	25 kg	100 kg
2019. (117)	Naphthenic acid	9137	9.2	40	—	—	II	—	—
2020. (2212)	Naphthyl amine perchlorate	—	—	47	—	—	—	—	—
2021. (1979)	alpha-Naphthylamine	2077	NR	73	6.1	6.1	III	100 kg	200 kg
2022. (1980)	beta-Naphthylamine	1650	6.1	—	6.1	6.1	II	25 kg	100 kg
2023. (1981)	Naphthylthiourea	1651	6.1	—	6.1	6.1	II	25 kg	100 kg
2024. (1982)	Naphthylurea	1652	6.1	—	6.1	6.1	II	25 kg	100 kg
2025. (1498)	Natural gas, see Methane	—	—	—	—	—	—	—	—
2026. (1304)	Natural gasoline (boiling point range: 35°C to 135°C)	1257	3.1	99	3.1	3	II	5 L	60 L
2027. (1984)	Neohexane, see Hexanes	—	—	—	—	—	—	—	—
2028. (1985)	Neon, compressed or Neon	1065	2.2	—	2.2	2	X	75 kg	150 kg
2029. (1986)	Neon, refrigerated liquid	1913	2.2	46	2.2	2	X	50 kg	500 kg
2030. (2847)	Nickel ammonium sulphate	9138	9.2	49	—	—	III	—	—
2031. (1987)	Nickel carbonyl	1259	6.1 3	46 48 56 99	6.1 3	6.1 3	I	P	P
2032. (581)	Nickel catalyst, dry	2881	4.2	102 46 48	4.2	4.2	I	P	P
2033. (580)	Nickel catalyst, wetted with not less than 40 per cent water or other suitable liquid, by mass, finely divided, activated or spent	1378	4.2	56 46 48 90	4.2	4.2	II	P	50 kg
2034. (767)	Nickel chloride	9139	9.2	49	—	—	III	—	—
2035. (861)	Nickel cyanide	1653	6.1	—	6.1	6.1	II	25 kg	100 kg
2036. (1645)	Nickel hydroxide	9140	9.2	49	—	—	III	—	—
2037. (2020)	Nickel nitrate	2725	5.1	—	5.1	5.1	III	25 kg	100 kg
2038. (2038)	Nickel nitrite	2726	5.1	—	5.1	5.1	III	25 kg	100 kg
2039. (2615)	Nickel picrate	—	—	47	—	—	—	—	—
2040. (2846)	Nickel sulphate	9141	9.2	49	—	—	III	—	—

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2041. (1988)	Nicotine	6.1	46 56 89 90	6.1	6.1	II	P	60 L
2042. (1989)	NICOTINE COMPOUNDS, N.O.S. or NICOTINE PREPARATIONS, N.O.S., <i>liquid</i>	6.1	46 94	6.1	6.1	I	I L	30 L
2043. (1990)	NICOTINE COMPOUNDS, N.O.S. or NICOTINE PREPARATIONS, N.O.S., <i>liquid</i>	6.1	102 102	6.1	6.1	II	5 L	60 L
2044. (1991)	NICOTINE COMPOUNDS, N.O.S. or NICOTINE PREPARATIONS, N.O.S., <i>liquid</i>	NR		6.1	6.1	III	60 L	220 L
2045. (1992)	NICOTINE COMPOUNDS, N.O.S. or NICOTINE PREPARATIONS, N.O.S., <i>solid</i>	6.1	46 93	6.1	6.1	I	5 kg	50 kg
2046. (1993)	NICOTINE COMPOUNDS, N.O.S. or NICOTINE PREPARATIONS, N.O.S., <i>solid</i>	6.1	102	6.1	6.1	II	25 kg	100 kg
2047. (1994)	NICOTINE COMPOUNDS, N.O.S. or NICOTINE PREPARATIONS, N.O.S., <i>solid</i>	NR		6.1	6.1	III	100 kg	200 kg
2048. (635)	Nicotine hydrochloride or Nicotine hydro- chloride, solutions	6.1	102	6.1	6.1	II	5 L	60 L
2049. (2756)	Nicotine salicylate	6.1	102	6.1	6.1	II	25 kg	100 kg
2050. (2849)	Nicotine sulphate, solid	6.1	102	6.1	6.1	II	25 kg	100 kg
2051. (2848)	Nicotine sulphate, solution or liquid	6.1	102	6.1	6.1	II	5 L	60 L
2052. (2887)	Nicotine tartrate	6.1	102	6.1	6.1	II	25 kg	100 kg
2053. (2161)	Nitrated paper, unstable	—	47	—	—	—	—	—
2054. (2051)	Nitrates of diazonium compounds	—	47	—	—	—	—	—
2055. (2049)	Nitrates, inorganic, n.o.s.	5.1	48	5.1	5.1	II	5 kg	25 kg
2056. (140)	Nitrating acid mixtures, more than 50 per cent nitric acid	8 5.1 9.2	46 56 78 90	8 5.1	8 5.1	I	P	2.5 L
2057. (141)	Nitrating acid mixtures, not more than 50 per cent nitric acid	8 9.2	46 56 90 99	8	8	II	P	30 L

2058. (142)	Nitrating acid mixtures spent, <i>more than 50 per cent nitric acid</i>	1826	8 5.1 9.2	46 56 61 78	8 5.1 5.1	I	p	2.5 L
2059. (143)	Nitrating acid mixtures spent, <i>not more than 50 per cent nitric acid</i>	1826	8 9.2	46 56 61 78	8	II	p	30 L
2060. (119)	Nitric acid, <i>more than 70 per cent nitric acid</i>	2031	8 9.2	46 56 78	8	I	p	2.5 L
2061. (118)	Nitric acid, <i>not more than 70 per cent nitric acid</i>	2031	8 9.2	46 56 78	8	II	p	30 L
2062. (120)	Nitric acid, fuming, <i>more than 70 per cent and not more than 90 per cent</i>	2032	8 5.1 5.1 6.1 9.2	46 56 61 78 99	8 5.1 6.1	I	p	2.5 L
2063. (121)	Nitric acid, red, fuming, <i>more than 90 per cent</i>	2032	8 5.1 5.1 6.1 9.2	46 56 61 78 99	8 5.1 6.1	I	p	2.5 L
2064. (153)	Nitric oxide	1660	2.3 5.1	46 52 56 79 88 99	2.3 46 6.1	X	p	p
2065. (2154)	Nitric oxide and nitrogen tetroxide, mixtures	1975	2.3 5.1	46 56 79 88 99	2.3 5.1	X	p	p
2066. (2065)	Nitrites, inorganic mixtures with ammonium compounds	2627	5.1	47	5.1	II	5 kg	25 kg
2067. (2064)	Nitrites, inorganic, n.o.s.		57	47	—	—	—	—
2068. (2068)	N-Nitroaniline		—	47	—	—	—	—
2069. (2069)	Nitroanilines, (<i>o</i> -, <i>m</i> -, <i>p</i> -)	1661	6.1	73	6.1	II	25 kg	100 kg
2070. (2070)	Nitroanisole	2730	NR	47	6.1	III	60 L	220 L
2071. (2213)	<i>m</i> -Nitrobenzene diazonium perchlorate		—	47	—	—	—	—
2072. (2071)	Nitrobenzene or Nitrobenzene, liquid	1662	6.1 9.2		6.1	II	5 L	60 L
2073. (122)	Nitrobenzenesulphonic acid	2305	8		8	II	1 L	30 L
2074. (3033)	Nitrobenzotrifluorides	2306	6.1	56	6.1	II	5 L	60 L

SCHEDULE II—Con.

LIST II—Con.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2075. (2072) (2076)	Nitrobenzene	2732	NR	73	6.1	6.1	III	60 L	220 L
	Nitrocellulose solution, flammable with not more than 12.6 per cent nitrogen, by dry mass, and not more than 55 per cent nitrocellulose, flash point less than 23°C	2059	3.2	41	3.2	3	II	5 L	60 L
2077. (2077)	Nitrocellulose solution, flammable with not more than 12.6 per cent nitrogen, by dry mass, and not more than 55 per cent nitrocellulose, flash point not less than 23°C but not more than 37.8°C	2060	3.3	41	3.3	3	II	5 L	60 L
2078. (2078)	Nitrocellulose solution, flammable with not more than 12.6 per cent nitrogen, by dry mass, and not more than 55 per cent nitrocellulose, flash point not less than 37.8°C but not more than 61°C	2060	3.3	41	3.3	3	II	5 L	60 L
2079. (2073)	Nitrocellulose with alcohol, (not less than 25 per cent alcohol by mass), and not more than 12.6 per cent nitrogen, by dry mass	2556	4.1	10 29 46 48 56 58 89 99	4.1	4.1	II	1 kg	15 kg
2080. (2074)	Nitrocellulose with plasticizing substance, (not less than 18 per cent plasticizer by mass), and not more than 12.6 per cent nitrogen, by dry mass	2557	4.1	29 46 48 83 89	4.1	4.1	II	1 kg	15 kg
2081. (2075)	Nitrocellulose with water, (not less than 25 per cent water, by mass)	2555	4.1	10 29 46 48 58 89 99	4.1	4.1	II	15 kg	50 kg
2082. (2079) 2083. (1443) 2084. (2080) 2085. (123) 2086. (2081) 2087. (2021) 2088. (2082) 2089. (277)	Nitrochlorobenzenes, see Chloronitroben- zenes 3-Nitro-4-chlorobenzotrifluoride Nitroresols 6-Nitro-4-diazotoluene-3-sulphonic acid (dry) Nitroethane Nitroethyl nitrate Nitroethylene polymer Nitrogen, compressed or Nitrogen	2307 2446 2842 1066	6.1 NR — 3.3 — — 2.2	47 47 47 47	6.1 6.1 — 3.3 — — 2.2	6.1 6.1 — 3 — — 2	II III — III — — X	5 L 100 kg — 60 L — — 75 kg	60 L 200 kg — 220 L — — 150 kg

2090. (378)	Nitrogen, refrigerated liquid or Nitrogen, pressurized liquid	1977	2.2	46 56 99	2	X	50 kg	500 kg
2091. (376)	Nitrogen and rare gases mixtures, <i>see</i> Rare gases and nitrogen mixtures							
2092. (2246)	Nitrogen dioxide, liquefied or Nitrogen dioxide, liquid	1067	2.3 5.1 9.2	46 52 56 79 88 99 102 46 52 55 79 102	2 5.1 6.1	X	p	p
2093. (2155)	Nitrogen oxides, n.o.s.	1067	2.3 5.1 9.2	46 52 55 79 102	—	X	—	—
2094. (2951)	Nitrogen tetroxide and nitric oxide mixtures, <i>see</i> Nitric oxide and nitrogen tetroxide mixtures							
2095. (3006)	Nitrogen trichloride		—	47	—	—	—	—
2096. (3022)	Nitrogen trifluoride	2451	2.3	46 56 76 99 102 47	2 6.1	X	p	25 kg
2097. (3034)	Nitrogen triiodide		—	102 47	—	—	—	—
2098. (3035)	Nitrogen triiodide monamine		—	47	—	—	—	—
2099. (3072)	Nitrogen trioxide	2421	2.3	46 52 56 79 88 99 100 102	2 6.1	X	p	p
2100. (2083)	Nitroglycerin solution in alcohol, with not more than 1 per cent nitroglycerin	1204	3.2	9 48 47	3	II	p	5 L
2101. (2084)	Nitroglycerin, liquid, not desensitized		—	47	—	—	—	—
2102. (2085)	Nitroguanidine, (picrite) wetted, <i>uniformly</i> , with not less than 20 per cent water, by mass	1336	4.1	10 46 48 58 99 47	4.1	I	1 kg	15 kg
2103. (2023)	Nitroguanidine nitrate		—	47	—	—	—	—
2104. (75)	Nitrohydrochloric acid	1798	8 9.2	46 56 78 90 99 47	8	I	p	2.5 L
2105. (2086)	1-Nitrohydantoin		—	47	—	—	—	—
2106. (3054)	Nitroisobutanetriol trinitrate		—	47	—	—	—	—
2107. (2087)	Nitromannite, (dry)		—	47	—	—	—	—

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2108. (2088)	1261	3.3	48 81 90 47	3.3	3	II	P	60 L
2109. (2024)								
2110. (2089)	2538	4.1		4.1	4.1	III	25 kg	100 kg
2111. (2090)	1663	9.2		6.1	6.1	III	100 kg	200 kg
2112. (2091)			47					
2113. (2025)			47					
2114. (2092)	2608	NR	73	3.3	3	III	60 L	220 L
2115. (2093)	1369	4.2	48	4.2	4.2	II	15 kg	50 kg
2116. (2094)			47					
2117. (2066)	1337	4.1	10 46 48 58 99	4.1	4.1	I	1 kg	15 kg
2118. (2067)	1337	3.1	46 48 55			I		
2119. (768)	1069	2.4	58 46 52 56 99 102 47	2.3 8	2 8	X	P	P
2120. (2095)								
2121. (1612)	2308	8	46 99	8	8	II	1 L	30 L
2122. (2096)	1664	6.1	102	6.1	6.1	II	5 L	60 L
2123. (2097)	1664	6.1 9.2	102	6.1	6.1	II	25 kg	100 kg
2124. (2098)	2660	NR		6.1	6.1	III	100 kg	200 kg
2125. (2680)	1070	2.2	102	2.2 5.1	2	X	75 kg	150 kg
2126. (2681)	2201	2.2 5.1		2.2	2	X	75 kg	150 kg
2127. (2682)								
2128. (2099)	1665	6.1		6.1	6.1	II	5 L	60 L

2129. (2103)	Nonanes	1920	3.3	81	3.3	3	II	5 L	60 L
2130. (2104)	Nonyltrichlorosilane	1799	8	46 56	8	8	II	p	30 L
2131. (2106)	Octadecyltrichlorosilane	1800	8	90 46 56 90	8	8	II	p	30 L
2132. (2107)	Octadiene	2309	3.2		3.2	3	III	60 L	220 L
2133. (124)	1,7-Octadiene-3,5-diyne-1,8-dimethoxy-9-octadecynoic acid		-	47	-	-	-	-	-
2134. (2108)	Octafluorobut-2-ene	2422	2.2		2.2	2	X	75 kg	150 kg
2135. (2109)	Octafluorocyclobutane (RC-3/8)	1976	2.2		2.2	2	X	75 kg	150 kg
2136. (2110)	Octafluoropropane (R2/8)	2424	2.2		2.2	2	X	75 kg	150 kg
2137. (2111)	Octanes	1262	3.2		3.2	3	II	5 L	60 L
2138. (2294)	n-Octanoyl peroxide, see Di-n-octanoyl peroxide								
2139. (244)	Octyl aldehydes	1191	NR	73	3.3	3	III	60 L	220 L
2140. (1628)	tert-Octyl hydroperoxide, see 1,1,3,3-Tetramethylbutyl hydroperoxide								
2141. (1843)	tert-Octyl mercaptan	3023	6.1 3	100	-	6.1 3	II	5 L	60 L
2142. (1370)	tert-Octyl peroxy-2-ethylhexanoate, see 1,1,3,3-Tetramethylbutyl peroxy-2-ethylhexanoate								
2143. (2113)	Octyltrichlorosilane	1801	8	46 56 90	8	8	II	p	30 L
2144. (1485)	Oil gas	1071	2.1 6.1	46 48 56 99	2.1 2.3	2 3	X	p	150 kg
2145. (2834)	Oiled material or Oiled clothing or Oiled paper (manufactured article properly dried to prevent spontaneous heating)	9053	9.1	102 37 48 49	-	-	III	-	-
2146. (2116)	Oleum, see Sulphuric acid, fuming								
2147. (2306)	Organic peroxide, liquid or Organic peroxide solution, stable, n.o.s.	9183	5.2	47	-	-	X	-	-
2148. (2307)	Organic peroxide, solid, stable, n.o.s.	9187	5.2	47	-	-	X	-	-
2149. (2319)	Organic peroxides, mixtures	2756	5.2	47	5.2	5.2	X	p	p
2150. (2318)	Organic peroxides, samples, n.o.s.	2255	5.2	47	5.2	5.2	X	p	p
2151. (2320)	Organic peroxides, trial quantities, n.o.s.	2899	5.2	47	5.2	5.2	X	p	p
2152. (2578)	Organic phosphate, Organic phosphite compound, or Organic phosphorus compound, mixed with compressed gas	1955	2.3	46 48 55	-	-	X	-	-
2153. (2583)	ORGANIC PHOSPHATE, ORGANIC PHOSPHATE COMPOUND, or ORGANIC PHOSPHORUS COMPOUND, liquid	3018	6.1	46 55 56	-	-	I	-	-

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2154. (2584)		3018	6.1	55 56	—	—	II	—	
2155. (2585)		2783	6.1	46 55	—	—	I	—	—
2156. (2586)		2783	6.1	55	—	—	II	—	—
2157. (2579)		3018	6.1	46 55 56	—	—	I	—	—
2158. (2580)		3018	6.1	55 56	—	—	II	—	—
2159. (2581)		2783	6.1	46 55	—	—	I	—	—
2160. (2582)		2783	6.1	55	—	—	II	—	—
2161. (2503)		2762	3.2 6.1	46 56	3.2 6.1	3 6.1	I P	P	30 L
2162. (2504)		2762	3.2 6.1	56	3.2 6.1	3 6.1	II	I L	60 L
2163. (2508)		2995	6.1	46 56 89 94	6.1 3	6.1	I	I L	30 L
2164. (2509)		2995	6.1	56 89	6.1 3	6.1	II	5 L	60 L
2165. (2505)		2996	6.1	46 56 94	6.1	6.1	I	I L	30 L
2166. (2506)		2996	6.1	56	6.1	6.1	II	5 L	60 L

2167. (2507)	ORGANOCHLORINE PESTICIDES, LIQUID, TOXIC, N.O.S.	2996	NR	6.1	6.1	III	60 L	220 L
2168. (2510)	ORGANOCHLORINE PESTICIDES, SOLID, TOXIC, N.O.S.	2761	6.1	46	6.1	I	5 kg	50 kg
2169. (2511)	ORGANOCHLORINE PESTICIDES, SOLID, TOXIC, N.O.S.	2761	6.1	93	6.1	II	25 kg	100 kg
2170. (2512)	ORGANOCHLORINE PESTICIDES, SOLID, TOXIC, N.O.S.	2761	NR		6.1	III	100 kg	200 kg
2171. (2513)	ORGANOPHOSPHORUS PESTI- CIDES, LIQUID, FLAMMABLE, TOXIC, <i>flash point less than 23°C</i>	2784	3.2 6.1	46 56	3.2 6.1	I	P	30 L
2172. (2514)	ORGANOPHOSPHORUS PESTI- CIDES, LIQUID, FLAMMABLE, TOXIC, <i>flash point less than 23°C</i>	2784	3.2 6.1	56	3.2 6.1	II	1 L	60 L
2173. (2518)	ORGANOPHOSPHORUS PESTI- CIDES, LIQUID, TOXIC, FLAMM- ABLE, <i>flash point not less than 23°C</i>	3017	6.1	46 56 89 94	6.1	I	1 L	30 L
2174. (2519)	ORGANOPHOSPHORUS PESTI- CIDES, LIQUID, TOXIC, FLAMM- ABLE, <i>flash point not less than 23°C</i>	3017	6.1	56 89	6.1	II	5 L	60 L
2175. (2515)	ORGANOPHOSPHORUS PESTI- CIDES, LIQUID, TOXIC, N.O.S.	3018	6.1	46 56 94	6.1	I	1 L	30 L
2176. (2516)	ORGANOPHOSPHORUS PESTI- CIDES, LIQUID, TOXIC, N.O.S.	3018	6.1	56	6.1	II	5 L	60 L
2177. (2517)	ORGANOPHOSPHORUS PESTI- CIDES, LIQUID, TOXIC, N.O.S.	3018	NR		6.1	III	60 L	220 L
2178. (2520)	ORGANOPHOSPHORUS PESTI- CIDES, SOLID, TOXIC, N.O.S.	2783	6.1	46	6.1	I	5 kg	50 kg
2179. (2521)	ORGANOPHOSPHORUS PESTI- CIDES, SOLID, TOXIC, N.O.S.	2783	6.1	93	6.1	II	25 kg	100 kg
2180. (2522)	ORGANOPHOSPHORUS PESTI- CIDES, SOLID, TOXIC, N.O.S.	2783	NR		6.1	III	100 kg	200 kg
2181. (2528)	ORGANOTIN COMPOUNDS, N.O.S., <i>liquid</i>	2788	6.1	46 94	6.1	I	1 L	30 L
2182. (2529)	ORGANOTIN COMPOUNDS, N.O.S., <i>liquid</i>	2788	6.1		6.1	II	5 L	60 L
2183. (2530)	ORGANOTIN COMPOUNDS, N.O.S., <i>liquid</i>	2788	NR		6.1	III	60 L	220 L
2184. (2531)	ORGANOTIN COMPOUNDS, N.O.S., <i>solid</i>	2788	6.1	46	6.1	I	5 kg	50 kg
2185. (2532)	ORGANOTIN COMPOUNDS, N.O.S., <i>solid</i>	2788	6.1	93	6.1	II	25 kg	100 kg
2186. (2533)	ORGANOTIN COMPOUNDS, N.O.S., <i>solid</i>	2788	NR		6.1	III	100 kg	200 kg
2187. (2523)	ORGANOTIN PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., <i>flash point less than 23°C</i>	2787	3.2 6.1	46 56	3.2 6.1	I	P	30 L
2188. (2524)	ORGANOTIN PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., <i>flash point less than 23°C</i>	2787	3.2 6.1	56	3.2 6.1	II	1 L	60 L
2189. (2528)	ORGANOTIN PESTICIDES, LIQUID, TOXIC, FLAMMABLE, N.O.S., <i>flash point not less than 23°C</i>	3019	6.1	46 56 89 94	6.1 3	I	1 L	30 L
2190. (2529)	ORGANOTIN PESTICIDES, LIQUID, TOXIC, FLAMMABLE, N.O.S., <i>flash point not less than 23°C</i>	3019	6.1	56 89	6.1 3	II	5 L	60 L
2191. (2525)	ORGANOTIN PESTICIDES, LIQUID, TOXIC, N.O.S.	3020	6.1	46 56 94	6.1	I	1 L	30 L

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2192. (2526)	ORGANOTIN PESTICIDES, LIQUID, TOXIC, N.O.S.	6.1	56	6.1	6.1	II	5 L	60 L
2193. (2527)	ORGANOTIN PESTICIDES, LIQUID, TOXIC, N.O.S.	NR		6.1	6.1	III	60 L	220 L
2194. (2530)	ORGANOTIN PESTICIDES, SOLID, TOXIC, N.O.S.	6.1	46	6.1	6.1	I	5 kg	50 kg
2195. (2531)	ORGANOTIN PESTICIDES, SOLID, TOXIC, N.O.S.	6.1	93	6.1	6.1	II	25 kg	100 kg
2196. (2532)	ORGANOTIN PESTICIDES, SOLID, TOXIC, N.O.S.	NR		6.1	6.1	III	100 kg	200 kg
2197. (2952)	Osmium tetroxide	6.1	46 48	6.1	6.1	I	5 kg	50 kg
2198. (2126)	Oxalates, <i>water soluble</i>	9.2	102	6.1	6.1	III	100 kg	200 kg
2199. (1815)	Oxidizer, liquid, corrosive, n.o.s.*	5.1	40	—	—	II	—	—
2200. (1816)	Oxidizer, liquid, poisonous, n.o.s.*	5.1	46 48	—	—	II	—	—
2201. (1817)	Oxidizer, solid, corrosive, n.o.s.*	5.1	40	—	—	II	—	—
2202. (1818)	Oxidizer, solid, poisonous, n.o.s.*	5.1	40	—	—	II	—	—
2203. (1813)	Oxidizing substances, n.o.s.*, <i>liquid</i>	6.1	48	5.1	5.1	II	1 L	5 L
2204. (1814)	Oxidizing substances, n.o.s.*, <i>solid</i>	5.1	89	5.1	5.1	II	5 kg	25 kg
2205. (2156)	Oxygen, compressed or Oxygen	2.2	1072	2.2	2	X	75 kg	150 kg
2206. (2159)	Oxygen, refrigerated liquid or Oxygen, pressurized liquid	5.1	46 56 100	5.1 2.2 5.1	5.1	X	p	p
2207. (2157)	Oxygen-carbon dioxide mixtures, see Car- bon dioxide-oxygen mixtures							
2208. (2158)	Oxygen and rare gases mixtures, see Rare gases and oxygen mixtures							
2209. (1132)	Oxygen difluoride	2.3	47 88 100	2.3	2 6.1	X	p	p
2210. (2175)	PAINTS, ENAMELS, LACQUERS, STAINS, SHELLAC, VARNISH, POLISHES, FILLERS (LIQUID), LAC- QUER BASE or THINNERS, etc. (<i>not</i> including substances containing nitrocel- lulose for which see 'Nitrocellulose'), flash point less than 37.8°C	3.2	1263	3.2	3	II	5 L	60 L

2211. (2176)	PAINTS, ENAMELS, LACQUERS, STAINS, SHELLAC, VARNISH, POLISHES, FILLERS (LIQUID), LAC- QUER BASE or THINNERS, etc. (not including substances containing nitrocel- lulose for which see 'Nitrocellulose'), flash point less than 37.8°C	1263	3.2	3.2	3	III	60 L	220 L
2212. (2177)	PAINTS, ENAMELS, LACQUERS, STAINS, SHELLAC, VARNISH, POLISHES, FILLERS (LIQUID), LAC- QUER BASE or THINNERS, etc. (not including substances containing nitrocel- lulose for which see 'Nitrocellulose'), flash point less than 37.8°C	1263	3.3	3.3	3	II	5 L	60 L
2213. (2178)	PAINTS, ENAMELS, LACQUERS, STAINS, SHELLAC, VARNISH, POLISHES, FILLERS (LIQUID), LAC- QUER BASE or THINNERS, etc. (not including substances containing nitrocel- lulose for which see 'Nitrocellulose'), flash point less than 37.8°C	1263	3.3	3.3	3	III	60 L	220 L
2214. (2179)	Paints, Enamels, Lacquers, Stains, Shel- lac, Varnish, Polishes, Fillers (liquid), Lacquer base or Thinners, etc. (not including substances containing nitro- cellulose for which see 'Nitrocellulose'), flash point not less than 37.8°C but less than 61°C	1263	NR	3.3	3	III	60 L	220 L
2215. (2162)	Paper, unsaturated oil treated, incom- pletely dried (including carbon paper)	1379	4.2	4.2	4.2	III	P	P
2216. (2163)	Paraformaldehyde	2213	4.1	4.1	4.1	III	25 kg	100 kg
2217. (2164)	Paraldehyde	1264	3.3	3.3	3	III	60 L	220 L
2218. (2169)	Parathion(s) and compressed gas mixture	1967	2.3 9.2	-	-	X	-	-
2219. (2168)	Parathion(s), liquid	3018	6.1 9.2	-	-	I	-	-
2220. (2167)	Parathion(s) mixture(s), dry	2783	6.1 9.2	-	-	I	-	-
2221. (2166)	Parathion(s) mixture(s), liquid	3018	6.1 9.2	-	-	I	-	-
2222. (2174)	PCB see Polychlorinated biphenyls							
2223. (2295)	Pelargonyl peroxide, see Di-n-nonanoyl peroxide							
2224. (2180)	Pentaborane	1380	4.2 6.1	4.2 6.1	4.2 6.1	I	P	P
2225. (2182)	Pentachloroethane (R120)	1669	6.1	6.1	6.1	II	5 L	60 L
2226. (2184)	Pentachlorophenol	2020	6.1 9.2	6.1	-	II	-	-
2227. (2929)	Pentaerythrite tetranitrate, (dry)		-	-	-	-	-	-

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2228. (2194)	Pentamethylheptane	2286	NR	73	3.3	3	III	60 L	220 L
2229. (2196)	Pentan-2,4-dione	2310	3.3	81	3.3	3	III	60 L	220 L
2230. (2195)	n-Pentane or Pentane	1265	3.1	46 56 90 99	3.1	3	I	P	30 L
2231. (2198)	Pentonitroaniline (dry)		—	47	—	—	—	—	—
2232. (2199)	3-Pentanol, <i>see</i> Amyl alcohols								
2233. (2201)	1-Pentol	2705	8		8	8	II	1 L	30 L
2234. (126)	Peracetic acid, <i>see</i> Peroxyacetic acid								
2235. (2223)	Perchlorates, inorganic, n.o.s.	1481	5.1	46 102	5.1	5.1	II	5 kg	25 kg
2236. (128)	Perchloric acid, <i>more than 50 per cent but not more than 72 per cent acid, by mass</i>	1873	5.1 8	36 46 48 56 78 99	5.1 8	5.1 8	I	P	2.5 L
2237. (127)	Perchloric acid, <i>not more than 50 per cent acid, by mass</i>	1802	8 5.1	102 56 78 90 102	8 5.1	8 5.1	II	P	30 L
2238. (2224)	Perchloroethylene, <i>see</i> Tetrachloroethylene								
2239. (1857)	Perchloromethyl mercaptan	1670	6.1	46 56 90 94 99 102 47	6.1	6.1	I	P	30 L
2240. (1454)	Perchloryl fluoride		—		—	—	—	—	—
2241. (2225)	Perfluoro-2-butene, <i>see</i> Octafluorobut-2-ene								
2242. (2660)	PERFUMERY PRODUCTS, <i>with solvents having a flash point less than 23°C</i>	1266	3.2		3.2	3	II	15 L	60 L
2243. (2661)	PERFUMERY PRODUCTS, <i>with solvents having a flash point less than 61°C</i>	1266	3.3	81	3.3	3	III	60 L	220 L
2244. (2232)	Permanganates, inorganic, n.o.s.	1482	5.1		5.1	5.1	II	5 kg	25 kg
2245. (2317)	Peroxides, inorganic, n.o.s.*	1483	5.1		5.1	5.1	II	5 kg	25 kg

2246. (130)	Peroxyacetic acid in a mixture of acid and water, with not more than 6 per cent hydrogen peroxide and not more than 1 per cent sulphuric acid, or Peroxyacetic acid, not more than 43 per cent in acetic acid	2131	5.2 8 I	46 48 83 99	I	5.2 8 I	5.2 8 I	P	P
2247. (129)	Peroxyacetic acid, not more than 16 per cent in a mixture with at least 39 per cent water, at least 15 per cent acetic acid, not more than 24 per cent hydrogen peroxide, with stabilizer	3045	5.2 8 I	46 48 83 100	I	5.2 8 I	5.2 8 I	1 kg	5 kg
2248. (2362)	PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., * flash point less than 23°C	3021	3.2 6.1	46 56	I	3.2 6.1	3 6.1	P	30 L
2249. (2363)	PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., * flash point less than 23°C	3021	3.2 6.1	56	II	3.2 6.1	3 6.1	I L	60 L
2250. (2364)	PESTICIDES, LIQUID, TOXIC, FLAMMABLE, N.O.S., * flash point not less than 23°C	2903	6.1	46 56 89 94	I	6.1 3	6.1	I L	30 L
2251. (2365)	PESTICIDES, LIQUID, TOXIC, FLAMMABLE, N.O.S., * flash point not less than 23°C	2903	6.1	56 89	II	6.1 3	6.1	5 L	60 L
2252. (2366)	PESTICIDES, LIQUID, TOXIC, N.O.S.*	2902	6.1	46 56 94	I	6.1	6.1	I L	30 L
2253. (2367)	PESTICIDES, LIQUID, TOXIC, N.O.S.*	2902	6.1	56	II	6.1	6.1	5 L	60 L
2254. (2368)	PESTICIDES, LIQUID, TOXIC, N.O.S.*	2902	NR		III	6.1	6.1	60 L	220 L
2255. (2369)	PESTICIDES, SOLID, TOXIC, N.O.S.*	2588	6.1	46 93 102	I	6.1	6.1	5 kg	50 kg
2256. (2370)	PESTICIDES, SOLID, TOXIC, N.O.S.*	2588	6.1	102	II	6.1	6.1	25 kg	100 kg
2257. (2371)	PESTICIDES, SOLID, TOXIC, N.O.S.*	2588	NR		III	6.1	6.1	100 kg	200 kg
2258. (2533)	Petrol	1203	3.1	99	II	3.1	3	5 L	60 L
2259. (2534)	PETROLEUM CRUDE OIL (boiling point range: 14°C to 135°C), flash point less than -18°C	1267	3.1	99	II	3.1	3	5 L	60 L
2260. (2535)	PETROLEUM CRUDE OIL (boiling point range: 14°C to 135°C), flash point less than -18°C	1267	3.1		III	3.1	3	60 L	220 L
2261. (2536)	PETROLEUM CRUDE OIL (boiling point range: 14°C to 135°C), flash point less than 23°C	1267	3.2		II	3.2	3	5 L	60 L
2262. (2537)	PETROLEUM CRUDE OIL (boiling point range: 14°C to 135°C), flash point less than 23°C	1267	3.2		III	3.2	3	60 L	220 L
2263. (2538)	PETROLEUM CRUDE OIL (boiling point range: 14°C to 135°C), flash point less than 61°C	1267	3.3	81	II	3.3	3	5 L	60 L
2264. (2539)	PETROLEUM CRUDE OIL (boiling point range: 14°C to 135°C), flash point less than 37.8°C	1267	3.3		III	3.3	3	60 L	220 L
2265. (2540)	Petroleum crude oil, (boiling point range: 14°C to 135°C), flash point not less than 37.8°C but less than 61°C	1267	NR	73	III	NR	3	60 L	220 L

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2266. (2541)	1268	3.1	46	—	3	I	1 L	30 L
PETROLEUM DISTILLATES, N.O.S. (boiling point range: 14°C to 135°C), flash point less than -18°C								
2267. (2542)	1268	3.1	73	3.1	3	II	5 L	60 L
PETROLEUM DISTILLATES, N.O.S. (boiling point range: 14°C to 135°C), flash point less than -18°C								
2268. (2543)	1268	3.1	—	—	3	III	60 L	220 L
PETROLEUM DISTILLATES, N.O.S. (boiling point range: 14°C to 135°C), flash point less than -18°C								
2269. (2544)	1268	3.2	46	—	3	I	1 L	30 L
PETROLEUM DISTILLATES, N.O.S. (boiling point range: 14°C to 135°C), flash point less than 23°C								
2270. (2545)	1268	3.2	—	3.2	3	II	5 L	60 L
PETROLEUM DISTILLATES, N.O.S. (boiling point range: 14°C to 135°C), flash point less than 23°C								
2271. (2546)	1268	3.2	—	—	3	III	60 L	220 L
PETROLEUM DISTILLATES, N.O.S. (boiling point range: 14°C to 135°C), flash point less than 23°C								
2272. (2547)	1268	3.3	46 81	—	3	I	1 L	30 L
PETROLEUM DISTILLATES, N.O.S. (boiling point range: 14°C to 135°C), flash point less than 61°C								
2273. (2548)	1268	3.3	81	3.3	3	II	5 L	60 L
PETROLEUM DISTILLATES, N.O.S. (boiling point range: 14°C to 135°C), flash point less than 61°C								
2274. (2549)	1268	3.3	—	—	3	III	60 L	220 L
PETROLEUM DISTILLATES, N.O.S. (boiling point range: 14°C to 135°C), flash point less than 37.8°C								
2275. (2550)	1268	NR	73	—	3	III	60 L	220 L
Petroleum distillates, n.o.s. (boiling point range: 14°C to 135°C), flash point not less than 37.8°C but less than 61°C								
2276. (1333)	1075	2.1	46 56 102	2.1	2 3	X	P	150 kg
Petroleum ether, see Petroleum spirit								
2277. (1486)								
Petroleum gases, liquefied, n.o.s. or Lique- fied petroleum gas								
2278. (1306)	1270	3.1	99	3.1	3	II	5 L	60 L
Petroleum naphtha, see Naphtha								
2279. (1590)	1270	3.1	—	—	3	III	60 L	220 L
PETROLEUM OIL (boiling point range: 14°C to 135°C), flash point less than -18°C								
2280. (1591)	1270	3.1	—	—	3	III	60 L	220 L
PETROLEUM OIL (boiling point range: 14°C to 135°C), flash point less than -18°C								
2281. (1592)	1270	3.2	—	3.2	3	II	5 L	60 L
PETROLEUM OIL (boiling point range: 14°C to 135°C), flash point less than 23°C								
2282. (1593)	1270	3.2	—	—	3	III	60 L	220 L
PETROLEUM OIL (boiling point range: 14°C to 135°C), flash point less than 23°C								
2283. (1594)	1270	3.3	81	3.3	3	II	5 L	60 L
PETROLEUM OIL (boiling point range: 14°C to 135°C), flash point less than 61°C								

2284. (1595)	PETROLEUM OIL (boiling point range: 14°C to 135°C), flash point less than 37.8°C	1270	3.3	—	3	III	60 L	220 L
2285. (1596)	Petroleum oil (boiling point range: 14°C to 135°C), flash point not less than 37.8°C but less than 61°C	1270	NR	73	3	III	60 L	220 L
2286. (1307)	PETROLEUM SPIRIT or PETROLEUM ETHER (boiling point range: 14°C to 135°C)	1271	3.1	46	3	I	1 L	30 L
2287. (1308)	PETROLEUM SPIRIT or PETROLEUM ETHER (boiling point range: 14°C to 135°C)	1271	3.1	99	3	II	5 L	60 L
2288. (1309)	PETROLEUM SPIRIT or PETROLEUM ETHER (boiling point range: 14°C to 135°C)	1271	3.2	46	3	I	1 L	30 L
2289. (1310)	PETROLEUM SPIRIT or PETROLEUM ETHER (boiling point range: 14°C to 135°C)	1271	3.2	—	3	II	5 L	60 L
2290. (1311)	PETROLEUM SPIRIT or PETROLEUM ETHER (boiling point range: 14°C to 135°C)	1271	3.3	46	3	I	1 L	30 L
2291. (1312)	PETROLEUM SPIRIT or PETROLEUM ETHER (boiling point range: 14°C to 135°C)	1271	3.3	81	3	II	5 L	60 L
2292. (506)	Phenacyl bromide	2645	6.1	6.1	6.1	II	25 kg	100 kg
2293. (2552)	Phenacapon or Phenkapton	2783	9.2	55	—	III	—	—
2294. (2553)	Phenetidines	2311	NR	73	6.1	III	60 L	220 L
2295. (2554)	Phenol, molten	2312	6.1	46	6.1	II	P	P
2296. (2555)	Phenol, solid or Phenol	1671	6.1	56	6.1	II	25 kg	100 kg
2297. (2556)	Phenol solutions	2821	9.2	102	6.1	II	5 L	60 L
2298. (132)	Phenolsulphonic acid, liquid	1803	8	8	8	II	1 L	30 L
2299. (2452)	PHENOXY PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., flash point less than 23°C	2766	3.2	46	3	I	P	30 L
2300. (2453)	PHENOXY PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., flash point less than 23°C	2766	3.2	94	6.1	II	1 L	60 L
2301. (2454)	PHENOXY PESTICIDES, LIQUID, TOXIC, FLAMMABLE, N.O.S., flash point not less than 23°C	2999	6.1	46	6.1	I	1 L	30 L
2302. (2455)	PHENOXY PESTICIDES, LIQUID, TOXIC, FLAMMABLE, N.O.S., flash point not less than 23°C	2999	6.1	56	6.1	II	5 L	60 L
2303. (2456)	PHENOXY PESTICIDES, LIQUID, TOXIC, N.O.S.	3000	6.1	89	3	I	1 L	30 L
2304. (2457)	PHENOXY PESTICIDES, LIQUID, TOXIC, N.O.S.	3000	6.1	94	6.1	II	5 L	60 L
2305. (2458)	PHENOXY PESTICIDES, LIQUID, TOXIC, N.O.S.	3000	NR	56	6.1	III	60 L	220 L
2306. (2459)	PHENOXY PESTICIDES, SOLID, TOXIC, N.O.S.	2765	6.1	46	6.1	I	5 kg	50 kg
2307. (2460)	PHENOXY PESTICIDES, SOLID, TOXIC, N.O.S.	2765	6.1	93	6.1	II	25 kg	100 kg

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2308. (2461)	PHENOXY PESTICIDES, SOLID, TOXIC, N.O.S.	NR		6.1	6.1	III	100 kg	200 kg
2309. (2559)	Phenylacetonitrile, liquid	NR	73	6.1	6.1	III	60 L	220 L
2310. (770)	Phenylacetyl chloride	8		8	8	II	1 L	30 L
2311. (769)	Phenylcarbylamine chloride	6.1	46 99 102	6.1	6.1	I	P	P
2312. (678)	Phenylchloroformate	6.1	6.1	6.1	6.1	II	1 L	30 L
2313. (2560)	Phenylchloroarsine	6.1	46 48 55	—	—	II	—	—
2314. (2561)	Phenylenediamines, <i>ortho</i> , <i>meta</i> or <i>para</i> , <i>solid</i>	9.2		6.1	6.1	III	100 kg	200 kg
2315. (2214)	m-Phenylene diamine perchlorate(s)	—	47	—	—	—	—	—
2316. (2562)	Phenylhydrazine	6.1	102	6.1	6.1	II	5 L	60 L
2317. (1714)	Phenyl isocyanate	6.1	90 99	6.1	6.1	II	P	60 L
2318. (2563)	Phenyl mercaptan	6.1	46 99	6.1	6.1	I	1 L	30 L
2319. (34)	Phenylmercuric acetate	6.1		6.1	6.1	II	25 kg	100 kg
2320. (2564)	PHENYLMERCURIC COMPOUNDS, N.O.S.	6.1	46 93 102	6.1	6.1	I	5 kg	50 kg
2321. (2565)	PHENYLMERCURIC COMPOUNDS, N.O.S.	6.1	102	6.1	6.1	II	25 kg	100 kg
2322. (2566)	PHENYLMERCURIC COMPOUNDS, N.O.S.	NR		6.1	6.1	III	100 kg	200 kg
2323. (1653)	Phenylmercuric hydroxide	6.1		6.1	6.1	II	25 kg	100 kg
2324. (2048)	Phenylmercuric nitrate	6.1		6.1	6.1	II	25 kg	100 kg
2325. (1089)	Phenyl phosphorus dichloride or Benzene phosphorus dichloride	8	46 90	8	8	II	P	30 L
2326. (2962)	Phenyl phosphorus thiodichloride or Ben- zene phosphorus thiodichloride	8	46 90	8	8	II	P	30 L
2327. (2567)	Phenyltrichlorosilane	8	46 56 90	8	8	II	P	30 L
2328. (2467)	PHENYL UREA PESTICIDES, LIQ- UID, FLAMMABLE, TOXIC, N.O.S., <i>flash point less than 23°C</i>	3.2 6.1	46 56	3.2 6.1	3	I	P	30 L
2329. (2468)	PHENYL UREA PESTICIDES, LIQ- UID, FLAMMABLE, TOXIC, N.O.S., <i>flash point less than 23°C</i>	3.2 6.1	56	3.2 6.1	3	II	1 L	60 L

2330. (2469)	PHENYL UREA PESTICIDES, LIQ- UID, TOXIC, FLAMMABLE, N.O.S., <i>flash point not less than 23°C</i>	3001	6.1	46 56 89	6.1 3	6.1	I	1 L	30 L
2331. (2470)	PHENYL UREA PESTICIDES, LIQ- UID, TOXIC, FLAMMABLE, N.O.S., <i>flash point not less than 23°C</i>	3001	6.1	94 56 89	6.1 3	6.1	II	5 L	60 L
2332. (2471)	PHENYL UREA PESTICIDES, LIQ- UID, TOXIC, N.O.S.	3002	6.1	46 56 94 56	6.1	6.1	I	1 L	30 L
2333. (2462)	PHENYL UREA PESTICIDES, LIQ- UID, TOXIC, N.O.S.	3002	6.1	56	6.1	6.1	II	5 L	60 L
2334. (2463)	PHENYL UREA PESTICIDES, LIQ- UID, TOXIC, N.O.S.	3002	NR		6.1	6.1	III	60 L	220 L
2335. (2464)	PHENYL UREA PESTICIDES, SOLID, TOXIC, N.O.S.	2767	6.1	46 93	6.1	6.1	I	5 kg	50 kg
2336. (2465)	PHENYL UREA PESTICIDES, SOLID, TOXIC, N.O.S.	2767	6.1		6.1	6.1	II	25 kg	100 kg
2337. (2466)	PHENYL UREA PESTICIDES, SOLID, TOXIC, N.O.S.	2767	NR		6.1	6.1	III	100 kg	200 kg
2338. (2568)	Phosgene	1076	2.3 8 9.2	46 52 56 79 88 99 102	2.3 8	2 6.1 8	X	P	P
2339. (2570)	9-Phosphabicyclononanes or Cyclooctadi- ene phosphines	2940	4.2		4.2	4.2	II	15 kg	50 kg
2340. (2588)	Phosphine	2199	2.3 2.1	56 46 48 52 56 79 88 99 102	2.3 2.1	2 3 6.1	X	P	P
2341. (133)	Phosphoric acid	1805	8		8	8	III	5 L	60 L
2342. (125)	Phosphorous acid, ortho	2834	9.2 8	56	8	8	III	25 kg	100 kg
2343. (2593)	Phosphorus (white or red) and a chlorate, mixtures of		-	47	-	-	-	-	-
2344. (2594)	Phosphorus, amorphous or Phosphorus, amorphous, red	1338	4.1 9.2	46 48 56 90	4.1	4.1	III	P	100 kg
2345. (311)	Phosphorus anhydride, see Phosphorus pentoxide								
2346. (1537)	Phosphorus heptafluoride, free from yel- low and white phosphorus	1339	4.1	46 48 56 83 90	4.1	4.1	II	P	50 kg
2347. (2127)	Phosphorus oxybromide	1939	8	46 56 90	8	8	II	P	50 kg
2348. (2128)	Phosphorus oxybromide, molten	2576	8	90	8	8	II	P	P
2349. (2129)	Phosphorus oxychloride	1810	8 9.2	46 56 90	8	8	II	P	30 L

SCHEDULE II—Con.

LIST II—Con.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2350. (2181)	Phosphorus pentabromide	8	46 56 90	8	8	II	p	50 kg
2351. (2188)	Phosphorus pentachloride	8	46 48 56	8	8	II	p	50 kg
2352. (2193)	Phosphorus pentafluoride	2.3	46 48 56 88 99	2.3	2 6.1	X	p	p
2353. (2200)	Phosphorus pentasulphide, <i>free from yellow and white phosphorus</i>	4.1 9.2	102 46 56 83	4.1	4.1	II	p	50 kg
2354. (310)	Phosphorus pentoxide or Phosphorus anhydride	8	46 48 56	8	8	II	p	50 kg
2355. (2767)	Phosphorus sesquisulphide, <i>free from yellow and white phosphorus</i>	4.1	46 56 83	4.1	4.1	II	p	50 kg
2356. (2993)	Phosphorus tribromide	8	46 56	8	8	II	p	30 L
2357. (3008)	Phosphorus trichloride	8 9.2	46 56 90	8	8	II	p	30 L
2358. (3030)	Phosphorus trifluoride	—	47	—	—	—	—	—
2359. (3074)	Phosphorus trioxide	8	46	8	8	III	25 kg	100 kg
2360. (3084)	Phosphorus trisulphide, <i>free from yellow and white phosphorus</i>	4.1	46 48 56 83	4.1	4.1	II	p	50 kg
2361. (2595)	Phosphorus white, molten	4.2 6.1	46 56 99	4.2 6.1	4.2 6.1	I	p	p
2362. (2596)	Phosphorus, white or yellow, dry or under water or in solution	4.2 6.1 9.2	46 56 99	4.2	4.2 6.1	I	p	p
2363. (311)	Phthalic anhydride	8	102 44 46	8	8	III	25 kg	100 kg

2364. (2412)	PHTHALIMIDE DERIVATIVE PES- TICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., <i>flash point less than</i> 23°C	2774	3.2 6.1	46 56	3.2 6.1	3 6.1	I	P	30 L
2365. (2413)	PHTHALIMIDE DERIVATIVE PES- TICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., <i>flash point less than</i> 23°C	2774	3.2 6.1	56	3.2 6.1	3 6.1	II	1 L	60 L
2366. (2414)	PHTHALIMIDE DERIVATIVE PES- TICIDES, LIQUID, TOXIC, FLAMM- ABLE, N.O.S., <i>flash point not less than</i> 23°C	3007	6.1	46 56 89	6.1 3	6.1	I	1 L	30 L
2367. (2415)	PHTHALIMIDE DERIVATIVE PES- TICIDES, LIQUID, TOXIC, FLAMM- ABLE, N.O.S., <i>flash point not less than</i> 23°C	3007	6.1	56 89	6.1 3	6.1	II	5 L	60 L
2368. (2416)	PHTHALIMIDE DERIVATIVE PES- TICIDES, LIQUID, TOXIC, N.O.S.	3008	6.1	46 56 94	6.1	6.1	I	1 L	30 L
2369. (2417)	PHTHALIMIDE DERIVATIVE PES- TICIDES, LIQUID, TOXIC, N.O.S.	3008	6.1	56	6.1	6.1	II	5 L	60 L
2370. (2418)	PHTHALIMIDE DERIVATIVE PES- TICIDES, LIQUID, TOXIC, N.O.S.	3008	NR		6.1	6.1	III	60 L	220 L
2371. (2419)	PHTHALIMIDE DERIVATIVE PES- TICIDES, SOLID, TOXIC, N.O.S.	2773	6.1	46 93	6.1	6.1	I	5 kg	50 kg
2372. (2420)	PHTHALIMIDE DERIVATIVE PES- TICIDES, SOLID, TOXIC, N.O.S.	2773	6.1		6.1	6.1	II	25 kg	100 kg
2373. (2421)	PHTHALIMIDE DERIVATIVE PES- TICIDES, SOLID, TOXIC, N.O.S.	2773	NR		6.1	6.1	III	100 kg	200 kg
2374. (2608)	Picolines	2313	3.3	63	3.3	3	II	5 L	60 L
2375. (2617)	Picrite, wetted, <i>see</i> Nitroguanidine, wet- ted								
2376. (2629)	Pinane hydroperoxide, <i>see</i> Pinanyl hydroperoxide	2162	5.2 I	46 56 83	5.2 I	5.2 I	I	1 L	5 L
2377. (1630)	Pinanyl hydroperoxide, <i>or</i> Pinane hydroperoxide <i>technically pure or not</i> <i>more than 45 per cent peroxide</i>			99					
2378. (2618)	Pindone	2472	NR	96	6.1	6.1	III	100 kg	200 kg
2379. (2619)	alpha-Pinene <i>or</i> Pinene	2368	3.3	81	3.3	3	III	60 L	220 L
2380. (1305)	Pine oil	1272	NR	73	3.3	3	III	60 L	220 L
2381. (2620)	Piperazine	2579	8		8	8	III	25 kg	100 kg
2382. (2621)	Piperidine	2401	3.2		3.2	3	II	5 L	60 L
2383. (1822)	Plastics, nitrocellulose-based, spontane- ously combustible, n.o.s.*	2006	4.2	47 88 100	4.2	4.2	III	P	P
2384. (2027)	Plutonium nitrate, solution	9185	7	40	-	-	-	-	-
2385. (1792)	POISONOUS LIQUIDS, CORROSIVE, N.O.S.*	2927	6.1 8	46 56 94	6.1 8 8	6.1	I	0.5 L	2.5 L
2386. (1793)	POISONOUS LIQUIDS, CORROSIVE, N.O.S.*	2927	6.1 8	56	6.1	6.1	II	1 L	30 L
2387. (1794)	POISONOUS LIQUIDS, FLAMM- ABLE, N.O.S.*	2929	6.1 3	46 94	6.1 3	6.1	I	1 L	30 L
2388. (1795)	POISONOUS LIQUIDS, FLAMM- ABLE, N.O.S.*	2929	6.1 3		6.1 3	6.1	II	5 L	60 L

SCHEDULE II—Con.

LIST II—Con.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2389 (1789)	2810	6.1	46 94	6.1	6.1	I	I L	30 L
POISONOUS LIQUIDS, N.O.S.*			102					
2390. (1790)	2810	6.1	102	6.1	6.1	II	5 L	60 L
2391. (1791)	2810	NR		6.1	6.1	III	60 L	220 L
POISONOUS LIQUIDS, N.O.S.*								
2392. (2808)	2928	6.1	46	6.1	6.1	I	1 kg	25 kg
POISONOUS SOLIDS, CORROSIVE, N.O.S.*		8	93	8	8			
2393. (2809)	2928	6.1		6.1	6.1	II	15 kg	50 kg
POISONOUS SOLIDS, CORROSIVE, N.O.S.*		8		8	8			
2394. (2810)	2930	6.1	46	6.1	6.1	I	1 kg	15 kg
POISONOUS SOLIDS, FLAMMABLE, N.O.S.*		4.1	93	4.1	4.1	II	15 kg	50 kg
2395. (2811)	2930	6.1		6.1	6.1			
POISONOUS SOLIDS, FLAMMABLE, N.O.S.*		4.1		4.1	4.1	I	5 kg	50 kg
2396. (2805)	2811	6.1	46 93	6.1	6.1			
POISONOUS SOLIDS, N.O.S.*			102					
2397. (2806)	2811	6.1		6.1	6.1	II	25 kg	100 kg
POISONOUS SOLIDS, N.O.S.*		NR		6.1	6.1	III	100 kg	200 kg
2398. (2807)	2811	NR						
POISONOUS SOLIDS, N.O.S.*								
Polyalkylamines, n.o.s., <i>see</i> Alkylamines, n.o.s.								
2399. (2625)	2315	9.1	44	9	9	II	100 L	220 L
Polychlorinated biphenyls or articles con- taining Polychlorinated biphenyls		9.2	46					
2400. (1242)	2211	9.1	44	9	9	III	100 kg	200 kg
Polystyrene beads, expandable, <i>impreg- nated with flammable vapour</i>		4.3		4.3	4.3	II	p	50 kg
2401. (2626)	2257		46					
Potassium or Potassium, metal			56					
2402. (2633)			90					
Potassium arsenate	1677	6.1	102	6.1	6.1	II	25 kg	100 kg
2403. (337)		9.2						
Potassium arsenite	1678	6.1		6.1	6.1	II	25 kg	100 kg
2404. (356)		9.2						
Potassium azide	9056	6.1	40	—	—	II	—	—
2405. (391)			48					
Potassium bifluoride, <i>solid</i>	1811	8		8	8	II	15 kg	50 kg
2406. (432)		6.1		6.1	6.1			
Potassium bifuoride, <i>solution</i>	1811	8		8	8	II	1 L	30 L
2407. (431)		6.1		6.1	6.1			
Potassium borohydride	1870	4.3	46	4.3	4.3	I	p	15 kg
2408. (452)			48					
Potassium bromate	1484	5.1	99	5.1	5.1	II	5 kg	25 kg
2409. (463)		—		—	—	—	—	—
Potassium carbonyl	2410.		47	—	—			
2411. (2631)	1485	5.1		5.1	5.1	II	5 kg	25 kg
Potassium chlorate								
2412. (621)								

2412. (622)	Potassium chlorate, solution	2427	5.1	56	5.1	5.1	II	1 L	5 L
2413. (802)	Potassium chromate	9142	9.2	49	—	—	III	—	—
2414. (846)	Potassium cuprocyanide	1679	6.1	—	6.1	6.1	II	25 kg	100 kg
2415. (864)	Potassium cyanide, solid	1680	6.1	46	6.1	6.1	I	5 kg	50 kg
2416. (863)	Potassium cyanide, solution	1680	6.1	102	6.1	6.1	I	1 L	30 L
2417. (2986)	Potassium dichloro-s-triazinetriene, dry, see Dichloroisocyanuric acid, dry, etc.	1479	9.2	55	—	—	II	—	—
2418. (1109)	Potassium dichromate	1929	4.2	48	4.2	4.2	II	15 kg	50 kg
2419. (1262)	Potassium dithionite or Potassium hydrosulphite	1812	8	99	6.1	6.1	III	100 kg	200 kg
2420. (1445)	Potassium fluoride	1812	8	—	6.1	6.1	III	60 L	220 L
2421. (1446)	Potassium fluoride solution	2628	6.1	46	6.1	6.1	I	5 kg	50 kg
2422. (1421)	Potassium fluoroacetate	2655	NR	56	6.1	6.1	III	100 kg	200 kg
2423. (1429)	Potassium fluorosilicate	2509	8	46	8	8	II	15 kg	50 kg
2424. (1613)	Potassium hydrogen sulphate	1813	8	—	8	8	II	15 kg	50 kg
2425. (1256)	Potassium hydrosulphite, see Potassium dithionite	1814	9.2	—	8	8	II	1 L	30 L
2426. (1647)	Potassium hydroxide, solid or flake or Caustic potash, solid or flake	2693	8	34	—	—	III	—	—
2427. (1646)	Potassium hydroxide, solution or Caustic potash, solution	1420	4.3	55	4.3	4.3	II	p	50 kg
2428. (1872)	Potassium metabisulphite	2864	6.1	99	6.1	6.1	II	25 kg	100 kg
2429. (2630)	Potassium, metal alloys or Potassium, metal liquid alloy	2033	8	46	8	8	II	15 kg	50 kg
2430. (1888)	Potassium metavanadate	1486	5.1	46	5.1	5.1	III	25 kg	100 kg
2431. (1962)	Potassium monoxide or Potassium oxide	1487	5.1	46	5.1	5.1	II	5 kg	25 kg
2432. (2029)	Potassium nitrate	1488	5.1	46	5.1	5.1	II	5 kg	25 kg
2433. (2031)	Potassium nitrate and sodium nitrate mix- tures, see Sodium nitrate and potassium nitrate mixtures	1489	5.1	46	5.1	5.1	II	5 kg	25 kg
2434. (2030)	Potassium nitrate and sodium nitrite mix- tures	1490	5.1	46	5.1	5.1	II	5 kg	25 kg
2435. (2059)	Potassium nitrite	1489	5.1	46	5.1	5.1	II	5 kg	25 kg
2436. (2146)	Potassium oxide, see Potassium monoxide	1490	5.1	46	5.1	5.1	II	5 kg	25 kg
2437. (2216)	Potassium perchlorate	1489	5.1	46	5.1	5.1	II	5 kg	25 kg
2438. (2229)	Potassium permanganate	1490	5.1	46	5.1	5.1	II	5 kg	25 kg

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2439. (2298)	Potassium peroxide	5.1	46 48 56 90	5.1	5.1	I	p	15 kg
2440. (2360)	Potassium persulphate	5.1		5.1	5.1	III	25 kg	100 kg
2441. (2602)	Potassium phosphide	4.3 6.1	46 48 99	4.3 6.1	4.3 6.1	I	p	15 kg
2442. (2632)	Potassium sodium alloys	4.3 9.2	46 56 99	4.3	4.3	I	p	15 kg
2443. (2877)	Potassium sulphide, anhydrous or Potassium sulphide, with less than 30 per cent water of crystallization	4.2	46 48	4.2	4.2	II	15 kg	50 kg
2444. (2878)	Potassium sulphide, hydrated, with not less than 30 per cent water of crystallization	8	48	8	8	II	15 kg	50 kg
2445. (2881)	Potassium superoxide	5.1	46 48	5.1	5.1	I	p	15 kg
2446. (2662)	Propadiene, inhibited	2.1	90 52 84	2.1	2 3	X	p	150 kg
2447. (2663)	Propane	2.1	99 56 102	2.1	2 3	X	p	150 kg
2448. (2664)	Propanethiols	3.1	46 56 62 99	3.1	3	II	5 L	60 L
2449. (2665)	Propanol or Propyl alcohol	3.2		3.2	3	II	5 L	60 L
2450. (2666)	Propargite	9.2	55	—	—	II	—	—
2451. (208)	Propargyl alcohol	3.1	46	—	—	II	—	—
2452. (233)	PROPIONALDEHYDE	3.1	55 99	3.1	3	II	5 L	60 L
2453. (234)	PROPIONALDEHYDE	3.2		3.2	3	II	5 L	60 L
2454. (135)	Propionic acid	8		8	8	III	5 L	60 L
2455. (312)	Propionic anhydride	9.2	8	8	8	III	5 L	60 L
2456. (2672)	Propionitrile	3.2	99	3.2	3	II	1 L	60 L
2457. (772)	Propionyl chloride	3.2	6.1 3.2 8	6.1 3.2 8	6.1 3	II	1 L	5 L
2458. (2299)	Propionyl peroxide, <i>see</i> Dipropionyl peroxide							

2459. (29) 2460. (209) 2461. (2674)	n-Propyl acetate or Propyl acetate Propyl alcohol, <i>see</i> Propanol Propylamine	1276	3.2	3.2	3	II	5 L	60 L
2462. (2673) 2463. (773)	Propyl benzene Propyl chloride	1277	3.1	3.1	3	II	p	60 L
2464. (679)	Propyl chloroformate	2364	3.3	3.3	3	II	5 L	60 L
2465. (2675) 2466. (636)	Propylene chlorohydrin	1278	3.1	3.1	3	II	p	60 L
2467. (2676) 2468. (2677)	1,2-PROPYLENEDIAMINE	2740	3.3	3.3	3	I	p	2.5 L
2469. (1105)	Propylene dichloride	1077	2.1	2.1	2	X	p	150 kg
2470. (2878)	Propyleneimine, inhibited	2611	6.1	6.1	6.1	II	5 L	60 L
2471. (2147)	Propylene oxide	2258	3.2	3.2	8	II	1 L	30 L
2472. (2949)	Propylene tetramer	2258	3.3	3.3	8	II	1 L	30 L
2473. (1469)	Propyl formates	1279	3.2	3.2	3	II	5 L	60 L
2474. (1715)	n-Propyl isocyanate	1921	3.2	3.2	3	I	p	30 L
2475. (1854)	Propyl mercaptan, <i>see</i> Propanethiols	1280	3.1	3.1	3	I	p	30 L
2476. (2028)	n-Propyl nitrate	2850	NR	3.3	3	III	60 L	220 L
2477. (2679)	Propyltrichlorosilane	1281	3.2	3.2	3	II	5 L	60 L
2478. (2683)	Pyrethrins	2482	3.2	3.2	3	I	p	30 L
2479. (2684)	Pyridine	1865	3.2	3.2	3	II	5 L	60 L
2480. (2217)	Pyridine perchlorate	1816	8	8	8	II	p	30 L
2481. (263)	Pyrophoric alloys, n.o.s., <i>see</i> Pyrophoric metals, n.o.s.	9184	9.2	-	-	III	-	-
2482. (1788)	Pyrophoric liquids, n.o.s.*	1282	3.2	3.2	3	II	1 L	60 L
			6.1	6.1	6.1			
			-	-	-			
			4.2	4.2	4.2	I	p	p

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2483. (1882)	Pyrophoric metals, n.o.s.* or Pyrophoric alloys, n.o.s.*	1383	4.2	46 48 56 99	4.2	4.2	II	p	p
2484. (2804)	Pyrophoric solids, n.o.s.*	2846	4.2	102 46 48 89	4.2	4.2	I	p	p
2485. (174)	Pyrosulphuryl chloride	1817	8	102	8	8	II	I L	30 L
2486. (1823)	Pyroxylin plastic, <i>see</i> Plastics, nitrocellulose-based, spontaneously combustible, n.o.s.								
2487. (2689)	Pyroxylin solution or solvent, <i>see</i> Nitrocellulose solution, flammable (<i>P.I.N. 2059</i>)								
2488. (2690)	Pyrrolidine	1922	3.2	56 90	3.2	3	II	p	60 L
2489. (2197)	Quebrachitol pentanitrate		—	47	—	—	—	—	—
2490. (2691)	Quinoline	2656	9.2		6.1 3	6.1	III	60 L	220 L
2491. (2692)	R10, <i>see</i> Carbon tetrachloride								
2492. (2693)	R12, <i>see</i> Dichlorodifluoromethane								
2493. (2694)	R12B1, <i>see</i> Chlorodifluorobromomethane								
2494. (2695)	R13, <i>see</i> Chlorotrifluoromethane								
2495. (2696)	R13B1, <i>see</i> Bromotrifluoromethane								
2496. (2697)	R14, <i>see</i> Tetrafluoromethane								
2497. (2698)	R20, <i>see</i> Chloroform								
2498. (2699)	R21, <i>see</i> Dichlorofluoromethane								
2499. (2700)	R22, <i>see</i> Chlorodifluoromethane								
2500. (2701)	R23, <i>see</i> Trifluoromethane								
2501. (2702)	R30, <i>see</i> Dichloromethane								
2502. (2703)	R40, <i>see</i> Methyl chloride								
2503. (2704)	R41, <i>see</i> Methyl fluoride								
2504. (2705)	R110, <i>see</i> Hexachloroethane								

R114, see Dichlorotetrafluoroethane					
R115, see Chloropentafluoroethane					
R116, see Hexafluoroethane					
R120, see Pentachloroethane					
R124, see Chlorotetrafluoroethane					
R133a, see Chlorotrifluoroethane					
R140a, see 1,1,1-Trichloroethane					
R143a, see Trifluoroethane					
R150a, see 1,1-Dichloroethane					
R152a, see Difluoroethane					
R160, see Ethyl chloride					
R218, see Octafluoropropane					
R500, see Dichlorodifluoromethane and difluoroethane, etc.					
R502, see Chlorodifluoromethane and-chloropentafluoroethane, etc.					
R503, see Chlorotrifluormethane and trifluoromethane, etc.					
R1112a, see Dichlorodifluoroethylene					
R1114, see Tetrafluoroethylene					
R1120, see Trichloroethylene					
R1130, see Dichloroethylene					
R1132a, see 1,1-Difluoroethylene					
R1140, see Vinyl chloride					
R1141, see Vinyl fluoride					
R C-318, see Octafluorocyclobutane					
Radioactive material, articles manufactured from natural or depleted uranium or natural thorium	7	-	48 100	X	-
Radioactive material, empty packages	2908	7	48	X	-
Radioactive material, fissile, n.o.s., Class I, II or III	2918	7	100	X	-
Radioactive material, instruments and articles	2911	7	102	X	-
Radioactive material, limited quantity, n.o.s.	2910	7	100	X	-
Radioactive material, low specific activity (LSA), n.o.s.	2912	7	100	X	-
Radioactive material, n.o.s.	2982	7	48 100 102	X	-

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2535. (1830) 2536. (605)	Radioactive materials, special form, n.o.s. Rags, oily	2974 1856	7 4.2 35 37 46 48 56 88 37 46 48 56	— 4.2	7 4.2	X III	— p	— p
2537. (606)	Rags, wet	1325	4.1 37 46 48 56	—	—	II	—	—
2538. (1500) 2539. (1501) 2540. (1499) 2541. (2730)	Rare gases and nitrogen mixtures Rare gases and oxygen mixtures Rare gases mixtures (e.g. Argon, Helium; Krypton, Neon, Xenon) Receptacles, small, with flammable, compressed gas, without a dispersion device, not refillable	1981 1980 1979 2037	2.2 2.2 2.2 2.1 56 96 100 100	2.2 2.2 2.2 2.1 Y	2 2 2 2 3	X X X X	75 kg 75 kg 75 kg 1 kg	150 kg 150 kg 150 kg 15 kg
2542. (1488)	Refrigerant gases, n.o.s.*, or Dispersant gas, n.o.s.*	1078	2.2 56 102	Y	2	X	75 kg	150 kg
2543. (1489) 2544. (1800)	Refrigerant gases, n.o.s.*, or Dispersant gas, n.o.s.*, flammable Refrigerating machines, containing non-flammable, non-poisonous, liquefied gases	1954 2857	2.1 2.2 37	— 2.2	— 2	X X	—	—
2545. (1799) 2546. (1801) 2547. (—)	Refrigerating machines, containing flammable, non-poisonous, liquefied gas Refrigerating machines, containing flammable liquid Resin oil, see Rosin oil	1954 1993	2.1 3.1 55	— —	2 3 —	X II	p —	—
2548. (2738) 2549. (2739) 2550. (2740) 2551. (2741) 2552. (2742) 2553. (2743) 2554. (2744) 2555. (2745)	RESIN SOLUTION, flash point less than 23°C RESIN SOLUTION, flash point less than 23°C RESIN SOLUTION, flash point less than 37.8°C Resin solution, flash point not less than 37.8°C but less than 61°C RESIN SOLUTION, POISONOUS RESIN SOLUTION, POISONOUS RESIN SOLUTION, POISONOUS Resorcinol	1866 1866 1866 1866 1896 1896 1896 2876	3.2 3.2 3.3 NR 6.1 6.1 NR 9.2	3.2 — 3.3 3.3 6.1 3 3 6.1	3 3.2 3 3 6.1 3 6.1 6.1	II III III III I II III III	5 L 60 L 60 L 60 L 1 L 5 L 60 L 100 kg	60 L 220 L 220 L 220 L 30 L 60 L 220 L 290 kg

2556. (2746)	RODENTICIDES, N.O.S.*, liquid	1681	6.1	46 94 102 102	6.1 3 6.1 3 6.1 3 6.1 93 102 102	6.1	I	1 L	30 L
2557. (2747)	RODENTICIDES, N.O.S.*, liquid	1681	6.1	102	6.1	6.1	II	5 L	60 L
2558. (2748)	RODENTICIDES, N.O.S.*, liquid	1681	NR		3	6.1	III	60 L	220 L
2559. (2749)	RODENTICIDES, N.O.S.*, solid	1681	6.1	46 93 102 102	6.1 93 102 102	6.1	I	5 kg	50 kg
2560. (2750)	RODENTICIDES, N.O.S.*, solid	1681	6.1	102	6.1	6.1	II	25 kg	100 kg
2561. (2751)	RODENTICIDES, N.O.S.*, solid	1681	NR		6.1	6.1	III	100 kg	200 kg
2562. (1586)	ROSIN OIL	1286	3.2		3.2	3	III	60 L	220 L
2563. (1587)	ROSIN OIL	1286	3.3	81	3.3	3	III	60 L	220 L
2564. (560)	Rubber scrap or Rubber shoddy, powdered or granulated	1345	4.1	37	4.1	4.1	II	15 kg	50 kg
2565. (561)	RUBBER SOLUTION	1287	3.2		3.2	3	II	5 L	60 L
2566. (562)	RUBBER SOLUTION	1287	3.2		-	3	III	60 L	220 L
2567. (563)	RUBBER SOLUTION	1287	3.3	81	3.3	3	II	5 L	60 L
2568. (564)	RUBBER SOLUTION	1287	3.3	81	3	3	III	60 L	220 L
2569. (2753)	Rubidium or Rubidium, metal or Rubidium in cartridges	1423	4.3	46 56 69 99	4.3 4.3 69 99	4.3	I	p	15 kg
2570. (1648)	Rubidium hydroxide	2678	8		8	8	II	15 kg	50 kg
2571. (1649)	Rubidium hydroxide, solution	2677	8		8	8	II	1 L	30 L
2572. (2981)	Seed cake, with more than 1.5 per cent oil and not more than 11 per cent moisture	1386	4.2	34 37 88	4.2 37 88	4.2	III	p	p
2573. (2982)	Seed cake, with not more than 1.5 per cent oil and not more than 11 per cent moisture	2217	4.2	99 37 88	4.2 37 88	4.2	III	p	p
2574. (2760)	Selenates or Selenites	2630	6.1	99 46 56 99 46 56 90	6.1 46 56 99 46 56 90	6.1	I	5 kg	50 kg
2575. (137)	Selenic acid or Selenic acid, liquid	1905	8		8	8	I	p	25 kg
2576. (2762)	Selenites, see Selenates								
2577. (1257)	Selenium disulphide	2657	6.1	56	6.1	6.1	II	25 kg	100 kg
2578. (1549)	Selenium hexafluoride	2194	2.3	46 48 52 56 88 99 102	2.3 48 52 56 88 99 102	2.3 2 6.1	X	p	p

SCHEDULE II—Con.

LIST II— Con.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2579. (2102)	Selenium nitride	—	47	—	—	—	—	—
2580. (2148)	Selenium oxide	6.1	55	—	—	II	—	—
2581. (2130)	Selenium oxychloride	8 6.1	46 56 99	8 6.1	8 6.1	I	0.5 L	2.5 L
2582. (2763)	Selenium, powder	NR	—	6.1	6.1	III	100 kg	200 kg
2583. (805)	Self-lighting cigarettes, <i>see</i> Cigarettes, self-lighting	—	—	—	—	—	—	—
2584. (1834)	Self-reactive substances (<i>aliphatic azo-compounds, aromatic sulphohydrazides, N-nitroso compounds, diazonium salts</i>), samples, n.o.s.	4.1	47	—	—	—	—	—
2585. (1833)	Self-reactive substances (<i>aliphatic azo-compounds, aromatic sulphohydrazides, N-nitroso compounds, diazonium salts</i>), trial quantities, n.o.s.	4.1	47	—	—	—	—	—
2586. (1588)	SHALE OIL	3.2	—	3.2	3	II	5 L	60 L
2587. (1589)	SHALE OIL	3.3	81	3.3	3	II	5 L	60 L
2588. (2774)	Silane	2.3 2.1	46 48 56 99 102	2.1	2 3	X	P	P
2589. (2777)	Silicon powder, amorphous	4.1	—	4.1	4.1	III	25 kg	100 kg
2590. (2907)	Silicon tetrachloride	8	46	8	8	II	1 L	30 L
2591. (2915)	Silicon tetrafluoride	2.3 8	46 48 56 99 102	2.3 8	2 6.1 8	X	P	25 kg
2592. (44)	Silver acetylide, (dry)	—	47	—	—	—	—	—
2593. (351)	Silver arsenite	6.1	46	6.1	6.1	II	25 kg	100 kg
2594. (381)	Silver azide, (dry)	—	47	—	—	—	—	—
2595. (638)	Silver chlorite, (dry)	—	47	—	—	—	—	—
2596. (853)	Silver cyanide	6.1	46	6.1	6.1	II	25 kg	100 kg
2597. (1471)	Silver fulminate, (dry)	—	102 47	—	—	—	—	—
2598. (2001)	Silver nitrate	5.1 9.2	46 48	5.1	5.1	II	5 kg	25 kg

2599. (2123)	Silver oxalate, (dry)	—	—	—	—	—	—	—	—
2600. (2164)	Silver picrate, (dry)	—	—	—	—	—	—	—	—
2601. (2613)	Silver picrate, wetted with not less than 30 per cent water, by mass	4.1 E	4.1	4.1	I	p	p	p	p
2602. (2786)	Sisal, see Fibres, dry								
2603. (1136)	Sludge acid or Acid, sludge	8	8	8	II	p	30 L		
2604. (604)	Soda lime with more than 4 per cent sodium hydroxide	8	8	8	III	25 kg	100 kg		
2605. (2787)	Sodium or Sodium metal	4.3 9.2	4.3	4.3	II	p	50 kg		
2606. (272)	Sodium aluminate, solid	8	NR	8	III	25 kg	100 kg		
2607. (271)	Sodium aluminate, solution	8	8	8	II	I L	30 L		
2608. (1662)	Sodium aluminium hydride	4.3	4.3	4.3	II	p	50 kg		
2609. (2788)	Sodium amalgam	4.3	4.3	4.3	I	p	15 kg		
2610. (286)	Sodium amide	4.3	4.3	4.3	II	p	50 kg		
2611. (3091)	Sodium ammonium vanadate	6.1	6.1	6.1	II	25 kg	100 kg		
2612. (332)	Sodium arseniate	NR	6.1	6.1	III	100 kg	200 kg		
2613. (338)	Sodium arsenate	6.1 9.2	6.1	6.1	II	25 kg	100 kg		
2614. (357)	Sodium arsenite, aqueous solutions	—	6.1	—	I	—	—		
2615. (358)	Sodium arsenite, aqueous solutions	6.1 9.2	6.1	6.1	II	5 L	60 L		
2616. (359)	Sodium arsenite, aqueous solutions	9.2	6.1	6.1	III	60 L	220 L		
2617. (360)	Sodium arsenite, solid	6.1 9.2	6.1	6.1	II	25 kg	100 kg		
2618. (392)	Sodium azide	6.1	6.1	6.1	II	25 kg	100 kg		
2619. (433)	Sodium bifluoride, see Sodium hydrogen fluoride	4.3	4.3	4.3	I	p	15 kg		
2620. (453)	Sodium borohydride	5.1	5.1	5.1	II	5 kg	25 kg		
2621. (464)	Sodium bromate	6.1	6.1	6.1	II	25 kg	100 kg		
2622. (550)	Sodium cacodylate	6.1	6.1	6.1	II	25 kg	100 kg		

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2623. (623)	Sodium chlorate	1495	5.1	5.1	5.1	II	5 kg	25 kg
2624. (624)	Sodium chlorate, solution	2428	5.1	5.1	5.1	II	1 L	5 L
2625. (640)	Sodium chlorite	1496	5.1	5.1	5.1	II	p	25 kg
2626. (641)	Sodium chlorite solution, with more than 5 per cent available chlorine	1908	8	8	8	II	1 L	30 L
2627. (610)	Sodium chloroacetate	2659	NR	6.1	6.1	III	100 kg	200 kg
2628. (803)	Sodium chromate	9145	9.2	—	—	III	—	—
2629. (848)	Sodium cuprocyanide, solid	2316	6.1	6.1	6.1	I	5 kg	50 kg
2630. (847)	Sodium cuprocyanide, solution	2317	6.1	6.1	6.1	I	1 L	30 L
2631. (866)	Sodium cyanide, solid	1689	6.1	6.1	6.1	I	5 kg	50 kg
2632. (865)	Sodium cyanide, solution	1689	6.1	6.1	6.1	I	1 L	30 L
2633. (1029)	Sodium 2-diazo-1-naphthol-4-sulphonate	3040	9.2	—	—	II	—	—
2634. (1030)	Sodium 2-diazo-1-naphthol-5-sulphonate	3041	4.1	—	—	II	—	—
2635. (2987)	Sodium dichloro-s-triazinetriene dry, see Dichloroisocyanuric acid, dry, etc.	1479	9.2	—	—	II	—	—
2636. (427)	Sodium dichromate	1348	4.1	4.1	4.1	I	1 kg	15 kg
2637. (1202)	Sodium dinitro-o-cresolate, wetted with not less than 15 per cent water, by mass	1348	6.1	6.1	6.1	I	—	—
2638. (1264)	Sodium dithionite or Sodium hydrosulphite	1384	4.2	4.2	4.2	II	15 kg	50 kg
2639. (1268)	Sodium dodecylbenzene sulphonate	9146	9.2	—	—	III	—	—
2640. (1448)	Sodium fluoride, solid	1690	9.2	6.1	6.1	III	100 kg	200 kg
2641. (1447)	Sodium fluoride, solution	1690	8	6.1	6.1	III	60 L	220 L
2642. (1422)	Sodium fluoroacetate	2629	6.1	6.1	6.1	I	5 kg	50 kg
2643. (1430)	Sodium fluorosilicate	2674	NR	6.1	6.1	III	100 kg	200 kg
2644. (1661)	Sodium hydride	1427	4.3	4.3	4.3	I	p	15 kg

2645. (1610)	Sodium hydrogen fluoride, <i>solid or</i>	2439	8	8	8	II	15 kg	50 kg
2646. (1609)	Sodium bifluoride, <i>solid</i>	2439	9.2	8	8	II	1 L	30 L
2647. (1615)	Sodium hydrogen fluoride, <i>solution or</i>	1821	9.2	8	8	III	25 kg	100 kg
2648. (1614)	Sodium hydrogen sulphate, <i>solid or</i>	2837	8	8	8	II	1 L	30 L
2649. (1617)	Sodium hydrogen sulphate, <i>solution or</i>	2693	8	34	—	III	—	—
2650. (1616)	Sodium bisulphite, <i>solid</i>	2693	9.2	55	8	II	—	—
2651. (2863)	Sodium hydrogen sulphite, <i>solution or</i>	2318	9.2	48	4.2	II	15 kg	50 kg
2652. (2862)	Sodium hydrosulphide, <i>solid with less than 25 per cent water of crystallization</i>	2949	9.2	8	8	II	15 kg	50 kg
2653. (2861)	Sodium hydrosulphide, <i>solid, with not less than 25 per cent water of crystallization</i>	2922	9.2	55	—	II	—	—
2654. (1637)	Sodium hydrosulphide, <i>solution</i>	2922	9.2	55	—	II	—	—
2655. (1631)	Sodium hydrosulphite, <i>see</i> Sodium dithionite							
2656. (1650)	Sodium hydroxide, <i>solid or flake or Caustic soda, solid or flake</i>	1823	8	8	8	II	15 kg	50 kg
2657. (1871)	Sodium hydroxide, <i>solution or Caustic soda, solution</i>	1824	9.2	8	8	II	1 L	30 L
2658. (2789)	Sodium metabisulphite	2693	8	34	—	III	—	—
2659. (2791)	Sodium metal, <i>see</i> Sodium			55	—			
2660. (2790)	Sodium metal, dispersion in organic liquids	1429	4.3	46	4.3	I	p	15 kg
2661. (1925)	Sodium, metal liquid alloy	1421	4.3	46	—	II	—	—
2662. (1926)	Sodium methyle, <i>dry</i>	1431	9.2	55	4.3	I	p	15 kg
2663. (1927)	SODIUM METHYLATE SOLUTIONS	1289	9.2	46	4.3	II	5 L	60 L
2664. (1963)	SODIUM METHYLATE SOLUTIONS	1289	9.2	81	3.2	II	5 L	60 L
2665. (2032)	SODIUM METHYLATE SOLUTIONS	1289	9.2	81	3.3	II	5 L	60 L
2666. (2033)	Sodium monoxide, <i>solid</i>	1825	8	46	8	II	15 kg	50 kg
2667. (2060)	Sodium nitrate	1498	5.1	46	5.1	III	25 kg	100 kg
2668. (2061)	Sodium nitrate and potassium nitrate mixtures	1499	5.1	46	5.1	III	25 kg	100 kg
2669. (2183)	Sodium nitrite	1500	5.1	46	5.1	III	25 kg	100 kg
2670. (2204)	Sodium nitrite and potassium nitrate mixtures, <i>see</i> Potassium nitrate and sodium nitrite mixtures							
2671. (2218)	Sodium pentachlorophenolate, <i>including mixtures of sodium pentachlorophenolate and sodium tetrachlorophenolate</i>	2567	6.1	102	6.1	II	25 kg	100 kg
2672. (2230)	Sodium percarbonates	2467	5.1	—	5.1	III	25 kg	100 kg
2673. (2230)	Sodium perchlorate	1502	5.1	46	5.1	II	5 kg	25 kg
2674. (2230)	Sodium permanganate	1503	5.1	46	5.1	II	5 kg	25 kg

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2673. (2500)	Sodium peroxide	1504	5.1	46 48 56 90	5.1	5.1	I	15 kg
2674. (2361)	Sodium persulphate	1505	5.1	5.1	5.1	III	25 kg	100 kg
2675. (2557)	Sodium phenolate, solid	2497	8	8	8	III	25 kg	100 kg
2676. (2576)	Sodium phosphate, dibasic	9147	9.2	49	—	III	—	—
2677. (2577)	Sodium phosphate, tribasic	9148	9.2	49	—	III	—	—
2678. (2603)	Sodium phosphide	1432	4.3 4.2 6.1	46 48 56 99	4.3 4.2 6.1	I	p	15 kg
2679. (2609)	Sodium picramate, wetted with not less than 20 per cent water, by mass	1349	4.1	10 46 48 56 58 90 99 47	4.1	4.1	I	p : 15 kg
2680. (2301)	Sodium picryl peroxide	—	—	—	—	—	—	—
2681. (2792)	Sodium potassium alloys, see Potassium sodium alloys	2630	6.1	56	6.1	6.1	II	25 kg
2682. (2761)	Sodium selenite	1385	9.2 4.2	48	4.2	4.2	II	15 kg
2683. (2879)	Sodium sulphide, anhydrous or Sodium sulphide with less than 30 per cent water of crystallization	1849	8	8	8	8	II	15 kg
2684. (2880)	Sodium sulphide, hydrated with not less than 30 per cent water	2547	5.1	46 48 90 99	5.1	5.1	I	p
2685. (2882)	Sodium superoxide	—	—	47	—	—	—	15 kg
2686. (2938)	Sodium tetranitride	—	—	—	—	—	—	—
2687. (796)	Stannic chloride, anhydrous or Tin tetrachloride, anhydrous	1827	8	8	8	8	II	1 L
2688. (797)	Stannic chloride, pentahydrate or Tin tetrachloride, pentahydrate	2440	8	8	8	8	III	25 kg
2689. (2606)	Stannic phosphides	1433	4.3	46 48 56	4.3	4.3	I	p
2690. (795)	Stannous chloride, solid	1759	8	34 55	—	—	III	—

[239]

2691. (2824)	Stibine	2676	2.3 2.1	46 48 56 88 99	2.3 2.1	2 6.1 3	X	P	P
2692. (2825)	Strontium alloys	1434	4.3	102	4.3	4.3	II	15 kg	50 kg
2693. (361)	Strontium arsenite solid	1691	6.1	99	6.1	6.1	II	25 kg	100 kg
2694. (625)	Strontium chlorate or Strontium chlorate, wetted	1506	5.1	49	5.1	5.1	II	5 kg	25 kg
2695. (804)	Strontium chromate	9149	9.2	49	—	—	III	—	—
2696. (2034)	Strontium nitrate	1507	5.1	46	5.1	5.1	III	25 kg	100 kg
2697. (2219)	Strontium perchlorate	1508	5.1	46	5.1	5.1	II	5 kg	25 kg
2698. (2302)	Strontium peroxide	1509	5.1	46	5.1	5.1	II	5 kg	25 kg
2699. (2604)	Strontium phosphide	2013	4.3 6.1	46 48 99	4.3 6.1	4.3 6.1	I	p	15 kg
2700. (2876)	Strychnine	1692	6.1 9.2	102 46 56 89	6.1	6.1	I	p	50 kg
2701. (2827)	Strychnine mixtures	1692	6.1 9.2	90 46 55 56	—	—	II	—	—
2702. (2828)	Strychnine mixtures	1692	9.2	102 46 55	—	—	III	—	—
2703. (2831)	Strychnine salts	1692	6.1 9.2	56 46 56 89 90	6.1	6.1	I	p	50 kg
2704. (2829)	Strychnine salt mixtures	1692	6.1 9.2	102 46 55 56	—	—	II	—	—
2705. (2830)	Strychnine salt mixtures	1692	9.2	102 46 55	—	—	III	—	—
2706. (2833)	Styrene monomer, inhibited	2055	3.3	56	3.3	3	II	5 L	60 L
2707. (2835)	Substances, which, in contact with water emit flammable gases, n.o.s.*	2813	9.2 4.3	81 84 100	4.3	4.3	II	p	15 kg
2708. (2442)	SUBSTITUTED NITROPHENOL PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., flash point less than 23°C	2780	3.2 6.1	46 56	3.2 6.1	3 6.1	I	p	30 L
2709. (2443)	SUBSTITUTED NITROPHENOL PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., flash point less than 23°C	2780	3.2 6.1	56	3.2 6.1	3	II	1 L	60 L
2710. (2447)	SUBSTITUTED NITROPHENOL PESTICIDES, LIQUID, TOXIC, FLAMMABLE, N.O.S., flash point not less than 23°C	3013	6.1	46 56 89 94	6.1 3	6.1	I	1 L	30 L

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2711. (2448)	SUBSTITUTED NITROPHENOL PES- TICIDES, LIQUID, TOXIC, FLAMM- ABLE, N.O.S., <i>flash point not less than</i> <i>23°C</i>	3013	6.1	56 89	6.1	6.1	II	5 L 60 L
2712. (2444)	SUBSTITUTED NITROPHENOL PES- TICIDES, LIQUID, TOXIC, N.O.S.	3014	6.1	46 56 94	6.1	6.1	I	30 L
2713. (2445)	SUBSTITUTED NITROPHENOL PES- TICIDES, LIQUID, TOXIC, N.O.S.	3014	6.1	56	6.1	6.1	II	60 L
2714. (2446)	SUBSTITUTED NITROPHENOL PES- TICIDES, LIQUID, TOXIC, N.O.S.	3014	NR		6.1	6.1	III	220 L
2715. (2449)	SUBSTITUTED NITROPHENOL PES- TICIDES, SOLID, TOXIC, N.O.S.	2779	6.1	46 93	6.1	6.1	I	5 kg 50 kg
2716. (2450)	SUBSTITUTED NITROPHENOL PES- TICIDES, SOLID, TOXIC, N.O.S.	2779	6.1	6.1	6.1	6.1	II	100 kg
2717. (2451)	SUBSTITUTED NITROPHENOL PES- TICIDES, SOLID, TOXIC, N.O.S.	2779	NR		6.1	6.1	III	100 kg 200 kg
2718. (2304)	Succinic acid peroxide, <i>see</i> Disuccinic acid peroxide							
2719. (2112)	Sucrose octanitrate, (dry)		—	47	—	—	—	—
2720. (2819)	Sulfur, <i>see</i> Sulphur							
2721. (136)	Sulphamic acid	2967	8		8		III	25 kg 100 kg
2722. (2821)	Sulphur and chlorate, loose mixtures of		—	47	—	—	—	—
2723. (2819)	Sulphur	1350	NR		4.1	4.1	III	25 kg 100 kg
2724. (2820)	Sulphur, molten	2448	NR		4.1	—	III	—
2725. (775)	Sulphur chloride (di)	1828	8	46 56 90	8	8	I	2.5 L
2726. (776)	Sulphur chloride (mono)	1828	8	46 56 90	8	8	I	2.5 L
2727. (1232)	Sulphur dioxide, liquefied or Sulphur dioxide	1079	2.3	46 56 99	2.3	2	X	25 kg
2728. (1550)	Sulphur hexafluoride	1080	2.2	102				
2729. (148)	Sulphuric acid, fuming or Oleum	1831	8	46 56 90	8	8	I	75 kg p 2.5 L
2730. (147)	Sulphuric acid, <i>not more than 51 per cent</i> <i>acid</i>	1830	8	102	—	8	II	30 L
2731. (146)	Sulphuric acid, <i>more than 51 per cent acid</i>	1830	8	100	8	8	II	30 L

2732. (149)	Sulphuric acid, spent	1832	8 9.2	46 56 61 90	8 8	8 8	II P	30 L
2733. (150)	Sulphuric acid and hydrofluoric acid mixtures, see Hydrofluoric acid and sulphuric acid mixtures							
2734. (145)	Sulphurous acid	1833	8	46	8	8	II	30 L
2735. (2916)	Sulphur tetrafluoride	2418	2.3	46 48 56 99 102	2.3 6.1	2 6.1	X P	25 kg
2736. (3075)	Sulphur trioxide, inhibited	1829	8	46 56 84 90	8	8	I P	25 kg
2737. (777)	Sulphuryl chloride	1834	8	46	8	8	I	2.5 L
2738. (1449)	Sulphuryl fluoride	2191	2.3	102 46 99 102	2.3 6.1	2 6.1	X P	25 kg
2739. (1303)	Survival kits, all types, see Liferrafts, Aircraft survival kits, etc.							
2740. (2883)	2,4,5-T, see 2,4,5-Trichlorophenoxyacetic acid							
2741. (1513)	TARS, LIQUID, including road asphalt and oils, bitumen and cut backs, having a flash point less than 23°C	1999	3.2	81	3.2	3	II	60 L
2742. (1514)	TARS, LIQUID, including road asphalt and oils, bitumen and cut backs, having a flash point less than 23°C	1999	3.2		-	3	III	220 L
2743. (1515)	TARS, LIQUID, including road asphalt and oils, bitumen and cut backs, having a flash point less than 61°C	1999	3.3		3.3	3	II	60 L
2744. (1516)	TARS, LIQUID, including road asphalt and oils, bitumen and cut backs, having a flash point less than 37.8°C	1999	3.3		-	3	III	220 L
2745. (1517)	Tars, liquid, including road asphalt and oils, bitumen and cut backs, having a flash point not less than 37.8°C but less than 61°C	1999	NR		-	3	III	220 L
2746. (2888)	TDE or 1,1-Dichloro-2,2-di (p-chlorophenyl)ethane	2761	9.2	46 55	-	-	I	-
2747. (597)	Tear gas candles	1700	6.1 4.1	46 48 56 99	6.1 4.1	6.1 4.1	II P	25 kg
2748. (1493)	Tear gas substances, n.o.s.*, liquid	1693	6.1	102 46 48 99	6.1	6.1	II P	5 L
2749. (1494)	Tear gas substances, n.o.s.*, solid	1693	6.1	102 46 48 88 99 102	6.1	6.1	II P	25 kg

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2750. (1551)	Tellurium hexafluoride	2195	2.3	46 48 52 56 88 99 102	2.3	2 6.1	P	P
2751. (1604)	Terpene hydrocarbons, n.o.s.	2319	3.3	81	3.3	3	60 L	220 L
2752. (2898)	Terpinolene	2541	3.3	81	3.3	3	60 L	220 L
2753. (2899)	Tetraazido benzene quinone		—	47	—	—	—	—
2754. (2900)	Tetrabromoethane or Acetylene tetrabromide	2504	9.2		6.1	6.1	60 L	220 L
2755. (2903)	Tetrachloroethane	1702	6.1		6.1	6.1	5 L	60 L
2756. (2904)	Tetrachloroethylene or Perchloroethylene	1897	9.2		6.1	6.1	60 L	220 L
2757. (2220)	Tetraethylammonium perchlorate, (dry)		—	47	—	—	—	—
2758. (1254)	TETRAETHYL DITHIOPYROPHOSPHATE, DRY, or MIXTURE	1704	6.1	46 48 56 90 93 99	6.1	6.1	P	50 kg
2759. (1255)	TETRAETHYL DITHIOPYROPHOSPHATE, DRY, or MIXTURE	1704	6.1	102 48 56 90 99	6.1	6.1	P	100 kg
2760. (1256)	TETRAETHYL DITHIOPYROPHOSPHATE, DRY, or MIXTURE	1704	NR	102 90	6.1	6.1	P	200 kg
2761. (1257)	TETRAETHYL DITHIOPYROPHOSPHATE, LIQUID, or MIXTURE	1704	6.1	46 48 56 90 94 99	6.1	6.1	P	30 L
2762. (1258)	TETRAETHYL DITHIOPYROPHOSPHATE, LIQUID, or MIXTURE	1704	6.1	102 48 56 90 99	6.1	6.1	P	60 L
2763. (1259)	TETRAETHYL DITHIOPYROPHOSPHATE, LIQUID, or MIXTURE	1704	NR	102 73 90 99	6.1	6.1	P	220 L

2764. (1260)	Tetraethyl dithiophosphate and gases, in solution or Tetraethyl dithiophospho- phate and gases, mixtures	1703	2.3	46 48 56 88 99 102	2.3	2 6.1	X	P	P
2765. (2911)	Tetraethylenepentamine	2320	8		8	8	III	5 L	60 L
2766. (2624)	Tetraethyl lead, liquid	1649	6.1 9.2	46 55	6.1 3	-	I	-	-
2767. (2687)	Tetraethyl pyrophosphate and compressed gas mixtures	1705	2.3 9.2	46 48 56 88 99 102	2.3 48	2 6.1	X	P	P
2768. (2688)	Tetraethyl pyrophosphate, liquid	3018	6.1 9.2	46 48 55	-	-	II	-	-
2769. (2686)	Tetraethyl pyrophosphate mixture, dry	2783	6.1 9.2	46 48 55	-	-	II	-	-
2770. (2685)	Tetraethyl pyrophosphate mixture, liquid	3018	6.1 9.2	46 48 55	-	-	II	-	-
2771. (2776)	Tetraethyl silicate or Ethyl silicate	1292	3.3	81	3.3	3	II	5 L	60 L
2772. (2912)	Tetrafluoroethylene, inhibited (R11/14)	1081	2.1	48 56 84 99 102 100	2.1	2 3	X	P	150 kg
2773. (2913)	Tetrafluorohydrazine				2.3		X	-	-
2774. (2914)	Tetrafluoromethane (R14)	1982	2.2		2.2	2	X	75 kg	150 kg
2775. (2917)	1,2,3,6-Tetrahydrobenzaldehyde	2498	8		3.3	3	III	60 L	220 L
2776. (2918)	Tetrahydrofuran	2056	3.1	46 56 90	3.1	3	II	P	60 L
2777. (2919)	Tetrahydrofurfurylamine	2943	NR	99	3.3	3	III	60 L	220 L
2778. (1631)	Tetrahydronaphthyl hydroperoxide, or Tetralin hydroperoxide, technically pure	2136	5.2	46 48 56 99	5.2	5.2	I	1 kg	5 kg
2779. (313)	Tetrahydrophthalic anhydrides	2698	8	44	8	8	III	25 kg	100 kg
2780. (2920)	1,2,3,6-Tetrahydropyridine	2410	3.2		3.2	3	II	5 L	60 L
2781. (2921)	Tetrahydrothiophene	2412	3.2		3.2	3	II	5 L	60 L
2782. (1632)	Tetralin hydroperoxide, see Tetrahy- dronaphthyl hydroperoxide								
2783. (1652)	Tetramethylammonium hydroxide or Tet- ramethylammonium hydroxide, solution	1835	8			8	II	1 L	30 L
2784. (1633)	1,1,3,3-Tetramethylbutyl hydroperoxide, or tert-Octyl hydroperoxide, technically pure	2160	5.2	48 56 83 99	5.2	5.2	II	5 L	10 L

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2785. (1375)	1,1,3,3-Tetramethylbutyl peroxy-2-ethyl- hexanoate, or tert-Octyl peroxy-2-ethyl- hexanoate, <i>technically pure</i>	5.2	46 48 56 83 99 +20°C +25°C	5.2	5.2	II	P	P
2786. (2023)	Tetramethylene diperoxide dicarbamide	—	47	—	—	—	—	—
2787. (2922)	Tetramethyl methylenediamine	9.1	49	—	—	III	—	—
2788. (2924)	Tetramethylsilane	3.1	46 90 99	3.1	3	I	P	30 L
2789. (2930)	Tetranitrodiglycerin	—	47	—	—	—	—	—
2790. (2931)	Tetranitromethane	5.1	46 48 56 99 102	5.1	5.1	I	P	P
2791. (2932)	2,3,4,6-Tetranitrophenol	—	47	—	—	—	—	—
2792. (2933)	2,3,4,6-Tetranitrophenyl methyl nitramine	—	47	—	—	—	—	—
2793. (2934)	2,3,4,6-Tetranitrophenylnitramine	—	47	—	—	—	—	—
2794. (2935)	Tetranitroreocinal, (dry)	—	47	—	—	—	—	—
2795. (2936)	2,3,5,6-Tetranitroso-1,4-dinitrobenzene	—	47	—	—	—	—	—
2796. (2937)	2,3,5,6-Tetranitroso nitrobenzene, (dry)	—	47	—	—	—	—	—
2797. (2120)	Tetrapropylorthotitanate	3.3	81	3.3	3	II	5 L	60 L
2798. (2915)	Tetrazine, (dry)	—	47	—	—	—	—	—
2799. (393)	Tetrazolyl azide, (dry)	—	47	—	—	—	—	—
2800. (2953)	Textile, waste, wet, n.o.s.	4.2	37 46 48	4.2	4.2	III	P	P
2801. (626)	Thallium chlorate	5.1	88	5.1	5.1	II	5 kg	25 kg
2802. (2954)	Thallium compounds, n.o.s.	6.1	46 48	6.1	6.1	II	25 kg	100 kg
2803. (2935)	Thallium nitrate	6.1	89	6.1	6.1	II	5 kg	25 kg

2804. (2955)	Thallium salt, solid, n.o.s.	1707	6.1	55	—	—	II	—	—
2805. (2851)	Thallium sulphate, solid	1707	6.1	55	—	—	II	—	—
2806. (2956)	Thia-4-pentanal	2785	NR	73	6.1	6.1	III	60 L	220 L
2807. (151)	Thioacetic acid	2436	3.2	99	3	3.2	II	5 L	60 L
2808. (2964)	Thioglycol	2966	6.1	6.1	6.1	6.1	II	5 L	60 L
2809. (152)	Thioglycolic acid	1940	8	8	8	8	II	1 L	30 L
2810. (153)	Thiolactic acid	2936	6.1	6.1	6.1	6.1	II	25 kg	100 kg
2811. (778)	Thionyl chloride	1836	8	46 56 90	8	8	I	P	2.5 L
2812. (2965)	Thiophene	2414	3.2	3.2	3	3	II	5 L	60 L
2813. (2966)	Thiophosgene	2474	6.1	46 56 90	6.1	6.1	II	P	60 L
2814. (779)	Thiophosphoryl chloride	1837	8	102	8	8	II	P	30 L
2815. (2968)	Thiourea	2877	NR	6.1	6.1	6.1	III	100 kg	200 kg
2816. (2969)	Thiram	2771	9.2	55	—	—	III	—	—
2817. (2970)	Thorium metal, pyrophoric	2975	7 4.2	47	7 4.2	7 4.2	—	—	—
2818. (2036)	Thorium nitrate, solid	2976	7 E	100	—	7	—	—	—
2819. (2889)	TINCTURES, MEDICINAL	1293	5.1 3.2	3.2	5.1 3	3	II	5 L	60 L
2820. (2890)	TINCTURES, MEDICINAL	1293	3.3	81	3.3	3	II	5 L	60 L
2821. (2906)	Tin tetrachloride, see Stannic chloride								
2822. (1663)	Titanium hydride	1871	4.1	90	4.1	4.1	II	P	50 kg
2823. (2973)	Titanium powder, dry (a) Mechanically produced, particle size between 3 and 53 micrometres; (b) Chemically produced, particle size between 10 and 840 micrometres	2546	4.2	46 48 56 64 90	4.2	4.2	II	P	50 kg
2824. (2972)	Titanium powder, wetted with not less than 25 per cent water (a visible excess of water must be present) (a) Mechanically produced, particle size less than 53 micrometres; (b) Chemically produced, particle size less than 840 micrometres	1352	4.1	4.1	4.1	4.1	II	P	50 kg
2825. (2974)	Titanium sponge granules or Titanium sponge powders	2878	4.1	46	4.1	4.1	III	25 kg	100 kg
2826. (2852)	Titanium sulphate solution containing not more than 45 per cent sulphuric acid	1760	8	55	—	—	II	—	—
2827. (2908)	Titanium tetrachloride	1838	8	46	8	8	II	1 L	30 L
2828. (3009)	Titanium trichloride mixtures	2869	8	46	8	8	II	15 kg	50 kg

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2829. (3010)		2441	4.2	46	4.2	4.2	II	15 kg	50 kg
2830.			8	48	8	8			
2830. (454)		1353	4.1	48	4.1	4.1	III	25 kg	100 kg
2831. (2976)		1294	3.2	99	3.2	3	II	5 L	60 L
2832. (1145)		2078	9.2	56	6.1	6.1	II	P	60 L
			6.1	90					
				100					
				102					
2833. (2977)									
2834. (2978)		1708	6.1		6.1	6.1	II	5 L	60 L
2835. (2979)		1708	6.1		6.1	6.1	II	25 kg	100 kg
2836. (2980)		1709	9.2		6.1	6.1	III	60 L	220 L
2837. (2983)		2761	6.1	46	-	-	I	-	-
2838. (2891)			9.2	55					
2839. (1316)									
2840. (2984)		2610	3.3	63	3.3	3	II	5 L	60 L
2841. (444)		2609	NR	73	6.1	6.1	III	60 L	220 L
2842. (2473)		2764	3.2	46	3.2	3	I	P	30 L
2843. (2474)		2764	6.1	56	6.1	6.1			
2844. (2479)		2997	3.2	56	3.2	3	II	1 L	60 L
			6.1		6.1	6.1			
			6.1	46	6.1	6.1	I	1 L	30 L
				56	3				
				90					
				94					
2845. (2478)		2997	6.1	56	6.1	6.1	II	5 L	60 L
2846. (2475)		2998	6.1	90	3				
				56	6.1	6.1	I	1 L	30 L
				94					
2847. (2476)		2998	6.1	56	6.1	6.1	II	5 L	60 L
2848. (2477)		2998	NR		6.1	6.1	III	60 L	220 L
2849. (2480)		2763	6.1	46	6.1	6.1	I	5 kg	50 kg
				93					

2850. (2481)	2763	6.1	6.1	6.1	II	25 kg	100 kg
TRIAZINE PESTICIDES, SOLID, TOXIC, N.O.S.							
2851. (2482)	2763	NR	6.1	6.1	III	100 kg	200 kg
TRIAZINE PESTICIDES, SOLID, TOXIC, N.O.S.							
2852. (2449)	2501	6.1	6.1	6.1	II	5 L	60 L
Tri-(1-aziridinyl)phosphine oxide, solution							
2853. (2994)	2542	8	8	8	III	5 L	60 L
Tributylamine							
2854. (2998)	2783	6.1	46	—	II	—	—
Trichlorfon							
2855. (156)	1839	8	46	8	II	15 kg	50 kg
Trichloroacetic acid, solid							
2856. (155)	2564	8	46	8	II	1 L	30 L
Trichloroacetic acid, solution							
2857. (780)	2442	8	46	8	II	p	p
Trichloroacetyl chloride							
2858. (2999)	2321	NR	73	6.1	III	60 L	220 L
Trichlorobenzenes, liquid							
2859. (3000)	2322	6.1	6.1	6.1	II	5 L	60 L
Trichlorobutene							
2860. (2996)	2831	9.2	46	6.1	III	60 L	220 L
1,1,1-Trichloroethane (R140a)							
2861. (2997)	1710	9.2	46	6.1	III	60 L	220 L
Trichloroethylene (R1120)							
2862. (157)	2468	5.1	47	5.1	II	5 kg	25 kg
Trichloroisocyanuric acid, dry							
2863. (2221)		—	47	—	—	—	—
Trichloromethyl perchlorate							
2864. (3001)	2020	9.2	46	—	II	—	—
Trichlorophenols							
2865. (158)	2765	9.2	55	—	II	—	—
2,4,5-Trichlorophenoxyacetic acid or 2,4,5-T							
2866. (1318)	2765	9.2	46	—	II	—	—
2,4,5-Trichlorophenoxyacetic acid amine, ester or salt							
2867. (159)	2765	9.2	46	—	II	—	—
2,4,5-Trichlorophenoxypropionic acid or 2,4,5-TP							
2868. (1319)	2765	9.2	46	—	II	—	—
2,4,5-Trichlorophenoxypropionic acid ester or 2,4,5-TP ester							
2869. (3002)	1295	4.3 3 3	46 3 99	4.3 3 8	I	p	p
Trichlorosilane							
2870. (2988)							
Trichloro-s-triazinetriene, dry, see Tri- chloroisocyanuric acid, dry							
2871. (2985)							
(mono)-(Trichloro)tetra(monopotassium dichloro)penta-s-triazinetriene, dry, see Trichloroisocyanuric acid, dry							
2872. (2587)	2574	6.1	49	6.1	II	5 L	60 L
Tricresyl phosphate, with more than 3 per cent ortho isomer							
2873. (1269)	9151	9.2	49	—	III	—	—
Triethanolamine dodecylbenzenesulpho- nate							
2874. (278)							
Triethyl aluminum, see Aluminum alkyls							
2875. (3012)	1296	3.2 9.2	3	3.2	II	5 L	60 L
Triethylamine							
2876. (3013)							
Triethylene phosphoramide, see Tri-(1- aziridinyl) phosphine oxide, solution							
2877. (3014)	2259	8	8	8	II	1 L	30 L
Triethylene tetramine							
2878. (2590)	2323	NR	73	3.3	III	60 L	220 L
Triethyl phosphite							

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2879. (160)	Trifluoroacetic acid	2699	8	46	8	1	0.5 L	2.5 L
2880. (3016)	Trifluorochloroethylene, inhibited	1082	2.1	56	2.1	X	P	150 kg
				56	3			
				84				
2881. (3015)	Trifluoroethane, compressed (R143a)	2035	2.1	102	2.1	X	P	150 kg
				46	3			
				56				
				102				
2882. (3017)	Trifluoromethane (R23)	1984	2.2	2.2	2	X	75 kg	150 kg
2883. (3018)	2-Trifluoromethylaniline	2942	NR	6.1	6.1	III	60 L	220 L
2884. (3019)	3-Trifluoromethylaniline	2948	6.1	6.1	6.1	II	5 L	60 L
2885. (3055)	Trifromoxime trinitrate			47				
2886. (279)	Triisobutyl aluminum, <i>see</i> Aluminum alkyls							
2887. (3036)	Trisobutylene	2324	3.3	81	3.3	3	5 L	60 L
2888. (3037)	Trisocyanatoisocyanurate of isophoronedisocyanate, solution (70 per cent, by mass)	2906	NR	73	3.3	3	60 L	220 L
2889. (445)	Trisopropyl borate	2616	3.3	81	3.3	3	5 L	60 L
2890. (781)	Trimethyl acetyl chloride	2438	8	99	8	II	1 L	30 L
2891. (280)	Trimethyl aluminum, <i>see</i> Aluminum alkyls				3			
2892. (3040)	Trimethylamine, anhydrous	1083	2.1	46	2.1	X	P	150 kg
			9.2	56	3			
				99				
2893. (3041)	TRIMETHYLAMINE, AQUEOUS SOLUTIONS, <i>not more than 50 per cent trimethylamine, by mass</i>	1297	3.2	102	3.2	3	5 L	60 L
			9.2	71		II		
2894. (3042)	TRIMETHYLAMINE, AQUEOUS SOLUTIONS, <i>not more than 50 per cent trimethylamine, by mass</i>	1297	3.2	71		III	60 L	220 L
			9.2		3			
2895. (3038)	1,3,5-Trimethylbenzene	2325	NR	73	3.3	3	60 L	220 L
2896. (446)	Trimethyl borate	2416	3.2	46	3.2	II	5 L	60 L
2897. (3043)	Trimethylchlorosilane	1298	3.2	100	3.2	I	P	2.5 L
			8	56	8			
				90				
2898. (3044)	Trimethylcyclohexylamine	2326	8	8	8	III	5 L	60 L
2899. (3046)	Trimethylhexamethylenediamine	2327	8	8	8	III	5 L	60 L

2900. (1146)	Trimethylhexamethylene diisocyanate	2328	NR	73	6.1	6.1	III	60 L	220 L
2901. (2354)	2,4,4-Trimethylpentyl-2-peroxy phenoxy acetate, <i>not more than 37 per cent in solution</i>	2961	5.2	46 48 83 99	5.2	5.2	II	P	P
				-10°C					
				0°C					
2902. (2592)	Trimethyl phosphite	2329	3.3	81	3.3	3	III	60 L	220 L
2903. (3047)	1,3,5-Trimethyl-2,4,6-Trinitrobenzene		-	47	-	-	-	-	-
2904. (1235)	Trimethylene glycol diperchlorate		-	47	-	-	-	-	-
2905. (3057)	Trimethylol nitromethane trinitrate		-	47	-	-	-	-	-
2906. (3063)	Trinitroacetone		-	47	-	-	-	-	-
2907. (808)	Trinitroamine cobalt		-	47	-	-	-	-	-
2908. (3048)	Trinitroaniline, wetted <i>uniformly with not less than 10 per cent water, by mass</i>	9073	4.1	10 40 48 58	-	-	II	-	-
2909. (3062)	2,4,6-Trinitro-1,3-diazobenzene		-	47	-	-	-	-	-
2910. (3065)	Trinitroethanol		-	47	-	-	-	-	-
2911. (2022)	Trinitroethylnitrate		-	47	-	-	-	-	-
2912. (3066)	Trinitromethane		-	47	-	-	-	-	-
2913. (3059)	1,3,5-Trinitronaphthalene		-	47	-	-	-	-	-
2914. (3064)	Trinitrobenzene, wetted <i>with not less than 30 per cent water, by mass</i>	1354	4.1	10 46 48 58 99	4.1	4.1	I	0.5 kg	0.5 kg
2915. (161)	Trinitrobenzoic acid, wetted <i>with not less than 30 per cent water, by mass</i>	1355	4.1	100 10 46 48 58 99	4.1	4.1	I	0.5 kg	0.5 kg
2916. (3067)	Trinitrophenol, wetted <i>with not less than 30 per cent water, by mass</i>	1344	4.1	100 10 46 48 58 99	4.1	4.1	I	1 kg	15 kg
2917. (3061)	2,4,6-Trinitrophenyl guanidine (dry)		-	47	-	-	-	-	-
2918. (3060)	2,4,6-Trinitrophenyl nitramine		-	47	-	-	-	-	-
2919. (3058)	2,4,6-Trinitrophenyl trimethylol methyl nitramine trinitrate, (dry)		-	47	-	-	-	-	-
2920. (3068)	2,4,6-Trinitroso-3-methyl nitraminoaniline		-	47	-	-	-	-	-
2921. (2008)	Trinitrotetramine cobalt nitrate		-	47	-	-	-	-	-

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2922. (3069)		1356	4.1	10 46 48 58 99 100	4.1	4.1	I	0.5 kg	0.5 kg
2923. (281)									
2924. (3079)		2260	3.3 8	81	3.3 8	3	II	I L	5 L
2925. (3080)		2057	3.2		3.2	3	II	5 L	60 L
2926. (3081)		2057	3.3	81	3.3	3	II	5 L	60 L
2927. (3082)			—	47	—	—	—	—	—
2928. (1272)		2196	2.3	46 48 56 88 99	2.3	2 6.1	X	P	P
2929. (1552)									
2930. (2892)		1299	3.3	102 81	3.3	3	III	60 L	220 L
2931. (2893)		1300	3.2		3.2	3	II	5 L	60 L
2932. (2894)		1300	3.2		—	3	III	60 L	220 L
2933. (2895)		1300	3.3	81	3.3	3	II	5 L	60 L
2934. (2896)		1300	3.3		—	3	III	60 L	220 L
2935. (2897)		1300	NR	73	—	3	III	60 L	220 L
2936. (3085)		2330	NR	73	3.3	3	III	60 L	220 L
2937. (1554)		2977	7 8	100 102	—	7 8	—	—	—
2938. (1553)		2978	7 8	100 100	—	7 8	—	—	—
2939. (3086)		2979	7 4.2	47	—	7 4.2	—	—	—

2940. (23)	Uranyl acetate	9180	7	40	-	-	-	-	-
2941. (2037)	Uranyl nitrate hexahydrate, solution	2980	9.2 7 8	100	-	7 8	X	-	-
2942. (2038)	Uranyl nitrate, solid	2981	9.2 5.1 9.2	100	-	7 5.1	X	-	-
2943. (3087)	Urea hydrogen peroxide	1511	5.1	48	5.1	5.1	III	25 kg	100 kg
2944. (2039)	Urea nitrate, wetted with <i>not less than 20 per cent water, by mass</i>	1357	4.1	15 46 48 58 100	4.1	4.1	I	1 kg	15 kg
2945. (3088)	Valeraldehyde	2058	3.2		3.2	3	II	5 L	60 L
2946. (162)	Valeric acid	1760	8	55	-	-	II	-	-
2947. (782)	Valeryl chloride	2502	8		8	8	II	1 L	30 L
2948. (2160)	Vanadium oxytrichloride	2443	8	46 56 90	8	8	II	p	30 L
2949. (2131)	Vanadium oxychloride and titanium tetra- chloride, mixture	2443	8	55	-	-	II	-	-
2950. (2203)	Vanadium pentoxide, <i>non-fused form</i>	2862	6.1 9.2	46	6.1	6.1	II	25 kg	100 kg
2951. (2909)	Vanadium tetrachloride	2444	8	46 56 90	8	8	I	p	2.5 L
2952. (3011)	Vanadium trichloride	2475	8		8	8	III	25 kg	100 kg
2953. (3076)	Vanadium trioxide, <i>non-fused form</i>	2860	6.1 9.2	46	6.1	6.1	II	25 kg	100 kg
2954. (2853)	Vanadyl sulphate	2931	6.1 9.2	46	6.1	6.1	II	25 kg	100 kg
2955. (3092)	Vehicles, self propelled, <i>see also Wheel-</i> <i>chairs, electric</i>		9.1	96	-	-	-	-	-
2956. (30)	Vinyl acetate, inhibited	1301	3.2 9.2	100 84	3.2	3	II	5 L	60 L
2957. (507)	Vinyl bromide, inhibited	1085	2.1	46 56 84 99	2.1	2 3	X	p	150 kg
2958. (546)	Vinyl butyrate, inhibited	2838	3.2	102	3.2	3	II	5 L	60 L
2959. (783)	Vinyl chloride, inhibited (<i>R1140</i>)	1086	2.1	46 56 84	2.1	2	X	p	150 kg
2960. (611)	Vinyl chloroacetate	2589	6.1	102	6.1	6.1	II	5 L	60 L
2961. (1343)	Vinyl ethyl ether, inhibited	1302	3.1	46 56 84 90	3.1	3	I	p	30 L
2962. (1450)	Vinyl fluoride, inhibited (<i>R1141</i>)	1860	2.1	99 46 56 84 99 102	2.1	2 3	X	p	150 kg

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2963. (784)	Vinylidene chloride, inhibited	1303	3.1 46 84 99	3.1 3	3	I	1 L	30 L
2964. (1344)	Vinyl isobutyl ether, inhibited	1304	3.2 84	3.2 3	3	II	5 L	60 L
2965. (1351)	Vinyl methyl ether, inhibited	1087	2.1 46 56 84 102	2.1 3	2 3	X	P	150 kg
2966. (2040)	Vinyl nitrate polymer		47	—	—	—	—	—
2967. (3094)	Vinyl toluene, inhibited, <i>mixed isomers</i>	2618	3.3 81	3.3 3	3	III	60 L	220 L
2968. (3095)	Vinyltrichlorosilane, inhibited	1305	3.2 46 56 84 90	3.2 8	3 8	I	P	2.5 L
2969. (900)	Waste Type 1 (The following spent halogenated solvents used in degreasing: tetrachloroethylene, trichloroethylene, methylene chloride, 1,1,1-trichloroethane, carbon tetrachloride, and chlorinated fluorocarbons; and sludges from the recovery of these solvents in degreasing operations)	9301	6.1 96 100	—	—	II	—	—
2970. (901)	Waste Type 2 (The following spent halogenated solvents: tetrachloroethylene, methylene chloride, trichloroethylene, 1,1,1-trichloroethane, chlorobenzene, 1,1,2-trichloro-1,2,2-trifluoroethane, ortho-dichlorobenzene, and trichlorofluoromethane; and the still bottoms from the recovery of these solvents)	9302	6.1 96 100	—	—	II	—	—
2971. (902)	Waste Type 3 (The following spent non-halogenated solvents: xylene, acetone, ethyl acetate, ethyl benzene, ethyl ether, methyl isobutyl ketone, <i>n</i> -butyl alcohol, cyclohexanone; and methanol; and the still bottoms from the recovery of these solvents)	9303	3.1 96 100	—	—	II	—	—
2972. (903)	Waste Type 4 (The following spent non-halogenated solvents: cresols and cresylic acid, nitrobenzene; and the still bottoms from the recovery of these solvents)	9304	6.1 96 100	—	—	II	—	—
2973. (904)	Waste Type 5 (The following spent non-halogenated solvents: toluene, methyl ethyl ketone, carbon disulphide, isobutanol, and pyridine; and the still bottoms from the recovery of these solvents)	9305	3.1 96 100	—	—	II	—	—

2974. (905)	Waste Type 6 (Wastewater treatment sludges from electro plating operations except for the following processes: (1) sulphuric acid anodizing of aluminum; (2) tin plating on carbon steel; (3) zinc plating (on a segregated basis) on carbon steel; (4) aluminum or aluminum-zinc plating on carbon steel; (5) cleaning/striping associated with tin, zinc, and aluminum plating on carbon steel; and (6) chemical etching and milling of aluminum)	9306	6.1	96 100	-	-	-	-	I	-
2975. (906)	Waste Type 7 (Wastewater treatment sludges from the chemical conversion coating of aluminum)	9307	9.3	96 100	-	-	-	-	III	-
2976. (907)	Waste Type 8 (Spent cyanide plating bath solutions from electroplating operations (except for precious metals electroplating spent cyanide plating bath solutions))	9308	6.1	96 100	-	-	-	-	I	-
2977. (908)	Waste Type 9 (Plating bath sludges from the bottom of plating baths from electroplating operations where cyanides are used in the process (except for precious metals electroplating plating bath sludges))	9309	6.1	96 100	-	-	-	-	I	-
2978. (909)	Waste Type 10 (Spent stripping and cleaning bath solutions from electroplating operations where cyanides are used in the process (except for precious metals electroplating spent stripping and cleaning bath solutions))	9310	6.1	96 100	-	-	-	-	I	-
2979. (910)	Waste Type 11 (Quenching bath sludge from oil baths from metal heat treating operations where cyanides are used in the process (except for precious metals heat treating quenching bath sludges))	9311	6.1	96 100	-	-	-	-	I	-
2980. (911)	Waste Type 12 (Spent cyanide solutions from salt bath pot cleaning from metal heat treating operations (except for precious metals heat treating spent cyanide solutions))	9312	6.1	96 100	-	-	-	-	I	-
2981. (912)	Waste Type 13 (Quenching wastewater treatment sludges from metal heat treating operations where cyanides are used in the process (except for precious metals heat and treating quenching wastewater treatment sludges))	9313	9.3	96 100	-	-	-	-	III	-
2982. (913)	Waste Type 14 (Cyanidation wastewater treatment tailing pond sediment from mineral metals recovery operations)	9314	9.3	96 100	-	-	-	-	III	-
2983. (914)	Waste Type 15 (Spent cyanide bath solutions from mineral metals recovery operations)	9315	6.1	96 100	-	-	-	-	I	-
2984. (915)	Waste Type 16 (Bottom sediment sludge from the treatment of wastewaters from wood preserving processes that use creosote and/or pentachlorophenol)	9316	6.1	96 100	-	-	-	-	II	-
2985. (916)	Waste Type 17 (Wastewater treatment sludge from the production of chrome yellow and orange pigments)	9317	9.3	96 100	-	-	-	-	III	-
2986. (917)	Waste Type 18 (Wastewater treatment sludge from the production of molybdate orange pigments)	9318	9.3	96 100	-	-	-	-	III	-

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2987. (918)	Waste Type 19 (Wastewater treatment sludge from the production of zinc yellow pigments)	9319	9.3	96 100	—	—	—	—
2988. (919)	Waste Type 20 (Wastewater treatment sludge from the production of chrome green pigments)	9320	9.3	96 100	—	—	—	—
2989. (920)	Waste Type 21 (Wastewater treatment sludge from the production of chrome oxide green pigments (anhydrous and hydrated))	9321	9.3	96 100	—	—	—	—
2990. (921)	Waste Type 22 (Wastewater treatment sludge from the production of iron blue pigments)	9322	9.3	96 100	—	—	—	—
2991. (922)	Waste Type 23 (Oven residue from the production of chrome oxide green pigments)	9323	9.3	96 100	—	—	—	—
2992. (923)	Waste Type 24 (Distillation bottoms from the production of acetaldehyde from ethylene)	9324	9.3	96 100	—	—	—	—
2993. (924)	Waste Type 25 (Distillation side cuts from the production of acetaldehyde from ethylene)	9325	3.1	96 100	—	—	—	—
2994. (925)	Waste Type 26 (Bottom stream from the wastewater stripper in the production of acrylonitrile)	9326	6.1	96 100	—	—	—	—
2995. (926)	Waste Type 27 (Bottom stream from the acetonitrile column in the production of acrylonitrile)	9327	3.1 6.1	96 100	—	—	—	—
2996. (927)	Waste Type 28 (Bottoms from the acetonitrile purification column in the production of acrylonitrile)	9328	3.1 6.1	96 100	—	—	—	—
2997. (928)	Waste Type 29 (Still bottoms from the distillation of benzyl chloride)	9329	8	96 100	—	—	—	—
2998. (929)	Waste Type 30 (Heavy ends or distillation residues from the production of carbon tetrachloride)	9330	6.1	96 100	—	—	—	—
2999. (930)	Waste Type 31 (Heavy ends (still bottoms) from the purification column in the production of epichlorohydrin)	9331	6.1	96 100	—	—	—	—
3000. (931)	Waste Type 32 (Heavy ends from the fractionation column in ethyl chloride production)	9332	3.1 6.1	96 100	—	—	—	—
3001. (932)	Waste Type 33 (Heavy ends from the distillation of ethylene dichloride in ethylene dichloride production)	9333	3.1 6.1	96 100	—	—	—	—
3002. (933)	Waste Type 34 (Heavy ends from the distillation of vinyl chloride in vinyl chloride monomer production)	9334	3.1 6.1	96 100	—	—	—	—
3003. (934)	Waste Type 35 (Aqueous spent antimony catalyst waste from fluoromethanes production)	9335	8 6.1	96 100	—	—	—	—

3004. (935)	Waste Type 36 (Distillation bottom tars from the production of phenol/acetone from cumene)	9336	6.1 8	96 100	-	-	-	II	-
3005. (936)	Waste Type 37 (Distillation light ends from the production of phthalic anhydride from naphthalene)	9337	8 6.1	96 100	-	-	-	III	-
3006. (937)	Waste Type 38 (Distillation bottoms from the production of phthalic anhydride from naphthalene)	9338	8	96 100	-	-	-	III	-
3007. (938)	Waste Type 39 (Distillation light ends from the production of phthalic anhydride from ortho-xylene)	9339	8	96 100	-	-	-	III	-
3008. (939)	Waste Type 40 (Distillation bottoms from the production of phthalic anhydride from ortho-xylene)	9340	8	96 100	-	-	-	III	-
3009. (940)	Waste Type 41 (Distillation bottoms from the production of nitrobenzene by the nitration of benzene)	9341	6.1 3	96 100	-	-	-	II	-
3010. (941)	Waste Type 42 (Stripping still tails from the production of methyl ethyl pyridines)	9342	3.1	96	-	-	-	II	-
3011. (942)	Waste Type 43 (Centrifuge and distillation residues from toluene diisocyanate production)	9343	6.1 3	96 100	-	-	-	II	-
3012. (943)	Waste Type 44 (Spent catalyst from the hydrochlorinator reactor in the production of 1,1,1-trichloroethane)	9344	6.1 3	96 100	-	-	-	II	-
3013. (944)	Waste Type 45 (Waste from the product stream stripper in the production of 1,1,1-trichloroethane)	9345	6.1 3	96 100	-	-	-	II	-
3014. (945)	Waste Type 46 (Distillation bottoms from the production of 1,1,1-trichloroethane)	9346	6.1	96	-	-	-	II	-
3015. (946)	Waste Type 47 (Heavy ends from the heavy ends columns from the production of 1,1,1-trichloroethane)	9347	6.1 3	96 100	-	-	-	II	-
3016. (947)	Waste Type 48 (Column bottoms or heavy ends from the combined production of tri-chloroethylene and perchloroethylene)	9348	6.1	96 100	-	-	-	II	-
3017. (948)	Waste Type 49 (Distillation bottoms from aniline production)	9349	6.1	96	-	-	-	II	-
3018. (949)	Waste Type 50 (Process residues from aniline extraction from the production of aniline)	9350	6.1	96 100	-	-	-	II	-
3019. (950)	Waste Type 51 (Combined wastewater streams generated from nitrobenzene/aniline production)	9351	6.1	96 100	-	-	-	II	-
3020. (951)	Waste Type 52 (Distillation or fractionating column bottoms from the production of chlorobenzenes)	9352	6.1	96 100	-	-	-	II	-
3021. (952)	Waste Type 53 (Separated aqueous stream from the reactor product washing step in the production of chlorobenzene)	9353	6.1	96 100	-	-	-	II	-
3022. (953)	Waste Type 54 (By-product salts generated in the production of MSMA and cacodylic acid)	9354	6.1	96 100	-	-	-	II	-
3023. (954)	Waste Type 55 (Wastewater treatment sludge from the production of chloroethane)	9355	6.1	96	-	-	-	II	-
3024. (955)	Waste Type 56 (Wastewater and scrub water from the chlorination of cyclopentadiene in the production of chloroethane)	9356	6.1	96 100	-	-	-	I	-
3025. (956)	Waste Type 57 (Filter solids from the filtration of hexachlorocyclopentadiene in the production of chloroethane)	9357	6.1	96 100	-	-	-	I	-

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
3026. (957)	9358	6.1	96 100	-	-	II	-	-
Waste Type 58 (Vacuum stripper discharge from the chloridane chlorinator in the production of chloridane)								
3027. (958)	9359	6.1	96 100	-	-	II	-	-
Waste Type 59 (Wastewater treatment sludges generated in the production of creosote)								
3028. (959)	9360	6.1 3	96 100	-	-	II	-	-
Waste Type 60 (Still bottoms from toluene reclamation distillation in the production of disulfoton)								
3029. (960)	9361	6.1	96 100	-	-	II	-	-
Waste Type 61 (Wastewater treatment sludges from the production of disulfoton)								
3030. (961)	9362	6.1	96 100	-	-	II	-	-
Waste Type 62 (Wastewater from the washing and stripping of phorate production)								
3031. (962)	9363	6.1	96 100	-	-	II	-	-
Waste Type 63 (Filter cake from the filtration of diethylphosphorothioic acid in the production of phorate)								
3032. (963)	9364	6.1	96	-	-	II	-	-
Waste Type 64 (Wastewater treatment sludge from the production of phorate)								
3033. (964)	9365	6.1	96	-	-	II	-	-
Waste Type 65 (Wastewater treatment sludge from the production of toxaphene)								
3034. (965)	9366	6.1	96 100	-	-	II	-	-
Waste Type 66 (Unreated process wastewater from the production of toxaphene)								
3035. (966)	9367	6.1	96 100	-	-	II	-	-
Waste Type 67 (Heavy ends or distillation residues from the distillation of tetrachlorobenzene in the production of 2,4,5-T)								
3036. (967)	9368	6.1	96	-	-	II	-	-
Waste Type 68 (2,6-Dichlorophenol waste from the production of 2,4-D)								
3037. (968)	9369	6.1	96	-	-	II	-	-
Waste Type 69 (Unreated wastewater from the production of 2,4-D)								
3038. (969)	9370	6.1	96 100	-	-	II	-	-
Waste Type 70 (Wastewater treatment sludges from the manufacturing and processing of explosives)								
3039. (970)	9371	9.3	96 100	-	-	III	-	-
Waste Type 71 (Spent carbon from the treatment of wastewater containing explosives)								
3040. (971)	9372	6.1	96 100	-	-	II	-	-
Waste Type 72 (Wastewater treatment sludges from the manufacturing, formulation, and loading of lead-based initiating compounds)								
3041. (972)	9373	6.1	96	-	-	II	-	-
Waste Type 73 (Pink/red water from TNT operations)								
3042. (973)	9374	3.1	96 100	-	-	II	-	-
Waste Type 74 (Dissolved air flotation (DAF) float from the petroleum refining industry)								
3043. (974)	9375	6.1	96 100	-	-	II	-	-
Waste Type 75 (Slip oil emulsion solids from the petroleum refining industry)								

3044. (975)	Waste Type 76 (Heat exchanger bundle cleaning sludge from the petroleum refining industry)	9376	6.1 8	96 100	-	-	-	II
3045. (976)	Waste Type 77 (API separator sludge from the petroleum refining industry)	9377	3.1	96	-	-	-	II
3046. (977)	Waste Type 78 (Tanks bottoms (lead)) from the petroleum refining industry)	9378	6.1 4.1	100 100	-	-	-	II
3047. (978)	Waste Type 79 (Ammonia still lime sludge from coking operations)	9379	9.3	96	-	-	-	III
3048. (979)	Waste Type 80 (Emission control dust/sludge from the primary production of steel in electric furnaces)	9380	9.3	100 100	-	-	-	III
3049. (980)	Waste Type 81 (Spent pickle liquor from steel finishing operations)	9381	8	96	-	-	-	II
3050. (981)	Waste Type 82 (Sludge from lime treatment of spent pickle liquor from steel finishing operations)	9382	9.3	96 100	-	-	-	III
3051. (982)	Waste Type 83 (Acid plant blowdown slurry/sludge resulting from the thickening of blowdown slurry from primary copper production)	9383	9.3	96 100	-	-	-	III
3052. (983)	Waste Type 84 (Surface impoundment solids contained in and dredged from surface impoundments at primary lead smelting facilities)	9384	9.3	96 100	-	-	-	III
3053. (984)	Waste Type 85 (Sludge from treatment of process wastewater and/or acid plant blowdown from primary zinc production)	9385	9.3	96 100	-	-	-	III
3054. (985)	Waste Type 86 (Electrolytic anode slimes/sludges from primary zinc production)	9386	9.3	96 100	-	-	-	III
3055. (986)	Waste Type 87 (Cadmium plant leach residue (iron oxide) from primary zinc production)	9387	9.3	96 100	-	-	-	III
3056. (987)	Waste Type 88 (Emission control dust/sludge from secondary lead smelting)	9388	6.1	96 100	-	-	-	II
3057. (988)	Waste Type 89 (Waste leaching solution from acid leaching of emission control dust/sludge from secondary lead smelting)	9389	6.1 8	96 100	-	-	-	II
3058. (989)	Waste Type 90 (Brine purification muds from the mercury cell process in chlorine production where separately prepurified brine is not used)	9390	9.3	96 100	-	-	-	III
3059. (990)	Waste Type 91 (Chlorinated hydrocarbon wastes from the purification step of the diaphragm cell process using graphite anodes in chlorine production)	9391	6.1	96 100	-	-	-	II
3060. (991)	Waste Type 92 (Wastewater treatment sludge from the mercury cell process in chlorine production)	9392	9.3	96 100	-	-	-	III
3061. (992)	Waste Type 93 (Solvent washes and sludges, caustic washes and sludges, or water washes and sludges from cleaning tubs and equipment used in the formulation of ink from pigments, driers, soaps, and stabilizers containing chromium and lead)	9393	6.1 3	96 100	-	-	-	II
3062. (993)	Waste Type 94 (Wastewater treatment sludges generated during the production of veterinary pharmaceuticals from arsenic or organoarsenic compounds)	9394	6.1	96 100	-	-	-	II

SCHEDULE II—Con.
LIST II—Con.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
3063. (994)	Waste Type 95 (Distillation tar residues from the distillation of aniline-based compounds in the production of veterinary pharmaceuticals from arsenic or organo-arsenic compounds)	9395	6.1	96 100	—	—	II	—	—
3064. (995)	Waste Type 96 (Residue from the use of activated carbon for decolourization in the production of veterinary pharmaceuticals from arsenic or organo-arsenic compounds)	9396	6.1	96 100	—	—	II	—	—
3065. (996)	Waste Type 97 (Decanter tank tar sludge from coking operations)	9397	6.1	96 100	—	—	II	—	—
3066. (997)	Waste Type 98 (Wastestreams having a flashpoint not greater than 61°C)	9398	3.3	63 96	—	—	III	—	—
3067. (998)	Wheelchairs, electric, non-spillable battery		9	95	NR	9	—	NL	NL
3068. (999)	Wheelchairs, electric, spillable battery		9	95	NR	9	—	NL	NL
3069. (63)	White acid (ammonium bifluoride and hydrofluoric acid mixture)	1760	8 9.2	46 55	—	—	II	—	—
3070. (283)	White asbestos, see Asbestos, white								
3071. (2654)	WOOD PRESERVATIVES, LIQUID, flash point less than 23°C	1306	3.2		3.2 6.1	3	II	5 L	60 L
3072. (2655)	WOOD PRESERVATIVES, LIQUID, flash point less than 23°C	1306	3.2		—	3	III	60 L	220 L
3073. (2656)	WOOD PRESERVATIVES, LIQUID, flash point less than 61°C	1306	3.3	81	3.3 6.1	3	II	5 L	60 L
3074. (2657)	WOOD PRESERVATIVES, LIQUID, flash point less than 37.8°C	1306	3.3		—	3	III	60 L	220 L
3075. (2658)	Wood preservatives, liquid, flash point not less than 37.8°C but less than 61°C	1306	NR	73	—	3	III	60 L	220 L
3076. (998)	Wool waste, wet	1387	4.2	37 46 56	4.2	4.2	III	p	p
3077. (3096)	Xenon	2036	2.2	88	2.2	2	X	75 kg	150 kg
3078. (3097)	Xenon, refrigerated liquid	2591	2.2	46 56	2.2	2	X	50 kg	500 kg
3079. (3098)	XYLENES	1307	3.2		3.2	3	II	5 L	60 L
3080. (3099)	XYLENES	1307	9.2	81	3.3	3	II	5 L	60 L
3081. (3100)	XYLENES	1307	3.3	81	—	3	III	60 L	220 L
3082. (3101)	Xylenols	2261	9.2	102	6.1	6.1	II	25 kg	100 kg
3083. (3102)	Xyldines	1711	6.1	102	6.1	6.1	II	5 L	60 L

3084. (508)	Xylyl bromide	1701	6.1	46. 56 90 99 102 47	6.1	6.1	II	P	60 L
3085. (1033)	p-Xylyl diazide		-				-	-	
3086. (31)	Zinc acetate	9153	9.2	49	-	-	III	-	-
3087. (785)	Zinc ammonium chloride	9154	9.2	49	-	-	III	-	-
3088. (2062)	Zinc ammonium nitrite	1512	5.1	46	P	5.1	II	5 kg	25 kg
3089. (339)	Zinc arsenate or Zinc arsenite or Zinc arsenate and Zinc arsenite mixtures	1712	6.1	48	6.1	6.1	II	25 kg	100 kg
3090. (3403)	Zinc ashes	1435	4.3	48	4.3	4.3	III	25 kg	100 kg
3091. (447)	Zinc borate	9155	9.2	49			III	-	-
3092. (465)	Zinc bromate	2469	5.1	89	5.1	5.1	II	25 kg	100 kg
3093. (509)	Zinc bromide	9156	9.2	49	-	-	III	-	-
3094. (573)	Zinc carbonate	9157	9.2	49			III	-	-
3095. (627)	Zinc chlorate	1513	5.1		5.1	5.1	II	5 kg	25 kg
3096. (786)	Zinc chloride, anhydrous	2331	8		8	8	III	25 kg	100 kg
3097. (787)	Zinc chloride, solution	1840	8		8	8	III	5 L	60 L
3098. (867)	Zinc cyanide	1713	6.1	46	6.1	6.1	I	5 kg	50 kg
3099. (1263)	Zinc dithionite or Zinc hydrosulphite	1931	9.2	102	9	9	III	100 kg	200 kg
3100. (1451)	Zinc fluoride	9158	9.2	46 49	-	-	III	-	-
3101. (1431)	Zinc fluorosilicate or Zinc silicofluoride	2855	9.2		6.1	6.1	III	100 kg	200 kg
3102. (1467)	Zinc formate	9159	9.2	49	-	-	III	-	-
3103. (1638)	Zinc hydrosulphite, see Zinc dithionite								
3104. (2041)	Zinc nitrate	1514	5.1	46	5.1	5.1	II	5 kg	25 kg
3105. (2231)	Zinc permanganate	1515	5.1	46	5.1	5.1	II	5 kg	25 kg
3106. (2305)	Zinc peroxide	1516	5.1	46	5.1	5.1	II	5 kg	25 kg
3107. (2558)	Zinc phenolsulphonate	9160	9.2	49	-	-	III	-	-
3108. (2605)	Zinc phosphide	1714	4.3	46 99	4.3 6.1	4.3 6.1	I	P	15 kg
3109. (3104)	Zinc, powder or Zinc dust	1436	9.2	102	4.3	4.3	II	15 kg	50 kg
3110. (2737)	Zinc resinates	2714	4.1	48	4.1	4.1	III	25 kg	100 kg
3111. (2785)	Zinc silicofluoride, see Zinc fluorosilicate								
3112. (2854)	Zinc sulphate	9161	9.2	49			III	-	-

SCHEDULE II—Conc.
LIST II—Conc.
DANGEROUS GOODS OTHER THAN EXPLOSIVES—Conc.

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
3113. (3114)	2858	4.1	48	4.1	4.1	III	25 kg	100 kg
Zirconium, dry, coiled wire, finished metal sheets, strip (thinner than 254 micrometres but not thinner than 18 micrometres)								
3114. (3113)	2009	4.2	48	4.2	4.2	III	25 kg	100 kg
Zirconium, dry, finished sheets, strip or coiled wire (thinner than 18 micrometres)								
3115. (1664)	1437	4.1	48	4.1	4.1	II	p	50 kg
Zirconium hydride								
3116. (2042)	2728	5.1	99	5.1	5.1	III	25 kg	100 kg
Zirconium nitrate								
3117. (2610)	1517	5.1	46	5.1	5.1	I	p	15 kg
Zirconium picramate, wetted with not less than 20 per cent water, by mass								
3118. (1452)	9162	9.2	49	—	—	III	—	—
Zirconium potassium fluoride								
3119. (3111)	2008	4.2	46	4.2	4.2	II	p	50 kg
Zirconium powder, dry (a) Mechanically produced, particle size between 3 and 53 micrometres; (b) Chemically produced, particle size between 10 and 840 micrometres								
3120. (3110)	—	—	47	—	—	—	—	—
Zirconium powder, dry Mechanically produced, particle size less than 3 micrometres								
3121. (3109)	—	—	47	—	—	—	—	—
Zirconium powder, dry Chemically produced, particle size less than 10 micrometres								
3122. (3108)	1358	4.1	46	4.1	4.1	II	p	50 kg
Zirconium powder, wetted with not less than 25 per cent water (a visible excess of water must be present) (a) Mechanically produced, particle size less than 53 micrometres; (b) Chemically produced, particle size less than 840 micrometres								
3123. (3107)	1932	4.2	99	4.2	4.2	III	p	p
Zirconium scrap								
3124. (2855)	9163	8	99	—	—	III	—	—
Zirconium sulphate								
3125. (3112)	1308	3.1	46	3.1	3	II	p	60 L
Zirconium suspended in a liquid (non-reactive)								
3126. (2910)	2503	8	99	8	8	III	25 kg	100 kg
Zirconium tetrachloride								

ANNEXE II
LISTE I
EXPLOSIFS

Arti- cle	Col. I Appellation réglementaire et description	Col. II Numéro d'identi- fication du produit	Col. III Clas- sifi- cation	Col. IV Dis- posi- tions parti- culi- ers	Col. V Aérien: quantité nette maximale par emba- lage ou prohi- bition cargo passa- gers	Col. VI Véhi- cule routier de voya- geurs de trans- port public (kg)	Col. VII Voi- ture à pas- sagers (kg)	Col. VIII Route: véhicule sans P.T.E. (kg)	Col. IX Route: véhicule avec P.T.E. (kg)
1. (240)	Acide picrique, voir Trinitrophénol								
2. (312)	Acide styhynique, voir Trinitroresorcinol								
3. (318)	Acide tétrazoyl-e-1 acétique	UN0407	1.4C	26	75 kg p	p	p	2000	20 000
4. (328)	Acide trinitrobenzène sulfonique	UN0386	1.1L	7 102	p	p	p	2000	20 000
5. (329)	Acide trinitrobenzoïque, sec ou humidifié avec moins de 30% d'eau, en masse	UN0215	1.1D	10 22 26 102	p	p	p	2000	20 000
6. (208)	Allumeurs pour mèche de mineur	UN0131	1.4S		100 kg 25 kg p	NL	NL	-	N.Rqs.
7. (251)	Amorces à percussion	UN0377	1.1B	22 26 102 26	p	p	p	2000	20 000
8. (252)	Amorces à percussion	UN0378	1.4B		75 kg p	3	75	-	N.Rqs.
9. (250)	Amorces à percussion	UN0044	1.4S		100 kg 25 kg p	NL	NL	-	N.Rqs.
10. (253)	Amorces tubulaires	UN0319	1.3G	22 26 26	p	p	p	2000	20 000
11. (254)	Amorces tubulaires	UN0320	1.4G		75 kg p	3	75	2000	20 000
12. (255)	Amorces tubulaires	UN0376	1.4S		100 kg 25 kg p	NL	NL	-	N.Rqs.
13. (154)	Artifice, type A	UN0333	1.1G	22 26 102	p	p	p	2000	20 000
14. (155)	Artifice, type B	UN0334	1.2G	5 11 22	p	p	75	2000	20 000
15. (156)	Artifice, type C	UN0335	1.3G	102 5 11 22	p	3	75	-	N.Rqs.

ANNEXE II—Suite
LISTE I—Suite
EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
16. (157)	Artifice, type D UN0336	1.4G	5	75 kg p	20	75	—	N.Rqs.
17. (158)	Artifice, type D UN0337	1.4S		100 kg p	NL	NL	—	N.Rqs.
18. (159)	Artifices de signalisation à main UN0191	1.4G	26	25 kg 75 kg p	20	75	—	N.Rqs.
19. (160)	Artifices de signalisation à main UN0373	1.4S		100 kg 25 kg p	NL	NL	—	N.Rqs.
20. (161)	Attaches pyrotechniques explosives UN0173	1.4S		100 kg 25 kg p	3	75	—	N.Rqs.
21. (162)	Azoture de baryum, sec ou humidifié avec moins de 50% d'eau, en masse UN0224	1.1A 6.1	14 22 26	p	p	p	2000	20 000
22. (163)	Azoture de plomb humidifié avec pas moins de 20% d'eau, en masse, ou d'un mélange d'alcool et d'eau UN0129	1.1A	102 22 26	p	p	p	2000	20 000
23. (164)	Bombes avec charge d'éclatement UN0033	1.1F	102 26	p	p	p	p	p
24. (165)	Bombes avec charge d'éclatement UN0034	1.1D	102 22 26	p	p	p	2000	20 000
25. (166)	Bombes avec charge d'éclatement UN0035	1.2D	102 22 26	p	p	p	2000	20 000
26. (167)	Bombes avec charge d'éclatement UN0291	1.2F	102 26	p	p	p	p	p
27. (168)	Bombes contenant un liquide inflammable avec charge d'éclatement UN0399	1.1J	102 22	p	p	p	2000	20 000
28. (169)	Bombes contenant un liquide inflammable avec charge d'éclatement UN0400	1.2J	99 22	p	p	p	2000	20 000
29. (170)	Bombes éclairantes UN0093	1.3G	21 22 25	p	p	75	—	N.Rqs.
30. (171)	Bombes éclairantes UN0403	1.4G	25	75 kg p	3	75	—	N.Rqs.
31. (172)	Bombes éclairantes UN0404	1.4S		100 kg 25 kg p	NL	NL	—	N.Rqs.
32. (173)	Bombes éclairantes UN0420	1.1G	22 25	p	p	p	2000	20 000
33. (174)	Bombes éclairantes UN0421	1.2G	22 25	p	p	p	2000	20 000
34. (175)	Bombes, photo-éclair UN0037	1.1F	26 102	p	p	p	p	p
35. (176)	Bombes, photo-éclair UN0038	1.1D	22 26	p	p	p	2000	20 000
36. (177)	Bombes, photo-éclair UN0039	1.2G	102 22 26 102	p	p	p	2000	20 000

37. (47)	Bombes, photo-éclair	UN0299	1.3G	22 26	P	P	P	2000	20 000
38. (305)	Capsules de sondage, explosives	UN0204	1.2F	26	P	P	P	P	P
39. (306)	Capsules de sondage, explosives	UN0296	1.1F	102	P	P	P	P	P
40. (307)	Capsules de sondage, explosives	UN0374	1.1E	102 26	P	P	P	2000	20 000
41. (308)	Capsules de sondage, explosives	UN0375	1.2E	102 22 26	P	P	P	2000	20 000
42. (083)	Cartouches de signalisation	UN0054	1.3G	102	P	P	75	-	N.Rqs.
43. (84)	Cartouches de signalisation	UN0312	1.4G	26	75 kg	3	75	2000	20 000
44. (85)	Cartouches de signalisation	UN0405	1.4S	22	P 100 kg 25 kg	NL	NL	N.Rqs.	N.Rqs.
45. (82)	Cartouches de sûreté, voir Cartouches pour armes (UN0012, UN0014) ou Cartouches pour pyromécanismes (UN0323)								
46. (59)	Cartouches-éclair	UN0049	1.1G	22 26	P	P	P	2000	20 000
47. (060)	Cartouches-éclair	UN0050	1.3G	102	P	P	75	-	N.Rqs.
48. (61)	Cartouches pour armes, ou Cartouches de sûreté, autres qu'à blanc	UN0012	1.4S	22 26	100 kg 25 kg	NL	NL	-	N.Rqs.
49. (66)	Cartouches pour armes à blanc ou Cartouches de sûreté à blanc	UN0014	1.4S		100 kg 25 kg	NL	NL	N.Rqs.	N.Rqs.
50. (62)	Cartouches pour armes à blanc	UN0326	1.1C	22 26	P	P	P	2000	20 000
51. (63)	Cartouches pour armes à blanc	UN0327	1.3C	102	P	P	P	2000	20 000
52. (64)	Cartouches pour armes à blanc	UN0338	1.4C	26	75 kg	3	75	-	N.Rqs.
53. (65)	Cartouches pour armes à blanc	UN0413	1.2C	22	P	P	P	2000	20 000
54. (073)	Cartouches pour armes à projectile inerte	UN0328	1.2C	26 22 26	P	P	P	2000	20 000
55. (74)	Cartouches pour armes à projectile inerte	UN0339	1.4C	102	75 kg	3	75	-	N.Rqs.
56. (75)	Cartouches pour armes à projectile inerte	UN0417	1.3C	22	P	P	P	2000	20 000
57. (67)	Cartouches pour armes avec charge d'éclatement	UN0005	1.1F	26	P	P	P	P	P
58. (068)	Cartouches pour armes avec charge d'éclatement	UN0007	1.2F	102	P	P	P	P	P
59. (69)	Cartouches pour armes avec charge d'éclatement	UN0348	1.4F	102	P	P	P	P	P
60. (70)	Cartouches pour armes avec charge d'éclatement	UN0412	1.4E	26	75 kg	P	P	2000	20 000
61. (71)	Cartouches pour armes avec charge d'éclatement (projectiles avec charge pulsive)	UN0006	1.1E	22	P	P	P	2000	20 000
62. (72)	Cartouches pour armes avec charge d'éclatement (projectiles avec charge pulsive)	UN0321	1.2E	102 22 26	P	P	P	2000	20 000

ANNEXE II—Suite
LISTE I—Suite
EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
63. (76)	Cartouches pour puits de pétrole	UN0277	1.3C	21 22 26	p	p	75	2000	20 000
64. (77)	Cartouches pour puits de pétrole	UN0278	1.4C	26	75 kg	3	75	—	N. Rqs.
65. (78)	Cartouches pour pyromécanismes	UN0275	1.3C	21 22 26	p	p	75	2000	20 000
66. (79)	Cartouches pour pyromécanismes	UN0276	1.4C	26	75 kg	3	75	—	N. Rqs.
67. (81)	Cartouches pour pyromécanismes	UN0381	1.2C	22 26	p	p	p	2000	20 000
68. (80)	Cartouches pour pyromécanismes ou Cartouches de sûreté	UN0323	1.4S	102	100 kg	20	75	—	N. Rqs.
69. (103)	Charges creuses industrielles, sans détonateur	UN0059	1.1D	21 22 26	25 kg p	p	75	2000	20 000
70. (104)	Charges creuses industrielles, sans détonateur	UN0439	1.2D	102 11 22	p	p	75	2000	20 000
71. (105)	Charges creuses industrielles, sans détonateur	UN0440	1.4D	26	75 kg	p	75	2000	20 000
72. (106)	Charges creuses industrielles, sans détonateur	UN0441	1.4S	26	100 kg	3	75	—	N. Rqs.
73. (107)	Charges creuses, souples, profilées à enveloppe métallique	UN0237	1.4D	26	25 kg 75 kg	3	75	2000	20 000
74. (108)	Charges creuses, souples, profilées à enveloppe métallique	UN0288	1.1D	21 22 26	p	p	75	2000	20 000
75. (58)	Charges de dispersion, explosives	UN0043	1.1D	102 22 26	p	p	p	2000	20 000
76. (90)	Charges explosives industrielles, sans détonateur	UN0442	1.1D	102 11 22	p	p	75	2000	20 000
77. (91)	Charges explosives industrielles, sans détonateur	UN0443	1.2D	26 22	p	p	75	2000	20 000
78. (92)	Charges explosives industrielles, sans détonateur	UN0444	1.4D	26	75 kg	p	75	2000	20 000
79. (93)	Charges explosives industrielles, sans détonateur	UN0445	1.4S	26	100 kg 25 kg	3	75	—	N. Rqs.
80. (94)	Charges propulsives pour canons	UN0242	1.3C	22	p	p	75	2000	20 000
81. (95)	Charges propulsives pour canons	UN0279	1.1C	22 26	p	p	p	2000	20 000
82. (96)	Charges propulsives pour canons	UN0414	1.2C	102 22 26	p	p	p	2000	20 000

83. (97)	Charges propulsives pour moteurs-fusées	UN0271	1.1C	22 26	p	p	p	20 000	20 000
84. (98)	Charges propulsives pour moteurs-fusées	UN0272	1.3C	102	p				
85. (99)	Charges propulsives pour moteurs-fusées	UN0415	1.2C	26	p		75	2000	20 000
86. (100)	Charges propulsives pour moteurs-fusées, poudre composite	UN0273	1.1C	26	p	p	p	2000	20 000
87. (101)	Charges propulsives pour moteurs-fusées, poudre composite	UN0274	1.3C	102	p	p			
88. (102)	Charges propulsives pour moteurs-fusées, poudre composite	UN0416	1.2C	26	p	p	75	2000	20 000
89. (242)	Chlorure de peryle, voir, Trinitro-chlorobenzène			26					
90. (121)	Cisailles pyrotechniques	UN0070	1.4S		100 kg 25 kg	3	75	-	N.Rqs.
91. (110)	Composants de chaîne pyrotechnique, n.s.a.	UN0382	1.2B	47	p	p	p	p	p
92. (111)	Composants de chaîne pyrotechnique, n.s.a.	UN0383	1.4B	102	p	p	p	p	p
93. (112)	Composants de chaîne pyrotechnique, n.s.a.	UN0384	1.4S	26	100 kg 25 kg 75 kg	p	p	p	p
94. (169)	Cordeau d'allumage enveloppe métallique	UN0103	1.4G	26	p	3	75	-	N.Rqs.
95. (119)	Cordeau détonant à charge faible à enveloppe métallique	UN0104	1.4D	26	p	3	75	-	N.Rqs.
96. (117)	Cordeau détonant à enveloppe métallique	UN0102	1.2D	21 22	p	p	75	2000	20 000
97. (118)	Cordeau détonant à enveloppe métallique	UN0290	1.1D	102 21 22	p	p	75	2000	20 000
98. (115)	Cordeau détonant souple	UN0065	1.1D	26	p	p	75	2000	20 000
99. (116)	Cordeau détonant souple	UN0289	1.4D	102	p	p	75	2000	20 000
100. (122)	Cyclonite, voir Cyclo-triméthylènenitramine			21 22					
101. (123)	Cyclotétraméthylènetétranitramine humidifié ou Octogène humidifié avec pas moins de 15 % d'eau, en masse ou Cyclo-tétraméthylènetétranitramine désensibilisé ou Octogène désensibilisé avec pas moins de 10 % de flegmatisant, en masse	UN0226	1.1D	22 26 102	p	p	p	2000	20 000
102. (124)	Cyclotriméthylènenitramine humidifié, ou Cyclonite humidifié, ou Hexogène humidifié, ou RDX, humidifié avec pas moins de 15 % d'eau, en masse, ou Cyclo-triméthylènenitramine désensibilisé ou Cyclonite désensibilisé, ou Hexogène désensibilisé, ou RDX, désensibilisé, avec pas moins de 10 % de flegmatisant, en masse	UN0072	1.1D 6.1	22 26 102	p	p	p	2000	20 000

ANNEXE II—Suite
LISTE I—Suite
EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
103. (125)	Cyclotriméthylènetrinitramine et Cyclotétraméthylènetrinitramine, en mélanges, humidifiés avec pas moins de 15 % d'eau, en masse ou Cyclotriméthylènetrinitramine et Cyclotétraméthylènetrinitramine, en mélanges, désensibilisés avec pas moins de 10 % de flegmatisant, en masse	UN0391	1.1D 22 26 102	P	P	P	2000	20 000
104. (133)	Détonateurs, électriques, pour le sautage	UN0030	1.1B 16 19 22 26 102	P	P	100 unités	—	100 % C.C.
105. (134)	Détonateurs, électriques, pour le sautage	UN0255	1.4B 16	75 kg	P	100 unités	—	100 % C.C.
106. (135)	Détonateurs, non électriques, pour le sautage	UN0029	1.1B 19 22 26 102	P	P	100 unités	2000	5 000
107. (136)	Détonateurs, non électriques, pour le sautage	UN0267	1.4B 26	75 kg	P	100 unités	2000	20 000
108. (129)	Détonateurs pour munitions	UN0073	1.1B 22 26	P	P	P	2000	5 000
109. (130)	Détonateurs pour munitions	UN0364	1.2B 102 22 26	P	P	P	2000	5 000
110. (131)	Détonateurs pour munitions	UN0365	1.4B 26	75 kg	P	P	—	N.Rqs.
111. (132)	Détonateurs pour munitions	UN0366	1.4S 22	100 kg	3	75	—	N.Rqs.
112. (137)	Diazodinitrophénol humidifié avec pas moins de 40 % d'eau, en masse, ou d'un mélange d'alcool et d'eau	UN0074	1.1A 22 26	25 kg	P	P	2000	20 000
113. (138)	Dinitrate de diéthylène glycol désensibilisé avec pas moins de 25 % de flegmatisant non volatil insoluble dans l'eau, en masse	UN0075	1.1D 22 26	P	P	P	P	P
114. (302)	Dinitrocrésate de sodium sec ou humidifié avec moins de 15 % d'eau, en masse	UN0234	1.3C 102 22	P	P	P	2000	20 000
115. (139)	Dinitrophénol sec ou humidifié avec moins de 15 % d'eau, en masse	UN0076	1.1D 22 26	P	P	P	2000	20 000
116. (140)	Dinitrophénolates, alcalins, secs ou humidifiés avec moins de 15 % d'eau, en masse	UN0077	1.3C 1 22 26	P	P	75	2000	20 000
117. (141)	Dinitroresorcinol sec ou humidifié avec moins de 15 % d'eau, en masse	UN0078	1.1D 22 26	P	P	P	2000	20 000
118. (142)	Dinitrosobenzène	UN0406	1.3C 102 22 26	P	P	P	2000	20 000

119. (143)	Dipicrylamine, voir Hexanitrodiphénylamine	UN0055	1.4S			NL	NL	N Rqs.
120. (86)	Douilles de cartouches vides, amorcées	UN0379	1.4C	26	100 kg 25 kg 75 kg	3	75	N Rqs.
121. (87)	Douilles de cartouches vides, amorcées	UN0190		12	P	P	P	P
122. (292)	Échantillons d'explosifs, autres que les explosifs d'amorçage	UN0180	1.1F	26	P	P	P	P
123. (284)	Engins-fusées avec charge d'éclatement	UN0181	1.1E	102	P	P	20 000	20 000
124. (285)	Engins-fusées avec charge d'éclatement	UN0182	1.2E	22	P	P	20 000	20 000
125. (286)	Engins-fusées avec charge d'éclatement	UN0295	1.2F	26	P	P	P	P
126. (287)	Engins-fusées avec charge d'éclatement	UN0436	1.2C	22	P	P	20 000	20 000
127. (288)	Engins-fusées avec charge d'expulsion	UN0437	1.3C	26	P	P	20 000	20 000
128. (289)	Engins-fusées avec charge d'expulsion	UN0438	1.4C	26	75 kg P	P	20 000	20 000
129. (290)	Engins-fusées avec charge d'expulsion	UN0397	1.1J	22	P	P	20 000	20 000
130. (282)	Engins-fusées à propergol liquid avec charge d'éclatement	UN0398	1.2J	99	P	P	20 000	20 000
131. (283)	Engins-fusées à propergol liquid avec charge d'éclatement	UN0183	1.3C	22	P	P	20 000	20 000
132. (291)	Engins-fusées à tête inerte	UN0248	1.2L	26	P	P	20 000	20 000
133. (113)	Engins hydroactifs, avec charge de dispersion, charge d'expulsion ou charge propulsive	UN0249	1.3L	99	P	P	20 000	20 000
134. (114)	Engins hydroactifs avec charge de dispersion, charge d'expulsion ou charge propulsive	UN0223	1.1D	22	P	P	20 000	20 000
135. (02)	Engrais au nitrate d'ammonium ayant une sensibilité supérieure à celle du nitrate d'ammonium contenant 0,2 % de matière combustible, y compris toute matière organique exprimée en équivalent carbone, à l'exclusion de toute autre matière	UN0360	1.1B	19	P	P	100 unités	20 000
136. (127)	Ensembles à détonateurs, non électriques, pour le sautage	UN0361	1.4B	22	75 kg P	P	100 unités	100% C.
137. (128)	Ensembles à détonateurs, non électriques, pour le sautage	UN0081	1.1D	26	P	P	2000	5 000
138. (147)	Explosif de sautage, type A ou Explosif de mine, type A	UN0082	1.1D	21	P	P	75	20 000
139. (148)	Explosif de sautage, type B ou Explosif de mine, type B	UN0331	1.5D	22	P	P	75	20 000
140. (149)	Explosif de sautage, type B ou Explosif de mine, type B			26	P	P	75	20 000

ANNEXE II—Suite
LISTE I—Suite
EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
141. (150)	Explosif de sautage, type C ou Explosif de mine, type C	UN0083	1.1D	4 21 22 26 102	p	p	75	2000	20 000
142. (151)	Explosif de sautage, type D ou Explosif de mine, type D	UN0084	1.1D	21 22 26 102	p	p	75	2000	20 000
143. (152)	Explosif de sautage, type E ou Explosif de mine, type E	UN0241	1.1D	102 21 22 26	p	p	75	2000	20 000
144. (153)	Explosif de sautage, type E ou Explosif de mine, type E	UN0332	1.5D	102 17 21 22 23 26	p	p	75	2000	20 000
145. (210)	Fulminate de mercure, humidifié avec pas moins de 20% d'eau, en masse, ou d'un mélange d'alcool et d'eau	UN0135	1.1A	22 26 102	p	p	p	2000	20 000
146. (179)	Fusées-allumeurs	UN0316	1.3G	22 26	p	p	p	2000	20 000
147. (180)	Fusées-allumeurs	UN0317	1.4G	26	75 kg p	3	75	2000	20 000
148. (181)	Fusées-allumeurs	UN0368	1.4S		100 kg 25 kg	3		N.Rqs.	
149. (172)	Fusées-détonateurs	UN0106	1.1B	22 26	p	p	p	2000	20 000
150. (173)	Fusées-détonateurs	UN0107	1.2B	102 22 26	p	p	p	2000	20 000
151. (174)	Fusées-détonateurs	UN0257	1.4B	102 26	75 kg p	p	p	—	100% C.C.
152. (175)	Fusées-détonateurs	UN0367	1.4S		100 kg 25 kg	3	75	—	N.Rqs.
153. (176)	Fusées détonateurs avec caractéristiques de protection	UN0408	1.1D	22 26 28	p	p	p	2000	20 000
154. (177)	Fusées détonateurs avec caractéristiques de protection	UN0409	1.2D	22 26 28	p	p	p	2000	20 000
155. (178)	Fusées détonateurs avec caractéristiques de protection	UN0410	1.4D	26 28	75 kg p	p	p	2000	20 000
156. (286)	Fusées porte-amarres	UN0238	1.2G	22 26	p	p	p	2000	20 000
157. (281)	Fusées porte-amarres	UN0240	1.3G	102 22 26 102	p	3	25	—	N.Rqs.

158. (244)	Galette, humidifiée avec pas moins de 17 % d'alcool, en masse	UN0433	1.1C	22	p	p	75	2000	20 000
159. (245)	Galette, humidifiée avec pas moins de 35 % d'eau, en masse	UN0159	1.3C	26	p	p	75	2000	20 000
160. (182)	Grenades, à main ou à fusil, avec charge d'éclatement	UN0284	1.1D	22	p	p	p	2000	20 000
161. (184)	Grenades, à main ou à fusil, avec charge d'éclatement	UN0285	1.2D	102	p	p	p	2000	20 000
162. (183)	Grenades, à main ou à fusil, avec charge d'éclatement	UN0292	1.1F	26	p	p	p	p	p
163. (185)	Grenades, à main ou à fusil, avec charge d'éclatement	UN0293	1.2F	102	p	p	p	p	p
164. (188)	Grenades d'exercice à main ou à fusil	UN0110	1.4S	102	100 kg 25 kg	3	75	-	N Rqs.
165. (187)	Grenades d'exercice, à main ou à fusil	UN0318	1.3G	22	p	p	p	2000	20 000
166. (186)	Grenades d'exercice, à main ou à fusil	UN0372	1.2G	26	p	p	p	2000	20 000
167. (89)	Grenades sous-marines	UN0056	1.1D	102	p	p	p	2000	20 000
168. (241)	Guanite, voir Nitroguanidine			26					
169. (189)	Guanyl nitrosaminoguanylidène hydrazine, humidifiée avec pas moins de 30 % d'eau, en masse	UN0113	1.1A	22	p	p	p	2000	20 000
170. (190)	Guanyl nitrosaminoguanylidène tétrazène humidifié ou Tétrazène humidifié, avec pas moins de 30 % d'eau, en masse ou d'un mélange d'alcool et d'eau	UN0114	1.1A	102	p	p	p	2000	20 000
171. (209)	Hexanitrate de mannitol humidifié ou Nitromannite humidifié avec pas moins de 40 % d'eau, en masse, ou d'un mélange d'alcool et d'eau	UN0133	1.1D	22	p	p	75	2000	20 000
172. (192)	Hexanitrodiphénylamine ou Dipierylamine ou Hexyl	UN0079	1.1D	22	p	p	p	2000	20 000
173. (193)	Hexanitrostilbène	UN0392	1.1D	102	p	p	p	2000	20 000
174. (194)	Hexatonal, coulé	UN0393	1.1D	26	p	p	p	2000	20 000
175. (195)	Hexogène, voir Cyclotri-méthylène trinitramine			102					
176. (196)	Hexolite sèche ou humidifiée avec moins de 15 % d'eau, en masse	UN0118	1.1D	6	p	p	p	2000	20 000
177. (197)	Hexyl, voir Hexanitrodiphénylamine			22					
178. (199)	Inflammateurs	UN0121	1.1G	26	p	p	75	2000	20 000
179. (200)	Inflammateurs	UN0314	1.2G	102	p	p	p	2000	20 000

ANNEXE II—Suite
LISTE I—Suite
EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
180. (201)	UN0315	1.3G	22	p	p	p	2000	20 000
181. (202)	UN0325	1.4G	26	75 kg	3	75	2000	20 000
182. (311)	UN0206	1.4S		p	3	100	—	N.Rqs.
183. (309)	UN0422	1.4B	26	100 kg 25 kg	p	unités	—	100% C.C.
184. (310)	UN0423	1.4G	26	75 kg	p	unités	—	100% C.C.
185. (313)	UN0357	1.1L	47	p	p	p	p	p
186. (314)	UN0358	1.2L	102	p	p	p	p	p
187. (315)	UN0359	1.3L	102	p	p	p	p	p
188. (120)	UN0066	1.4G	26	75 kg	3	75	—	N.Rqs.
189. (171)	UN0105	1.4S		100 kg 25 kg	NL	NL	—	N.Rqs.
190. (170)	UN0101	1.3G	11	p	p	25	2000	20 000
191. (212)	UN0136	1.1F	22	p	p	p	p	p
192. (213)	UN0137	1.1D	102	p	p	p	2000	20 000
193. (214)	UN0138	1.2D	26	p	p	p	2000	20 000
194. (215)	UN0294	1.2F	102	p	p	p	p	p
195. (273)	UN0186	1.3C	102	p	p	75	2000	20 000
196. (274)	UN0280	1.1C	26	p	p	p	2000	20 000
197. (275)	UN0281	1.2C	102	p	p	p	2000	20 000
198. (276)	UN0395	1.2J	22	p	p	p	2000	20 000
199. (277)	UN0396	1.3J	99	p	p	p	2000	20 000
200. (278)	UN0250	1.3L	99	p	p	p	2000	20 000
201. (279)	UN0322	1.2L	99	p	p	p	2000	20 000
			102					

202. (05)	Munitions éclairantes avec ou sans charge de dispersion, charge d'expulsion ou charge propulsive	UN0171	1.2G	22 26	p	p	p	2000	20 000
203. (06)	Munitions éclairantes avec ou sans charge de dispersion, charge d'expulsion ou charge propulsive	UN0254	1.3G	22 26	p	p	p	2000	20 000
204. (07)	Munitions éclairantes avec ou sans charge de dispersion, charge d'expulsion ou charge propulsive	UN0297	1.4G		<u>75 kg</u> p	p	p	-	N.Rqs.
205. (14)	Munitions fumigènes (autres que les munitions hydroactives) sans phosphore blanc ou phosphores, avec ou sans charge de dispersion, charge d'expulsion ou charge propulsive	UN0362	1.4G	26	<u>75 kg</u> p	p	p	-	100% C.C.
206. (16)	Munitions fumigènes (autres que les munitions hydroactives) sans phosphore blanc ou phosphores, avec ou sans charge de dispersion, charge d'expulsion ou charge propulsive	UN0015	1.2G 8	22 26 102	p	p	p	2000	20 000
207. (17)	Munitions fumigènes (autres que les munitions hydroactives) sans phosphore blanc ou phosphores, avec ou sans charge de dispersion, charge d'expulsion ou charge propulsive	UN0016	1.3G 8	22 26	p	p	p	2000	20 000
208. (18)	Munitions fumigènes (autres que les munitions hydroactives) sans phosphore blanc ou phosphores, avec ou sans charge de dispersion, charge d'expulsion ou charge propulsive	UN0303	1.4G	22 26	p	p	p	2000	20 000
209. (19)	Munitions fumigènes au phosphore blanc, (autres que les munitions hydroactives), avec charge de dispersion, charge d'expulsion ou charge propulsive	UN0245	1.2H	22 26 102	p	p	p	2000	20 000
210. (20)	Munitions fumigènes au phosphore blanc, (autres que les munitions hydroactives) avec charge de dispersion, charge d'expulsion ou charge propulsive	UN0246	1.3H	22 26	p	p	p	2000	20 000
211. (09)	Munitions incendiaires (autres que les munitions hydroactives) sans phosphore blanc ou phosphores, avec ou sans charge de dispersion, charge d'expulsion ou charge propulsive	UN0009	1.2G	22 26 102	p	p	p	2000	20 000
212. (10)	Munitions incendiaires (autres que les munitions hydroactives) sans phosphore blanc ou phosphores, avec ou sans charge de dispersion, charge d'expulsion ou charge propulsive	UN0010	1.3G	22 26	p	p	p	2000	20 000
213. (11)	Munitions incendiaires (autres que les munitions hydroactives) sans phosphore blanc ou phosphores, avec ou sans charge de dispersion, charge d'expulsion ou charge propulsive	UN0300	1.4G	26	<u>75 kg</u> p	p	p	-	N.Rqs.
214. (08)	Munitions incendiaires à liquides ou à gels, avec charge de dispersion, charge d'expulsion ou charge propulsive	UN0247	1.3J	22 99	p	p	p	2000	20 000
215. (12)	Munitions incendiaires, au phosphore blanc, avec charge de dispersion, charge d'expulsion ou charge propulsive	UN0243	1.2H	22 26 102	p	p	p	2000	20 000
216. (13)	Munitions incendiaires au phosphore blanc, avec charge de dispersion, charge d'expulsion ou charge propulsive	UN0244	1.3H	22 26	p	p	p	2000	20 000
217. (21)	Munitions lacrymogènes, avec charge de dispersion, charge d'expulsion ou charge propulsive	UN0018	1.2G 6.1 8	22 26 102	p	p	p	2000	20 000

ANNEXE II—Suite
LISTE I—Suite
EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
218. (22)	Munitions lacrymogènes, avec charge de dispersion charge d'expulsion ou charge propulsive	UN0019	1.3G 6.1 8	22 26	p	p	p	2000	20 000
219. (23)	Munitions lacrymogènes, avec charge de dispersion charge d'expulsion ou charge propulsive	UN0301	1.4G	22 26	p	p	p	2000	20 000
220. (15)	Munitions pour essais	UN0363	1.4G	26	75 kg p	p	p	—	100% C.C.
221. (24)	Munitions toxiques (autres que les munitions hydroactives) avec charge de dispersion, charge d'expulsion ou charge propulsive	UN0020	1.2K 6.1	22 99 102	p	p	p	2000	20 000
222. (25)	Munitions toxiques (autres que les munitions hydroactives) avec charge de dispersion, charge d'expulsion ou charge propulsive	UN0021	1.3K 6.1	22 99	p	p	p	2000	20 000
223. (01)	Nitrate d'ammonium, contenant plus de 0,2 % de matière combustible, y compris toute matière organique exprimée en équivalent carbone, à l'exclusion de toute autre matière	UN0222	1.1D	22 26 102	p	p	p	2000	20 000
224. (146)	Nitrate de l'éthylène glycol, solution	NA9204	1.5D	2	p	p	p	2000	20 000
225. (211)	Nitrate de méthylamine solution	NA9203	1.5D	2	p	p	p	2000	20 000
226. (343)	Nitrate d'urée, sec ou humidifié avec moins de 20 % d'eau, en masse	UN0220	1.1D	15 22 26	p	p	p	2000	20 000
227. (226)	Nitroamidon sec ou humidifié avec moins de 20 % d'eau, en masse	UN0146	1.1D	102 22 26	p	p	75	2000	20 000
228. (216)	Nitro-5 benzotriazol	UN0385	1.1D	27 22 26	p	p	p	2000	20 000
229. (217)	Nitrocellulose, sèche ou humidifiée avec moins de 25 %, en masse, d'eau (ou d'alcool)	UN0340	1.1D	102 22 26	p	p	p	2000	20 000
230. (219)	Nitrocellulose, non modifiée ou plastifiée avec moins de 18 % de matière plastifiante, en masse	UN0341	1.1D	102 22 26	p	p	p	2000	20 000
231. (220)	Nitrocellulose humidifiée avec pas moins de 25 % d'alcool, en masse	UN0342	1.3C	102 22 26	p	p	p	—	N Rqs.
232. (218)	Nitrocellulose plastifiée avec pas moins de 18 % de matière plastifiante, en masse	UN0343	1.3C	29 22 26	p	p	p	2000	20 000
233. (221)	Nitroglycérine, désensibilisée avec pas moins de 40 % de flegmatisant non volatil insoluble dans l'eau, en masse	UN0143	1.1D 6.1	29 22 26 102	p	p	p	p	p

234. (222)	Nitroglycérine, en solution alcoolique avec plus de 1 % mais pas plus de 10 % de nitroglycérine	UN0144	1.1D	9 22 26	p	p	75	2000	20 000
235. (223)	Nitroguanidine ou Guanite sèche ou humidifiée avec moins de 20 % d'eau, en masse	UN0282	1.1D	102 22 26 102	p	p	p	2000	20 000
236. (224)	Nitromannite, voir Hexanitrate de mannitol	NA9042	1.1A	22 26	p	p	p	2000	20 000
237. (205)	Nitrosorcinat de plomb humidifié avec pas moins de 40 % d'eau, en masse, ou d'un mélange d'alcool et d'eau	NA9052	1.1A	22 26	p	p	p	2000	20 000
238. (225)	Nitrosoguanidine humidifiée avec pas moins de 10 % d'eau, en masse	UN0147	1.1D	22 26	p	p	75	2000	20 000
239. (227)	Nitro-urée	UN0349	1.4S	102	100 kg 25 kg	p	p	p	p
240. (26)	Objets explosifs, n.s.a.	UN0350	1.4B	47	p	p	p	p	p
241. (27)	Objets explosifs, n.s.a.	UN0351	1.4C	47	p	p	p	p	p
242. (28)	Objets explosifs, n.s.a.	UN0352	1.4D	47	p	p	p	p	p
243. (29)	Objets explosifs, n.s.a.	UN0353	1.4G	47	p	p	p	p	p
244. (30)	Objets explosifs, n.s.a.	UN0354	1.1L	47 102	p	p	p	p	p
245. (31)	Objets explosifs, n.s.a.	UN0355	1.2L	47	p	p	p	p	p
246. (32)	Objets explosifs, n.s.a.	UN0356	1.3L	102 47	p	p	p	p	p
247. (33)	Objets explosifs, n.s.a.	UN0380	1.2L	7	p	p	p	2000	20 000
248. (34)	Objets pyrophoriques	UN0428	1.1G	102 22 26	p	p	75	2000	20 000
249. (35)	Objets pyrotechniques, pour usages techniques	UN0429	1.2G	22 26	p	p	75	2000	20 000
250. (36)	Objets pyrotechniques, pour usages techniques	UN0430	1.3G	22 26	p	p	75	2000	20 000
251. (37)	Objets pyrotechniques, pour usages techniques	UN0431	1.4G	26	75 kg p	3	75	2000	20 000
252. (38)	Objets pyrotechniques, pour usages techniques	UN0432	1.4S	26	100 kg 25 kg	3	75	2000	N.Rqs.
253. (39)	Objets pyrotechniques, pour usages techniques	UN0266	1.1D	20 22 26	p	p	p	2000	20 000
254. (228)	Octogène, voir Cyclotétraméthylène-tétramin	UN0060	1.1D	102 22 26 102	p	p	p	2000	20 000
255. (230)	Octolite sèche ou humidifiée avec moins de 15 % d'eau, en masse	UN0151	1.1D	21 22 26	p	p	75	2000	20 000
256. (109)	Pastilles pour relais explosifs	UN0402	1.1D	102 22 26	p	p	p	2000	20 000
257. (245)	Penthrite, voir Tétranitrate de pentaérythrite								
258. (234)	Pentolite sèche ou humidifiée avec moins de 15 % d'eau, en masse								
259. (03)	Perchlorate d'ammonium								

ANNEXE II—Suite
LISTE I—Suite
EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
260. (203)	Perforateurs à charge creuse pour puits de pétrole, sans détonateur	UN0124	1.1D	21 22 26 102	p	p	75	2000	20 000
261. (295)	Pétards de chemin de fer	UN0192	1.1G	102 22 26	p	p	p	2000	20 000
262. (296)	Pétards de chemin de fer	UN0193	1.4S	102	100 kg 25 kg	3	75	—	N.Rqs.
263. (88)	Pétards de démolition	UN0048	1.1D	21 22 26 102	p	p	75	2000	20 000
264. (235)	PETN, voir Tétranitrate de pentaérythrite								
265. (303)	Picramate de sodium, sec ou humidifié avec moins de 20% d'eau, en masse	UN0235	1.3C	22 26	p	p	p	2000	20 000
266. (350)	Picramate de zirconium, sec ou humidifié avec moins de 20% d'eau, en masse	UN0236	1.3C	22 26	p	p	p	2000	20 000
267. (239)	Picramide, voir Trinitraniline								
268. (04)	Pierate d'ammonium, sec ou humidifié avec moins de 10% d'eau, en masse	UN0004	1.1D	22 26	p	p	p	2000	20 000
269. (41)	Poudre noire sous forme de grains ou de pulvéris	UN0027	1.1D	102 3 21 22 26	p	p	75	2000	20 000
270. (42)	Poudre noire comprimée ou Poudre noire en pastilles	UN0028	1.1D	102 3 22 26	p	p	p	2000	20 000
271. (236)	Poudre photo-éclair, en unités	UN0094	1.1G	102 22 26	p	p	p	2000	20 000
272. (237)	Poudre photo-éclair, en unités	UN0096	1.2G	102 22 26	p	p	p	2000	20 000
273. (238)	Poudre photo-éclair, en unités	UN0305	1.3G	102 22 26	p	p	25	2000	20 000
274. (247)	Poudre sans fumée	UN0160	1.1C	21 22 26	p	p	75	2000	20 000
275. (248)	Poudre sans fumée	UN0161	1.3C	102 21 22 26	p	p	75	—	N.Rqs.
276. (249)	Poudre sans fumée	NA9179	1.4C	26	75 kg p	3	75	—	N.Rqs.
277. (265)	Projectiles avec charge d'éclatement	UN0167	1.1F	26 102	p	p p	p	p	p

278. (266)	<i>Projectiles avec charge d'éclatement</i>	UN0168	1.1D	22 26	p	p	p	2000	20 000
279. (267)	<i>Projectiles avec charge d'éclatement</i>	UN0169	1.2D	102 22 26	p	p	p	2000	20 000
280. (268)	<i>Projectiles, avec charge d'éclatement</i>	UN0324	1.2F	102 26	p	p	p	p	p
281. (269)	<i>Projectiles, avec charge d'éclatement</i>	UN0344	1.4D	102 26	75 kg p	p	75	N.Rqs.	N.Rqs.
282. (259)	<i>Projectiles, avec charge de dispersion ou charge d'expulsion</i>	UN0346	1.2D	22 26	p	p	p	2000	20 000
283. (260)	<i>Projectiles, avec charge de dispersion ou charge d'expulsion</i>	UN0347	1.4D	102 26	75 kg p	p	75	-	N.Rqs.
284. (261)	<i>Projectiles, avec charge de dispersion ou charge d'expulsion</i>	UN0426	1.2F	26	p	p	p	p	p
285. (262)	<i>Projectiles, avec charge de dispersion ou charge d'expulsion</i>	UN0427	1.4F	26	p	p	p	p	p
286. (263)	<i>Projectiles, avec charges de dispersion ou charge d'expulsion</i>	UN0434	1.2G	22 26	p	p	p	2000	20 000
287. (264)	<i>Projectiles, avec charge de dispersion ou charge d'expulsion</i>	UN0435	1.4G	26	75 kg p	p	p	2000	20 000
288. (256)	<i>Projectiles, inertes avec traceur</i>	UN0345	1.4S		100 kg 25 kg p	p	75	-	N.Rqs.
289. (257)	<i>Projectiles, inertes avec traceur</i>	UN0424	1.3G	22 26	p	p	p	2000	20 000
290. (258)	<i>Projectiles, inertes avec traceur</i>	UN0425	1.4G	26	75 kg p	p	p	2000	20 000
291. (270)	<i>RDX, voir Cyclotriméthylène trinitramine</i>								
292. (34)	<i>Renforceurs avec détonateur</i>	UN0225	1.1B	26	p	p	p	2000	20 000
293. (55)	<i>Renforceurs avec détonateur</i>	UN0268	1.2B	102 26	p	p	p	2000	20 000
294. (56)	<i>Renforceurs sans détonateur</i>	UN0042	1.1D	21 22 26	p	p	75	2000	20 000
295. (57)	<i>Renforceurs sans détonateur</i>	UN0283	1.2D	102 22 26	p	p	p	2000	20 000
296. (272)	<i>Rivets explosifs</i>	UN0174	1.4S	102	100 kg 25 kg p	3	75	-	N.Rqs.
297. (126)	<i>Sels métalliques déflagrants de dérivés nitrés aromatiques, n.s.a.</i>	UN0132	1.3C	8 22 26	p	p	75	2000	20 000
298. (243)	<i>Sels de potassium de dérivés nitrés aromatiques, explosifs</i>	UN0158	1.3C	22 26	p	p	75	2000	20 000
299. (304)	<i>Sels de sodium, de dérivés nitrés aromatiques, n.s.a. explosifs</i>	UN0203	1.3C	22 26	p	p	p	2000	20 000
300. (297)	<i>Signaux de détresse de navires (autres que les engins hydroactifs)</i>	UN0194	1.1G	22 25	p	p	p	2000	20 000
301. (298)	<i>Signaux de détresse de navires (autres que les engins hydroactifs)</i>	UN0195	1.3G	102 21 22	p	3	75	-	N.Rqs.
302. (299)	<i>Signaux fumigènes avec charge explosive sonore</i>	UN0196	1.1G	22 26 102	p	p	p	2000	20 000

ANNEXE II—Fin
LIST I—Fin
EXPLOSIFS—Fin

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
303. (300)	Signaux fumigènes avec charge explosive sonore	UN0313	1.2G 22 26 102	p p 75 kg	p p 20	p p 75	2000 —	20 000 N.Rqs.
304. (301)	Signaux fumigènes sans charge explosive sonore	UN0197	1.4G 26	p p	p p	p p	2000	20 000
305. (206)	Syphnate de plomb humidifié ou Trinitroresorcinate de plomb humidifié, avec pas moins de 20 % d'eau, en masse, ou d'un mélange d'alcool et d'eau	UN0130	1.1A 22 26 102	p p p	p p p	p p p	2000	20 000
306. (144)	Sulfure de dipicryle, sec ou humidifié avec moins de 10 % d'eau, en masse	UN0401	1.1D 10 22 26	p p p	p p p	p p p	2000	20 000
307. (346)	Têtes de guerre pour engins-fusées avec charge d'éclatement	UN0286	1.1D 22 26 26	p p p	p p p	p p p	2000	20 000
308. (347)	Têtes de guerre pour engins-fusées avec charge d'éclatement	UN0287	1.2D 102 26 102	p p p	p p p	p p p	2000	20 000
309. (348)	Têtes de guerre pour engins-fusées avec charge d'éclatement	UN0369	1.1F 102 26	p p p	p p p	p p p	p	p
310. (344)	Têtes de guerre pour engins-fusées avec charge de dispersion ou charge d'explosion	UN0370	1.4D 26	75 kg p	p p	p p	—	N.Rqs.
311. (345)	Têtes de guerre pour engins-fusées avec charge de dispersion ou charge d'explosion	UN0371	1.4F 26	p p	p p	p p	p	p
312. (349)	Têtes de guerre pour torpilles avec charge d'éclatement	UN0221	1.1D 22 26 102	p p p	p p p	p p p	2000	20 000
313. (316)	Tétranitraniline	UN0207	1.1D 22 26 102	p p p	p p p	p p p	2000	20 000
314. (231)	Tétranitrate de pentaérythrite humidifié ou Tétranitrate de pentaérythritol humidifié ou Penthrite humidifié ou PETN humidifié avec pas moins de 25 % d'eau, en masse ou Tétranitrate de pentaérythrite désensibilisé ou Tétranitrate de pentaérythritol désensibilisé ou Penthrite désensibilisé ou PETN désensibilisé avec pas moins de 15 % de flegmatisant, en masse	UN0150	1.1D 102 22 26 102	p p p	p p p	p p p	2000	20 000
315. (232)	Tétranitrate de pentaérythrite ou PETN contenant pas moins de 7 % de cire, en masse	UN0411	1.1D 22 26 27	p p p	p p p	p p p	2000	20 000
316. (233)	Tétranitrate de pentaérythritol, voir Tétranitrate de pentaérythrite							
317. (317)	Tétrazène, voir Guanyl nitrosamino-guanyltétrazène							
318. (319)	Tétryl, voir Trinitro-phénylméthylamine							

[illegible]

ANNEXE II—Suite
LISTE I—Suite
EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
338. (336)	Tritrinitrophénylméthynitramine ou Tétryl	UN0208	1.1D 22 26 102	p	p	p	2000	20 000
339. (207)	Tritrinitroresorcinate de plomb, voir Styphnate de plomb							
340. (338)	Tritrinitroresorcinol humidifié, ou Acide styphnique, humidifié avec pas moins de 20% d'eau, en masse, ou d'un mélange d'alcool et d'eau	UN0394	1.1D 22 26 102	p	p	p	2000	20 000
341. (337)	Tritrinitroresorcinol ou Acide styphnique sec ou humidifié avec moins de 20% d'eau en masse, ou d'un mélange d'alcool et d'eau	UN0219	1.1D 22 26 102	p	p	p	2000	20 000
342. (339)	Tritrinitroloène ou TNT ou Tolite sec ou humidifié avec moins de 30% d'eau, en masse	UN0209	1.1D 10 21 22 26 102	p	p	75	2000	20 000
343. (341)	Tritrinitroloène, mélanges, contenant du Trinitrobenzène et de l'Hexanitrostilbène ou TNT, mélanges, contenant du Trinitrobenzène et de l'Hexanitrostilbène ou Tolite, mélanges, contenant du Trinitrobenzène et de l'Hexanitrostilbène	UN0389	1.1D 22 26 102	p	p	p	2000	20 000
344. (340)	Tritrinitroloène et Trinitrobenzène, mélanges ou TNT et Trinitrobenzène, mélanges ou Tolite et Trinitrobenzène, mélanges ou Trinitroloène et Hexanitrostilbène, mélanges ou TNT et Hexanitrostilbène, mélanges ou Tolite et Hexanitrostilbène, mélanges	UN0388	1.1D 22 26 102	p	p	p	2000	20 000
345. (342)	Tritonal <i>ammunition), with burster, expelling charge or propelling charge</i>	UN0390	1.1D 22 26 102	p	p	p	2000	20 000

ANNEXE II
LISTE II
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS

Article	Col. I	Description et appellation réglementaire	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
			Numéro d'identification du produit	Clas-sifi-ca-tion	Dis-posi-tions par-ticu-lières	Clas-sifi-ca-tion OMI	Clas-sifi-ca-tion OACI	Groupe d'em-balla-ges	Quantité maximale par colis, ou prohibition	Aéronef Aéronef cargo
1. (1737)		Accumulateurs au lithium	1415	4.3	90	—	4.3	X	p	35 kg
2. (354)		Accumulateurs électriques, contenant de l'hydroxyde de potassium, solide	3028	8	96	—	8	III	25 kg, Brut	230 kg, Brut
3. (353)		Accumulateurs électriques, inversables, remplis d'électrolyte liquide	2800	8	44	8	8	III	NL	NL
4. (351)		Accumulateurs électriques, remplis d'électrolyte liquide, acide	2794	8	87	8	8	III	25 kg, Brut	230 kg, Brut
5. (355)		Accumulateurs électriques, remplis d'électrolyte liquide acide, avec une automobile (ou autre véhicule automobile ou appareillage mécanique pré-cisé)	2794	8	55	—	—	III	—	—
6. (352)		Accumulateurs électriques, remplis d'électrolyte liquide, alcalin	2795	8	87	8	8	III	25 kg, Brut	230 kg, Brut
7. (356)		Accumulateurs électriques, remplis d'électrolyte liquide alcalin, avec une automobile (ou autre véhicule automobile ou appareillage mécanique pré-cisé)	2797	8	55	—	—	III	—	—
8. (2)		Accumulateurs pressurisés, (pneumatiques ou hydrauliques), contenant des gaz non inflammables	1956	2.2	37	—	2	—	NL	NL
9. (3)		Acétal	1088	3.1	99	3.1	3	II	5 L	60 L
10. (4)		Acétaldéhyde	1089	3.1	46	3.1	3	I	p	30 L
				9.2	56					
				90						
11. (6)		Acétaldoxime	2332	3.3	73	3.3	3	II	5 L	60 L
12. (741)		Acétate chromique	9101	9.2	81	—	—	III	—	—
13. (841)		Acétate cuivrique	9106	9.2	49	—	—	II	—	—
14. (126)		Acétate d'allyle	2333	3.2	99	3.2	3	II	1 L	60 L
15. (173)		Acétate d'ammonium	9079	9.2	49	6.1	6.1	III	—	—
16. (558)		Acétate de cadmium	2570	9.2	55	—	—	II	—	—

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
17. (872)	Acétate de cyclohexyle	2243	NR	99	3.3	3	III	220 L
18. (1290)	Acétate d'éthylbutyle	1177	NR	73	3.3	3	III	220 L
19. (1271)	Acétate d'éthyle	1173	3.2		3.2	3	II	60 L
20. (1618)	Acétate d'isobutyle	1213	3.2		3.2	3	II	60 L
21. (1653)	Acétate d'isopropényle	2403	3.2		3.2	3	II	60 L
22. (1655)	Acétate d'isopropyle	1220	3.2		3.2	3	II	60 L
23. (2940)	Acétate d'uranyle	9180	7	40	—	—	—	—
24. (1319)	Acétate de l'éther monoéthylque de l'éthylène-glycol	1172	NR	73	3.3	3	III	220 L
25. (1321)	Acétate de l'éther monométhylque de l'éthylène-glycol	1189	NR	73	3.3	3	III	220 L
26. (1834)	Acétate de mercure, ou Acétate mercurique	1629	6.1		6.1	6.1	II	100 kg
27. (1890)	Acétate de méthyle	1231	3.2		3.2	3	II	60 L
28. (1699)	Acétate de plomb	1616	9.2		6.1	6.1	III	200 kg
29. (2459)	Acétate de n-propyle, ou Acétate de propyle	1276	3.2		3.2	3	II	60 L
30. (2956)	Acétate de vinyle, stabilisé	1301	3.2	84	3.2	3	II	60 L
31. (3086)	Acétate de zinc	9153	9.2	49	—	—	III	—
32. (1825)	Acétate mercurieux voir Acétate de mercure							—
33. (1809)	Acétate mercurique, voir Acétate de mercure							—
34. (2319)	Acétate phénylmercurique	1674	6.1		6.1	6.1	II	100 kg
35. (227)	ACÉTATES D'AMYLE	1104	3.2		3.2	3	II	60 L
36. (228)	ACÉTATES D'AMYLE	1104	9.2	81	3.3	3	II	60 L
37. (483)	Acétates de butyle	1123	9.2		3.2	3	II	60 L
38. (780)	Acétoarsénite de cuivre	1585	9.2		6.1	6.1	II	100 kg
39. (11)	Acétone	1090	3.1	99	3.1	3	II	60 L
40. (14)	Acétonitrile, voir Cyanure de méthyle							
41. (22)	Acétylène, dissous, ou Acétylène	1001	2.1	46	2.1	2	X	15 kg
				48		3		
				56				
				102				

42. (23)	Acétylène, liquéfié	—	47	—	—	—	—	—	—
43. (27)	Acétylméthylcarbinol	2621	NR	3.3	3	III	60 L	220 L	—
44. (2592)	Acétylure d'argent, (sec)	—	47	—	—	—	—	—	—
45. (781)	Acétylure de cuivre	—	47	—	—	—	—	—	—
46. (1732)	Acétylure de lithium complexé à l'éthylènediamine	2813	4.3	—	—	I	—	—	—
47. (1835)	Acétylure de mercure	—	—	—	—	—	—	—	—
48. (8)	Acide acétique, en solution, contenant plus de 10 pour cent, mais 80 pour cent au maximum d'acide, en masse	2790	8 9.2	8	8	II	1 L	30 L	—
49. (9)	Acide acétique, en solution, contenant plus de 25 pour cent, mais 50 pour cent au maximum d'acide, en masse	2790	—	8	—	III	—	—	—
50. (7)	Acide acétique glacé, ou Acide acétique, en solution, contenant plus de 80 pour cent d'acide, en masse	2789	8 9.2	8	8	II	1 L	30 L	—
51. (35)	Acide acrylique, stabilisé	2218	8	84	8	II	1 L	30 L	—
52. (42)	Acide adipique	9077	9.2	49	—	III	—	—	—
53. (110)	Acide alcanesulfonique, voir Acide alkyl, aryl ou toluène sulfonique	—	—	—	—	—	—	—	—
54. (111)	Acide alkyl, aryl ou toluène sulfonique, liquide contenant plus de 5 pour cent d'acide sulfurique libre	2584	8	60	8	II	1 L	30 L	—
55. (112)	Acide alkyl, aryl ou toluène sulfonique, liquide, contenant 5 pour cent au maximum d'acide sulfurique libre	2586	8	—	8	III	5 L	60 L	—
56. (113)	Acide alkyl, aryl ou toluène sulfonique, solide, contenant plus de 5 pour cent d'acide sulfurique libre	2583	8	60	8	II	15 kg	50 kg	—
57. (114)	Acide alkyl, aryl ou toluène sulfonique, solide, contenant 5 pour cent au maximum d'acide sulfurique libre	2585	8	—	8	III	25 kg	100 kg	—
58. (281)	Acide arsénique, liquide ou Acide arsénique, en solution	1553	6.1	46 102	6.1	I	1 L	30 L	—
59. (282)	Acide arsénique, solide	1554	6.1	6.1	6.1	II	25 kg	100 kg	—
60. (317)	Acide azaurorique (sel d', sec)	—	—	47	—	—	—	—	—
61. (318)	Acide azidodithiocarbonique	—	—	47	—	—	—	—	—
62. (377)	Acide benzoïque	9094	9.1	49	—	III	—	—	—
63. (3069)	Acide blanc (mélange de biphluorure d'ammonium et d'acide fluorhydrique)	1760	8 9.2	46 55	—	II	—	—	—
64. (448)	Acide bromacétique, en solution	1938	8	—	8	II	—	—	—
65. (447)	Acide bromacétique, solide	1938	8	—	8	II	15 kg	50 kg	—
66. (1555)	Acide bromhydrique, en solution, à plus de 49 pour cent de bromure d'hydrogène	1788	8	46 56 88	8	II	p	p	—
67. (1556)	Acide bromhydrique, en solution, à 49 pour cent au maximum de bromure d'hydrogène	1788	8	—	8	II	1 L	30 L	—

ANNEXE II—Suite
LISTE II—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
68. (552)	Acide butyrique	2820	8		8	8	III	5 L	60 L
69. (557)	Acide cacodylique	1572	6.1	99	6.1	6.1	II	25 kg	100 kg
70. (603)	Acide caproïque ou Acide hexanoïque	2829	8	100	—	8	III	5 L	60 L
71. (672)	Acide chloracétique, liquide	1750	8		8	8	II	1 L	30 L
72. (673)	Acide chloracétique, solide	1751	8		8	8	II	15 kg	50 kg
73. (1559)	Acide chlorhydrique, en solution ou Acide chlorhydrique	1789	8	72	8	8	II	1 L	30 L
74. (662)	Acide chlorique, en solution, contenant au maximum 10 pour cent d'acide chlorique	2626	5.1	46 48 83	5.1	5.1	II	P	P
				88 99					
75. (2104)	Acide chloronitrique	1798	8 9.2	46 56 78	8	8	I	P	2.5 L
76. (707)	Acide chloro-3 peroxybenzoïque, à 86 pour cent au maximum avec acide chloro-3 benzoïque	2755	5.2 E	99 46 48 56 83 99	5.2 E	5.2 E	II	P	P
77. (720)	Acide chloroplatinique, solide	2507	8	46	8	8	III	25 kg	100 kg
78. (725)	Acide alpha-chloropropionique	2511	8		8	8	III	5 L	60 L
79. (731)	Acide chlorosulfonique, (contenant ou non de l'anhydride sulfurique)	1754	8	46	8	8	I	0.5 L	2.5 L
80. (743)	Acide chromique, en solution	1755	8 9.2		8	8	II	1 L	30 L
81. (742)	Acide chromique, solide voir Trioxyde de chrome anhydride								
82. (833)	Acide crésylique	2022	6.1		6.1	6.1	II	5 L	60 L
83. (835)	Acide crotonique	2823	8		8	8	III	5 L	60 L
84. (1560)	Acide cyanhydrique, en solutions aqueuses, contenant 20 pour cent au maximum de cyanure d'hydrogène	1613	6.1 9.2	46 56 83 99 102	6.1	6.1	I	P	P
85. (967)	Acide dichloracétique	1764	8		8	8	II	1 L	30 L
86. (994)	Acide dichloroisocyanurique, sec, ou Acide dichloroisocyanurique, sels d',	2465	5.1		5.1	5.1	II	5 kg	25 kg

87. (999)	Acide dichloro-2,4 phénoxyacétique ou 2,4-D	2765	9.2	55	-	-	II	-	-
88. (1008)	Acide dichloro-2,2 propionique	1760	8	55	-	-	II	-	-
89. (1062)	Acide difluorophosphorique, anhydre	1768	9.2 8	46 56 90	8	8	II	P	30 L
90. (1155)	Acide dinitro-3,5 salicylique, (sel de plomb), (sec)		-	47	-	-	-	-	-
91. (1216)	Acide dodécylbenzènesulfonique	2584	8	55	-	-	II	-	-
92. (1311)	Acide éthylènediaminotétra-acétique ou EDTA	9117	9.2	49	-	-	III	-	-
93. (1353)	Acide éthylsulfurique	2571	8	56	8	8	II	1 L	30 L
94. (1428)	Acide fluoborique	1775	8		8	8	II	1 L	30 L
95. (1430)	Acide fluoracétique	2642	6.1	46 56	6.1	6.1	I	1 kg	15 kg
96. (1562)	Acide fluorhydrique, en solution, à plus de 60 pour cent de fluorure d'hydrogène	1790	8	46 56 99	8	8	I	0.5 L	2.5 L
97. (1563)	Acide fluorhydrique, en solution, à 60 pour cent au maximum de fluorure d'hydrogène	1790	9.2 6.1	46 99	8 6.1	8 6.1	II	1 L	30 L
98. (1561)	Acide fluorhydrique et acide sulfurique, en mélange	1786	9.2 6.1 9.2	46 56 90 99	8 6.1	8 6.1	I	P	2.5 L
99. (1435)	Acide fluorophosphorique, anhydre	1776	8	46 56 90	8	8	II	P	30 L
100. (1440)	Acide fluorosilicique ou Acide hydro-fluorosilicique	1778	8	46	8	8	II	1 L	30 L
101. (1437)	Acide fluorosulfonique	1777	8	46 56 90 99	8	8	I	P	2.5 L
102. (1445)	Acide formique	1779	8	46 56 90 99	8	8	II	1 L	30 L
103. (1460)	Acide fulminique		9.2	47	-	-	-	-	-
104. (1461)	Acide fumarique	9126	9.2	49	-	-	III	-	-
105. (1520)	Acide hexafluorophosphorique	1782	8	46 56 90	8	8	II	P	30 L
106. (1564)	Acide hydrofluorosilicique, voir Acide fluorosilicique								
107. (1588)	Acide hyponitrique			47	-	-	-	-	-
108. (1554)	Acide iodhydrique, en solution	1787	8		8	8	II	1 L	30 L
109. (1631)	Acide isobutyrique	2529	9.2		3.3	3	III	60 L	220 L
110. (1646)	Acide isopentanoïque	1760	8	55	-	-	II	-	-
111. (1673)	Acide isothiocyanique (risque de polymérisation)			47	-	-	-	-	-
112. (1774)	Acide maléique	2215	9.2	55	-	-	III	-	-

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
113. (1879)	Acide méthacrylique, stabilisé	2531	8	84	8	III	5 L	60 L
114. (1885)	Acide méthazoïque	—	47	—	—	—	—	—
115. (1979)	Acide méthylpicrique (sels de métaux lourds de I')	—	47	—	—	—	—	—
116. (2005)	Acide muriatique, voir Acide chlorhydrique	—	—	—	—	—	—	—
117. (2019)	Acide naphénique	9137	9.2	40	—	II	—	—
118. (2061)	Acide nitrique, à 70 pour cent au maximum d'acide nitrique	2031	8 9.2	46 56 78 90	8	II	P	30 L
119. (2060)	Acide nitrique, à plus de 70 pour cent d'acide nitrique	2031	8 9.2	46 56 78 99	8	I	P ¹	2.5 L
120. (2062)	Acide nitrique, fumant, à plus de 70 pour cent et à 90 pour cent au maximum	2032	8 5.1 6.1 78 9.2	46 56 6.1 78 99	8 5.1 6.1	I	P	2.5 L
121. (2063)	Acide nitrique, rouge, fumant, à plus de 90 pour cent	2032	8 5.1 6.1 78 9.2	46 56 6.1 78 99	8 5.1 6.1	I	P	2.5 L
122. (2073)	Acide nitrobenzène sulfonique	2305	8	102	8	II	1 L	30 L
123. (2085)	Acide nitro-6 diazo-4 toluène sulfonique-3 (sec)	—	—	47	—	—	—	—
124. (2133)	Acide octadiène-1,7 diyne-3,5 diméthoxy-1,8 octodécynole-9	—	—	47	—	—	—	—
125. (2342)	Acide orthophosphoreux	2834	8	56	8	III	25 kg	100 kg
126. (2234)	Acide péraécétique, voir Acide peroxyacétique	—	—	—	—	—	—	—
127. (2237)	Acide perchlorique, à 50 pour cent au maximum d'acide, en masse	1802	8 5.1	56 78 90	8 5.1	II	P	30 L
128. (2236)	Acide perchlorique, à plus de 50 pour cent, mais à 72 pour cent au maximum d'acide, en masse	1873	5.1 8	102 46 48 56 78 99 102	5.1 8	I	P	2.5 L

129. (2247)	3045	5.2 8 I	46 48 83 100	I	1 kg	5 kg
Acide peroxyacétique, à 16 pour cent au maximum dans un mélange, contenant au moins 39 pour cent d'eau, et au moins 15 pour cent d'acide acétique, et 24 pour cent au maximum de peroxyde d'hydrogène avec un stabilisant						
130. (2246)	2131	5.2 8 I	46 48 83 99	I	P	P
Acide peroxyacétique, dans un mélange d'acide et d'eau, avec 6 pour cent au maximum de peroxyde d'hydrogène, et 1 pour cent au maximum d'acide sulfurique, ou Acide peroxyacétique, à 43 pour cent au maximum dans l'acide acétique						
131. (1173)	2958	5.2 I	46 48 83 +35°C +40°C	II	P	P
Acide diperoxy azélaïque, à 27 pour cent au maximum, avec au moins 13 pour cent d'acide azélaïque et au moins 53 pour cent de sulfate de sodium						
132. (2298)	1803	8	8	II	1 L	30 L
Acide phénolsulfonique, liquide						
133. (2341)	1805	8	8	III	5 L	60 L
Acide phosphorique						
134. (1260)	1790	9.2 8 9.2	46 48 55	I	-	-
Acide pour gravure, liquide, n.s.a., contenant un mélange d'acides nitrique et hydrofluorique						
135. (2454)	1848	8	8	III	5 L	60 L
Acide propionique						
136. (2603)	1906	9.2 8	46 56 90	II	P	30 L
Acide résiduaire						
137. (2575)	1905	8	8	I	P	25 kg
Acide sélénique, ou Acide sélénique, liquide						
138. (2721)	2967	8	8	III	25 kg	100 kg
Acide sulfamique						
139. (750)	2240	8	8	I	0.5 L	2.5 L
Acide sulfochromique						
140. (2056)	1796	8 5.1 9.2	46 56 78 90	I	P	2.5 L
Acide sulfonitrique, en mélange, à plus de 50 pour cent d'acide nitrique						
141. (2057)	1796	8 9.2	46 56 90	II	P	30 L
Acide sulfonitrique, en mélange, 50 pour cent au maximum d'acide nitrique						
142. (2058)	1826	8 5.1 9.2	46 56 61 78 99	I	P	2.5 L
Acide sulfonitrique, en mélange résiduaire, à plus de 50 pour cent d'acide nitrique						
143. (2059)	1826	8 9.2	46 56 61 78 90 99	II	P	30 L
Acide sulfonitrique, en mélange résiduaire, à 50 pour cent au maximum d'acide nitrique						
144. (312)	1833	8	46	II	1 L	30 L
Acide sulfonique d'aryl, voir Acide alkyl, aryl ou toluène sulfonique						
145. (2734)	1830	8	8	II	1 L	30 L
Acide sulfureux						
146. (2731)		8	8	II	1 L	30 L
Acide sulfurique, à plus de 51 pour cent d'acide						

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
147. (2730) 148. (2729)	1830 1831	8 9.2 8 6.1 9.2	100 46 56 90 102	— 8 6.1	8 8 6.1	II I	1 L P	30 L 2.5 L
149. (2732)	1832	8 9.2	46 56 61 90	8	8	II	P	30 L
150. (2733)								
151. (2807)	2436	3.2		3.2	3	II	5 L	60 L
152. (2809)	1940	8		8	8	II	1 L	30 L
153. (2810)	2936	6.1		6.1	6.1	II	25 kg	100 kg
154. (2833)								
155. (2856)	2564	8	46	8	8	II	1 L	30 L
156. (2855)	1839	8	46	8	8	II	15 kg	50 kg
157. (2862)	2468	5.1		5.1	5.1	II	5 kg	25 kg
158. (2865)	2765	9.2	46	—	—	II	—	—
159. (2867)	2765	9.2	55	—	—	II	—	—
160. (2879)	2699	8	46 56	8	8	I	0.5 L	2.5 L
161. (2915)	1355	4.1	10 46 48 58 99 100 55	4.1	4.1	I	0.5 kg	0.5 kg
162. (2946)	1760	8		—	—	II	—	—
163. (311)	2713	4.1		4.1	4.1	III	25 kg	100 kg
164. (33)	2607	3.3	73 81 84	3.3	3	II	5 L	60 L
165. (32)	1092	3.1 6.1 9.2	46 56 84 99 73	3.1 6.1	3 6.1	I	P	30 L
166. (34)	2074	NR		6.1	6.1	III	100 kg	200 kg

167. (485)	Acrylate de butyle, stabilisé	2348	3.3	73 81	3.3	3	II	5 L	60 L
168. (1273)	Acrylate d'éthyle, stabilisé	1917	3.2	84	3.2	3	II	5 L	60 L
169. (1619)	Acrylate d'isobutyle	2527	3.3	81	3.3	3	II	5 L	60 L
170. (1893)	Acrylate de méthyle, stabilisé	1919	3.2	84	3.2	3	II	5 L	60 L
171. (43)	Adiponitrile	2205	NR	73	6.1	6.1	III	60 L	220 L
172. (46)	AÉROSOLS, contenant de l'oxygène comprimé	1950	2.2	96	-	-	X	-	-
173. (45)	AÉROSOLS, contenant tout gaz toxique	1950	5.1 2.3	100 47 92	-	-	X	-	-
174. (55)	Aérosols, dont au maximum 10 pour cent du contenu total, en masse, est un gaz non toxique	1950	9.1	100 45 96	-	-	X	-	-
175. (56)	AÉROSOLS, dont au maximum 10 pour cent du contenu total, en masse, est un gaz non toxique et plus de 5 pour cent une matière corrosive	1950	8	45 75 92 96	-	-	X	-	-
176. (57)	AÉROSOLS, dont au maximum 10 pour cent du contenu total, en masse, est un gaz non toxique et plus de 45 pour cent un liquide inflammable	1950	3.1	100 45 75	-	-	X	-	-
177. (58)	AÉROSOLS, dont au maximum 10 pour cent du contenu total, en masse, est un gaz non toxique et plus de 45 pour cent un liquide inflammable	1950	3.2	45 75 96	-	-	X	-	-
178. (59)	AÉROSOLS, dont au maximum 10 pour cent du contenu total, en masse, est un gaz non toxique et plus de 45 pour cent un liquide inflammable	1950	3.3	100 45 75	-	-	X	-	-
179. (60)	AÉROSOLS, dont au maximum 10 pour cent du contenu total, en masse, est un gaz non toxique, et plus de 10 pour cent une matière toxique	1950	6.1	100 45 73	-	-	X	-	-
180. (47)	AÉROSOLS, dont plus de 10 pour cent du contenu total, en masse, est un gaz inflammable	1950	2.1	100 56	2.1	-	X	-	-
181. (50)	AÉROSOLS, dont plus de 10 pour cent du contenu total, en masse, est un gaz inflammable et plus de 10 pour cent une matière toxique	1950	2.1 6.1	96 46 36 92	-	-	X	-	-
182. (49)	AÉROSOLS, dont plus de 10 pour cent du contenu total, en masse, est un gaz inflammable et plus de 35 pour cent un liquide inflammable	1950	2.1	100 56 96	2.1	-	X	-	-
183. (48)	AÉROSOLS, dont plus de 10 pour cent du contenu total, en masse, est un gaz inflammable et plus de 5 pour cent une matière corrosive	1950	2.1 8	100 46 56 92 96	-	-	X	-	-
184. (51)	AÉROSOLS, dont plus de 10 pour cent du contenu total, en masse, est un gaz inflammable et non toxique	1950	2.2	100 45 96	-	-	X	-	-

ANNEXE II—Suite
LISTE II—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
185. (53)		1950	2.1	45 56 96 100	—	—	X	—	—
186. (52)		1950	2.2 8	46 56 92 96 100	—	—	X	—	—
187. (54)		1950	2.3	46 56 92 96 100	—	—	X	—	—
188. (44)									
189. (1356)									
190. (61)		1002	2.2		2.2	2	X	75 kg	150 kg
191. (62)		1003	2.2 5.1	46 100	2.2 5.1	2 5.1	X —	p p	p
192. (63)		1003	2.2 5.1	46 90 100	2.2 5.1	2 5.1	X —	p —	150 kg
193. (104)		1544	6.1	46 94	6.1	6.1	I	1 L	30 L
194. (105)		1544	6.1		6.1	6.1	II	5 L	60 L
195. (106)		1544	NR		6.1	6.1	III	60 L	220 L
196. (107)		1544	6.1	46 93	6.1	6.1	I	5 kg	50 kg
197. (108)		1544	6.1		6.1	6.1	II	25 kg	100 kg
198. (109)		1544	NR		6.1	6.1	III	100 kg	200 kg
199. (127)		1098	3.2 6.1 9.2	46	3.2 6.1	3 6.1	I	p	30 L
200. (1620)									
201. (1657)									
202. (1274)									

203. (1465)	Alcool furfurylique	2874	NR	73	6.1	6.1	III	60 L	220 L
204. (1880)	Alcool méthallique	2614	3.3	81	3.3	3	II	5 L	60 L
205. (1953)	Alcool méthylamylique	2053	NR	73	3.3	3	III	60 L	220 L
206. (1908)	Alcool alpha-méthylbenzyle	2937	NR	73	6.1	6.1	III	60 L	220 L
207. (1895)	Alcool méthylque, voir Méthanol								
208. (2451)	Alcool propargyl	1986	3.1 6.1	46 55	-	-	II	-	-
209. (2460)	Alcool propylique, voir Propanol								
210. (70)	ALCOOLS, N.S.A.	1987	-	99	3.1	-	I	-	-
211. (71)	ALCOOLS, N.S.A.	1987	3.1	99	3.1	3	II	5 L	60 L
212. (72)	ALCOOLS, N.S.A.	1987	3.2		3.2	3	II	5 L	60 L
213. (73)	ALCOOLS, N.S.A.	1987	-		3.3	3	II	5 L	60 L
214. (74)	ALCOOLS, N.S.A.	1987	3.3	81	-	3	III	60 L	220 L
215. (75)	ALCOOLS, N.S.A.	1987	NR		-	3	III	60 L	220 L
216. (230)	ALCOOLS AMYLIQUES	1105	3.2		3.2	3	II	5 L	60 L
217. (231)	ALCOOLS AMYLIQUES	1105	3.2	89	-	3	III	60 L	220 L
218. (232)	ALCOOLS AMYLIQUES	1105	-	100	3.3	3	II	5 L	60 L
219. (233)	ALCOOLS AMYLIQUES	1105	3.3	81 89	-	3	III	60 L	220 L
220. (69)	Alcools, dénaturés ou industriels, voir Alcools, toxiques, n.s.a.								
221. (894)	Alcools, dénaturés, voir Alcools, toxiques, n.s.a.								
222. (76)	ALCOOLS, TOXIQUES, N.S.A.*	1986	-	99	3.1	-	I	-	-
223. (77)	ALCOOLS, TOXIQUES, N.S.A.*	1986	3.1	99	3.1	3	II	1 L	60 L
224. (78)	ALCOOLS, TOXIQUES, N.S.A.*	1986	3.2		6.1	6.1	II	1 L	60 L
225. (79)	ALCOOLS, TOXIQUES, N.S.A.*	1986	3.3	81	3.3	3	II	1 L	60 L
226. (5)	Aldéhyde d'ammoniaque	1841	6.1 9.2	44	6.1 9	6.1	III	200 kg	200 kg
227. (363)	Aldéhyde benzoïque	1989	9.1	55	-	-	III	-	-
228. (671)	Aldéhyde chloracétique	2232	6.1	99	6.1	6.1	II	5 L	60 L
229. (834)	Aldéhyde crotonique, stabilisé	1143	3.2 9.2	102 84 102	3.2	3	II	5 L	60 L
230. (234)	Aldéhyde d'amyle, voir Valéraldéhyde								
231. (1621)	Aldéhyde d'isobutyle, voir Isobutyraldéhyde								
232. (1292)	Aldéhyde éthyl-2 butyrique, ou Aldéhyde d'éthylbutyrique	1178	3.2		3.2	3	II	5 L	60 L
233. (2452)	ALDÉHYDE PROPIONIQUE	1275	3.1	99	3.1	3	II	5 L	60 L

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
234. (2453)	ALDÉHYDE PROPIONIQUE	1275	3.2	3.2	3	II	5 L	60 L
235. (80)	ALDÉHYDES, N.S.A.	1989	—	3.1	—	I	—	—
236. (81)	ALDÉHYDES, N.S.A.	1989	3.1	3.1	3	II	5 L	60 L
237. (82)	ALDÉHYDES, N.S.A.	1989	3.2	3.2	3	II	5 L	60 L
238. (83)	ALDÉHYDES, N.S.A.	1989	—	3.3	3	II	5 L	60 L
239. (84)	ALDÉHYDES, N.S.A.	1989	3.3	—	3	III	60 L	220 L
240. (85)	ALDÉHYDES, TOXIQUES, N.S.A.*	1988	—	3.1	—	I	—	—
241. (86)	ALDÉHYDES, TOXIQUES, N.S.A.*	1988	3.1	3.1	3	II	1 L	60 L
242. (87)	ALDÉHYDES, TOXIQUES, N.S.A.*	1988	3.2	3.2	3	II	1 L	60 L
243. (88)	ALDÉHYDES, TOXIQUES, N.S.A.*	1988	3.3	3.3	3	II	1 L	60 L
244. (2139)	Aldéhydes d'octyle	1191	NR	3.3	3	III	60 L	220 L
245. (89)	Aldol	2839	6.1	6.1	6.1	II	5 L	60 L
246. (90)	Aldrine	2761	6.1	—	—	I	—	—
247. (94)	Aldrine, en mélange, liquide, (contenant plus de 60 pour cent d'aldrine)	2995	6.1	—	—	I	—	—
248. (95)	Aldrine, en mélange, liquide, (contenant 60 pour cent ou moins d'aldrine)	2996	9.2	—	—	I	—	—
249. (92)	Aldrine, en mélange, sec, (contenant 65 pour cent ou moins d'aldrine)	2761	9.2	—	—	I	—	—
250. (93)	Aldrine, en mélange, sec, (contenant plus de 65 pour cent d'aldrine)	2761	6.1	—	—	I	—	—
251. (91)	Aldrine, solide coulé	2761	9.2	—	—	I	—	—
252. (115)	ALKYLAMINES, N.S.A., ou POLYALKYLAMINES, N.S.A., corrosives	2735	8	—	8	I	0.5 L	2.5 L
253. (116)	ALKYLAMINES, N.S.A., ou POLYALKYLAMINES, N.S.A., corrosives	2735	8	—	8	II	1 L	30 L
254. (117)	ALKYLAMINES, N.S.A., ou POLYALKYLAMINES, N.S.A., corrosives	2735	8	8	8	III	5 L	60 L
255. (118)	ALKYLAMINES, N.S.A., ou POLYALKYLAMINES, N.S.A., corrosives, inflammables	2734	8	—	8	I	0.5 L	2.5 L
256. (119)	ALKYLAMINES, N.S.A., ou POLYALKYLAMINES, N.S.A., corrosives, inflammables	2734	8	8	8	II	1 L	30 L

257. (120)	ALKYLAMINES, N.S.A., <i>ou</i> POLYALKYLAMINES, N.S.A., <i>inflammables, corrosives</i>	2733	3.2 8	3.2 8	3 8	II	I L	5 L
258. (121)	ALKYLAMINES, N.S.A., <i>ou</i> POLYALKYLAMINES, N.S.A., <i>inflammables, corrosives</i>	2733	3.2 8	-	3 8	III	5 L	60 L
259. (122)	Alkylphénols, n.s.a., (<i>comportant les</i> <i>termes à chaîne de C₃ à C₆</i>), <i>liquides</i>	2430	NR	6.1	6.1	III	60 L	220 L
260. (123)	Alkylphénols, n.s.a., (<i>comportant les</i> <i>termes à chaîne de C₃ à C₆</i>), <i>solides</i>	2430	NR	6.1	6.1	III	100 kg	200 kg
261. (124)	Allène voir Propadiène							
262. (125)	Alléthrine	2902	9.2	-	55	III	-	-
263. (2481)	Alliages pyrophoriques, n.s.a., <i>voir</i> Métaux pyrophoriques, n.s.a.							
264. (1394)	Allume-feu, solide, <i>avec un liquide ayant</i> <i>un point d'éclair inférieur à 37.8°C</i>	2623	4.1	4.1	4.1	II	15 kg	50 kg
265. (1786)	Allumettes-bougies	1945	4.1	4.1	4.1	III	25 kg	100 kg
266. (1784)	Allumettes de sûreté (<i>en livret, en carton</i> <i>ou en boîte</i>)	1944	4.1	4.1	4.1	III	25 kg	100 kg
267. (1785)	Allumettes, qui n'exigent pas de graisseurs	1331	4.1	4.1	4.1	III	p	p
268. (1783)	Allumettes-tisons	2254	4.1	4.1	4.1	III	p	p
269. (128)	Allylamine	2334	3.1 6.1	3.1 6.1	3 6.1	I	p	30 L
270. (138)	Allyltrichlorosilane, stabilisé	1724	8	8 3	8	II	p	30 L
271. (2607)	Aluminate de sodium, en solution	1819	8	8	8	II	1 L	30 L
272. (2606)	Aluminate de sodium, solide	2812	8	NR	8	III	25 kg	100 kg
273. (154)	Aluminium, en poudre, enrobé, <i>contenant</i> <i>au moins 20 pour cent de poudre en par-</i> <i>ticules d'une grosseur inférieure à 250</i> <i>microns</i>	1309	4.1	4.1	4.1	II	15 kg	50 kg
274. (156)	Aluminium, en poudre, non enrobé, non pyrophorique	1396	4.3	4.3	4.3	II	15 kg	50 kg
275. (155)	Aluminium, en poudre, pyrophorique, <i>voir</i> Métaux pyrophoriques, n.s.a.							
276. (147)	Aluminium, scories d', humides ou chaudes		-	-	-		-	
277. (140)	Aluminium-alkyles	3051	4.2	-	4.2	I	p	p
278. (2874)	Aluminium triéthyle, <i>voir</i> Aluminium- alkyles							
279. (2886)	Aluminium trisobutyle, <i>voir</i> Aluminium- alkyles							
280. (2891)	Aluminium-triméthyle, <i>voir</i> Aluminium- alkyles							
281. (2923)	Aluminium tripropyle, <i>voir</i> Aluminium- alkyles							
282. (148)	Alumino-ferro-silicium, en poudre	1395	4.3	4.3	4.3	II	15 kg	50 kg
283. (314)	Amiante, blanc	2590	6.1 9.1	6.1 9	6.1 9	III	200 kg	200 kg

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
284. (161) 285. (1736)	2212 1412	9.1 4.3	44 46 48	9 4.3	9 4.3	II II	P 15 kg	P 50 kg
Amiante, bleu								
Amidure de lithium								
286. (2610)	1425	4.3	46 48 56 90	4.3	4.3	II	P	50 kg
Amidure de sodium								
287. (161) 288. (162) 289. (163) 290. (164) 291. (165) 292. (166) 293. (167) 294. (168) 295. (169)	2673 2946 3055 2815 2512 1760 1760 2671 1005	6.1 NR 8 8 NR 8 8 6.1 2.4 9.2	6.1 73 100 8 55 55 46 56 99	6.1 6.1 — 8 6.1 2.3 3 6.1	6.1 6.1 8 8 6.1 2 3 6.1	II III III III III II II X	25 kg 60 L 5 L 5 L 100 kg 25 kg	100 kg 220 L 60 L 60 L 200 kg — — 100 kg
Amino-2 chloro-4 phénol								
Amino-2 diéthylamino-5 pentane								
2-(2-Aminoéthoxy) éthanol								
n-Aminoéthylpipérazine								
Aminophénols (<i>o</i> -, <i>m</i> -, <i>p</i> -)								
Aminopropyldiethanolamine								
n-Aminopropylmorpholine								
Aminopyridines (<i>o</i> -, <i>m</i> -, <i>p</i> -)								
Ammoniac, anhydride, liquéfié, ou Ammoniac, en solution aqueuse d'une densité à 15°C inférieure à 0,880 con- tenant plus de 50 pour cent d'ammoniac	2073	2.4 9.2	102 56 90 99	2.2	2	X	P	150 kg
Ammoniac, en solution aqueuse d'une densité à 15°C inférieure à 0,880 con- tenant plus de 35 pour cent mais 50 pour cent au maximum d'ammoniac	2672	9.1	49	—	—	III	—	—
Ammoniac, en solution, ou Hydroxyde d'ammoniac, contenant au maximum 10 pour cent d'ammoniac	2672	8 9.2		8	8	III	5 L	60 L
Ammoniac, en solution, ou Hydroxyde d'ammoniac, d'une densité à 15°C com- prise entre 0,880 et 0,957 contenant plus de 10 pour cent mais 35 pour cent au maximum d'ammoniac	1843	6.1	90	6.1	6.1	II	P	100 kg
Ammonium dinitro-o-crésolate	1233	NR	73	3.3	3	III	60 L	220 L
Amylacetate de méthyle	1106	3.2		3.2	3	II	5 L	60 L
Amylamine	1108	3.1	46 99	3.1	3	I	1 L	30 L
n-Amylène								

ANNEXE II—Suite
LISTE II—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
328. (1218) Apprêts pour cuir, voir Préparations liq- uides, inflammables, n.s.a.								
329. (1459) Argent fulminant		—	47	—	—	—	—	—
330. (278) Argon, comprimé	1006	2.2		2.2	2	X	75 kg	150 kg
331. (279) Argon, liquide réfrigéré, ou Argon, liquide pressurisé	1951	2.2	46	2.2	2	X	50 kg	500 kg
332. (2612) Arsamiate de sodium	2473	NR	56	6.1	6.1	III	100 kg	200 kg
333. (174) Arséniate d'ammonium	1546	6.1		6.1	6.1	II	25 kg	100 kg
334. (570) Arséniate de calcium et arsénite de cal- cium, en mélange, solide	1574	6.1		6.1	6.1	II	25 kg	100 kg
335. (569) Arséniate de calcium	1573	6.1		6.1	6.1	II	25 kg	100 kg
336. (1754) Arséniate de magnésium	1622	6.1		6.1	6.1	II	25 kg	100 kg
337. (2403) Arséniate de potassium	1677	6.1		6.1	6.1	II	25 kg	100 kg
338. (2613) Arséniate de sodium	1685	9.2		6.1	6.1	II	25 kg	100 kg
339. (3089) Arséniate de zinc, ou Arsénite de zinc, ou mélange	1712	9.2		6.1	6.1	II	25 kg	100 kg
340. (1383) Arséniate ferreux	1608	6.1	89	6.1	6.1	II	25 kg	100 kg
341. (1373) Arséniate ferrique	1606	6.1		6.1	6.1	II	25 kg	100 kg
342. (1811) Arséniate mercurique	1623	6.1 ²		6.1	6.1	II	25 kg	100 kg
343. (1700) Arsénites de plomb	1617	6.1		6.1	6.1	II	25 kg	100 kg
344. (297) ARSENIC, COMPOSÉS LIQUIDES D', N.S.A., notamment: Arsénites, n.s.a., Arsénies, n.s.a., Sulfure d'arsenic, n.s.a., et composés organiques d'arsenic, n.s.a.	1556	9.2	46	6.1	6.1	I	1 L	30 L
345. (298) ARSENIC, COMPOSÉS LIQUIDES D', N.S.A., notamment: Arsénites, n.s.a., Arsénies, n.s.a., Sulfure d'arsenic, n.s.a., et composés organiques d'arsenic, n.s.a.	1556	6.1	94	6.1	6.1	II	5 L	60 L
346. (299) ARSENIC, COMPOSÉS LIQUIDES D', N.S.A., notamment: Arsénites, n.s.a., Arsénies, n.s.a., Sulfure d'arsenic, n.s.a., et composés organiques d'arsenic, n.s.a.	1556	NR		6.1	6.1	III	60 L	220 L
347. (300) ARSENIC, COMPOSÉS SOLIDES D', N.S.A., notamment: Arsénites, n.s.a., Arsénies, n.s.a., Sulfure d'arsenic, n.s.a., et composés organiques d'arsenic, n.s.a.	1557	6.1	46	6.1	6.1	I	5 kg	50 kg

348. (301)	ARSENIC, COMPOSÉS SOLIDES D', N.S.A., notamment: Arsénites, n.s.a., Arsénites, n.s.a.: Sulfure d'arsenic, n.s.a., et composés organiques d'arsenic, n.s.a.	1557	6.1	6.1	6.1	6.1	II	25 kg	100 kg
349. (302)	ARSENIC, COMPOSÉS SOLIDES D', N.S.A., notamment: Arsénites, n.s.a., Arsénites, n.s.a.: Sulfure d'arsenic, n.s.a., et composés organiques d'arsenic, n.s.a., Arsenic ou Arsenic, métallique	1557	NR	6.1	6.1	6.1	III	100 kg	200 kg
350. (280)	Arsénite d'argent	1558	6.1	6.1	6.1	6.1	II	25 kg	100 kg
351. (2593)	Arsénite de Bordeaux, liquide	1683	6.1	46	6.1	6.1	II	25 kg	100 kg
352. (426)	Arsénite de Bordeaux, solide	2994	6.1	55	-	-	II	-	-
353. (427)	Arsénite de calcium, solide	2759	6.1	55	-	-	II	-	-
354. (571)	Arsénite de cuivre	1574	6.1	40	-	-	II	-	-
355. (783)	Arsénite de potassium	1586	6.1	6.1	6.1	6.1	II	25 kg	100 kg
356. (2404)	Arsénite de sodium, en solutions aqueuses	1678	6.1	9.2	6.1	6.1	I	-	-
357. (2614)	Arsénite de sodium, en solutions aqueuses	1686	6.1	9.2	6.1	6.1	II	5 L	60 L
358. (2615)	Arsénite de sodium, en solutions aqueuses	1686	9.2	6.1	6.1	6.1	III	60 L	220 L
359. (2616)	Arsénite de sodium, solide	2027	6.1	6.1	6.1	6.1	II	25 kg	100 kg
360. (2617)	Arsénite de strontium, solide	1691	6.1	9.2	6.1	6.1	II	25 kg	100 kg
361. (2693)	Arsénite ferrique	1607	6.1	6.1	6.1	6.1	II	25 kg	100 kg
362. (1374)	Arsénites de plomb	1618	6.1	6.1	6.1	6.1	II	25 kg	100 kg
363. (1701)	Arsine	2188	2.3	46	2.3	2	X	P	P
364. (311)	Ascaridol (peroxyde organique)	48	2.1	52	2.1	3			
365. (315)	Asphalte, ou Cut-back bitumineux, voir		-	47	-	-	-	-	-
366. (316)	Goudrons, liquides		-	47	-	-	-	-	-
367. (321)	Azido-5 hydroxy-1 tétrazole		-	47	-	-	-	-	-
368. (322)	Azido hydroxytétrazole (sels de mercure		-	47	-	-	-	-	-
369. (324)	et d'argent)	2783	6.1	46	-	-	I	-	-
370. (325)	Azinphos-méthyle	3018	9.2	55	6.1	6.1	I	-	-
371. (328)	Azinphos-méthyle, en mélange, liquide		9.2	55	-	-	-	-	-
371. (328)	Azo-2,2' bis-(méthyl-2 butyronitrile)	3030	4.1	46	46	46	II	-	-
				48	96	100			
						+40°C			
						+45°C			

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
372. (326)	Azo-2,2-di- (diméthyl-2,4 méthoxy-4 valéronitrile)	2955	4.1	46 48 -5°C +5°C	4.1	4.1	II	p	p
373. (327)	Azo-2,2' di- (diméthyl-2,4 valéronitrile)	2953	4.1	46 48 +10°C +15°C	4.1	4.1	II	p	p
374. (329)	Azodi- (hexahydro-1,1' benzonitrile)	2954	4.1	46 48 +15°C	4.1	4.1	II	15 kg	50 kg
375. (330)	Azodisobutyronitrile	2952	4.1 E	31 46 48 +40°C +45°C	4.1 E	4.1 E	II	p	p
376. (2091)	Azote et gaz rares, en mélange, voir Gaz								
377. (2089)	rare et azote, en mélange								
378. (2090)	Azote, comprimé, ou Azote	1066	2.2		2.2	2	X	75 kg	150 kg
379. (331)	Azote, liquide réfrigéré, ou Azote, liquide pressurisé	1977	2.2	46 56 99 47	2.2	2	X	50 kg	500 kg
380. (175)	Azotérazole, (sec)		-	47	-	-	-	-	-
381. (2594)	Azoture d'ammonium		-	47	-	-	-	-	-
382. (337)	Azoture d'argent, (sec)		-	47	-	-	-	-	-
383. (393)	Azoture de baryum, humidifié, uniformément avec au moins 50 pour cent d'eau, en masse	1571	4.1 6.1	10 46 48 56 58 90 99 47	4.1 6.1	4.1 6.1	I	p	0.5 kg
384. (443)	Azoture de benzoyle		-	47	-	-	-	-	-
385. (481)	Azoture de brome		-	47	-	-	-	-	-
386. (665)	Azoture de tert-butoxycarbonyle		-	47	-	-	-	-	-
387. (782)	Azoture de chlore		-	47	-	-	-	-	-
388. (1547)	Azoture de cuivre, amine		-	47	-	-	-	-	-
389. (1604)	Azoture d'hydrazine		-	47	-	-	-	-	-
	Azoture d'iode, (sec)		-	47	-	-	-	-	-

390. (1702)	Azoture de plomb, (sec)	—	47.	—	—	—	—	—	—
391. (2405)	Azoture de potassium	9056	6.1	40	—	—	II	—	—
392. (2618)	Azoture de sodium	1687	6.1	48	6.1	6.1	II	25 kg	100 kg
393. (2799)	Azoture de tétrazole, (sec)	—	—	47	—	—	—	—	—
394. (1826)	Azoture mercurieux	—	—	47	—	—	—	—	—
395. (283)	Bains arsénicaux, liquides (bain parasiti- cide pour moutons)	1557	6.1	55	—	—	II	—	—
396. (335)	Baryum, alliages, <i>non pyrophoriques</i>	1399	4.3	99	4.3	4.3	II	15 kg	50 kg
397. (336)	Baryum, alliages pyrophoriques	1854	4.2	46	4.2	4.2	I	p	p
398. (341)	BARYUM, COMPOSÉS DE, N.S.A.	1564	6.1	46	6.1	6.1	I	5 kg	50 kg
399. (342)	BARYUM, COMPOSÉS DE, N.S.A.	1564	6.1	93	6.1	6.1	II	25 kg	100 kg
400. (343)	BARYUM, COMPOSÉS DE, N.S.A.	1564	NR	—	6.1	6.1	III	100 kg	200 kg
401. (334)	Baryum en poudre, pyrophorique, <i>voir</i> Métaux pyrophoriques, n.s.a.	1400	4.3	99	4.3	4.3	II	15 kg	50 kg
402. (333)	Baryum, <i>non pyrophorique</i>	1263	3.2	55	3.2	—	II	—	—
403. (1691)	BASES POUR LAQUES	1263	3.2	55	3.2	—	III	—	—
404. (1692)	BASES POUR LAQUES	1263	3.2	55	3.2	—	II	—	—
405. (1693)	BASES POUR LAQUES	1263	—	55	3.3	—	II	—	—
406. (1694)	BASES POUR LAQUES	1263	3.3	55	3.3	—	III	—	—
407. (1697)	Bases pour laques, ou Laque en paillettes, sèche	2557	4.1	81	—	—	II	—	—
408. (1)	Batteries d'accumulateurs, <i>voir</i> Accumulateurs électriques	1114	3.2	—	3.2	3	II	5 L	60 L
409. (364)	Benzène	2971	9.2	39	—	4.1	II	15 kg	50 kg
410. (367)	Benzène disulfo-1,3 hydrazide, à 52 pour cent au maximum, en pâte	—	4.1	46	—	—	—	—	—
411. (370)	Benzène sulphonydrazide	2970	4.1	100	—	4.1	II	15 kg	50 kg
412. (373)	Benzidine	1885	6.1	100	6.1	6.1	II	25 kg	100 kg
413. (374)	BENZINE	1115	3.1	48	3.1	3	II	5 L	60 L
414. (375)	BENZINE	1115	3.2	83	3.2	3	II	5 L	60 L
415. (376)	BENZINE	1115	3.3	46	3.3	3	II	5 L	60 L

ANNEXE II—Suite
LISTE II—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
416. (176)	Benzoate d'ammonium	9080	9.2	49	—	—	—	—
417. (1847)	Benzoate de mercure, ou Benzoate mercurique	1631	6.1	6.1	6.1	II	25 kg	100 kg
418. (1907)	Benzoate de méthyle	2938	NR	73	6.1	III	60 L	220 L
419. (1812)	Benzoate mercurique, voir Benzoate de mercure	2224	6.1	102	6.1	II	5 L	60 L
420. (388)	Benzonitrile	2587	9.2	6.1	6.1	II	25 kg	100 kg
421. (389)	Benzoquinone	—	6.1	—	—	—	—	—
422. (392)	Benxodiazoles (secs)	—	—	47	—	—	—	—
423. (399)	Benzyl-diméthylamine	2619	8	8	8	II	1 L	30 L
424. (405)	Béryllium, composés de, n.s.a.	1566	6.1	6.1	6.1	II	25 kg	100 kg
425. (408)	Béryllium, métallique, en poudre	1567	6.1	46	6.1	II	15 kg	50 kg
426. (177)	Bicarbonate d'ammonium	9081	4.1 9.2	4.1 49	—	III	—	—
427. (2636)	Bichromate de sodium	1479	9.2	55	—	II	—	—
428. (779)	Biens de consommation	—	—	97	—	—	—	—
429. (196)	Bifluorure d'ammonium, en solution	2817	8	8	8	II	1 L	30 L
430. (195)	Bifluorure d'ammonium, solide	1727	6.1 9.2	6.1	6.1	—	—	—
431. (2407)	Bifluorure de potassium, en solution	1811	8	8	8	II	15 kg	50 kg
432. (2406)	Bifluorure de potassium, solide	1811	9.2	—	—	—	—	—
433. (2619)	Bifluorure de sodium, voir Hydrogénéofluorure de sodium	1811	6.1	6.1	6.1	II	1 L	30 L
434. (409)	Bifluorures, n.s.a.	1740	8	8	8	II	15 kg	50 kg
435. (1779)	Bloxyde de manganèse	1479	5.1	55	—	II	—	—
436. (1848)	Bisulfate de mercure	1633	6.1	—	6.1	II	25 kg	100 kg
437. (180)	Bisulfite d'ammonium, en solution	2693	8	55	8	II	—	—
438. (179)	Bisulfite d'ammonium, solide	2693	9.2	34	8	III	—	—
439. (572)	Bisulfite de calcium, en solution, voir Hydrosulfite de calcium, en solution	2693	8	55	8	—	—	—
440. (421)	Bisulfites, inorganiques, solutions aqueuses de, n.s.a.	—	—	—	—	—	—	—
441. (421)	Boissons alcooliques, voir Éthanol	2693	8	8	8	III	5 L	60 L

442. (424)	Bombes fumigènes, non explosives, contenant un liquide corrosif, sans dispositif de mise à feu	2028	8	46, 48, 99	8	8	II	p	50 kg
443. (1286)	Borate d'éthyle	1176	3.2		3.2	3	II	5 L	60 L
444. (2841)	Borate de triallyle	2609	NR		6.1	6.1	III	60 L	220 L
445. (2889)	Borate de triisopropyle	2616	3.3	81	3.3	3	II	5 L	60 L
446. (2896)	Borate de triméthyle	2416	3.2	46, 100	3.2	3	II	5 L	60 L
447. (3091)	Borate de zinc	9155	9.2	49	-	-	III	-	-
448. (425)	Borate et chlorate, en mélange, voir Chlorate et borate, en mélange	1312	4.1	44	4.1	4.1	III	25 kg	100 kg
449. (428)	Bornéol	2870	4.2	46	4.2	4.2	I	p	p
450. (141)	Borohydrure d'aluminium, ou Borohydrure d'aluminium, contenu dans des dispositifs contenant du borohydrure d'aluminium	1413	4.3	46, 48, 99	4.3	4.3	I	p	15 kg
451. (1738)	Borohydrure de lithium	1870	4.3	46, 48, 99	4.3	4.3	I	p	15 kg
452. (2408)	Borohydrure de potassium	1426	4.3	46, 48, 99	4.3	4.3	I	p	15 kg
453. (2620)	Borohydrure de sodium	1353	4.1	48	4.1	4.1	III	25 kg	100 kg
454. (2830)	Bouts durs pour chaussures, à base de nitrocellulose	1057	2.1	99	2.1	2	X	1 kg	15 kg
455. (1725)	Briquets, contenant un gaz inflammable ou Briquets ou Gaz inflammable dans des briquets	1226	3.2	47	3.2	3	II	p	p
456. (1726)	Briquets, contenant un liquide pour briquets ou Briquets	1603	6.1	88, 99	6.1	6.1	II	p	p
457. (753)	Briquettes de charbon, chaudes	2643	6.1	102	6.1	6.1	II	5 L	60 L
458. (1288)	Bromacétate d'éthyle	2719	5.1	47	-	-	-	-	-
459. (1912)	Bromacétate de méthyle	1473	5.1	6.1	5.1	5.1	II	5 kg	25 kg
460. (181)	Bromate d'ammonium	1484	5.1	89	5.1	5.1	II	5 kg	25 kg
461. (338)	Bromate de baryum	1494	5.1	89	5.1	5.1	II	25 kg	100 kg
462. (1755)	Bromate de magnésium	2469	5.1	89	5.1	5.1	II	25 kg	100 kg
463. (2409)	Bromate de potassium	1450	5.1	89	5.1	5.1	II	25 kg	100 kg
464. (2621)	Bromate de sodium	1744	8	46	8	8	I	p	2.5 L
465. (3092)	Bromate de zinc	1744	6.1	56	6.1	6.1	I	p	2.5 L
466. (441)	Bromates inorganiques, n.s.a.								
467. (442)	Brome ou Brome, en solution								

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
			99					
468. (453)	2339	3.2	102	3.2	3	II	5 L	60 L
469. (685)	2688	NR	73	6.1	6.1	III	60 L	220 L
470. (455)		—	47	—	—	—	—	—
471. (458)	2341	3.2		3.2	3	II	5 L	60 L
472. (463)		—	47	—	—	—	—	—
473. (464)	2343	3.2		3.2	3	II	5 L	60 L
474. (467)	2345	3.2		3.2	3	II	5 L	60 L
475. (449)	1569	6.1	46 56 88 99	6.1 3	6.1	II	p	p
			102					
476. (451)	2514	NR	73	3.3	3	III	60 L	220 L
477. (454)	1887	9.2		6.1	6.1	III	60 L	220 L
478. (457)	2515	9.2	73	6.1	6.1	III	60 L	220 L
479. (459)	2342	3.2		3.2	3	II	5 L	60 L
480. (460)	2342	3.2		—	3	III	60 L	220 L
481. (461)	2342	3.3	81	3.3	3	II	5 L	60 L
482. (462)	2342	3.3	81	—	3	III	60 L	220 L
483. (465)	2344	3.2		3.2	3	II	5 L	60 L
484. (466)	2344	3.3	81	3.3	3	II	5 L	60 L
485. (468)		—	47	—	—	—	—	—
486. (469)	2419	2.1	48	2.1	2	X	p	150 kg
487. (470)	1009	2.2	99	2.2	3	X	75 kg	150 kg
488. (767)	9103	9.2	49	—	—	III	—	—
489. (18)	1716	8		8	8	II	1 L	30 L
490. (129)	1099	9.2 6.1	46 56	3.2 6.1	3	I	p	30 L

491. (142)	Bromure d'aluminium, anhydre	1725	8	8	8	II	15 kg	50 kg
492. (143)	Bromure d'aluminium, en solution	2580	8	8	8	III	5 L	60 L
493. (295)	Bromure d'arsenic, ou Bromure d'arsenic, solide	1555	6.1	6.1	6.1	II	25 kg	100 kg
494. (396)	Bromure de benzyle	1737	6.1 8	8	6.1 8	II	p	30 L
495. (450)	Bromure de bromacétyle	2513	8	8	8	II	1 L	30 L
496. (491)	Bromure de n-butyle	1126	3.3	3.3	3	II	5 L	60 L
497. (559)	Bromure de cadmium	2570	9.2	-	-	II	-	-
498. (852)	Bromure de cyanogène	1889	6.1 8	6.1 8	6.1 8	I	p	25 kg
499. (1287)	Bromure d'éthyle	1891	6.1	6.1	6.1	II	5 L	60 L
500. (1569)	Bromure d'hydrogène, anhydre	1048	2.4	2.3 8	2 6.1	X	p	25 kg
501. (1909)	Bromure de méthyle	1062	2.3	2.3	2 6.1	X	p	p
502. (1910)	Bromure de méthyle et chloropierine, en mélange, voir Chloropierine et bromure de méthyle, en mélange	1647	6.1 9.2	6.1	6.1	I	p	30 L
503. (1911)	Bromure de méthyle et dibromure d'éthylène, en mélange, liquide	1928	4.2	4.2	4.2	I	p	p
504. (1960)	Bromure de méthyle magnésium dans l'éther éthylique		-	-	-	-	-	-
505. (1046)	Bromure d'or diéthyle	2645	6.1	6.1	6.1	II	25 kg	100 kg
506. (2292)	Bromure de phénacyle	1085	2.1	2.1	2 3	X	p	150 kg
507. (2957)	Bromure de vinyle, stabilisé		-	-	-	-	-	-
508. (3084)	Bromure de xylyle	1701	6.1	6.1	6.1	II	p	60 L
509. (3093)	Bromure de zinc	9156	9.2	-	-	III	-	-
510. (1178)	Bromure de diphenylméthyle	1770	8	8	8	II	15 kg	50 kg

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
511. (1827)	Bromure mercurieux, voir Bromures de mercure							
512. (1813)	Bromure mercurique, voir Bromures de mercure							
513. (1849)	Bromures de mercure, ou Bromure mercurique, ou Bromure mercurieux	6.1	56	6.1	6.1	II	25 kg	100 kg
514. (471)	Brucine	6.1		6.1	6.1	II	25 kg	100 kg
515. (473)	Butadiène, stabilisé	2.1	46 56 84	2.1	2 3	X	P	150 kg
516. (474)	Butane ou Butane, en mélange		101					
517. (475)	Butanédione ou Diacétyle	2.1	56 102	2.1	2 3	X	P	150 kg
518. (477)	BUTANOLS	3.2	102	3.2	3	II	5 L	60 L
519. (478)	BUTANOLS	3.2		3.2	3	II	5 L	60 L
520. (479)	BUTANOLS	3.2		—	3	III	60 L	220 L
521. (480)	BUTANOLS	3.3	81	3.3	3	II	5 L	60 L
522. (482)	Butoxyl	3.3	81	—	3	III	60 L	220 L
523. (490)	Butylbenzènes	NR	73	3.3	3	III	60 L	220 L
524. (505)	N,n-Butyl-imidazole	NR	73	3.3	3	III	60 L	220 L
525. (509)	Butyl mercaptan	6.1		6.1	6.1	II	5 L	60 L
526. (544)	Butyl toluènes	3.2	46 56	3.2	3	II	5 L	60 L
527. (486)	n-Butylamine	NR	73	6.1 3	6.1 3	III	60 L	220 L
528. (487)	sec-Butylamine, voir Liquides inflammables, n.s.a.	3.2		3.2	3	II	5 L	60 L
529. (488)	tert-Butylamine, voir Liquides inflammables, n.s.a.	NR		6.1	6.1	III	60 L	220 L
530. (489)	N-Butylamine	3.2 9.2		3.2	3	II	5 L	60 L
531. (498)	Butylène	6.1		6.1	6.1	II	5 L	60 L
532. (540)	Butylphénols, liquides	2.1	56 102	2.1	2	X	P	150 kg
533. (541)	Butylphénols, solides	NR	73	6.1	6.1	III	60 L	220 L
534. (545)	Butyltrichlorosilane	NR		6.1	6.1	III	100 kg	200 kg
		8	46 56 90	8 3	8	II	P	30 L

535. (546)	tert-Butyl-5 trinitro-2,4,6 m-xylène ou Musc de xylène	2956	4.1 E	46 48 100	-	4.1 E	III	P	P
536. (548)	Butyne-1, voir Éthyl acétylène, stabilisé								
537. (549)	Butynediol-1,4	2716	4.1		4.1	4.1	III	25 kg	100 kg
538. (550)	Butyraldéhyde	1129	3.2		3.2	3	II	5 L	60 L
539. (551)	Butyraldoxyme	2840	NR	73	3.3	3	III	60 L	220 L
540. (1301)	Butyrate de di-(tert-butylperoxy)-3,3 éthyle, à 50 pour cent au maximum avec un solide inorganique inerte	2598	5.2	48 56 83	5.2	5.2	II	5 kg	10 kg
541. (1302)	Butyrate de di-(tert-butylperoxy)-3,3 éthyle, à 77 pour cent au maximum, en solution	2185	5.2	48 56 83	5.2	5.2	II	5 L	10 L
542. (1303)	Butyrate de di-(tert-butylperoxy)-3,3 éthyle, techniquement pur	2184	5.2 E	46 48 56 83	5.2 E	5.2 E	II	P	P
543. (1293)	Butyrate d'éthyle	1180	3.3	81	3.3	3	II	5 L	60 L
544. (1660)	Butyrate d'isopropyle	2405	3.3	81	3.3	3	II	5 L	60 L
545. (1919)	Butyrate de méthyle	1237	3.2		3.2	3	II	5 L	60 L
546. (2958)	Butyrate de vinyle, stabilisé	2838	3.2	84	3.2	3	II	5 L	60 L
547. (236)	Butyrate d'amyle	2620	NR	73	3.3	3	III	60 L	220 L
548. (554)	Butyronitrile	2411	3.2 6.1	99	3.2 6.1	3 6.1	II	1 L	60 L
549. (556)	Cabazide		-	47	-	-	-	-	-
550. (2622)	Cacodylate de sodium	1688	6.1		6.1	6.1	II	25 kg	100 kg
551. (561)	CADMIUM, COMPOSÉS DE, n.s.a.	2570	6.1	46	6.1	6.1	I	5 kg	50 kg
552. (562)	CADMIUM, COMPOSÉS DE, n.s.a.	2570	6.1	93	6.1	6.1	II	25 kg	100 kg
553. (563)	CADMIUM, COMPOSÉS DE, n.s.a.	2570	NR		6.1	6.1	III	100 kg	200 kg
554. (564)	Caesium ou Césium, métallique	1407	4.3	46 48 56	4.3	4.3	I	P	15 kg
555. (568)	Calcium ou Calcium, métallique, ou Cal- cium, alliages de	1401	4.3	99	4.3	4.3	II	15 kg	50 kg
556. (595)	Calcium pyrophorique, ou Calcium, alli- ages pyrophoriques de	1855	4.2	99	4.2	4.2	II	P	50 kg
557. (600)	Camphène	9011	9.1	49		-	III	-	-
558. (663)	Camphène chloré, voir Toxaphène								
559. (602)	Camphre, synthétique	2717	4.1		4.1	4.1	III	25 kg	100 kg

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
560. (2564)		1345	4.1	37	4.1	4.1	II	15 kg	50 kg
561. (2565)		1287	3.2		3.2	3	II	5 L	60 L
562. (2566)		1287	3.2		—	3	III	60 L	220 L
563. (2567)		1287	3.3	81	3.3	3	II	5 L	60 L
564. (2568)		1287	3.3	81	—	3	III	60 L	220 L
565. (605)		9099	9.2	49	—	—	II	—	—
566. (182)		9083	9.2	49	—	—	III	—	—
567. (616)		2757	6.1	55	—	—	II	—	—
568. (617)		2757	9.2	46	—	—	I	—	—
569. (618)		2992	6.1	55	—	—	I	—	—
570. (183)		9084	9.2	49	—	—	III	—	—
571. (1040)		2366	3.3	81	3.3	3	II	5 L	60 L
572. (1098)		1161	3.2		3.2	3	II	5 L	60 L
573. (3094)		9157	9.2	49	—	—	III	—	—
574. (533)		2103	5.2 E	46 48 56 83 99	5.2 E	5.2 E	II	p	p
575. (1446)		1863	3.2		3.2	3	II	5 L	60 L
576. (1447)		1863	3.3		—	3	III	60 L	220 L
577. (1448)		1863	NR	73	—	3	III	60 L	220 L
578. (144)		1394	4.3	46	4.3	4.3	II	15 kg	50 kg
579. (573)		1402	4.3 9.2	46 56 90 99	4.3	4.3	II	p	50 kg

580. (2033)	Catalyseur au nickel, humidifié, avec au moins 40 pour cent en masse d'eau ou d'autre liquide approprié, finement divisé, activé ou usé	1378	4.2	46 48 56	4.2	4.2	II	p	50 kg
581. (2032)	Catalyseur au nickel, sec	2881	4.2	90 46 48	4.2	4.2	I	p	p
582. (645)	Celluloïde, en bloc, barres, rouleaux, feuilles, tubes, etc. (à l'exclusion des déchets)	2000	4.1	56 48	4.1	4.1	III	25 kg	100 kg
583. (646)	Celluloïde, déchets	2002	4.2	48 88	4.2	4.2	III	p	p
584. (647)	Cérium, brut	1333	4.1	99	4.1	4.1	II	15 kg	50 kg
585. (648)	Cérium, brut, compacté	1333	4.1	99	4.1	4.1	III	25 kg	100 kg
586. (649)	Césium métallique, voir Caesium								
587. (1680)	CÉTONES, LIQUIDES, N.S.A.	1224	3.1	46 99	3.1	—	I	—	—
588. (1681)	CÉTONES, LIQUIDES, N.S.A.	1224	3.1	99	3.1	3	II	5 L	60 L
589. (1682)	CÉTONES, LIQUIDES, N.S.A.	1224	3.2		3.2	3	II	5 L	60 L
590. (1683)	CÉTONES, LIQUIDES, N.S.A.	1224	3.3	81	3.3	3	II	5 L	60 L
591. (1684)	CÉTONES, LIQUIDES, TOXIQUES, N.S.A.		—		—	—	—	—	—
592. (1685)	CÉTONES, LIQUIDES, TOXIQUES, N.S.A.		—		—	—	—	—	—
593. (1686)	CÉTONES, LIQUIDES TOXIQUES, N.S.A.		—		—	—	—	—	—
594. (1687)	CÉTONES, LIQUIDES TOXIQUES, N.S.A.		—		—	—	—	—	—
595. (3067)	Chaises roulantes, électriques, à accumulateur de type inversable		9	95	NR	9	—	NL	NL
596. (3068)	Chaises roulantes, électriques, à accumulateur de type renversible		9	95	NR	9	—	NL	NL
597. (2747)	Chandeltes lacrymogènes	1700	6.1 4.1	46 56 90	6.1 4.1	6.1 4.1	II	p	25 kg
598. (650)	Charbon, activé, ou Charbon de bois, activé	1362	4.2	102 37	4.2	4.2	III	p	p
599. (619)	Charbon voir Charbon de bois								
600. (652)	Charbon de bois, humide		—	47	—	—	—	—	—
601. (651)	Charbon de bois, poussière, humide		—	47	—	—	—	—	—
602. (653)	Charbon de bois, ou Charbon, d'origine animale ou végétale	1361	4.2	37	4.2	4.2	III	p	p
603. (1392)	Charges d'extincteurs, liquides corrosifs	1774	8	48	8	8	II	1 L	30 L
604. (2604)	Chaux sodée, contenant plus de 4 pour cent d'hydroxyde de sodium	1907	8		8	8	III	25 kg	100 kg

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
605. (2536)	Chiffons, gras	1856	4.2	35 37 46 48 56 88	4.2	4.2	III	P
606. (2537)	Chiffons, humides	1325	4.1	37 46 48 56	—	—	—	—
607. (1295)	Chloracétate d'éthyle	1181	6.1	6.1 3	6.1	6.1	II	60 L
608. (1661)	Chloracétate d'isopropyle	2947	NR	73	3.3	3	III	60 L
609. (1923)	Chloracétate de méthyle	2295	6.1	3.3	6.1	6.1	II	60 L
610. (2627)	Chloracétate de sodium	2659	NR	6.1	6.1	6.1	III	200 kg
611. (2960)	Chloracétate de vinyle	2589	6.1	6.1 3	6.1	6.1	II	60 L
612. (655)	Chloral, anhydre, stabilisé	2075	6.1	84 99	6.1	6.1	II	100 kg
613. (184)	Chlorate d'ammonium		—	47	—	—	—	—
614. (339)	Chlorate de baryum, ou Chlorate de baryum, en solution	1445	5.1	5.1 6.1	5.1 6.1	5.1 6.1	II	25 kg
615. (340)	Chlorate de baryum, humidifié (<i>unifornément</i>)	1445	5.1	55	—	—	II	—
616. (574)	Chlorate de calcium	1452	5.1	6.1	5.1	5.1	II	25 kg
617. (575)	Chlorate de calcium, en solution	2429	5.1	56	5.1	5.1	II	1 L
618. (794)	Chlorate de cuivre	2721	5.1	—	5.1	5.1	II	25 kg
619. (1548)	Chlorate d'hydrazine		—	47	—	—	—	—
620. (1756)	Chlorate de magnésium	2723	5.1	—	5.1	5.1	II	25 kg
621. (2411)	Chlorate de potassium	1485	5.1	—	5.1	5.1	II	25 kg
622. (2412)	Chlorate de potassium, en solution	2427	5.1	56	5.1	5.1	II	1 L
623. (2623)	Chlorate de sodium	1495	5.1	—	5.1	5.1	II	5 kg
624. (2624)	Chlorate de sodium, en solution	2428	5.1	—	5.1	5.1	II	1 L
625. (2694)	Chlorate de strontium, ou Chlorate de strontium, humidifié	1506	5.1	—	5.1	5.1	II	25 kg
626. (2801)	Chlorate de thallium	2573	5.1 6.1	46 48	5.1 6.1	5.1 6.1	II	25 kg

627. (3095)	Chlorate de zinc	1513	5.1		5.1	II	5 kg	25 kg
628. (656)	Chlorate et borate, en mélange	1458	5.1		5.1	II	5 kg	25 kg
629. (657)	Chlorate et chlorure de magnésium, en mélange, solide ou en solution	1459	5.1		5.1	II	5 kg	25 kg
630. (658)	Chlorates inorganiques, n.s.a.	1461	5.1		5.1	II	5 kg	25 kg
631. (659)	Chlordane, liquide	2762	3.1	46	—	I	—	—
632. (660)	Chlordane, en mélange	2762	9.2	55	—	I	—	—
633. (661)	Chlordecone, voir Kepone		9.2	46				
634. (664)	Chlore	1017	2.4	46	2.3	X	p	p
			9.2	52	6.1			
				56				
				88				
				99				
				102				
635. (2048)	Chlorhydrate de nicotine, ou Chlorhydrate de nicotine, en solution	1656	6.1	102	6.1	II	5 L	60 L
636. (2466)	Chlorhydrine propylenique	2611	6.1		6.1	II	5 L	60 L
637. (186)	Chlorite d'ammonium		—	47	—	—	—	—
638. (2595)	Chlorite d'argent, (sec)		—	47	—	—	—	—
639. (576)	Chlorite de calcium	1453	5.1	46	5.1	II	p	25 kg
				48				
				56				
				90				
640. (2625)	Chlorite de sodium	1496	5.1	46	5.1	II	p	25 kg
				56				
				90				
641. (2626)	Chlorite de sodium, en solution, avec plus de 5 pour cent de chlore libre	1908	8	8	8	II	1 L	30 L
642. (670)	Chlorites inorganiques, n.s.a.	1462	5.1	48	5.1	II	p	p
				82				
643. (722)	Chloro-2 propane	2356	3.1	88	3.1	I	1 L	30 L
644. (723)	Chloro-3 propanol-1	2849	NR	99	6.1	III	60 L	220 L
645. (724)	Chloro-2 propène	2456	3.1	73	3.1	I	p	30 L
				46				
				56				
				90				
646. (1297)	Chloro-2 propionate d'éthyle	2935	NR	99	3.3	III	60 L	220 L
647. (1663)	Chloro-2 propionate d'isopropyle	2934	NR		3.3	III	60 L	220 L
648. (1926)	Chloro-2 propionate de méthyle	2933	3.3	81	3.3	III	60 L	220 L
649. (726)	Chloro-2 pyridine	2822	6.1		6.1	II	5 L	60 L
650. (674)	Chloracétone, stabilisé, ou Monochloracétone, stabilisé	1695	6.1	46	6.1	II	p	60 L
				56				
				84				
				90				
				99				
				102				

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
651. (675)	2668	6.1		3	6.1	II	5 L	60 L
652. (676)	1697	6.1	46 56 90 96 99 102	6.1	6.1	II	p	60 L
653. (678)	2019	6.1		6.1	6.1	II	5 L	60 L
654. (679)	2018	6.1		6.1	6.1	II	25 kg	100 kg
655. (680)	2233	NR		6.1	6.1	III	100 kg	200 kg
656. (681)	1134	3.3	81	3.3	3	II	5 L	60 L
657. (686)	1127	3.2		3.2	3	II	5 L	60 L
658. (131)								
659. (687)	2669	6.1		6.1	6.1	II	5 L	60 L
660. (688)	2669	6.1		6.1	6.1	II	25 kg	100 kg
661. (690)	1974	2.2		2.2	2	X	75 kg	150 kg
662. (691)	2517	2.1	46 56	2.1	2 3	X	p	150 kg
663. (692)	1018	2.2		2.2	2	X	75 kg	150 kg
664. (693)	1973	2.2	83	2.2	2	X	75 kg	150 kg
665. (694)	1577	6.1	102	6.1	6.1	II	5 L	60 L
666. (695)	1577	6.1	102	6.1	6.1	II	25 kg	100 kg
667. (696)	1888	6.1		6.1	6.1	II	5 L	60 L
668. (132)	1722	8	46 56 90 99	8 3	8	I	p	2.5 L
669. (398)	1739	8	46 56 90 99	8	8	I	p	2.5 L
670. (495)	2747	NR	73	6.1	6.1	III	60 L	220 L

671. (493)	Chloroformiate de n-butyle	2743	6.1 8	6.1 8	6.1 8	II	1 L	30 L
672. (698)	Chloroformiate de chlorométhyle	2745	6.1 8	6.1 8	6.1 8	II	1 L	30 L
673. (858)	Chloroformiate de cyclobutyle	2744	6.1 8	6.1 8	6.1 8	II	1 L	30 L
674. (1330)	Chloroformiate d'éthyl-2 hexyle	2748	6.1 8	6.1 8	6.1 8	II	1 L	30 L
675. (1296)	Chloroformiate d'éthyle	1182	3.2 6.1 8	46 56	3.2 6.1 8	I	p	2.5 L
676. (1662)	Chloroformiate d'isopropyle	2407	3.2 8	3.2 8	3.2 8	II	1 L	5 L
677. (1924)	Chloroformiate de méthyle	1238	3.2 8	46 56	3.2 8	I	p	2.5 L
678. (2312)	Chloroformiate de phényle	2746	6.1 8	6.1 8	6.1 8	II	1 L	30 L
679. (2464)	Chloroformiate de n-propyle	2740	3.3 6.1 8	46 81	3.3 6.1 8	I	p	2.5 L
680. (697)	Chloroformiates, n.s.a., point d'éclair égal ou supérieur à 23°C	2742	6.1 8	56 8	6.1 8	II	1 L	30 L
681. (251)	Chlorohydrate d'aniline	1548	NR		6.1	III	100 kg	200 kg
682. (734)	Chlorohydrate de chloro-4-o-toluidine	1579	9.2	56 90	6.1	III	p	200 kg
683. (701)	Chlorométhylpropanes, voir Chlorobutanes	2237	NR		6.1	III	60 L	220 L
684. (702)	Chloronitroamines	1578	6.1	6.1	6.1	II	25 kg	100 kg
685. (703)	Chloronitrobenzènes, ou Chloronitrobenzènes, méta ou para, solides	1578	6.1	6.1	6.1	II	5 L	60 L
686. (704)	Chloronitrobenzène, ou Chloronitrobenzène, ortho liquide	2433	NR		6.1	III	60 L	220 L
687. (705)	Chloronitrotoluenes	1020	2.2	2.2	2	X	75 kg	150 kg
688. (706)	Chloropentafluoroéthane (R115)	2904	8	89	8	II	5 L	60 L
689. (708)	Chlorophénates, liquides	2905	8		8	III	25 kg	100 kg
690. (709)	Chlorophénates, solides	2021	NR	73	6.1	III	60 L	220 L
691. (710)	Chlorophénols, liquides	2020	NR		6.1	III	100 kg	200 kg
692. (711)	Chlorophénols, solides	1753	8	46 56 90	8	II	p	30 L
693. (712)	Chlorophényl trichlorosilane	1580	6.1	46 90	6.1	I	p	p
694. (713)	Chloropiridine, liquide							
695. (714)	Chloropiridine et Bromure de méthyle, en mélange	1581	2.3	102 88 99 102	2.3 2 6.1	X	p	p

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
696. (715)	Chloropirine et Chlorure de méthyle, en mélange	1582	2.3	46 56 88 99 102	2.3 6.1	2 6.1	X p	p
697. (716)	Chloropirine et gaz comprimés, inflammables, non liquéfiés, en mélange	1955	2.3	46 55	—	—	X	—
698. (717)	CHLOROPICRINE EN MÉLANGE, N.S.A.	1583	6.1	56 88	6.1	1	p	p
699. (718)	CHLOROPICRINE EN MÉLANGE, N.S.A.	1583	6.1	102 56 88	6.1	II	p	p
700. (719)	CHLOROPICRINE EN MÉLANGE, N.S.A.	1583	NR	102 88	6.1	III	p	p
701. (721)	Chloroprène, stabilisé	1991	3.2 6.1	46 84	3.2 6.1	3 6.1	I	30 L
702. (727)	Chlorosilanes, n.s.a.	2987	8	46 100	—	8	II	30 L
703. (728)	Chlorosilanes, n.s.a., point d'éclair inférieur à 23°C	2985	3.2 8	46 100	—	3 8	I	0,5 L
704. (729)	Chlorosilanes, n.s.a., point d'éclair égal ou supérieur à 23°C mais égal ou inférieur à 61°C	2986	8	46 100	—	8	II	30 L
705. (730)	Chlorosilanes, n.s.a., qui émettent des gaz inflammables au contact de l'eau	2988	4.3 3 8	46 48 56 100	—	4.3 3 8	I	1 L
706. (732)	Chlorotétrafluoroéthane (R124)	1021	2.2	100	2.2	2	X	75 kg
707. (733)	Chlorothioformiate d'éthyle	2826	8	56	8	8	II	30 L
708. (733)	Chlorotoluènes	2238	NR	73	3.3	3	III	220 L
709. (735)	Chlorotoluidines, liquides	2239	NR	73	6.1	6.1	III	220 L
710. (736)	Chlorotoluidines, solides	2239	NR	73	6.1	6.1	III	200 kg
711. (737)	Chlorotrifluoroéthane (R133a)	1983	2.2	73	2.2	2	X	75 kg
712. (738)	Chlorotrifluorométhane (R13)	1022	2.2	83	2.2	2	X	75 kg
713. (739)	Chlorotrifluorométhane et trifluorométhane en mélange azéotrope (RS03), contenant environ 60 pour cent de chlorotrifluorométhane	2599	2.2	83	2.2	2	X	75 kg
714. (740)	Chlorpyrifos	2783	6.1 9.2	46 55	—	—	I	—
715. (751)	Chlorure chromeux	9102	9.2	49	—	—	III	—

716. (855)	Chlorure cyanurique	2670	8			8	8	III	25 kg	100 kg
717. (19)	Chlorure d'acétyle	1717	3.2 8			3.2 8	3	II	1 L	5 L
718. (130)	Chlorure d'allyle	1100	9.2 3.1 6.1 9.2	46 56 99		3.1 6.1	3 6.1	I	p	30 L
719. (145)	Chlorure d'aluminium, anhydride	1726	8			8	8	II	15 kg	50 kg
720. (146)	Chlorure d'aluminium, en solution	2581	8			8	8	III	5 L	60 L
721. (185)	Chlorure d'ammonium	9085	9.2	49		—	—	III	—	—
722. (237)	Chlorure d'amyle	1107	3.2			3.2	3	II	5 L	60 L
723. (255)	Chlorure d'anisyle	1729	8			8	8	II	1 L	30 L
724. (296)	Chlorure d'arsenic, voir Trichlorure d'arsenic									
725. (365)	Chlorure de benzène diazonium, sec	2225	8	47		—	—	—	—	—
726. (371)	Chlorure de benzène sulfonyle					8	8	III	5 L	60 L
727. (394)	Chlorure de benzoyle	1736	8			8	8	II	1 L	30 L
728. (397)	Chlorure de benzyle	1738	9.2 6.1 8	56 90		6.1 8	6.1 8	II	p	30 L
729. (400)	Chlorure de benzyléthylamino-4 éthoxy-3 phényl diazonium-chlorure de zinc	3037	9.2 4.1	99 46 48 96 100 +40°C +45°C		—	—	II	—	—
730. (401)	Chlorure de benzylidène	1886	6.1	99		6.1	6.1	II	5 L	60 L
731. (390)	Chlorure de benzylidine	2226	8			8	8	II	1 L	30 L
732. (403)	Chlorure de benzylméthylamino-4 éthoxy-3 phényl diazonium-chlorure de zinc	3038	4.1	46 96 100 +40°C +45°C		—	—	II	—	—
733. (404)	Chlorure de béryllium	1566	6.1 9.2	55		—	—	II	—	—
734. (444)	Chlorure de brome	2901	2.3 5.1 8	46 48 56 88 99		2.3 5.1 8	2 5.1 6.1 8	X	p	p
735. (492)	Chlorure de butyle, voir Chlorobutanes									
736. (555)	Chlorure de butyryle	2353	3.2 8	73		3.2 8	3	II	1 L	5 L
737. (560)	Chlorure de cadmium	2570	9.2	55		—	—	II	—	—
738. (422)	Chlorure de chaux, voir Hypochlorite de calcium									

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
739. (677)	Chlorure de chloracétyle	1752	8	46 56 90	8	II	P	30 L
740. (689)	Chlorure de chloro-3 diéthylamino-4 phényldiazonium-chlorure de zinc	3033	4.1	99 48 96	-	II	-	-
741. (748)	Chlorure de chromyle	1758	8	100 46 56	8	I	P	2.5 L
742. (795)	Chlorure de cuivre	2802	8	90	NR	II	25 kg	100 kg
743. (853)	Chlorure de cyanogène	1589	9.2 2.3 9.2	33 46 48 52 56 79 88 98 99	2.3 6.1	X	P	P
744. (915)	Chlorure de diazo-2-naphtol-1 sulfonyl-4	3042	4.1 E	102 46 48 96	-	II	-	-
745. (916)	Chlorure de diazo-2-naphtol-1 sulfonyl-5	3043	4.1 E	100 46 48 96	-	II	-	-
746. (969)	Chlorure de dichloracétyle	1765	8	100 46 48 99	8	II	I L	30 L
747. (1034)	Chlorure de diéthylaluminium voir Halogénures d'aluminium alkyles	2751	8	56 99	3 8	II	15 kg	50 kg
748. (1057)	Chlorure de diéthylthiophosphoryle	3036	4.1	46 48 96	-	II	-	-
749. (1032)	Chlorure de diéthoxy-2,5 morphyl-4 phényldiazonium-chlorure de zinc	3039	4.1	100 46 48 96 100	-	II	-	-
750. (1091)	Chlorure de diméthyl-4 amino-6-(diméthyl-2 aminoéthoxy)-2 toluène diazonium-chlorure de zinc	2262	8	+40°C +45°C	8	II	I L	30 L
751. (1097)	Chlorure de diméthylcarbomyle	2267	8	8	8	III	5 L	60 L

753. (1183)	Chlorure de dipropylamino-4-phényl diazonium-chlorure de zinc	3034	4.1	48 96	-	-	II	-	-
754. (1294)	Chlorure d'éthyle (R160)	1037	2.1	46 100	2.1	2	X	p	150 kg
755. (1462)	Chlorure de fumaryl	1780	8	46	8	8	II	1 L	30 L
756. (1570)	Chlorure d'hydrogène, anhydre	1050	2.4 9.2	46 52 56 99	2.2 8	2 8	X	p	p
757. (1571)	Chlorure d'hydrogène, liquide réfrigéré	2186	2.4 9.2	102 46 52 56	-	2 8	X	p	p
758. (1583)	Chlorure de (hydroxy-2 éthoxy)-3 pyridinyl-4 phényldiazonium-chlorure de zinc	3035	4.1	100 46 48 96 100 +40°C +45°C	-	-	II	-	-
759. (1634)	Chlorure d'isobutyryle	2395	3.2 8	3.2 8	3.2	3	II	1 L	5 L
760. (1836)	Chlorure de mercure ammoniacal, ou Chlorure mercurique d'ammoniac	1630	6.1	6.1	6.1	6.1	II	25 kg	100 kg
761. (1920)	Chlorure de méthyle (R40)	1063	2.1 6.1	46 56 99	2.3 2.1	2 3 6.1	X	p	25 kg
762. (1896)	Chlorure de méthyle allylique	2554	3.1	102 99	3.1	3	II	5 L	60 L
763. (1921)	Chlorure de méthyle et chloropicrine, en mélange, voir Chloropicrine et chlorure de méthyle, en mélange								
764. (1922)	Chlorure de méthyle et chlorure de méthylène, en mélange	1912	2.1	46 56 90 99 102	2.1	2	X	p	150 kg
765. (1937)	Chlorure de méthylène, voir Dichlorométhane								
766. (1938)	Chlorure de méthylène et chlorure de méthyle, en mélange, voir Chlorure de méthyle et chlorure de méthylène, en mélange								
767. (2034)	Chlorure de nickel	9139	9.2	49	-	-	III	-	-
768. (2119)	Chlorure de nitrosyle	1069	2.4	46 52 56 99	2.3 8	2 8	X	p	p
769. (2311)	Chlorure de phénylcarbylamine	1672	6.1	102 46 99 102	6.1	6.1	I	p	p
770. (2310)	Chlorure de phénylacétyle	2577	8	102	8	8	II	1 L	30 L
771. (1703)	Chlorure de plomb	2291	8 9.2	34 48 55	-	-	III	-	-

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
772. (2457)	1815	3.2		3.2	3	II	1 L	5 L
773. (2463)	1278	3.1	46	3.1	3	II	p	60 L
			56					
			90					
			99					
774. (2485)	1817	8	102	8	8	II	1 L	30 L
775. (2725)	1828	8	46	8	8	I	p	2.5 L
			56					
			90					
776. (2726)	1828	8	46	8	8	I	p	2.5 L
		9.2	56					
			90					
777. (2737)	1834	8	46	8	8	I	0.5 L	2.5 L
778. (2811)	1836	8	102	8	8	I	p	2.5 L
			56					
			90					
779. (2814)	1837	8	46	8	8	II	p	30 L
			56					
780. (2857)	2442	8	90	8	8	II	p	p
			46					
			88					
781. (2890)	2438	8	99	8	8	II	1 L	30 L
782. (2947)	2502	3	99	3	3	II	1 L	30 L
783. (2959)	1086	2.1		2.1	2	X	p	150 kg
			46					
			56					
			84					
784. (2963)	1303	3.1	102	3.1	3	I	1 L	30 L
		9.2	84					
			99					
785. (3087)	9154	9.2	49	—	—	III	—	—
786. (3096)	2331	8		8	8	III	25 kg	100 kg
787. (3097)	1840	8		8	8	III	5 L	60 L
788. (1757)		9.2						
789. (1385)	1760	8	55	—	—	III	—	—
790. (1384)	1759	9.2	34	—	—	III	—	—
791. (1375)	1773	8	55	8	8	III	25 kg	100 kg
		9.2						

792. (1376)	Chlore ferrique, en solution	2582	8	8	8	III	5 L	60 L
793. (1810)	Chlore mercurique d'ammoniac, voir		9.2					
794. (1814)	Chlore de mercur ammoniacal	1624	6.1	6.1	6.1	II	25 kg	100 kg
795. (2690)	Chlore stanneux, solide	1759	8	-	-	III	-	-
796. (2687)	Chlore stannique, anhydride, ou Tetra-	1827	8	8	8	II	1 L	30 L
797. (2688)	Chlore stannique, pentahydrate, ou Tetra-	2440	8	8	8	III	25 kg	100 kg
798. (684)	Chlore de chlorobenzyle	2235	NR	73	6.1	III	60 L	220 L
799. (187)	Chromate d'ammonium	9086	9.2	49	-	III	-	-
800. (577)	Chromate de calcium	9096	9.2	40	-	III	-	-
801. (1739)	Chromate de lithium	9134	9.2	49	-	III	-	-
802. (2413)	Chromate de potassium	9142	9.2	49	-	III	-	-
803. (2628)	Chromate de sodium	9145	9.2	49	-	III	-	-
804. (2695)	Chromate de strontium	9149	9.2	49	-	III	-	-
805. (752)	Cigarettes à auto-allumage	1867	4.1	4.1	4.1	II	p	p
806. (188)	Citrate d'ammonium, dibasique	9087	9.2	49	-	III	-	-
807. (1371)	Citrate de fer ammoniacal	9118	9.2	49	-	III	-	-
808. (2907)	Cobalt trinitroamine		-	47	-	-	-	-
809. (771)	Cocculus ou Cocculus, solide	1584	6.1	6.1	6.1	II	25 kg	100 kg
810. (772)	Coke, chaud		-	47	-	-	-	-
811. (37)	COLLES, contenant un liquide d'un point d'éclair inférieur à -18°C	1133	3.1	99	3.1	II	5 L	60 L
812. (38)	COLLES, contenant un liquide d'un point d'éclair égal ou supérieur à -18°C, mais inférieur à 23°C	1133	3.2	49	3.2	II	5 L	60 L
813. (39)	COLLES, contenant un liquide d'un point d'éclair égal ou supérieur à 23°C, mais inférieur à 61°C	1133	-	73	3.3	II	5 L	60 L
814. (40)	COLLES, contenant un liquide d'un point d'éclair égal ou supérieur à 23°C, mais inférieur à 37.8°C	1133	3.3	-	-	III	60 L	220 L
815. (41)	COLLES, contenant un liquide d'un point d'éclair égal ou supérieur à 37.8°C, mais inférieur à 61°C	1133	NR	73	-	III	60 L	220 L
816. (1227)	COLORANTS, N.S.A., ou COLO-RANTS, MATIERES INTER-MEDIAIRES POUR, N.S.A.,* liquides corrosifs	2801	8	8	8	II	1 L	30 L
817. (1228)	COLORANTS, N.S.A., ou COLO-RANTS, MATIERES INTER-MEDIAIRES POUR, N.S.A.,* liquides corrosifs	2801	8	8	8	III	5 L	60 L

ANNEXE II—Suite

LISTE II—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
818. (1229)		2801	8		8	8	II	15 kg	50 kg
819. (1230)		2801	8		8	8	III	25 kg	100 kg
820. (1231)		1602	6.1	46 94	6.1	6.1	I	1 L	30 L
821. (1232)		1602	6.1		6.1	6.1	II	5 L	60 L
822. (1233)		1602	NR		6.1	6.1	III	60 L	220 L
823. (1234)		1602	6.1	46 93	6.1	6.1	I	15 kg	50 kg
824. (1235)		1602	6.1		6.1	6.1	II	25 kg	100 kg
825. (1236)		1602	NR		6.1	6.1	III	100 kg	200 kg
826. (1454)		1375	4.2	46 48 56 99 102 47	4.2	4.2	I	P	P
827. (1611)			—		—	—	—	—	—
828. (2181)		2788	6.1	46 94	6.1	6.1	I	1 L	30 L
829. (2182)		2788	6.1		6.1	6.1	II	5 L	60 L
830. (2183)		2788	NR		6.1	6.1	III	60 L	220 L
831. (2184)		2788	6.1	46 93	6.1	6.1	I	5 kg	50 kg
832. (2185)		2788	6.1		6.1	6.1	II	25 kg	100 kg
833. (2186)		2788	NR		6.1	6.1	III	100 kg	200 kg

834. (798)	Coproh	1363	4.2	37 44 88 85	4.2	4.2	4.2	III	p	p	25 kg Brut
835. (815)	Cosmétiques, n.s.a., contenant un aérosol inflammable <i>et/ou</i> un aérosol inflammable <i>et/ou</i> un liquide inflammable dans de petits contenants intérieurs						9				
836. (816)	Cosmétiques, n.s.a., voir Liquides ou solides corrosifs, n.s.a., ou Liquides ou solides inflammables, n.s.a., ou Substances oxydantes, n.s.a., ou Aérosols										
837. (817)	Coton gras, déchets de	1364	4.2	35 37 48	4.2	4.2	4.2	III	p	p	
838. (818)	Coton, humide	1365	4.2	37 48	4.2	4.2	4.2	III	p	p	
839. (819)	Coumaphos	2783	6.1 9.2	55				II			
840. (820)	Coumaphos, en mélange, liquides	3018	6.1 9.2	46 55				I			
841. (831)	Créosote, goudrons de houille, voir Produits de préservation des bois, liquides										
842. (832)	Crésols (<i>o-m-p</i> -)	2076	6.1 9.2		6.1	6.1	6.1	II	5 L	60 L	
843. (1299)	Crotonate d'éthyle	1862	3.2		3.2	3	3	II	5 L	60 L	
844. (836)	Crotonylène	1144	3.1	46 99	3.1	3	3	I	1 L	30 L	
845. (847)	Cupriéthylène diamine, en solution	1761	8 6.1		8 6.1	8	6.1	II	1 L	30 L	
846. (2414)	Cuprocyanure de potassium	1679	6.1		6.1	6.1	6.1	II	25 kg	100 kg	
847. (2630)	Cuprocyanure de sodium, en solution	2317	6.1	46 102	6.1	6.1	6.1	I	1 L	30 L	
848. (2629)	Cuprocyanure de sodium, solide	2316	6.1	46 102	6.1	6.1	6.1	I	5 kg	50 kg	
849. (1300)	Cyanacétate d'éthyle	2666	NR	73	6.1	6.1	6.1	III	60 L	220 L	
850. (578)	Cyanamide calcique, contenant plus de 0,1 pour cent de carbure de calcium	1403	4.3	46 48	4.3	4.3	4.3	III	25 kg	100 kg	
851. (12)	Cyanhydrine d'acétone	1541	6.1 9.2	77 56 90 98 99	6.1	6.1	6.1	I	p	30 L	
852. (854)	Cyanogène, liquéfié, ou Cyanogène, en gaz	1026	2.3 2.1	102 46 48 52 56 79 88 99	2.3 2.1	2	3 6.1	X	p	p	
853. (2596)	Cyanure d'argent	1684	6.1	102 46	6.1	6.1	6.1	II	25 kg	100 kg	
854. (344)	Cyanure de baryum	1565	6.1 9.2	102 46	6.1	6.1	6.1	I	5 kg	50 kg	
855. (579)	Cyanure de calcium	1575	6.1 9.2	102 46	6.1	6.1	6.1	I	5 kg	50 kg	

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
856. (706)	Cyanure de cuivre	1587	6.1	46	6.1	II	25 kg	100 kg
857. (1572)	Cyanure d'hydrogène, anhydre, stabilisé	1051	6.1	46	6.1	I	P	P
			3	56	3			
			9.2	79				
				84				
				99				
858. (1573)	Cyanure d'hydrogène, anhydre, stabilisé, absorbé par un matériau poreux inerte	1614	6.1	102	6.1	I	P	P
				46				
				48				
				83				
				99				
859. (1856)	Cyanure de mercure, ou Cyanure mer- curique	1636	6.1	102	6.1	II	25 kg	100 kg
860. (1928)	Cyanure de méthyle, ou Acétonitrile	1648	9.2	102	3	II	1 L	60 L
			3.2	46	6.1			
861. (2035)	Cyanure de nickel	1653	6.1	102	6.1	II	25 kg	100 kg
862. (1705)	Cyanure de plomb	1620	6.1	102	6.1	II	25 kg	100 kg
863. (2416)	Cyanure de potassium, en solution	1680	6.1	46	6.1	I	1 L	30 L
			9.2	99				
864. (2415)	Cyanure de potassium, solide	1680	6.1	46	6.1	I	5 kg	50 kg
			9.2	99				
865. (2632)	Cyanure de sodium, en solution	1689	6.1	102	6.1	I	1 L	30 L
866. (2631)	Cyanure de sodium, solide	1689	9.2	46	6.1	I	5 kg	50 kg
867. (3098)	Cyanure de zinc	1713	9.2	102	6.1	I	5 kg	50 kg
868. (1820)	Cyanure double de mercure et de potas- sium	1626	6.1	46	6.1	I	5 kg	50 kg
869. (452)	Cyanures de bromobenzyle	1694	6.1	46	6.1	I	P	30 L
				90				
				99				
870. (848)	Cyanures, en solution, n.s.a.	1935	6.1	102	6.1	I	1 L	30 L
871. (849)	CYANURES INORGANIKES, N.S.A.	1588	6.1	102	6.1	I	5 kg	50 kg
872. (850)	CYANURES INORGANIKES, N.S.A.	1588	6.1	102	6.1	II	25 kg	100 kg
873. (851)	CYANURES INORGANIKES, N.S.A.	1588	NR	102	6.1	III	100 kg	200 kg
874. (857)	Cyclobutane	2601	2.1	48	2	X	P	150 kg
875. (859)	Cyclododécatriène-1,5,9	2518	8	56	3	III	60 L	220 L
				89	6.1			
				99				

876. (860)	Cycloheptane	2241	3.2		3.2	3	II	5 L	60 L
877. (861)	Cycloheptatriène	2603	3.2	99	3.2	3	II	1 L	60 L
878. (862)	Cycloheptène	2242	3.2		3.2	6.1	II	5 L	60 L
879. (863)	Cyclohexane	1145	3.1	99	3.1	3	II	5 L	60 L
880. (864)	Cyclohexanone	1915	9.2	73	3.3	3	III	60 L	220 L
881. (869)	CYCLOHEXÈNE	2256	3.1	99	3.1	3	II	5 L	60 L
882. (870)	CYCLOHEXÈNE	2256	3.2		3.2	3	II	5 L	60 L
883. (871)	Cyclohexenyltrichlorosilane	1762	8	46 56 90	8	8	II	p	30 L
884. (873)	Cyclohexylamine	2357	8 3		3.2 8 ou 3.3	8 3	II	1 L	30 L
885. (876)	Cyclohexyltrichlorosilane	1763	8	46 56 90	8	8	II	p	30 L
886. (878)	Cyclooctadiènes	2520	3.3	73	3.3	3	II	5 L	60 L
887. (879)	Cyclooctatétraène	2358	3.2	81	3.2	3	II	5 L	60 L
888. (880)	Cyclopentane	1146	3.1	99	3.1	3	II	5 L	60 L
889. (881)	Cyclopentanol	2244	NR	73	3.3	3	III	60 L	220 L
890. (882)	Cyclopentanone	2245	3.3	81	3.3	3	II	5 L	60 L
891. (883)	Cyclopentène	2246	3.1	99	3.1	3	II	5 L	60 L
892. (884)	Cyclopropane, liquéfié ou Cyclopropane	1027	2.1	46 48 56 102	2.1	2 48 3	X	p	150 kg
893. (885)	Cyclotétraméthylène-amine (sec) (HMX) ou en solution avec moins de 1.5 pour cent d'eau ou avec moins de 18 pour cent de flegmatisant		-	47	-	-	-	-	-
894. (886)	Cymènes	2046	NR	73	3.3	3	III	60 L	220 L
895. (887)	2,4-D, voir Acide dichloro-2,4 phénoxy- acétique								
896. (888)	DDT ou Dichlorodiphényltrichloroéthane	2761	9.2	46	-	-	I	-	-
897. (889)	Décaborane	1868	4.1 6.1	55 46 48 90	4.1 6.1	4.1 6.1	II	p	50 kg
898. (890)	Décahydronaphthalène	1147	3.3	81	3.3	3	II	5 L	60 L
899. (891)	n-Décane	2247	NR	73	3.3	3	III	60 L	220 L

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
900. (2969)	Déchets type 1 (Les solvants halogénés suivants, résultant du dégraissage: tétrachloréthylène, trichloréthylène, dichlorométhane trichloro-1,1,1 éthane, tétrachlorure de carbone et des fluorocarbones chlorés; et les boues résultant des opérations de récupération de ces solvants pendant le dégraissage)	9301	6.1	96 100	—	—	II	—	—
901. (2970)	Déchets type 2 (Les solvants halogénés suivants: tétrachloréthylène, dichlorométhane, trichloréthylène, trichloro-1,1,1 éthane, chlorobenzène, trichloro-1,1,2 trifluoro-1,2,2 éthane, o-dichlorobenzène, trichlorofluorométhane, et les résidus résultant de la récupération de ces solvants par distillation)	9302	6.1	96 100	—	—	II	—	—
902. (2971)	Déchets type 3 (Les solvants non halogénés suivants: xylène, acétone acétate d'éthyle, éthyl-benzène, éther éthylique, méthylisobutylcétone, alcool n-butylque, cyclohexanone et méthanol; et les résidus résultant de la récupération de ces solvants par distillation)	9303	3.1	96 100	—	—	II	—	—
903. (2972)	Déchets type 4 (Les solvants non halogénés usés suivants: crésols et acide crésilique, et nitrobenzène; et les résidus résultant de la récupération de ces solvants par distillation)	9304	6.1	96 100	—	—	II	—	—
904. (2973)	Déchets type 5 (Les solvants non halogénés usés suivants: toluène, méthyléthylcétone, sulfure de carbone, isobutanol et pyridine; et les résidus résultant de la récupération de ces solvants par distillation)	9305	3.1 6.1	96 100	—	—	II	—	—
905. (2974)	Déchets type 6 (Boues du traitement des effluents des opérations de galvanoplastie à l'exception des opérations suivantes: 1) anodisation sulfurique de l'aluminium; 2) étiage sur l'acier au carbone; 3) zingage (sur une base séparée) sur l'acier au carbone; 4) placage d'aluminium ou d'aluminium/zinc sur l'acier au carbone; 5) lavage/purification associés à l'étiage, zingage revêtement de l'aluminium sur l'acier au carbone; et 6) gravure à l'eau forte et fraisage de l'aluminium)	9306	6.1	96 100	—	—	I	—	—
906. (2975)	Déchets type 7 (Boues du traitement des effluents des revêtements d'aluminium)	9307	9.3	96	—	—	III	—	—
907. (2976)	Déchets type 8 (Solutions usées des bains électrolytiques des opérations de revêtements électrolytiques à l'exception des solutions usées de cyanure des bains électrolytiques des opérations de galvanisation des métaux précieux)	9308	6.1	96 100	—	—	I	—	—

[321]

93154-11

908. (2977)	Déchets type 9 (Boues résiduelles des cuves électrolytiques des opérations de revêtements électrolytiques où des cyanures sont utilisés pendant l'opération (à l'exception des boues résiduelles des cuves électrolytiques des opérations de galvanisation des métaux précitieux))	9309	6.1	96 100	-	-	I	-
909. (2978)	Déchets type 10 (Solutions usées de décapage et de rinçage des opérations de revêtements électrolytiques où des cyanures sont utilisés pendant l'opération (à l'exception des solutions usées de décapage et de rinçage des opérations de galvanisation des métaux précitieux))	9310	6.1	96 100	-	-	I	-
910. (2979)	Déchets type 11 (Boues résiduelles des bains de refroidissement à l'huile, utilisées dans le traitement thermique des métaux, où des cyanures sont utilisés pendant l'opération (à l'exception des boues résiduelles des bains de refroidissement de traitement thermique des métaux précitieux))	9311	6.1	96 100	-	-	I	-
911. (2980)	Déchets type 12 (Saumures usées de cyanure des bains de rinçage des bacs utilisés dans le traitement thermique des métaux (à l'exception des saumures usées de cyanure du traitement thermique des métaux précitieux))	9312	6.1	96 100	-	-	I	-
912. (2981)	Déchets type 13 (Boues résiduelles du traitement des eaux de trempe, utilisées dans le traitement thermique des métaux, où des cyanures sont utilisés pendant l'opération (à l'exception des boues résiduelles des eaux de trempe utilisées dans le traitement thermique des métaux précitieux))	9313	9.3	96 100	-	-	III	-
913. (2982)	Déchets type 14 (Résidus des bassins de cyanuration et d'eaux résiduelles de broyage résultant de la récupération des minéraux métallifères)	9314	9.3	96 100	-	-	III	-
914. (2983)	Déchets type 15 (Solutions usées de bains de cyanure résultant de la récupération de minéraux métallifères)	9315	6.1	96 100	-	-	I	-
915. (2984)	Déchets type 16 (Boues de décantation du traitement des effluents de l'industrie de préservation du bois utilisant la créosote et/ou le pentachlorophénol)	9316	6.1	96 100	-	-	II	-
916. (2985)	Déchets type 17 (Boues résiduelles du traitement de l'effluent résultant de la production de colorants jaunes et oranges au chrome)	9317	9.3	96 100	-	-	III	-
917. (2986)	Déchets type 18 (Boues résiduelles du traitement de l'effluent résultant de la production de colorants oranges au molybdène)	9318	9.3	96 100	-	-	III	-
918. (2987)	Déchets type 19 (Boues résiduelles du traitement de l'effluent résultant de la production de colorants au jaune de zinc)	9319	9.3	96 100	-	-	III	-
919. (2988)	Déchets type 20 (Boues résiduelles du traitement de l'effluent résultant de la production de colorants verts au chrome)	9320	9.3	96 100	-	-	III	-

ANNEXE II—Suite
LISTE II—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
920. (2989)	Déchets type 21 (Boues résiduelles du traitement de l'effluent résultant de la production de colorants verts à l'oxyde de chrome (anhydride et hydrate))	9321	96 100			III	-	-
921. (2990)	Déchets type 22 (Boues résiduelles du traitement de l'effluent résultant de la production de colorants au bleu fer)	9322	96 100			III	-	-
922. (2991)	Déchets type 23 (Déchets résultant de la production au four de colorants verts à l'oxyde de chrome)	9323	96 100	-	-	III	-	-
923. (2992)	Déchets type 24 (Résidus de distillation résultant de la production d'acétaldéhyde à partir d'éthylène)	9324	96 100			III	-	-
924. (2993)	Déchets type 25 (Rejets latéraux de distillation résultant de la production d'acétaldéhyde à partir d'éthylène)	9325	96 100	-	-	II	-	-
925. (2994)	Déchets type 26 (Effluent de la colonne de purification lors de la production d'acrylonitrile)	9326	96 100	-	-	II	-	-
926. (2995)	Déchets type 27 (Effluent de la colonne d'acétonitrile lors de la production d'acrylonitrile)	9327	96 100	-	-	II	-	-
927. (2996)	Déchets type 28 (Résidus de la colonne de purification de l'acétonitrile lors de la production d'acétonitrile)	9328	96 100	-	-	II	-	-
928. (2997)	Déchets type 29 (Résidus de distillation résultant de la production du chlorure de benzyle)	9329	96 100	-	-	II	-	-
929. (2998)	Déchets type 30 (Fractions lourdes ou résidus de distillation résultant de la production du tétrachlorure de carbone)	9330	96 100	-	-	II	-	-
930. (2999)	Déchets type 31 (Fractions lourdes ou résidus de distillation de la colonne de purification lors de la production d'épi-chlorhydrine)	9331	96 100	-	-	II	-	-
931. (3000)	Déchets type 32 (Fractions lourdes de la colonne de purification lors de la production du chlorure d'éthyle)	9332	96 100	-	-	II	-	-
932. (3001)	Déchets type 33 (Fractions lourdes de la distillation du dichlorure d'éthylène lors de la production du dichlorure d'éthylène)	9333	96 100	-	-	II	-	-
933. (3002)	Déchets type 34 (Fractions lourdes de la distillation du chlorure de vinyle lors de la production du monomère de chlorure de vinyle)	9334	96 100	-	-	II	-	-
934. (3003)	Déchets type 35 (Déchets aqueux usés catalytiques d'antimoine de la production des fluorométhanes)	9335	96 100	-	-	II	-	-
935. (3004)	Déchets type 36 (Résidus de goudron résultant de la production par distillation des phénols/acétones à partir de cumène)	9336	96 100	-	-	II	-	-

936. (3005)	Déchets type 37 (Fractions légères résultant de la production par distillation de l'anhydride phthalique à partir de naphthalène)	9337	8 6.1	96 - 100	- -	III -	-
937. (3006)	Déchets type 38 (Résidus de distillation résultant de la production de l'anhydride phthalique à partir de naphthalène)	9338	8	96 - 100	- -	III -	-
938. (3007)	Déchets type 39 (Fractions légères résultant de la production de l'anhydride phthalique à partir d'ortho-xylène)	9339	8	96 100	-	III	-
939. (3008)	Déchets type 40 (Résidus de distillation résultant de la production de l'anhydride phthalique à partir d'ortho-xylène)	9340	8	96 - 100	- -	III -	-
940. (3009)	Déchets type 41 (Résidus de distillation résultant de la production du nitrobenzène par la nitruration du benzène)	9341	6.1 3	96 - 100	- -	II -	-
941. (3010)	Déchets type 42 (Résidus de fractionnement résultant de la production de méthyl éthyl pyridine)	9342	3.1 6.1	96 100	- -	II	-
942. (3011)	Déchets type 43 (Résidus de centrifugation et distillation résultant de la production du diisocyanate de toluène)	9343	6.1 3	96 100	- -	II	-
943. (3012)	Déchets type 44 (Catalyseur usé du réacteur d'hydrochloration dans la production du trichloro-1,1,1 éthane)	9344	6.1 3	96 100	- -	II	-
944. (3013)	Déchets type 45 (Déchets de fractionnement du produit dans la production du trichloro-1,1,1 éthane)	9345	6.1 3	96 100	- -	II	-
945. (3014)	Déchets type 46 (Résidus de distillation de la production de trichloro-1,1,1 éthane)	9346	6.1	96	-	II	-
946. (3015)	Déchets type 47 (Fractions lourdes de la colonne de fractions lourdes de la production de trichloro-1,1,1 éthane)	9347	6.1 3	96 - 100	- -	II -	-
947. (3016)	Déchets type 48 (Résidus des colonnes ou fractions lourdes de la production combinée du trichloréthylène et tétrachloréthylène)	9348	6.1	96 100	- -	II	-
948. (3017)	Déchets type 49 (Résidus de distillation dans la production d'aniline)	9349	6.1	96	-	II	-
949. (3018)	Déchets type 50 (Résidus d'opération de l'extraction de l'aniline dans la production d'aniline)	9350	6.1	96 100	- -	II	-
950. (3019)	Déchets type 51 (Cours combinés d'eaux résiduelles de la production de nitrobenzène/d'aniline)	9351	6.1	96 100	- -	II	-
951. (3020)	Déchets type 52 (Résidus de distillation ou de fractionnement de la production des chlorobenzènes)	9352	6.1	96 100	- -	II	-
952. (3021)	Déchets type 53 (L'effluent aqueux séparé de l'étape de lavage du produit du réacteur de la production des chlorobenzènes)	9353	6.1	96 100	- -	II	-
953. (3022)	Déchets type 54 (Sels sous-produits de la production du MSMA et de l'acide cacodylique)	9354	6.1	96 100	- -	II	-
954. (3023)	Déchets type 55 (Boues du traitement de l'effluent de la production du chloroforme)	9355	6.1	96	-	II	-
955. (3024)	Déchets type 56 (Taux résiduels et de lavage de la chlorination du cyclopentadiène dans la production du chloroforme)	9356	6.1	96 100	- -	I	-
956. (3025)	Déchets type 57 (Impuretés solides de filtration de l'hexachloro-cyclopentadiène lors de la production du chloroforme)	9357	6.1	96 100	- -	I	-

ANNEXE II—Suite
LISTE II—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
957. (3026)	Déchets type 58 (Décharge du purificateur à vide au chlorureur du chlordane dans la production du chlordane)	9358	6.1	96 100	—	—	II	—	—
958. (3027)	Déchets type 59 (Boues de traitement de l'effluent produit lors de la production de créosote)	9359	6.1	96 100	—	—	II	—	—
959. (3028)	Déchets type 60 (Résidus de distillation issus de la récupération par distillation du toluène dans la production du disulfoton)	9360	6.1 3	96 100	—	—	II	—	—
960. (3029)	Déchets type 61 (Boues de traitement de l'effluent produit lors de la production de disulfoton)	9361	6.1	96 100	—	—	II	—	—
961. (3030)	Déchets type 62 (Eaux résiduelles de lavage et de purification issues de la production du phorate)	9362	6.1	96 100	—	—	II	—	—
962. (3031)	Déchets type 63 (Résidus de filtrage de l'acide diéthylphosphorodithioïque dans la production du phorate)	9363	6.1	96 100	—	—	II	—	—
963. (3032)	Déchets type 64 (Boues de traitement de l'effluent produit lors de la production du phorate)	9364	6.1	96 100	—	—	II	—	—
964. (3033)	Déchets type 65 (Boues de traitement de l'effluent de la production du toxaphène)	9365	6.1	96 100	—	—	II	—	—
965. (3034)	Déchets type 66 (Eaux résiduelles non-traitées de la production du toxaphène)	9366	6.1	96 100	—	—	II	—	—
966. (3035)	Déchets type 67 (Fractions lourdes ou résidus de distillation lors de la distillation du tétrachlorobenzène dans la production du 2,4,5-T)	9367	6.1	96 100	—	—	II	—	—
967. (3036)	Déchets type 68 (Déchets de dichloro-2,6-phénol de la production du 2,4-D)	9368	6.1	96 100	—	—	II	—	—
968. (3037)	Déchets type 69 (Eaux résiduelles non-traitées de la production du 2,4-D)	9369	6.1	96 100	—	—	II	—	—
969. (3038)	Déchets type 70 (Boues de traitement de l'effluent issu des activités de fabrication des explosifs)	9370	6.1	96 100	—	—	II	—	—
970. (3039)	Déchets type 71 (Carbone usé du traitement d'effluent contenant des explosifs)	9371	9.3	96 100	—	—	III	—	—
971. (3040)	Déchets type 72 (Boues de traitement de l'effluent issu des activités de fabrication, préparation et chargement de composés d'amorçage à base de plomb)	9372	6.1	96 100	—	—	II	—	—
972. (3041)	Déchets type 73 (Eaux roses/rouges des opérations relatives au TNT)	9373	6.1	96 100	—	—	II	—	—
973. (3042)	Déchets type 74 (Résidus flottant de la flottation par pressurisation dans le raffinage du pétrole)	9374	3.1	96 100	—	—	II	—	—
974. (3043)	Déchets type 75 (Solides dans les émulsions huileuses produites par l'industrie du raffinage du pétrole)	9375	6.1	96 100	—	—	II	—	—

975. (3044)	Déchets type 76 (Boues de nettoyage des faisceaux d'échangeurs de chaleur de l'industrie du raffinage du pétrole)	9376	6.1 8	96 100	-	-	-	-	-
976. (3045)	Déchets type 77 (Boues des séparateurs API de l'industrie du raffinage du pétrole)	9377	3.1 6.1	96 100	-	-	-	-	-
977. (3046)	Déchets type 78 (Fonds de réservoirs (revêtus au plomb) de l'industrie du raffinage du pétrole)	9378	6.1 4.1	96 100	-	-	-	-	-
978. (3047)	Déchets type 79 (Boues de chaux de distillation d'ammoniac résultant des opérations de cokéfaction)	9379	9.3	96 100	-	-	-	-	-
979. (3048)	Déchets type 80 (Poussières/boues résultant de l'épuration des émissions des fours électriques)	9380	9.3	96 100	-	-	-	-	-
980. (3049)	Déchets type 81 (Bains de décapage usés issus des activités de traitement de surface de l'acier)	9381	8	96 100	-	-	-	-	-
981. (3050)	Déchets type 82 (Boues de traitement à la chaux des bains de décapage usés de traitement de surface de l'acier)	9382	9.3	96 100	-	-	-	-	-
982. (3051)	Déchets type 83 (Boues/résidus en suspension issus de l'atelier d'acide résultant de l'épaississement des boues en suspension issues pendant la fabrication du cuivre brut)	9383	9.3	96 - 100	-	-	-	-	-
983. (3052)	Déchets type 84 (Solides contenus dans et dragués des bassins de surface des éla-blissements de première fusion de plomb brut)	9384	9.3	96 100	-	-	-	-	-
984. (3053)	Déchets type 85 (Boues de traitement d'eaux usées industrielles et/ou décharges de l'usinage à l'acide dans la fabrication du zinc brut)	9385	9.3	96 100	-	-	-	-	-
985. (3054)	Déchets type 86 (Vases/ boues des anodes électrolytiques utilisées dans la fabrication du zinc brut)	9386	9.3	96 100	-	-	-	-	-
986. (3055)	Déchets type 87 (Résidus de lixiviation (oxyde de fer) de l'usinage du cadmium dans la fabrication du zinc brut)	9387	9.3	96 100	-	-	-	-	-
987. (3056)	Déchets type 88 (Poussières/boues de purification d'émission de la seconde fusion du plomb)	9388	6.1	96 100	-	-	-	-	-
988. (3057)	Déchets type 89 (Solutions de rebut de lixiviation de la lixiviation acide des poussières/boues de purification d'émission de la seconde fusion au plomb)	9389	6.1 8	96 100	-	-	-	-	-
989. (3058)	Déchets type 90 (Boues de purification des saumures du procédé par cellules au mercure dans la fabrication du chlore, quand on n'emploie pas de saumure purifiée d'avance)	9390	9.3	96 100	-	-	-	-	-
990. (3059)	Déchets type 91 (Déchets d'hydrocarbures chlorés de l'étape de purification par cellule du diaphragme utilisant des anodes au graphite dans la fabrication du chlore)	9391	6.1	96 100	-	-	-	-	-
991. (3060)	Déchets type 92 (Boues de traitement de l'effluent par cellule du mercure dans la production du chlore)	9392	9.3	96 100	-	-	-	-	-

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
992. (3061)	Déchets type 93 (Solvants et boues de lavage, ou eaux de lavage et boues du lavage des cuves et de l'équipement utilisés dans la préparation de peintures, à partir de colorants, siccatifs, savons et stabilisants contenant du chrome et du plomb)	9393	6.1 3	96 100	-	-	II	-	-
993. (3062)	Déchets type 94 (Boues du traitement de l'effluent résultant de la fabrication de produits pharmaceutiques vétérinaires, à partir de composés d'arsenic ou d'organo-arsenic)	9394	6.1	96 100	-	-	II	-	-
994. (3063)	Déchets type 95 (Goudrons résiduels de distillation des composés d'aniline dans la fabrication de produits pharmaceutiques vétérinaires, à partir de composés d'arsenic ou d'organo-arsenic)	9395	6.1	96 100	-	-	II	-	-
995. (3064)	Déchets type 96 (Résidus de l'emploi de carbone actif pour la décoloration dans la fabrication de produits pharmaceutiques vétérinaires à partir de composés d'arsenic ou d'organo-arsenic)	9396	6.1	96 100	-	-	II	-	-
996. (3065)	Déchets type 97 (Boues de réservoir de décantation des opérations de cokéfaction)	9397	6.1	96 100	-	-	II	-	-
997. (3066)	Déchets type 98 (Effluents avant un point d'éclair égal ou inférieur à 61°C)	9398	3.3	63 96 100 37 46 56 88	-	-	III	-	-
998. (3076)	Déchets de laine, humides	1387	4.2	4.2	4.2	4.2	III	P	P
999. (11722)	Décolorant ou apprêt pour cuir, voir Préparations liquides inflammables, n.s.a.	1903	8	8	8	8	II	1 L	30 L
1000. (1188)	DÉSINFECTANTS, LIQUIDES CORROSIFS, N.S.A.*	1903	8	-	-	-	III	5 L	60 L
1001. (1189)	DÉSINFECTANTS, LIQUIDES CORROSIFS, N.S.A.*	1601	6.1	46 94 102	6.1	6.1	I	1 L	30 L
1002. (1190)	DÉSINFECTANTS, N.S.A.*; toxiques, liquides	1601	6.1	102	6.1	6.1	II	5 L	60 L
1003. (1191)	DÉSINFECTANTS, N.S.A.*; toxiques, liquides	1601	NR	102	6.1	6.1	III	60 L	220 L
1004. (1192)	DÉSINFECTANTS, N.S.A.*; toxiques, liquides	1601	6.1	46 89 93	6.1	6.1	I	5 kg	50 kg
1005. (1193)	DÉSINFECTANTS, N.S.A.*; toxiques, solides	1601	6.1	102 89	6.1	6.1	II	25 kg	100 kg
1006. (1194)	DÉSINFECTANTS, N.S.A.*; toxiques, solides	1601	6.1	102	6.1	6.1	II	25 kg	100 kg

1007. (633)	DÉTACHANT POUR ENCRE, LIQ-UIDE	1132	3.2	3.2	3	II	5 L	60 L
1008. (634)	DÉTACHANT POUR ENCRE, LIQ-UIDE	1132	3.2	-	3	III	60 L	220 L
1009. (635)	DÉTACHANT POUR ENCRE, LIQ-UIDE	1132	-	-	3	II	5 L	60 L
1010. (636)	DÉTACHANT POUR ENCRE, LIQ-UIDE	1132	3.3	-	3	III	60 L	220 L
1011. (895)	Deutérium	1957	2.1	2.1	2	X	p	150 kg
				56	3			
				99				
				102				
1012. (896)	DIACÉTONE-ALCOOL	1148	3.2	3.2	3	II	5 L	60 L
1013. (897)	DIACÉTONE-ALCOOL	1148	3.2	-	3	III	60 L	220 L
1014. (898)	DIACÉTONE-ALCOOL	1148	3.3	3.3	3	II	5 L	60 L
1015. (899)	DIACÉTONE-ALCOOL	1148	3.3	-	3	III	60 L	220 L
1016. (901)	Diacétyl, voir Butanedione							
1017. (903)	Diallylamine	2359	3.2	3.2	3	II	5 L	60 L
1018. (1758)	Diamine de magnésium	2004	4.2	4.2	4.2	II	15 kg	50 kg
1019. (905)	Diamino-4,4 diphenylméthane	2651	NR	6.1	6.1	III	100 kg	200 kg
1020. (906)	Di-(aminopropyl) pipérazine	1760	8	-	-	II	-	-
1021. (907)	Di-n-amyamine	2841	9.2	6.1	6.1	III	60 L	220 L
1022. (911)	Diazido-1,1 aminonaphthalène		-	-	-	-	-	-
1023. (908)	p-Diazidobenzine		-	47	-	-	-	-
1024. (909)	Diazido-1,2 éthane		-	47	-	-	-	-
1025. (910)	Diazinon	2783	9.2	-	-	I	-	-
1026. (912)	Diazoaminotétrazole (sec)		-	46	-	-	-	-
1027. (913)	Diazodinitrophenol (sec)		-	55	-	-	-	-
1028. (914)	Diazodiphenylméthane		-	47	-	-	-	-
1029. (2633)	Diazo-2 naphтол-1 sulfonate-4 de sodium	3040	4.1	-	-	II	-	-
1030. (2634)	Diazo-2 naphтол-1 sulfonate-5 de sodium	3041	4.1	-	-	II	-	-
1031. (919)	Diazo-1,3 propane		-	47	-	-	-	-
1032. (1549)	Diazoture de l'acide hydrazine dicar-bonique		-	47	-	-	-	-
1033. (3085)	Diazoture de p-xyle		-	47	-	-	-	-
1034. (925)	Dibenzylchlorosilane	2434	8	8	8	II	1 L	30 L

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1035. (927)	Diborane ou Diborane, en mélange	1911	2.1 6.1	46 48 52 56 79 88 99 102 47	2.1 2.3	2 3 6.1	X	P	P
1036. (928)	Dibromoacétylène		—			—	—	—	—
1037. (929)	Dibromobenzène	2711	NR	73	3.3	3	III	60 L	220 L
1038. (930)	Dibromo-1,2 butanone-3	2648	6.1		6.1	6.1	II	5 L	60 L
1039. (931)	Dibromochloropropane	2872	NR	73	6.1	6.1	III	60 L	220 L
1040. (932)	Dibromodifluorométhane	1941	9.1	44	9	9	III	100 L	220 L
1041. (933)	Dibromométhane	2664	NR		6.1	6.1	III	60 L	220 L
1042. (1312)	Dibromure d'éthylène	1605	6.1 9.2	102	6.1	6.1	II	5 L	60 L
1043. (1313)	Dibromure d'éthylène et bromure de méthyle, en mélange, voir Bromure de méthyle et dibromure d'éthylène, en mélange								
1044. (934)	Di-n-butylamine	2248	8 3		8 3	8 3	II	1 L	30 L
1045. (935)	Dibutylaminométhanol	2873	NR	73	6.1	6.1	III	60 L	220 L
1046. (939)	Dibutylnitrosamine voir Solides toxiques, n.s.a.								
1047. (941)	Di-(tert-butyl peroxy)-2,2 butane, en solution, à 55 pour cent au maximum	2111	5.2	48 56 83 99	5.2	5.2	II	5 L	10 L
1048. (942)	Di-(tert-butyl peroxy)-1,1 cyclohexane, à 40 pour cent au maximum avec un solide inorganique inerte, et au moins 13 pour cent de flegmatisant	2885	5.2	48 56 83 99	5.2	5.2	II	5 kg	10 kg
1049. (943)	Di-(tert-butyl peroxy)-1,1 cyclohexane, à 50 pour cent au maximum avec un flegmatisant	2897	5.2	48 56 83 99	5.2	5.2	II	5 L	10 L
1050. (944)	Di-(tert-butyl peroxy)-1,1 cyclohexane, en solution, à 77 pour cent au maximum	2180	5.2 E	46 48 56 83 99	5.2 E	5.2 E	II	P	P

1051. (945)	Di-(tert-butyl peroxy)-1,1 cyclohexane, techniquement pur	2179	5.2 E	46 48 56 83 99	5.2 E	II	P	P
1052. (1023)	Di-(di-tert-butyl peroxy cyclohexyl-4)- 2,2 propane, à 42 pour cent au maximum avec un solide inerte	2168	5.2	48 56 83 99	5.2	II	5 kg	10 kg
1053. (956)	Di-(tert-butyl peroxy)-2,2 propane, à 40 pour cent au maximum avec un solide inorganique inerte, et au moins 1,3 pour cent de flegmatisant	2884	5.2	48 83 99	5.2	II	5 kg	10 kg
1054. (957)	Di-(tert-butyl peroxy)-2,2 propane, à 50 pour cent au maximum avec un flegmati- sant	2883	5.2	48 83 99	5.2	II	5 L	10 L
1055. (958)	Di-(tert-butyl peroxy)-1,1 triméthyl-3,3,5 cyclohexane, en solution, à 57 pour cent au maximum	2146	5.2	48 56 83 99	5.2	II	5 L	10 L
1056. (959)	Di-(tert-butyl peroxy)-1,1 triméthyl-3,3,5 cyclohexane, à 58 pour cent au maximum avec un solide inerte	2147	5.2	48 56 83 99	5.2	II	5 kg	10 kg
1057. (950)	Di-(tert-butyl-2 peroxyisopropyl)-1,3 ben- zène, à plus de 40 pour cent avec un solide inerte ou Di-(tert-butyl-2 peroxy- isopropyl)-1,3 benzène, techniquement pur	2112	5.2	48 56 83 99	5.2	II	10 kg	25 kg
1058. (951)	Di-(tert-butyl-2 peroxyisopropyl)-1,4 ben- zène, à plus de 40 pour cent avec un solide inerte ou Di-(tert-butyl-2 peroxy- isopropyl)-1,4 benzène, techniquement pur	2112	5.2	48 56 83 99	5.2	II	10 kg	25 kg
1059. (952)	Di-(tert-butyl-2 peroxyisopropyl)-1,4 ben- zène et Di-(tert-butyl-2 peroxyisopropyl)- 1,3 benzène, en mélange, à plus de 40 pour cent avec un solide inerte ou Di- (tert-butyl-2 peroxyisopropyl)-1,4 benzène et Di-(tert-butyl-2 peroxyisopropyl)-1,3 benzène, en mélange, techniquement pur	2112	5.2	48 56 83 99	5.2	II	10 kg	25 kg
1060. (960)	Di-(tert-butyl peroxy)-1,1 triméthyl-3,3,5 cyclohexane, techniquement pur	2145	5.2	48 56 83 99	5.2	II	5 L	10 L
1061. (961)	Dicamba	3004	9.2	55	—	III	—	—
1062. (1081)	Dicétène, stabilisé	2521	3.3	81 84	3.3	II	5 L	60 L
1063. (964)	Dichlobénil	2769	9.2	55	—	III	—	—
1064. (965)	Dichlone	2996	9.2	46 55	—	I	—	—
1065. (1034)	Dichloracétate de méthyle	2299	6.1 8	89	6.1	II	60 L	220 L
1066. (968)	Dichloro-1,3 acétone	2649	6.1	—	6.1	II	25 kg	100 kg
1067. (966)	N,N'-Dichlorazodicarbon-amidine, (sels de la), (secs)	—	—	47	—	—	—	—
1068. (970)	Dichloroacétylène	—	—	47	—	—	—	—
1069. (971)	Dichloroanilines	1590	6.1	—	6.1	II	5 L	60 L

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1070. (972)	o-Dichlorobenzène ou Dichlorobenzène, ortho, liquide	1591	46	6.1	6.1	III	60 L	220 L
1071. (973)	p-Dichlorobenzène ou Dichlorobenzène, para, solide	1592	46	6.1	6.1	III	100 kg	200 kg
1072. (979)	Dichlorobutène, corrosif ou Dichloro-1,4 butène-2	2924	55			II		
1073. (978)	Dichlorobutène, inflammable ou Dichloro-1,3 butène-2	2924	55			III		
1074. (980)	Dichlorodifluoroéthylène (R1112a)	9018	49			III		
1075. (981)	Dichlorodifluorométhane (R12)	1028	2.2	2.2	2	X	75 kg	150 kg
1076. (984)	Dichlorodifluorométhane et chlorodi- fluorométhane en mélange, voir Gaz frigorigènes, n.s.a.							
1077. (983)	Dichlorodifluorométhane et dichlorotétra- fluoréthane en mélange, voir Gaz frigori- gènes, n.s.a.							
1078. (982)	Dichlorodifluorométhane et difluoréthane en mélange azéotrope, (R500) avec envi- ron 74 pour cent de dichlorodifluoromé- thane	2602	83	2.2	2	X	75 kg	150 kg
1079. (985)	Dichlorodifluorométhane et trichloro- fluorométhane en mélange, voir Gaz frigorigènes, n.s.a.							
1080. (986)	Dichlorodifluorométhane et trichloro- fluorométhane et chlorodifluorométhane en mélange, voir Gaz frigorigènes, n.s.a.							
1081. (987)	Dichlorodifluorométhane et trichloro- fluorométhane en mélange, voir Gaz frigorigènes, n.s.a.							
1082. (989)	Dichlorodiphényl-trichloroéthane, voir DDT	2362	3.2	3.2	3	II	5 L	60 L
1083. (990)	Dichloro-1,1 éthane (R150a)	1150	3.2	3.2	3	II	5 L	60 L
1084. (991)	Dichloroéthylène (R1130)	1029	2.2	2.2	2	X	75 kg	150 kg
1085. (993)	Dichlorofluorométhane (R21)	1593	9.2	6.1	6.1	III	60 L	220 L
1086. (996)	Dichlorométhane ou Chlorure de méthylène (R30)	2650	6.1	6.1	6.1	II	5 L	60 L
1087. (997)	Dichloro-1,1 nitro-1 éthane	1152	3.3	3.3	3	II	5 L	60 L
1088. (998)	Dichloropentanes	2798	8	8	8	II	p	30 L
1089. (2325)	Dichlorophénylphosphine, ou Dichlorure de benzène phosphoreux	1766	8	8	8	II	p	30 L
1090. (1002)	Dichlorophényltrichlorosilane							

1091. (1004)	Dichloropropane, voir Dichlorure de propylène	2750	6.1	81	6.1	6.1	II	5 L	60 L
1092. (1003)	Dichloro-1,3 propanol-2	2047	3.3	81	3.3	3	II	5 L	60 L
1093. (1005)	Dichloropropène		9.2						
1094. (1006)	Dichloropropène et dichloropropane, en mélange, voir Dichloropropène et dichlorure de propylène, en mélange	2047	3.2	43	—	—	II	—	—
1095. (1007)	Dichloropropène et dichlorure de propylène, en mélange	2189	2.3	55	2.3	2	X	p	p
1096. (1009)	Dichlorosilane		2.1	48	2.1	3			
				56		6.1			
				88					
				99					
				102					
1097. (1010)	Dichlorotétrafluoroéthane (R114)	1958	2.2		2.2	2	X	75 kg	150 kg
1098. (368)	Dichlorure de benzène phosphoreux, voir Dichlorophénylphosphine								
1099. (1275)	Dichlorure d'éthyle aluminium ou Sesquichlorure d'éthyle aluminium voir Halogénures d'aluminium-alkyles	1760	8	55	—	—	II	—	—
1100. (1346)	Dichlorure d'éthyle phosphonothioïque, anhydre	1184	3.2		3.2	3	II	1 L	60 L
1101. (1314)	Dichlorure d'éthylène		6.1		6.1	6.1			
1102. (1347)	Dichlorure éthylphosphoneux, anhydre	2845	4.2	55	—	—	II	—	—
1103. (1978)	Dichlorure méthylphosphoneux	2845	4.2	55	—	—	II	—	—
1104. (1977)	Dichlorure de méthyl phosphonothioïque, anhydre	1760	8	55	—	—	II	—	—
1105. (2469)	Dichlorure de propylène	1279	3.2	74	3.2	3	II	5 L	60 L
1106. (1011)	Dichlorvos	3018	9.2	55	—	—	II	—	—
1107. (1012)	Dichlorvos, en mélange, sec	2783	6.1	55	—	—	II	—	—
1108. (189)	Dichromate d'ammonium	1439	9.2		5.1	5.1	II	5 kg	25 kg
1109. (2418)	Dichromate de potassium	1479	9.2		—	—	II	—	—
1110. (1013)	Dicofol, voir Kelthane								
1111. (1016)	Dicycloheptadiène	2251	3.2	100	—	3	II	5 L	60 L
1112. (1017)	Dicyclohexylamine	2565	8		8	8	III	5 L	60 L
1113. (1021)	Dicyclopentadiène	2048	3.3	81	3.3	3	II	5 L	60 L
1114. (1027)	Di-(diméthylamino)-1,2 éthane	2372	3.2		3.2	3	II	5 L	60 L
1115. (1029)	Dieldrine	2761	9.2	46	—	—	I	—	—
1116. (1031)	Diéthoxyméthane	2373	3.1	99	3.1	3	II	5 L	60 L
1117. (1033)	Diéthoxy-3,3 propène	2374	3.2		3.2	3	II	5 L	60 L

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1118. (/035)	1154	3.1 9.2	56 90 73	3.1	3	II	p	60 L
1119. (/036)	2686	NR	73	3.3	3	III	60 L	220 L
1120. (/037)	2684	8		8	8	III	5 L	60 L
1121. (/038)	2432	NR	73	6.1	6.1	III	60 L	220 L
1122. (/039)	2049	3.3	81	3.3	3	II	5 L	60 L
1123. (/050)	1156	3.2		3.2	3	II	5 L	60 L
1124. (/041)	1767	8	46	8	8	II	p	30 L
1125. (/042)	2079	3 8	56	3 8	3 8	II	1 L	30 L
1126. (/045)	2685	8 3		8 3	8 3	II	1 L	30 L
1127. (/052)	n.s.a.		47	-	-	-	-	-
1128. (/053)	Diéthyl-p-Nitrosilane							
1129. (/061)	Difluoro-1,1 éthylène (R/132a)	2.1	46 48 56 99 102	2.1	2 3	X	p	150 kg
1130. (/059)	Difluorochloroéthanes, voir Chlorodi- fluoréthanes							
1131. (/060)	Difluoroéthane (R/52a)	2.1	56	2.1	2	X	p	150 kg
1132. (/209)	Difluorure d'oxygène	2.3	102 47 88 100	2.3	2 6.1	X	p	p
1133. (/063)	Di-(hydroperoxy)-2,2 propane, à 25 pour cent au maximum avec un solide organique inerte	5.2 E	46 48 56 83 99	5.2 E	5.2 E	II	p	p
1134. (/120)	Dihydroperoxyde de diméthylhexane, voir Diméthyl-2,5 (dihydroperoxy)-2,5 hexane		47	-	-	-	-	-
1135. (/121)	Dihydroperoxyde de diméthylhexane (sec)							
1136. (/064)	Dihydro-2,3 pyranne ou Dihydropyranne	3.2	2376	3.2	3	II	5 L	60 L
1137. (/067)	Dihydroxy-1,8 téranitro-2,4,5,7 anthraquinone	-	47	-	-	-	-	-
1138. (/066)	Di-(hydroxy-1 tétrazole) (sec)	-	47	-	-	-	-	-

ANNEXE II—Suite
LISTE II—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1164. (1104)	Diméthyl-2,5 di-(benzoylperoxy)-2,5 hexane, <i>techniquement pur</i>	2172	5,2 E	46 48 56 76 83 99	5,2 E	5,2 E	II	P	P
1165. (1105)	Diméthyl-2,5 di-(tert-butylperoxy)-2,5 hexane, à 52 pour cent au maximum avec un solide inerte	2156	5,2	48 56 83 99	5,2	5,2	II	5 kg	10 kg
1166. (1106)	Diméthyl-2,5 di-(tert-butylperoxy)-2,5 hexane, <i>techniquement pur</i>	2155	5,2	48 56 83 99	5,2	5,2	II	5 L	10 L
1167. (1107)	Diméthyl-2,5 di-(tert-butylperoxy)-2,5 hexyne-3, à 52 pour cent au maximum avec un solide inerte	2159	5,2	48 56 83 99	5,2	5,2	II	5 kg	10 kg
1168. (1108)	Diméthyl-2,5 di-(tert-butylperoxy)-2,5 hexyne-3, <i>techniquement pur</i>	2158	5,2 E	46 48 56 83 99	5,2 E	5,2 E	II	P	P
1169. (1109)	Diméthylchlorosilane	1162	3,2 8	46 56 90	3,2 8	3 8	I	P	2,5 L
1170. (1110)	Diméthyl-diéthoxysilane	2380	3,2	90	3,2	3	II	5 L	60 L
1171. (1111)	Diméthyl-2,5 di-(éthyl-2 hexanoylperoxy)-2,5 hexane, <i>techniquement pur</i>	2157	5,2	46 48 56 83 99	5,2	5,2	II	P	P
1172. (1112)	Diméthyl-2,5 di-(hydroperoxy)-2,5 hexane ou Dihydroperoxyde de diméthylhexane, à 82 pour cent au maximum, avec de l'eau	2174	5,2 E	46 48 56 83 99 +20°C +25°C	5,2 E	5,2 E	I	P	P
1173. (1113)	Diméthyl-3,5 dihydroxy-3,5 dioxolane-1,2 voir Peroxyde d'acétyleacétone								
1174. (1114)	DIMÉTHYLDIOXANES	2707	3,2	81	3,2	3	II	5 L	60 L
1175. (1115)	DIMÉTHYLDIOXANES	2707	3,3	81	3,3	3	II	5 L	60 L
1176. (1116)	Diméthyléthanolamine	2051	3,3	81	3,3	3	II	5 L	60 L
1177. (1117)	N,N-Diméthylformamide	2265	NR		3,3	3	III	60 L	220 L
1178. (1118)	Diméthylhydrazine, asymétrique, ou Diméthyl-1,1 hydrazine	1163	3,2 8	46 56 90	3,2 8	3 8	I	P	2,5 L

[335]

1179. (1122)	Diméthylhydrazine, symétrique ou Diméthyl-1,2 hydrazine	2382	3.2 6.1	46 99	3.2 6.1	3 6.1	I	P	30 L
1180. (1125)	Diméthylnitrosamine, voir Solides tox- iques, n.s.a.								
1181. (1126)	Diméthyl-2,2 propane, autre que le pen- tane et ses isomères	2044	2.1	46 56 102	2.1 3.2 8	2 3 8	X	P	150 kg
1182. (1127)	N-Diméthyl-propylamine	2266	3.2 8		3.2 8	3 8	II	1 L	5 L
1183. (1128)	Dinitrate d'azido-3 propylène-1,2 glycol		-	47	-	-	-	-	-
1184. (1030)	Dinitrate de diéthanol nitrosamine (sec)		-	47	-	-	-	-	-
1185. (1044)	Dinitrate de diéthylène glycol		-	47	-	-	-	-	-
1186. (1316)	Dinitrate d'éthanolamine		-	47	-	-	-	-	-
1187. (1267)	Dinitrate 1,3 de glycérol		-	47	-	-	-	-	-
1188. (1478)	Dinitrate d'isossorbide en mélange, avec au moins 60 pour cent de lactose, de man- nose, d'amidon ou d'hydrogénophosphate de calcium	2907	4.1	83 99	4.1	4.1	II	5 kg	15 kg
1189. (1939)	Dinitrate de méthylène glycol		-	47	-	-	-	-	-
1190. (1136)	Dinitroanilines	1596	6.1		6.1	6.1	II	5 L	60 L
1191. (1137)	Dinitrobenzènes	1597	6.1 9.2	46 102	6.1	6.1	II	25 kg	100 kg
1192. (1138)	Dinitrochlorobenzène voir Chlorodinitro- benzène								
1193. (1139)	Dinitro-o-crésol	1598	6.1	89 102	6.1	6.1	II	25 kg	100 kg
1194. (1140)	Dinitrocyclohexylphénol	9026	9.1	49	-	-	III	-	-
1195. (1141)	Dinitro-diméthyl-7,8 glycoluril (sec)		-	47	-	-	-	-	-
1196. (1142)	Dinitro-1,3 dinitroso-4,5 benzène		-	47	-	-	-	-	-
1197. (1143)	Dinitro-1,3 diméthyl-5,5 hydantoiné		-	47	-	-	-	-	-
1198. (1144)	Dinitro-1,1 éthane (sec)		-	47	-	-	-	-	-
1199. (1145)	Dinitro-1,2 éthane		-	47	-	-	-	-	-
1200. (1146)	Dinitroglycoluril		-	47	-	-	-	-	-
1201. (1135)	Dinitrométhane		-	47	-	-	-	-	-
1202. (2637)	Dinitro-o-crésate de sodium, humidifié, avec au moins 1.5 pour cent d'eau, en masse	1348	4.1 6.1	10 46 48 58 99	4.1 6.1	4.1 6.1	I	1 kg	15 kg
1203. (1147)	Dinitrophénol, en solution	1599	6.1 9.2		6.1 3	6.1	II	5 L	60 L
1204. (1148)	Dinitrophénol, humidifié, uniformément, avec au moins 1.5 pour cent d'eau, en masse	1320	4.1 6.1 9.2	10 46 48 58 99	4.1 6.1	4.1 6.1	I	1 kg	15 kg

ANNEXE II—Suite

LISTE II—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1205. (1149)	Dinitrophénolates, humidifiés, uniformément, avec au moins 15 pour cent d'eau, en masse	1321	4.1 6.1	10 46 58 99 47	4.1 6.1	4.1 6.1	I	1 kg	15 kg
1206. (1150)	Dinitro-2,4 phénylhydrazine, humidifié, uniformément, avec au moins 10 pour cent d'eau		—	—	—	—	—	—	—
1207. (1151)	Dinitropropylène glycol		—	47	—	—	—	—	—
1208. (1152)	Dinitrosorcinol, humidifié, uniformément, avec au moins 15 pour cent d'eau, en masse	1322	4.1	10 46 48 58 47	4.1	4.1	I	1 kg	15 kg
1209. (1153)	Dinitro-2,4 résorcinol (sels de métaux lourds), (secs)		—	—	—	—	—	—	—
1210. (1154)	Dinitro-4,6 résorcinol (sels de métaux lourds), (secs)		—	47	—	—	—	—	—
1211. (1156)	Dinitrosobenzylamine, et ses sels (secs)		—	47	—	—	—	—	—
1212. (1157)	N,N'-Dinitroso-N,N'-diméthyltéréphthalimide, en pâte, à 72 pour cent au maximum	2973	4.1 E	31 46 48 83	—	4.1 E	II	P	P
1213. (1158)	N,N'-Dinitrosopentaméthylène tétramine, à 82 pour cent au maximum avec un flegmatisant	2972	4.1 E	100 31 46 48 83 100 47	—	4.1 E	II	P	P
1214. (1159)	Dinitrosilbène		—	—	—	—	—	—	—
1215. (1161)	Dinitrotoluènes, fondus ou Dinitrotoluène, liquide	1600	6.1 9.2	46	6.1	6.1	II	P	P
1216. (1162)	Dinitrotoluènes, solides	2038	6.1 9.2	46	6.1	6.1	II	25 kg	100 kg
1217. (1166)	a,a'-Di-(nitroxy) méthyléther		—	47	—	—	—	—	—
1218. (1167)	Dinitroxy-1,9 pentaméthylène tétramine-2,4,6,8 (sèche)		—	47	—	—	—	—	—
1219. (1170)	Dioxanne	1165	3.2	—	3.2	3	II	5 L	60 L
1220. (1171)	Dioxolanne	1166	3.2	—	3.2	3	II	5 L	60 L
1221. (621)	Dioxyde de carbone, comprimé ou Dioxyde de carbone	1013	2.2	—	2.2	2	X	75 kg	150 kg
1222. (624)	Dioxyde de carbone et oxyde d'éthylène, en mélange, avec 6 pour cent au maximum d'oxyde d'éthylène	1952	2.2	56 102	2.3	2	X	75 kg	150 kg
1223. (623)	Dioxyde de carbone et oxyde d'éthylène, en mélange, avec plus de 6 pour cent d'oxyde d'éthylène	1041	2.1 6.1	46 56 102	2.3 2.1	2 3 6.1	X	P	25 kg

1224. (622)	Dioxyde de carbone, liquéfié voir Dioxyde de carbone, liquide réfrigéré	2187	2.2	46	2.2	2	X	50 kg	500 kg
1225. (627)	Dioxyde de carbone, liquide réfrigéré, ou Dioxyde de carbone, liquéfié	1014	2.2		2.2	2	X	75 kg	150 kg
1226. (626)	Dioxyde de carbone-oxygène, en mélange								
1227. (625)	Dioxyde de carbone et protoxyde d'azote, en mélange	1015	2.2	44	2.2	2	X	75 kg	150 kg
1228. (628)	Dioxyde de carbone, solide, ou Glace carbonique ou Glace sèche	1845	9.1	44	9	9	III	200 kg	200 kg
1229. (666)	Dioxyde de chlore, hydraté, gelé	9191	5.1 6.1	40 46 48 83	—	—	II	—	—
1230. (667)	Dioxyde de chlore, (non hydraté)		—	47	—	—	—	—	—
1231. (1706)	Dioxyde de plomb ou Peroxyde de plomb	1872	5.1		5.1	5.1	III	25 kg	100 kg
1232. (2727)	Dioxyde de soufre, liquéfié, ou Dioxyde de soufre	1079	2.3	46 56 90	2.3	2	X	P	25 kg
1233. (1172)	Dipentène	2052	3.3	102 63	3.3	3	II	5 L	60 L
1234. (1310)	Dipchlorate d'éthylènediamine		—	47	—	—	—	—	—
1235. (2904)	Dipchlorate de triméthylène glycol		—	47	—	—	—	—	—
1236. (954)	Diperoxyphthalate de tert-butyle, en solution à 55 pour cent au maximum	2107	5.2	48 56 83	5.2	5.2	II	5 L	10 L
1237. (953)	Diperoxyphthalate de tert-butyle, en pâte à 55 pour cent au maximum	2108	5.2	99 48 56 83	5.2	5.2	II	5 kg	10 kg
1238. (955)	Diperoxyphthalate de tert-butyle, techniquement pur	2106	5.2 E	46 48 56 83	5.2 E	5.2 E	II	P	P
1239. (1174)	Diphténylamine-chlorarsine	1698	6.1	99 46 48 56 99	6.1	6.1	I	P	P
1240. (1175)	Diphténylchlorarsine	1699	6.1	102 46 48 99	6.1	6.1	I	P	15 kg
1241. (1176)	Diphtényldichlorosilane	1769	8	102 46 56	8	8	II	P	30 L
1242. (2400)	Diphtényles polychlorés, ou objets contenant des diphtényles polychlorés	2315	9.1 9.2	90 46	9	9	II	100 L	220 L
1243. (1182)	Dipropylamine	2383	3.2	46	3.2	3	II	5 L	60 L
1244. (1185)	Dipropylcétone	2710	NR	73	3.3	3	III	60 L	220 L
1245. (1187)	Diquat	2781	9.2	55	—	—	III	—	—

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1246. (67)	Dispositif de poussée, pour décollage assisté	2791	4.1	4.1	4.1	II	P	250 kg
1247. (1179)	Disulfohydrazine-4,4, diphenyloxyde	2951	4.1	—	4.1	II	15 kg	50 kg
1248. (1199)	Disulfoton	3018	6.1	—	—	I	—	—
1249. (1201)	Disulfoton, en mélange, liquide	3018	9.2	—	—	I	—	—
1250. (1200)	Disulfoton, en mélange, sec	2783	9.2	—	—	I	—	—
1251. (620)	Disulfure de carbone voir Sulfure de carbone		6.1	—	—	I	—	—
1252. (1116)	Disulfure de méthyle	2381	9.2	—	—	I	—	—
1253. (2577)	Disulfure de sélénium	2657	3.2	6.1	3	II	5 L	60 L
1254. (2758)	DITHIOPYROPHOSPHATE TÉTRAÉTHYLIQUE, SEC ou EN MÉLANGE	1704	6.1	6.1	6.1	II	25 kg	100 kg
1255. (2759)	DITHIOPYROPHOSPHATE TÉTRAÉTHYLIQUE, SEC ou EN MÉLANGE	1704	6.1	6.1	6.1	I	P	50 kg
1256. (2760)	DITHIOPYROPHOSPHATE TÉTRAÉTHYLIQUE, SEC ou EN MÉLANGE	1704	6.1	6.1	6.1	II	P	100 kg
1257. (2761)	DITHIOPYROPHOSPHATE TÉTRAÉTHYLIQUE, LIQUIDE ou EN MÉLANGE	1704	NR	6.1	6.1	III	P	200 kg
1258. (2762)	DITHIOPYROPHOSPHATE TÉTRAÉTHYLIQUE, LIQUIDE ou EN MÉLANGE	1704	6.1	6.1	6.1	I	P	30 L
1259. (2763)	DITHIOPYROPHOSPHATE TÉTRAÉTHYLIQUE, LIQUIDE ou EN MÉLANGE	1704	6.1	6.1	6.1	II	P	60 L
1259. (2763)	DITHIOPYROPHOSPHATE TÉTRAÉTHYLIQUE, LIQUIDE ou EN MÉLANGE	1704	NR	6.1	6.1	III	P	220 L

		1703	2.3	46	2.3	2	X	P	P
1260. (2764)	Dithiophosphosphate tétraéthérique et des gaz, en solution, ou Dithiophosphosphate tétraéthérique et des gaz, en mélanges			48 56 88 99 102	6.1				
1261. (580)	Dithionite de calcium, ou Hydrosulfite de calcium	1923	4.2	48	4.2	4.2	II	15 kg	50 kg
1262. (2419)	Dithionite de potassium, ou Hydrosulfite de potassium	1929	4.2	99	4.2	4.2	II	15 kg	50 kg
1263. (3099)	Dithionite de zinc, ou Hydrosulfite de zinc	1931	9.1	99	9	9	III	100 kg	200 kg
1264. (2638)	Dithionite de sodium, ou Hydrosulfite de sodium	1384	4.2	46 101	4.2	4.2	II	15 kg	50 kg
1265. (1214)	Diuron	2767	9.2	55	—	—	II	—	—
1266. (581)	Dodécylbenzènesulfonate de calcium	9097	9.2	49	—	—	II	—	—
1267. (1652)	Dodécylbenzènesulfonate d'isopropanolamine	9127	9.2	49	—	—	III	—	—
1268. (2639)	Dodécylbenzènesulfonate de sodium	9146	9.2	49	—	—	III	—	—
1269. (2873)	Dodécylbenzènesulfonate de triéthanolamine,	9151	9.2	49	—	—	III	—	—
1270. (1217)	Dodécyltrichlorocilane	1771	8	46 56 90	8	8	II	P	30 L
1271. (1225)	Drogues ou Médicaments, n.s.a., voir Liquides ou solides corrosifs, n.s.a., ou Liquides ou solides inflammables, n.s.a., ou Matières combustibles n.s.a., ou Liquides ou solides toxiques, n.s.a., ou Aérosols								
1272. (2928)	Eau contenant du tritium, voir Matières radioactives, de faible activité spécifique								
1273. (1237)	EDTA, voir Acide éthylènediaminotétracétique								
1274. (357)	Electrolyte pour accumulateurs, acide, avec un accumulateur électrique, humide, vide ou sec	2796	8	56	8	8	II	1 L	30 L
1275. (359)	Electrolyte pour accumulateurs, acide, avec un accumulateur électrique, humide, vide ou sec	2796	8	55 56	—	—	II	—	—
1276. (358)	Electrolyte pour accumulateurs, acide, avec un équipement électronique ou un mécanisme de commande	2796	8	55 56	—	—	II	—	—
1277. (360)	Electrolyte pour accumulateurs, alcalin	2797	8	56	8	8	II	1 L	30 L
1278. (362)	Electrolyte pour accumulateurs, alcalin, avec un accumulateur électrique, humide, vide ou sec	2797	9.2 8	55 56	—	—	II	—	—
1279. (361)	Electrolyte pour accumulateurs, alcalin, avec un équipement électronique ou un mécanisme de commande	2797	8	55 56	—	—	II	—	—
1280. (1594)	ENCRES d'imprimerie, point d'éclair inférieur à 23°C	1210	3.2		3.2	3	II	5 L	60 L
1281. (1595)	ENCRES d'imprimerie, point d'éclair inférieur à 23°C	1210	3.2		—	3	III	60 L	220 L
1282. (1596)	ENCRES d'imprimerie, point d'éclair inférieur à 37.8°C	1210	—		—	3	II	5 L	60 L
1283. (1597)	ENCRES d'imprimerie, point d'éclair inférieur à 37.8°C	1210	3.3		3.3	3	III	60 L	220 L

ANNEXE II—Suite
LISTE II—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1284. (1598)	Ecretes d'imprimerie, point d'éclair égal ou supérieur à 37,8°C mais inférieur à 61°C	1210	NR	73	3,3	3	III	60 L	220 L
1285. (1238)	Endosulfan	2761	6,1	46	—	—	I	—	—
1286. (1239)	Endosulfan, en mélange, liquide	2996	9,2	55	—	—	I	—	—
1287. (1240)	Endrine	2761	9,2	55	—	—	I	—	—
1288. (1241)	Endrine, en mélange, liquide	2996	6,1	46	—	—	I	—	—
1289. (1242)	Engins ou Moteurs, combustion interne, utilisant du carburant classé comme inflammable	—	9,2	55	—	—	—	—	—
1290. (203)	Engrais à base de nitrate d'ammonium: mélanges homogènes et stables de nitrate d'ammonium et de sulfate d'ammonium contenant plus de 45 pour cent mais 70 pour cent au maximum de nitrate d'ammonium et contenant 0,4 pour cent au maximum de matières combustibles	2069	5,1	83	5,1	5,1	III	25 kg	100 kg
1291. (206)	Engrais à base de nitrate d'ammonium: mélanges homogènes et stables du type azote/phosphate ou azote/potasse ou engrais complet du type azote/phosphate/potasse contenant 70 pour cent au maximum de nitrate d'ammonium et 0,4 pour cent au maximum de matières combustibles ou contenant 45 pour cent au maximum de nitrate d'ammonium sans limitation de teneur en matières combustibles	2071	9,1	44 83 100	9	9	III	200 kg	200 kg
1292. (205)	Engrais à base de nitrate d'ammonium: mélanges homogènes et stables du type azote/phosphate ou azote/potasse ou engrais complet du type azote/phosphate/potasse contenant plus de 70 pour cent mais moins de 90 pour cent au maximum de matières combustibles	2070	5,1	83 99	5,1	5,1	III	25 kg	100 kg
1293. (204)	Engrais à base de nitrate d'ammonium: mélanges homogènes et stables de nitrate d'ammonium, avec du carbonate de calcium et/ou du dolomite contenant plus de 80 pour cent mais moins de 90 pour cent de nitrate d'ammonium et 0,4 pour cent au maximum de matières combustibles	2068	5,1	83 99	5,1	5,1	III	25 kg	100 kg

1294. (202)	Engrais à base de nitrate d'ammonium: mélanges homogènes et stables, contenant au moins 90 pour cent de nitrate d'ammonium, avec toute autre matière inorganique chimiquement inerte par rapport au nitrate d'ammonium et 0,2 pour cent au maximum de matières combustibles (y compris les matières organiques complètes en carbone) ou mélange contenant plus de 70 pour cent mais moins de 90 pour cent de nitrate d'ammonium et 0,4 pour cent au maximum de matières combustibles	2067	5.1	83 99	5.1	5.1	III	25 kg	100 kg
1295. (207)	Engrais à base de nitrate d'ammonium, n.s.a.	2072	5.1		5.1	5.1	II	5 kg	25 kg
1296. (1388)	Engrais ammoniacaux en solution, renfermant de l'ammoniac libre (avec une pression absolue supérieure à 276 kPa)	1043	2.2	56 90 99	2.2	2	X	P	150 kg
1297. (1244)	Épibromhydrique	2558	6.1	46	6.1	6.1	I	P	P
1298. (1245)	Épichlorhydrique	2023	6.1	99	3	6.1	II	5 L	60 L
1299. (1246)	Époxy-1,2 éthoxy-3 propane	2752	NR	9.2	3	3	III	60 L	220 L
1300. (1994)	Équipement de sauvetage de mine, contenant de l'anhydride carbonique	1956	2.2	37 55	-	-	X	-	-
1301. (66)	Équipement de survie d'aéronefs, voir Radeaux de sauvetage, gonflables								
1302. (472)	Équipement de survie en forêt, voir Radeaux de sauvetage, gonflables								
1303. (2739)	Équipement de survie, voir Radeaux de sauvetage, etc.								
1304. (2026)	Essence de gaz naturel (point d'ébullition variant entre 35°C et 135°C)	1257	3.1	99	3.1	3	II	5 L	60 L
1305. (2380)	Essence de térébenthine	1272	NR	73	3.3	3	III	60 L	220 L
1306. (2278)	Essence minérale de pétrole, voir Naphie, pétrole de								
1307. (2286)	ESSENCE MINÉRALE LÉGÈRE, ou ÉTHER DE PÉTROLE, (point d'ébullition variant entre 14°C et 135°C)	1271	3.1	46	-	3	I	1 L	30 L
1308. (2287)	ESSENCE MINÉRALE LÉGÈRE, ou ÉTHER DE PÉTROLE, (point d'ébullition variant entre 14°C et 135°C)	1271	3.1	99	3.1	3	II	5 L	60 L
1309. (2288)	ESSENCE MINÉRALE LÉGÈRE, ou ÉTHER DE PÉTROLE, (point d'ébullition variant entre 14°C et 135°C)	1271	3.2	46	-	3	I	1 L	30 L
1310. (2289)	ESSENCE MINÉRALE LÉGÈRE, ou ÉTHER DE PÉTROLE, (point d'ébullition variant entre 14°C et 135°C)	1271	3.2		3.2	3	II	5 L	60 L
1311. (2290)	ESSENCE MINÉRALE LÉGÈRE, ou ÉTHER DE PÉTROLE, (point d'ébullition variant entre 14°C et 135°C)	1271	3.3	46 81	-	3	I	1 L	30 L
1312. (2291)	ESSENCE MINÉRALE LÉGÈRE, ou ÉTHER DE PÉTROLE, (point d'ébullition variant entre 14°C et 135°C)	1271	3.3	81	3.3	3	II	5 L	60 L
1313. (1475)	Essence, ou Gazoline	1203	3.1	99	3.1	3	II	5 L	60 L
1314. (2003)	Essence pour moteurs, voir Essence								

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1315. (893)	Ester 2,4-D voir Ester d'acide dichloro-2,4 phénoxyacétique								
1316. (2839)	Ester 2,4,5-TP voir Ester d'acide trichloro-2,4,5 phénoxypropionique	2765	9.2	55	-	-	II	-	-
1317. (1000)	Ester d'acide dichloro-2,4 phénoxyacétique ou Ester 2,4-D	2765	9.2	46	-	-	II	-	-
1318. (2866)	Ester d'acide ou Sel de trichloro-2,4,5 phénoxyacétique amine	2765	9.2	46	-	-	II	-	-
1319. (2868)	Ester d'acide trichloro-2,4,5 phénoxypropionique ou Ester 2,4,5-TP	1035	2.1	55	2.1	2, 3	X	P	150 kg
1320. (1261)	Éthane, comprimé, ou Éthane			99					
1321. (1262)	Éthane, liquide, réfrigéré	1961	2.1	102	2.1	2	X	P	P
				46		3			
				56					
				100					
1322. (1263)	ÉTHANOL ou ALCOOL ÉTHYLIQUE ou ÉTHANOL, EN SOLUTIONS, ou ALCOOL ÉTHYLIQUE, EN SOLUTIONS, ou BOISSONS	1170	3.2	102	3.2	3	II	5 L	60 L
1323. (1264)	ÉTHANOL ou ALCOOL ÉTHYLIQUE ou ÉTHANOL, EN SOLUTIONS, ou ALCOOL ÉTHYLIQUE, EN SOLUTIONS, ou BOISSONS	1170	3.2		3.2	3	III	60 L	220 L
1324. (1265)	ÉTHANOL ou ALCOOL ÉTHYLIQUE ou ÉTHANOL, EN SOLUTIONS, ou ALCOOL ÉTHYLIQUE, EN SOLUTIONS, ou BOISSONS	1170	-		-	3	II	5 L	60 L
1325. (1266)	ÉTHANOL ou ALCOOL ÉTHYLIQUE ou ÉTHANOL, EN SOLUTIONS, ou ALCOOL ÉTHYLIQUE, EN SOLUTIONS, ou BOISSONS	1170	3.3	81	3.3	3	III	60 L	220 L
1326. (1268)	Ethanolamine ou Monoéthanolamine ou Ethanolamine, en solutions, ou Monoéthanolamine, en solutions	2491	8		8	8	III	5 L	60 L
1327. (133)	Éther allyléthylique	2335	3.2	99	3.2	3	II	1 L	60 L
1328. (135)	Éther bromo-2 éthyl éthylique	2219	NR	73	3.3	6.1	III	60 L	220 L
1329. (456)	Éther butylméthylique	2340	3.2		3.2	3	II	5 L	60 L
1330. (511)	Éther butylvinyle, stabilisé	2350	3.2		3.2	3	II	5 L	60 L
1331. (547)	Éther chlorométhyléthylique	2352	3.2	84	3.2	3	II	5 L	60 L
1332. (699)	Éther chlorométhyléthylique	2354	3.2	99	3.2	3	II	1 L	60 L
			6.1		6.1	6.1			

Éther de pétrole, voir Essence minérale

1333. (2276)	Éther léger	2360	3.2	99	3.2	3	II	1 L	60 L
1334. (904)	Éther diallylique		6.1	46	6.1	6.1	I	P	P
1335. (988)	Étherdichlorodiméthylrique, symétrique	2249	6.1	100	3				
1336. (992)	Éther dichloroéthylrique	1916	6.1	102	6.1	6.1	II	5 L	60 L
1337. (995)	Étherdichloroisopropylrique	2490	9.2		6.1	6.1	II	5 L	60 L
1338. (1043)	Éther diéthylrique	1155	6.1	46	3.1	3	I	P	30 L
			3.1	56					
				90					
1339. (1315)	Éther diéthylrique de l'éthylène-glycol	1153	NR	73	3.3	3	III	60 L	220 L
1340. (1291)	Éther éthylbutylrique	1179	3.2		3.2	3	II	5 L	60 L
1341. (1326)	Éther éthylrique voir Éther diéthylrique			99					
1342. (1351)	Éther éthylpropylrique	2615	3.1	46	3.1	3	II	5 L	60 L
1343. (2961)	Éther éthylvinylrique, stabilisé	1302	3.1	46			I	P	30 L
				84					
				84					
				90					
				99					
1344. (2964)	Éther isobutylvinylrique, stabilisé	1304	3.2	84	3.2	3	II	5 L	60 L
1345. (1077)	Éther isopropylrique	1159	3.1	99	3.1	3	II	5 L	60 L
1346. (1918)	Éther méthyl tert-butylrique	2398	3.2		3.2	3	II	5 L	60 L
1347. (1337)	Éther méthyléthylrique	1039	2.1	46	2.1	2	X	P	150 kg
				56		3			
1348. (1118)	Éther méthylrique	1033	2.1	102	2.1	2	X	P	150 kg
1349. (1925)	Éther méthylrique monochloré	1239	3.1	102	3.1	3	II	P	P
				46					
				56					
				88					
1350. (1982)	Éther méthylpropylrique	2612	3.1	99	3.1	3	II	5 L	60 L
1351. (2965)	Éther méthylvinylrique, stabilisé	1087	2.1	46	2.1	2	X	P	150 kg
				56		3			
				84					
1352. (1317)	Éther monobutylrique de l'éthylène-glycol	2369	NR	102	6.1	6.1	III	60 L	220 L
1353. (1318)	Éther monoéthylrique de l'éthylène-glycol	1171	NR	73	3.3	3	III	60 L	220 L
1354. (1320)	Éther monométhylrique de l'éthylène-glycol	1188	NR	73	3.3	3	III	60 L	220 L
1355. (1184)	Éther propylrique	2384	3.1	99	3.1	3	II	5 L	60 L
1356. (1215)	Éther vinylrique, stabilisé	1167	3.1	46	3.1	3	II	P	60 L
				56					
				84					
				90					
				99					

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1357. (433)		Éthérate diéthylique de trifluorure de bore	2604	4.3 8	4.3 8	4.3 8	II	I L	5 L
1358. (435)		Éthérate diméthylrique de trifluorure de bore	2965	4.3 3	4.3 3	4.3 3	II	I L	5 L
1359. (500)		Éthers butyliques, voir Éthers dibutyl- liques							
1360. (938)		Éthers dibutylques ou Éthers butyliques	1149	3.3	3.3	3	III	60 L	220 L
1361. (1269)		Éthion	3018	6.1 9.2	—	—	II	—	—
1362. (1270)		Éthion, en mélange, sec	2783	6.1 9.2	—	—	II	—	—
1363. (1272)		Éthyl acétylène, stabilisé	2452	2.1 48 84	2.1 48 84	2 3	X	P	150 kg
1364. (1281)		N-Éthylaniline	2272	NR	6.1	6.1	III	60 L	220 L
1365. (1282)		Éthyl-2 aniline	2273	NR	6.1	6.1	III	60 L	220 L
1366. (1284)		N-Éthyl-N-benzylaniline	2274	NR	6.1	6.1	III	60 L	220 L
1367. (1285)		N-Éthyl benzyloluidines	2753	NR	6.1	6.1	III	60 L	220 L
1368. (1289)		Éthyl-2 butanol	2275	NR	3.3	3	III	60 L	220 L
1369. (1329)		Éthyl-2 hexylamine	2276	8	8	8	III	5 L	60 L
1370. (142)		Éthyl-2 peroxyhexanoate de tert-octyle, voir Éthyl-2 peroxyhexanoate de té- raméthyl-1,1,3,3 butyle							
1371. (527)		Éthyl-2 peroxyhexanoate de tert-butyle, à 12 pour cent au maximum avec du Di- (tert-butylperoxy)-2,2 butane, à 14 pour cent au maximum avec au moins 14 pour cent de flegmatisant et 60 pour cent de solide inorganique inerte	2887	5.2 83 99	5.2	5.2	II	5 kg	10 kg
1372. (528)		Éthyl-2 peroxyhexanoate de tert-butyle, à 30 pour cent au maximum avec du Di- (tert-butylperoxy)-2,2 butane, à 35 pour cent au maximum, avec au moins 35 pour cent de flegmatisant	2886	5.2	5.2	5.2	II	P	P
1373. (529)		Éthyl-2 peroxyhexanoate de di tert-butyle, à 50 pour cent au maximum, avec un flegmatisant	2888	5.2	5.2	5.2	II	P	P

1374. (530)	Éthyl-2 peroxyhexanoate de tert-butyle, techniquement pur	2143	5.2 E	46 48 56 83 99 +20°C +25°C	5.2 E	5.2 E	II	P	P
1375. (2785)	Éthyl-2 peroxyhexanoate de tétraméthyl- 1,1,3,3 butyle, ou Éthyl-2 peroxyhexano- ate de tert-octyle, techniquement pur	2161	5.2	46 48 56 83 99 +20°C +25°C	5.2	5.2	II	P	P
1376. (1349) 1377. (1276)	Éthyl-1 pipéridine	2386	3.2	46 56 99	3.2	3	II	5 L	60 L
	Éthylamine ou Monoéthylamine	1036	2.1 9.2	46 56 83 99	2.1 3	2	X	P	150 kg
1378. (1277)	ÉTHYLAMINE, EN SOLUTIONS AQUEUSES, avec 50 pour cent au moins, mais 70 pour cent au maximum d'éthyla- mine	2270	3.1 9.2	46 83 99	3.1	3	II	5 L	60 L
1379. (1278)	ÉTHYLAMINE, EN SOLUTIONS AQUEUSES, avec 50 pour cent au moins, mais 70 pour cent au maximum d'éthyla- mine	2270	3.2 9.2	46 83 99	3.2	3	II	5 L	60 L
1380. (1279)	ÉTHYLAMINE, EN SOLUTIONS AQUEUSES, avec 50 pour cent au moins, mais 70 pour cent au maximum d'éthyla- mine	2270	3.3 9.2	46 81 83 99	3.3	3	II	5 L	60 L
1381. (1280)	Éthylamylcétone	2271	NR	73	3.3	3	III	60 L	220 L
1382. (1283) 1383. (1304)	Éthylbenzène	1175	3.2 9.2	81 83 99	3.2	3	II	5 L	60 L
	Éthylchlorarsine	1892	6.1	46 99	6.1	6.1	I	P	P
1384. (1305)	Éthylchlorosilane	1183	4.3 3	102 46 56 8	3.2 8	4.3 8	I	P	1 L
1385. (1307) 1386. (1308)	Éthylène, comprimé, ou Éthylène	1962	2.1	56	2.1	2	X	P	150 kg
	Éthylène, liquide réfrigéré	1038	2.1	102 56 100	2.1 3	2 3	X	P	P
1387. (1309)	Éthylènediamine	1604	8 3	102	8 3	8 3	II	1 L	30 L
1388. (1322)	Éthylèneimine, stabilisée	1185	9.2 6.1 3	46 56 84	3.2 6.1 3	6.1 3	I	P	P
1389. (1338) 1390. (1345)	Éthylméthylcétone ou Méthyléthylcétone	1193	3.2	46 56 90	3.2	3	II	5 L	60 L
	Éthylphényldichlorosilane	2435	8	46 56	8	8	II	P	30 L
1391. (1354)	N-Éthyltoluidines	2754	6.1	90	6.1 3	6.1 3	II	5 L	60 L

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1392. (1355)	Éthyltrichlorosilane	3.2 8	46 56	3.2 8	3 8	I	P	2.5 L
1393. (1393)	Extincteurs, avec des gaz comprimés ou liquéfiés							
1394. (1357)	EXTRAITS, AROMATIQUES, LIQ- UIDES, point d'éclair inférieur à 23°C	1044	90	2.2	2	X	75 kg	150 kg
1395. (1358)	EXTRAITS, AROMATIQUES, LIQ- UIDES, point d'éclair inférieur à 23°C	1169	99		3	I	1 L	30 L
1396. (1359)	EXTRAITS, AROMATIQUES, LIQ- UIDES, point d'éclair inférieur à 23°C	1169	100	3.2	3	II	5 L	60 L
1397. (1360)	EXTRAITS, AROMATIQUES, LIQ- UIDES, point d'éclair inférieur ou égal à 23°C mais inférieur à 61°C	1169	46	3.2	3	III	60 L	220 L
1398. (1361)	EXTRAITS, AROMATIQUES, LIQ- UIDES, point d'éclair supérieur ou égal à 23°C mais inférieur à 61°C	1169	81		3	I	1 L	30 L
1399. (1362)	EXTRAITS, AROMATIQUES, LIQ- UIDES, point d'éclair supérieur ou égal à 23°C mais inférieur à 61°C	1169			3	II	5 L	60 L
1400. (1363)	EXTRAITS, AROMATIQUES, LIQ- UIDES, point d'éclair supérieur ou égal à 23°C mais inférieur à 61°C	1169	73	3.3	3	III	60 L	220 L
1401. (1364)	EXTRAITS LIQUIDES POUR AROMATISER	1197	46		3	I	1 L	30 L
1402. (1365)	EXTRAITS LIQUIDES POUR AROMATISER	1197		3.2	3	II	5 L	60 L
1403. (1366)	EXTRAITS LIQUIDES POUR AROMATISER	1197		3.2	3	III	60 L	220 L
1404. (1367)	EXTRAITS LIQUIDES POUR AROMATISER	1197	46		3	I	1 L	30 L
1405. (1368)	EXTRAITS LIQUIDES POUR AROMATISER	1197	81		3	II	5 L	60 L
1406. (1369)	EXTRAITS LIQUIDES POUR AROMATISER	1197	81	3.3	3	III	60 L	220 L
1407. (1396)	Farine de poisson, non stabilisée ou Déchets de poisson, non stabilisés	1374	37	4.2	4.2	II	15 kg	50 kg
			46					
			48					
			56					
			89					
			100					
1408. (1395)	Farine de poisson, stabilisée ou Déchets de poisson, stabilisés	2216		9		III		
1409. (1613)	Fer ou Fer spongieux, incorrectement oxydé	1383	37			II		
1410. (1615)	Fer pentacarbonyle	1994	55	6.1	6.1	I	P	P
1411. (1380)	Ferrocérium	1323	48	3	3			
			99	4.1	4.1	II	15 kg	50 kg

1412. (1381)	Ferrosilicium, avec au moins 30 pour cent mais moins de 90 pour cent de silicium	1408	4.3	34	4.3	4.3	III	P	100 kg
1413. (1389)	Fibres, animales ou végétales, n.s.a., brûlées, mouillées ou humides	1372	4.2	37	4.2	4.2	III	P	P
1414. (1390)	Fibres ou tissus, animaux ou végétaux, n.s.a., imprégnés d'huile animale ou végétale	1373	4.2	37 100	4.2	4.2	III	P	P
1415. (1391)	Films à base de nitrocellulose, revêtus de gélatine à l'exclusion des déchets	1324	4.1	46 48 99	4.1	4.1	III	25 kg	100 kg
1416. (1427)	Fleurs de soufre, voir Soufre								
1417. (1243)	Fluides servant au démarrage des moteurs, avec des gaz inflammables	1960	2.1	46 48 56	2.1	2 3	X	P	150 kg
1418. (191)	Fluoborate d'ammonium	9088	8	34	-	-	III	-	-
1419. (1708)	Fluoborate de plomb	2291	8	34	-	-	III	-	-
1420. (1429)	Fluor, comprimé, ou Fluor	1045	2.3 5.1	46 48 52 56 88 99	2.3 5.1 6.1	2 5.1 6.1	X	P	P
1421. (2422)	Fluoracétate de potassium	2628	6.1	102 46 56	6.1	6.1	I	5 kg	50 kg
1422. (2642)	Fluoracétate de sodium	2629	6.1	99	6.1	6.1	I	5 kg	50 kg
1423. (1431)	Fluoroanilines	2941	NR	73	6.1	6.1	III	60 L	220 L
1424. (1432)	Fluoro-2 aniline, voir Fluoroanilines								
1425. (1433)	Fluoro-4 aniline, voir Fluoroanilines								
1426. (1434)	Fluorobenzène	2387	3.2		3.2	3	II	5 L	60 L
1427. (193)	Fluorosilicate d'ammonium, ou Silicofluorure d'ammonium	2854	8		6.1	6.1	III	100 kg	200 kg
1428. (1761)	Fluorosilicate de magnésium	2853	NR		6.1	6.1	III	100 kg	200 kg
1429. (2423)	Fluorosilicate de potassium	2655	NR		6.1	6.1	III	100 kg	200 kg
1430. (2643)	Fluorosilicate de sodium	2674	NR		6.1	6.1	III	100 kg	200 kg
1431. (3101)	Fluorosilicate de zinc ou Silicofluorure de zinc	2855	9.2		6.1	6.1	III	100 kg	200 kg
1432. (1436)	Fluorosilicates, n.s.a.	2856	NR		6.1	6.1	III	100 kg	200 kg
1433. (1438)	FLUOROTOLUÈNES	2388	3.2		3.2	3	II	5 L	60 L
1434. (1439)	FLUOROTOLUÈNES	2388	3.3	81	3.3	3	II	5 L	60 L

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1435. (745)	1757	8		8	8	II	1 L	30 L
1436. (744)	1756	8		8	8	II	15 kg	50 kg
1437. (192)	2505	8		6.1	6.1	III	100 kg =	200 kg
1438. (639)	2417	2.3	46	2.3	2	X	p	p
			48		6.1			
			56					
			88					
			99					
			102					
1439. (1327)	2453	2.1	46	2.1	2	X	p	150 kg
			48					
			90					
			99					
			55			II	--	
1440. (406)	1566	6.1	46			X	p	p
1441. (1574)	1052	2.4	52	2.3	8			
		6.1	56	8	6.1			
		9.2	88					
			99					
			102					
1442. (1945)	2454	2.1	46	2.1	2	X	p	150 kg
			56		3			
			99					
1443. (2083)	2307	6.1		6.1	6.1	II	5 L	60 L
1444. (1709)	2811	8	34	--	--	III	--	--
1445. (2420)	1812	8	55	6.1	6.1	III	100 kg	200 kg
1446. (2421)	1812	8	99	6.1	6.1	III	60 L	220 L
1447. (2641)	1690	8		6.1	6.1	III	60 L	220 L
1448. (2640)	1690	9.2	34	6.1	6.1	III	100 kg	200 kg
1449. (2738)	2191	2.3	46	2.3	2	X	p	25 kg
			99		6.1			
1450. (2962)	1860	2.1	102	2.1	2	X	p	150 kg
			49		3			
			56					
			84					
			99					
			102					
1451. (3100)	9158	9.2	49			III	--	--
1452. (3118)	9162	9.2	49	--	--	III	--	--

1453. (1377)	Fluore ferrique	9120	9.2	49	-	-	II	-	-
1454. (2240)	Fluore perchloryle		-	47	-	-	-	-	-
1455. (1492)	Foin, Paille ou Bhusa	1327	4.1	34	4.1	-	III	-	-
1456. (1441)	Formaldéhyde, en solutions, <i>point d'éclair supérieur à 61°C</i>	2209	9.1	44	9	9	III	100 L	220 L
1457. (1442)	FORMALDÉHYDE, EN SOLUTIONS, <i>point d'éclair égal ou inférieur à 61°C, dans des contenants ayant une capacité en eau de 454 L ou maximum</i>	1198	9.2	63	3.3	3	II	5 L	60 L
1458. (1443)	FORMALDÉHYDE, EN SOLUTIONS, <i>point d'éclair égal ou inférieur à 61°C, dans des contenants ayant une capacité en eau de plus de 454 L</i>	1198	3.3	63	-	3	III	60 L	220 L
1459. (1444)	Formaline, voir Formaldéhyde, en solutions								
1460. (768)	Formiate cobalteux	9104	9.2	49	-	-	III	-	-
1461. (134)	Formiate d'allyle	2336	3.2	46	3.2	3	I	P	30 L
1462. (501)	Formiate de n-butyle ou Formiate de butyle	1128	3.2	99	6.1	3	II	5 L	60 L
1463. (1328)	Formiate d'éthyle	1190	3.1	99	3.1	3	II	5 L	60 L
1464. (1624)	Formiate d'isobutyle	2393	3.2		3.2	3	II	5 L	60 L
1465. (1665)	Formiates d'isopropyle voir Formiates de propyle								
1466. (1946)	Formiate de méthyle	1243	3.1	46	3.1	3	I	P	30 L
				56					
				90					
				99					
1467. (3102)	Formiate de zinc	9159	9.2	49	-	-	III	-	-
1468. (239)	Formiates d'amyle	1109	3.3	81	3.3	3	II	5 L	60 L
1469. (2473)	Formiates de propyle	1281	3.2		3.2	3	II	5 L	60 L
1470. (194)	Fulminate d'ammonium		-	47	-	-	-	-	-
1471. (2597)	Fulminate d'argent, (sec)		-	47	-	-	-	-	-
1472. (1455)	Fulminate de mercure, (sec)		-	47	-	-	-	-	-
1473. (1463)	Furanne	2389	3.1	46	3.1	3	I	1 L	30 L
1474. (1464)	Furfural	1199	3.3	99	3.3	3	II	5 L	60 L
1475. (1466)	Furfurylamine	2526	9.2	81	3.3	3	II	5 L	60 L
1476. (1470)	Gallium	2803	3.3	81	3.3	3	II	5 L	60 L
			8	46	8	8	III	20 kg	20 kg
				48					
				59					
1477. (1474)	Gas-oil, voir Huile à diesel								
1478. (775)	Gaz comprimés ou liquéfiés, inflammables, n.s.a.*	1954	2.1	48	2.1	2	X	P	150 kg
				56		3			
				100					
				102					

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1479. (776)	Gaz comprimés ou liquéfiés, inflammables, toxiques, n.s.a.*	1953	2.1 6.1 56 88 100 102	46 2.1 2.3 3 6.1	2 3 6.1	X	P	P
1480. (777)	Gaz comprimés ou liquéfiés, n.s.a.*	1956	2.2	48	2.2	X	75 kg	150 kg
1481. (778)	Gaz comprimés ou liquéfiés, toxiques, n.s.a.*	1955	2.3	46 48 56 88 100	2.3 2 6.1	X	P	P
1482. (1472)	Gaz de combat, trousse d'identification de, contenant des gaz toxiques	9035	2.3	46 96 100	—	II	—	—
1483. (1473)	Gaz de combat, trousse d'identification de, contenant des liquides toxiques ou irritants	9035	6.1	46 96 100	—	II	—	—
1484. (754)	Gaz de houille	1023	2.1 6.1 56 99	46 2.1 2.3 3 6.1	2 3 6.1	X	P	25 kg
1485. (2144)	Gaz d'huile	1071	2.1 6.1 56 99	46 2.1 2.3 3	2 3	X	P	150 kg
1486. (2277)	Gaz de pétrole, liquéfiés, n.s.a., ou Gaz liquéfiés de pétrole	1075	2.1 6.1 56 102	46 2.1 2.3 3	2 3	X	P	150 kg
1487. (1195)	Gaz dispersants, n.s.a., voir Gaz frigorifiques, n.s.a.	1078	2.2	56 100 102	Y	X	75 kg	150 kg
1488. (2542)	Gaz frigorifiques, n.s.a.* ou Gaz dispersants, n.s.a.*	1954	2.1	55	—	X	—	—
1489. (2543)	Gaz frigorifiques, n.s.a.* ou Gaz dispersants, n.s.a.* inflammables							
1490. (1397)	Gaz inflammables dans des briquets, voir Briquets, pour cigares et cigarettes etc. contenant un gaz inflammable							
1491. (1601)	Gaz insecticides, n.s.a.*	1968	2.2	48 100 102	Y	X	75 kg	150 kg
1492. (1602)	Gaz insecticides toxiques, n.s.a.*	1967	2.3	46 48 56 88 100 102	2.3 2 6.1	X	P	P

		1693	6.1	46	6.1	II	P	5 L
1493. (2748)	Gaz lacrymogènes, n.s.a.*. liquides			46 48 88 90 99 102				
1494. (2749)	Gaz lacrymogènes, n.s.a.*. solides	1693	6.1	46 48 88 90 99 102	6.1	II	P	25 kg
1495. (1728)	Gaz liquéfiés, n.s.a. voir Gaz comprimés, n.s.a.							
1496. (1730)	Gaz liquéfiés de pétrole voir Gaz de pétrole, liquéfiés, n.s.a.							
1497. (1729)	Gaz liquéfiés, inflammables, additionnés d'azote, de dioxyde de carbone ou d'air	1058	2.2	48	2.2	X	75 kg	150 kg
1498. (2025)	Gaz naturel, voir Méthane							
1499. (2540)	Gaz rares, en mélange (par exemple: argon, helium, krypton, néon, xénon)	1979	2.2		2.2	X	75 kg	150 kg
1500. (2538)	Gaz rares et azote, en mélange	1981	2.2		2.2	X	75 kg	150 kg
1501. (2539)	Gaz rares et oxygène, en mélange	1980	2.2		2.2	X	75 kg	150 kg
1502. (1476)	Germane	2192	2.3 2.1	46 48 52 56 88 99 102	2.3 2.1 6.1	X	P	P
1503. (1226)	Glace sèche, voir Dioxyde de carbone, solide							
1504. (1857)	Gluconate de mercure, ou Gluconate mer- cureux	1637	6.1		6.1	II	25 kg	100 kg
1505. (1481)	Glycidaldéhyde	2622	3.3 6.1	81	3.3 6.1	II	1 L	60 L
1506. (755)	GOUDRONS DE HOUILLE, DISTIL- LATS DE, point d'éclair inférieur à 23°C	1136	3.2	46	3	I	1 L	30 L
1507. (736)	GOUDRONS DE HOUILLE, DISTIL- LATS DE, point d'éclair inférieur à 23°C	1136	3.2		3.2	II	5 L	60 L
1508. (757)	GOUDRONS DE HOUILLE, DISTIL- LATS DE, point d'éclair inférieur à 23°C	1136	3.2		-	III	60 L	220 L
1509. (758)	GOUDRONS DE HOUILLE, DISTIL- LATS DE, point d'éclair inférieur à 37,8°C	1136	3.3	46	-	I	1 L	30 L
1510. (759)	GOUDRONS DE HOUILLE, DISTIL- LATS DE, point d'éclair inférieur à 37,8°C	1136	-		-	II	5 L	60 L
1511. (760)	GOUDRONS DE HOUILLE, DISTIL- LATS DE, point d'éclair inférieur à 37,8°C	1136	3.3		3.3	III	60 L	220 L
1512. (761)	GOUDRONS DE HOUILLE, DISTIL- LATS DE, point d'éclair égal ou supé- rieur à 37,8°C, mais inférieur à 61°C	1136	NR	73	3.3	III	60 L	220 L
1513. (2741)	GOUDRONS LIQUIDES, y compris les liants routiers et les cut-backs bitumi- neux, ayant un point d'éclair inférieur à 23°C	1999	3.2		3.2	II	5 L	60 L

ANNEXE II—Suite
LISTE II—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1514. (2742)	1999	3.2		—	3	III	60 L	220 L
Goudrons liquides, y compris les liants routiers et les cut-backs bitumineux, ayant un point d'éclair inférieur à 23°C								
1515. (2743)	1999	3.3	81	3.3	3	II	5 L	60 L
Goudrons liquides, y compris les liants routiers et les cut-backs bitumineux, ayant un point d'éclair inférieur à 61°C								
1516. (2744)	1999	3.3		—	3	III	60 L	220 L
Goudrons liquides, y compris les liants routiers et les cut-backs bitumineux, ayant un point d'éclair inférieur à 37,8°C								
1517. (2745)	1999	NR		—	3	III	60 L	220 L
Goudrons liquides, y compris les liants routiers et les cut-backs bitumineux, ayant un point d'éclair égal ou supérieur à 37,8°C, mais inférieur à 61°C								
1518. (641)	2969	9.1	44	9	9	II	NL	NL
1519. (1762)	2950	4.3	99	4.3	4.3	III	25 kg	100 kg
Graines de ricin en flocons								
Granules de magnésium, enrobés, d'une granulométrie minimale de 149 microns								
Granules de magnésium, non enrobés, ou d'une granulométrie inférieure à 149 microns, voir Magnésium, en poudre								
Guanite, humidifiée, voir Nitroguanidine, humidifiée								
1521. (2375)		—	47	—	—	—	—	—
Guanyl nitrosamino guanylidène hydrazine (sec)								
1522. (1483)	1205	3.2		3.2	3	II	5 L	60 L
Gutta percha, en solution								
1523. (1484)	1205	3.2		—	3	III	60 L	220 L
Gutta percha, en solution								
1524. (1485)	1205	3.3	81	3.3	3	II	5 L	60 L
Gutta percha, en solution								
1525. (1486)	1205	NR	73	—	3	III	60 L	220 L
Gutta percha, en solution								
1526. (1487)	1326	4.1	46	4.1	4.1	II	p	50 kg
Hafnium, en poudre, mouillé, avec au moins 25 pour cent d'eau (un excès d'eau doit être apparent), (a) produit mécaniquement, dimensions des particules comprises entre 3 et 53 micromètres (b) produit chimiquement, dimensions des particules comprises entre 10 et 840 micromètres								
1527. (1488)	2545	4.2	46	4.2	4.2	II	p	50 kg
Hafnium, en poudre, sec, (a) produit mécaniquement, dimensions des particules comprises entre 3 et 53 micromètres (b) produit chimiquement, dimensions des particules comprises entre 10 et 840 micromètres								
1528. (1489)			46					
Hafnium, en poudre, sec, (a) produit mécaniquement, dimensions des particules comprises entre 3 et 53 micromètres (b) produit chimiquement, dimensions des particules comprises entre 10 et 840 micromètres								
1529. (139)	3052	4.2	46	—	4.2	I	p	p
Halogénures d'aluminium-alkyle								
			46					
			56					
			100					

Halogénures de métaux-alkyles, n.s.a.

1530. (1870)	3049	4.2	46 48 100	—	4.2	I	P	P
1531. (1493)	1046	2.2			2	X	75 kg	150 kg
1532. (1494)	1980	2.2	55	—	—	X	—	—
1533. (1495)	1963	2.2		2.2	2	X	50 kg	500 kg
1534. (1496)	2761	9.2	46 55	—	—	I	—	—
1535. (1497)	1206	3.2		3.2	3	II	5 L	60 L
1536. (1498)	2278	3.2		3.2	3	II	5 L	60 L
1537. (2346)	1339	4.1	46 48 56 83	4.1	4.1	II	P	50 kg
<i>Heptasulfure de phosphore, ne contenant ni phosphore jaune, ni phosphore blanc</i>								
1538. (1499)	2661	NR	90 73 89	6.1	6.1	III	60 L	220 L
1539. (1503)	9037	9.2	49	—	—	III	—	—
1540. (1500)	2729	9.2		6.1	6.1	III	60 L	220 L
1541. (1501)	2279	9.2	73	6.1	6.1	III	60 L	220 L
1542. (1502)	2646	6.1 9.2	46 56 99	6.1	6.1	I	P	P
1543. (1504)	2875	NR		6.1	6.1	III	100 kg	200 kg
1544. (1505)	1781	8	46 56 90	8	8	II	P	30 L
1545. (1506)	2458	3.1	56	3.1	3	II	P	60 L
1546. (1517)	2420	2.3	90 99 46 48 56 88 99	2.3	2 6.1	X	P	25 kg
1547. (1519)	2193	2.2	102 48 99	2.2	2	X	75 kg	150 kg
1548. (1521)	1858	2.2		2.2	2	X	75 kg	150 kg
1549. (2578)	2194	2.3	46 48 52 56 88 99 102 48	2.3	2 6.1	X	P	P
1550. (2728)	1080	2.2		2.2	2	X	75 kg	150 kg
<i>Hexafluorure de soufre</i>								

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1551. (2750)	Hexafluorure de tellure	2195	2.3	46 48 52 56 88 99 102	2.3	2 6.1	X p	p
1552. (2929)	Hexafluorure de tungstène	2196	2.3	46 48 56 88 99 102	2.3	2 6.1	X p	p
1553. (2938)	Hexafluorure d'uranium, de faible activité spécifique, contenant 0,7 pour cent au maximum d'uranium 235	2978	7 8	100	—	7 8	—	—
1554. (2937)	Hexafluorure d'uranium, fissile, contenant plus de 0,7 pour cent d'uranium 235	2977	7	100	7	—	—	—
1555. (1523)	Hexaldéhyde	1207	3.3	81	3.3	3	III	60 L 220 L
1556. (1530)	Hexaméthyl-3,3,6,6,9,9 tétraoxocyclonane-1,2,4,5 à 52 pour cent au maximum, en solution	2167	5.2	48 56 83 99	5.2	5.2	II	5 L 10 L
1557. (1531)	Hexaméthyl-3,3,6,6,9,9 tétraoxocyclonane-1,2,4,5 à 52 pour cent au maximum, avec un solide inerte	2166	5.2	48 56 83 99	5.2	5.2	II	5 kg 10 kg
1558. (1532)	Hexaméthyl-3,3,6,6,9,9 tétraoxocyclonane-1,2,4,5 techniquement pur	2165	5.2 E	46 48 56 83 99	5.2 E	5.2 E	I p	p
1559. (1528)	Hexaméthylène triperoxyde diamine (sec)	—	—	47	—	—	—	—
1560. (1525)	Hexaméthylènediamine, en solution	1783	8 6.1	8 6.1 8	8 6.1 8	8 6.1 8	II III	30 L 100 kg
1561. (1524)	Hexaméthylènediamine, solide	2280	8	8	8	8	III	25 kg
1562. (1527)	Hexaméthylèncimine	2493	3.2 8	3.2 8 8	3.2 8 8	3 8 8	II	5 L 100 kg
1563. (1533)	Hexamine	1328	4.1	4.1	4.1	4.1	III	25 kg
1564. (1534)	Hexanes	1208	3.1	99	3.1	3	II	5 L 60 L
1565. (1529)	Hexanitate d'hexaméthylolbenzène	—	—	47	—	—	—	—
1566. (1599)	Hexanitate d'inositol (sec)	—	—	47	—	—	—	—
1567. (1535)	Hexanitroazoxy benzène	—	—	47	—	—	—	—

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1592. (2281)	HUILE MINÉRALE, (point d'ébullition variant entre 14°C et 135°C), point d'éclair inférieur à 23°C	1270	3.2		3.2	3	II	5 L	60 L
1593. (2282)	HUILE MINÉRALE, (point d'ébullition variant entre 14°C et 135°C), point d'éclair inférieur à 23°C	1270	3.2		-	3	III	60 L	220 L
1594. (2283)	HUILE MINÉRALE, (point d'ébullition variant entre 14°C et 135°C), point d'éclair inférieur à 61°C	1270	3.3	81	3.3	3	II	5 L	60 L
1595. (2284)	HUILE MINÉRALE, (point d'ébullition variant entre 14°C et 135°C), point d'éclair inférieur à 37.8°C	1270	3.3		-	3	III	60 L	220 L
1596. (2285)	HUILE MINÉRALE, (point d'ébullition variant entre 14°C et 135°C), point d'éclair égal ou supérieur à 37.8°C, mais inférieur à 61°C	1270	NR	73	-	3	III	60 L	220 L
1597. (13)	Huiles d'acétone	1091	3.2		3.2	3	II	5 L	60 L
1598. (1518)	Hydrate d'hexafluoracétone	2552	6.1		6.1	6.1	II	5 L	60 L
1599. (1550)	Hydrate d'hydrazine, ou Hydrazine, en solutions aqueuses, contenant 64 pour cent au maximum d'hydrazine, en masse	2030	8 6.1	46 56 99	8 6.1	8 6.1	II	P	30 L
1600. (1546)	Hydrazine anhydre, ou Hydrazine, en solutions aqueuses, contenant plus de 64 pour cent d'hydrazine, en masse	2029	3.3 6.1 8	46 56 81 99	3.3 6.1 8	3 6.1 8	I	P	2.5 L
1601. (1471)	Hydrocarbures, condensats de	1864	3.2		3.2	3	II	5 L	60 L
1602. (1557)	Hydrocarbures gazeux, comprimés, ou non liquéfiés, n.s.a.*, ou Hydrocarbures gazeux, en mélange, comprimés ou non liquéfiés, n.s.a.*	1964	2.1	56 102	2.1	2 3	X	P	150 kg
1603. (1558)	Hydrocarbures gazeux, liquéfiés, n.s.a.*, ou Hydrocarbures gazeux, en mélange, liquéfiés, n.s.a.*	1965	2.1	56 102	2.1	2 3	X	P	150 kg
1604. (2731)	Hydrocarbures terpéniques, n.s.a.	2319	3.3	81	3.3	3	III	60 L	220 L
1605. (1565)	Hydrogène, comprimé ou Hydrogène	1049	2.1	56 99	2.1	2 3	X	P	150 kg
1606. (1568)	Hydrogène et méthane, en mélange, comprimés	2034	2.1	102 46 48 56 80 99 102	2.1	2 3 3	X	P	150 kg
1607. (1567)	Hydrogène et oxyde de carbone, mélanges d', voir Oxyde de carbone et hydrogène, en mélange								

1608. (1566)	Hydrogène, liquide réfrigéré ou Hydrogène, liquéfié	1966	2.1	46 56 99 102	2 3	X	P	P
1609. (2646)	Hydrogénofluorure de sodium, en solution, ou Bifluorure de sodium, en solution	2439	8		8	II	1 L	30 L
1610. (2645)	Hydrogénofluorure de sodium, solide ou Bifluorure de sodium, solide	2439	9.2		8	II	15 kg	50 kg
1611. (197)	Hydrogénosulfate d'ammonium, ou Bisulfate d'ammonium	2506	8	46	8	II	15 kg	50 kg
1612. (2121)	Hydrogénosulfate de nitrosyle	2308	8	46	8	II	1 L	30 L
1613. (2424)	Hydrogénosulfate de potassium	2509	8	46 56	8	II	15 kg	50 kg
1614. (2648)	Hydrogénosulfate de sodium, en solution, ou Bisulfate de sodium, en solution	2837	8		8	II	1 L	30 L
1615. (2647)	Hydrogénosulfate de sodium, solide, ou Bisulfate de sodium, solide	1821	8		8	III	25 kg	100 kg
1616. (2650)	Hydrogénosulfite de sodium, en solution, ou Bisulfite de sodium, en solution	2693	8	55	-	II	-	-
1617. (2649)	Hydrogénosulfite de sodium, solide, ou Bisulfite de sodium, solide	2693	8	34	-	III	-	-
1618. (503)	Bisulfite de sodium, solide	2093	9.2	55	5.2	I	1 L	5 L
	Hydroperoxyde de tert-butyle, à 72 pour cent au maximum, avec de l'eau		5.2	46 56 74	1			
			1	83				
1619. (502)	Hydroperoxyde de tert-butyle, à plus de 72 pour cent mais à 90 pour cent au maximum, avec de l'eau	2094	5.2	99	5.2	I	1 L	5 L
			1	46 48	1			
1620. (504)	Hydroperoxyde de tert-butyle, à 80 pour cent au maximum dans du peroxyde de di-tert-butyle, ou Hydroperoxyde de tert-butyle, à 80 pour cent au maximum dans du peroxyde de di-tert-butyle et du solvant, ou Hydroperoxyde, de tert-butyle, à 80 pour cent au maximum dans du solvant	2092	5.2 3	46 48 53 56 83 99	5.2 3	I	1 L	5 L
1621. (507)	Hydroperoxyde de tert-butylbenzène isopropyle, voir Peroxyde de tert-butylcumène							
1622. (837)	Hydroperoxyde de cumène, voir							
1623. (838)	Hydroperoxyde de cumyle, ou Hydroperoxyde de cumène, technique-ment pur	2116	5.2 1	46 83 99	5.2 1	I	1 L	5 L
1624. (1075)	Hydroperoxyde de diisopropylbenzène voir Hydroperoxyde d'isopropylcumyle							
1625. (1331)	Hydroperoxyde d'éthyle		-	47	-	-	-	-
1626. (1664)	Hydroperoxyde d'isopropylcumyle ou Hydroperoxyde de diisopropylbenzène, à 72 pour cent au maximum, en solution	2171	5.2	46 83 99	5.2	I	1 L	5 L
1627. (1804)	Hydroperoxyde de p-menthyle ou Hydroperoxyde de p-menthane, technique-ment pur	2125	5.2 1	46 83 99	5.2 1	I	1 L	5 L
1628. (2140)	Hydroperoxyde de tert-octyle, voir							
1629. (2376)	Hydroperoxyde de tétraméthyl-1,1,3,3 butyle							
	Hydroperoxyde de pinane, voir							
	Hydroperoxyde de pinanyle							

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1630. (2377)	2162	5.2 I	46 56 83	5.2	5.2 I	I	1 L	5 L
Hydroperoxyde de pinanyle, <i>ou</i> Hydroperoxyde de pinane, <i>techniquement pur ou contenant au maximum 45 pour cent de peroxyde</i>								
1631. (2778)	2136	5.2	46 48 56 99	5.2	5.2	I	1 kg	5 kg
Hydroperoxyde de tétrahydronaphtyle, <i>ou</i> Hydroperoxyde de tétraline, <i>techniquement pur</i>								
1632. (2782)								
1633. (2784)	2160	5.2	48 56 83 99	5.2	5.2	II	5 L	10 L
Hydroperoxyde de tétraline, <i>voir</i> Hydroperoxyde de tétrahydronaphtyle Hydroperoxyde de tétraméthyl-1,1,3,3 butyle, <i>ou</i> Hydroperoxyde de tert-octyle, <i>techniquement pur</i>								
1634. (1582)	2662	NR	73	6.1	6.1	III	100 kg	200 kg
1635. (583)	2693	8	55 89	8	—	II	—	—
1636. (584)								
1637. (2654)								
1638. (3103)								
1639. (198)	2683	9.2	55	—	—	III	—	—
1640. (199)								
1641. (565)	2682	8	56	8	8	II	15 kg	50 kg
1642. (566)	2681	8	56	8	8	II	1 L	30 L
1643. (1744)	2679	8		8	8	II	1 L	30 L
1644. (1743)	2680	8		8	8	II	15 kg	50 kg
1645. (2036)	9140	9.2	49	—	—	III	—	—
1646. (2427)	1814	8		8	8	II	1 L	30 L
1647. (2426)	1813	8		8	8	II	15 kg	50 kg
1648. (2570)	2678	8		8	8	II	15 kg	50 kg
1649. (2571)	2677	8		8	8	II	1 L	30 L
1650. (2656)	1824	8		8	8	II	1 L	30 L
1651. (2655)	1823	8		8	8	II	15 kg	50 kg

ANNEXE II.—Suite
LISTE II.—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS.—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1670. (585)	Hypochlorite de calcium, sec ou Hypochlorite de calcium, en mélange, contenant plus de 39 pour cent de chlore libre (8,8 pour cent d'oxygène libre)	1748 5,1 9,2	48 99	5,1	5,1	II	5 kg	25 kg
1671. (1745)	Hypochlorite de lithium, sec ou Hypochlorite, en mélange	1471 5,1	48	5,1	5,1	II	5 kg	25 kg
1672. (1586)	Hypochlorite, en solutions, avec plus de 5 pour cent mais moins de 16 pour cent de chlore libre	1791 8 9,2	89	8	8	III	5 L	60 L
1673. (1587)	Hypochlorite, en solutions, avec au moins 16 pour cent de chlore libre	1791 8 9,2	8	8	8,1	II	1 L	30 L
1674. (1590)	Imino-3,3'-di-(propylamine) ou Iminobispropylamine	2269 8	8	8	8	III	5 L	60 L
1675. (1589)	Inflammateurs de dispositif auxiliaire, pour décollage assisté des aéronefs	2792 4,1	46 56 90 99	4,1	4,1	II	p	50 kg
1676. (1600)	Insecticide, sec ou liquide, voir la nomenclature du pesticide en question	2390 3,2		3,2	3	II	5 L	60 L
1677. (1607)	Iodo-2 butane	2391 3,2		3,2	3	II	5 L	60 L
1678. (1608)	Iodométhylpropanes	2392 3,2		3,2	3	II	5 L	60 L
1679. (1609)	IODOPROPANES	2392 3,3		3,3	3	II	5 L	60 L
1680. (1610)	IODOPROPANES	2392 6,1	81 55	6,1	—	II	—	—
1681. (310)	Iodure arsénieux et mercurique, en solution	2810 8		—	8	II	1 L	30 L
1682. (26)	Iodure d'acétyle	1898 3,2 8		8	3	I	0,5 L	2,5 L
1683. (136)	Iodure d'allyle	1723 6,1	46 55	3,2 —	8	II	—	—
1684. (303)	Iodure d'arsenic, solide	1557 6,1		—	—	II	—	—
1685. (402)	Iodure de benzyle	2653 2,4		6,1	6,1	II	5 L	60 L
1686. (1575)	Iodure d'hydrogène, anhydre	2197 —	46 48 52 56 99 102 47	2,2 8	2 8	X	p	p
1687. (1584)	Iodure d'hydroxylamine			—	—	—	—	—
1688. (1858)	Iodure de mercure aquabasiq ammonobasiq (Iodure de base de Mil- ion)		47	—	—	—	—	—
1689. (1860)	Iodure de mercure, en solution, ou Iodure mercurique, en solution	1638 6,1		6,1	6,1	II	5 L	60 L

1690. (1859)	Iodure de mercure <i>ou</i> Iodure mercurique	1638	6.1	6.1	6.1	6.1	II	25 kg	100 kg
1691. (1952)	Iodure de méthyle	2644	6.1	6.1	6.1	6.1	II	5 L	60 L
1692. (1710)	Iodure de plomb	2811	9.2	55	—	—	III	—	—
1693. (1866)	Iodure double de mercure et de potassium <i>ou</i> Iodure double de mercure et de potassium, <i>solide</i>	1643	6.1	6.1	6.1	6.1	II	25 kg	100 kg
1694. (1828)	Iodure mercurieux <i>voir</i> Iodure de mercure								
1695. (1815)	Iodure mercurique, <i>voir</i> Iodure de mercure								
1696. (1616)	Isobutane <i>ou</i> Isobutane, en mélange	1969	2.1	56	2.1	2	X	P	150 kg
1697. (1617)	Isobutanol <i>ou</i> Alcool d'isobutyle	1212	3.3	81	3.3	3	II	5 L	60 L
1698. (1622)	Isobutylamine	1214	3.2	9.2	3.2	3	II	5 L	60 L
1699. (1623)	Isobutylène	1055	2.1	56	2.1	2	X	P	150 kg
1700. (1630)	Isobutyraldéhyde <i>ou</i> Aldéhyde d'isobutyle	2045	3.1	102	3.1	3	II	5 L	60 L
1701. (1332)	Isobutyrate d'éthyle	2385	3.2	99	3.2	3	II	5 L	60 L
1702. (1625)	Isobutyrate d'isobutyle	2528	NR	73	3.3	3	III	60 L	220 L
1703. (1666)	Isobutyrate d'isopropyle	2406	3.2		3.2	3	II	5 L	60 L
1704. (1633)	Isobutyronitrile	2284	3.2	99	3.2	3	II	1 L	60 L
1705. (506)	Isocyanate de n-butyle	2485	3.2	46	3.2	3	II	1 L	60 L
1706. (508)	Isocyanate de tert-butyle	2484	3.2	46	3.2	3	I	P	30 L
1707. (700)	Isocyanate de chloro-3 méthyl-4 phényle	2236	6.1	99	6.1	6.1	II	5 L	60 L
1708. (874)	Isocyanate de cyclohexyle	2488	6.1	90	6.1	6.1	II	P	60 L
1709. (1333)	Isocyanate d'éthyle	2481	3.2	99	3	3	I	P	30 L
1710. (1626)	Isocyanate d'isobutyle	2486	3.2	99	3.2	3	II	1 L	60 L
1711. (1667)	Isocyanate d'isopropyle	2483	3.2	46	3.2	3	I	P	30 L
1712. (1888)	Isocyanate de méthoxyméthyle	2605	6.1	99	6.1	6.1	I	P	30 L
1713. (1936)	Isocyanate de méthyle, <i>ou</i> Isocyanate de méthyle, en solutions	2480	3.2	46	3.2	3	I	P	30 L
1714. (2317)	Isocyanate de phényle	2487	6.1	99	6.1	6.1	II	P	60 L
1715. (2474)	Isocyanate de n-propyle	2482	3.2	99	3	3	I	P	30 L
1716. (1001)	Isocyanates de dichlorophényle	2250	6.1	46	6.1	6.1	II	25 kg	100 kg
1717. (1636)	ISOCYANATES, N.S.A., <i>ou</i> ISOCYANATES, EN SOLUTION, N.S.A., <i>point d'éclair inférieur à 23°C</i>	2478	3.1	99	3.1	3	II	1 L	60 L
1718. (1637)	ISOCYANATES, N.S.A., <i>ou</i> ISOCYANATES, EN SOLUTION, N.S.A., <i>point d'éclair inférieur à 23°C</i>	2478	3.2	99	3.2	3	II	1 L	60 L

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1719. (1638)	Isocyanates, n.s.a., ou Isocyanates, en solution, n.s.a., point d'éclair égal ou supérieur à 23°C, et point d'ébullition inférieur à 300°C	2206	6.1 3	100	6.1 3	6.1 3	II	5 L	60 L
1720. (1635)	Isocyanates, n.s.a., ou Isocyanates, en solution, n.s.a., ayant un point d'ébullition égal ou supérieur à 300°C	2207	NR		6.1	6.1	III	60 L	220 L
1721. (1640)	Isopentène	2287	3.1	99	3.1	3	II	5 L	60 L
1722. (1641)	Isohexène	2288	3.1	99	3.1	3	II	5 L	60 L
1723. (1643)	Isooctane, voir Octanes								
1724. (1644)	Isocétène	1216	3.2		3.2	3	II	5 L	60 L
1725. (1645)	Isopentane	1265	3.1	46 56 90	3.1	3	I	p	30 L
1726. (1647)	Isopentènes	2371	3.1	99	3.1	3	I	1 L	30 L
1727. (1648)	Isophoronediimine	2289	8	99	8	8	III	5 L	60 L
1728. (1650)	Isoprène, stabilisé	1218	3.1 9.2	46 56 84 90	3.1	3	I	p	30 L
1729. (1651)	Isopropanol ou Alcool d'isopropyle	1219	3.2	99	3.2	3	II	5 L	60 L
1730. (1654)	Isopropénylebenzène	2303	3.3	81	3.3	3	II	5 L	60 L
1731. (1658)	Isopropylamine	1221	3.1	46 56 90	3.1	3	I	p	30 L
1732. (1659)	Isopropylbenzène	1918	3.3	81	3.3	3	II	5 L	60 L
1733. (137)	Isothiocyanate d'allyle, stabilisé	1545	6.1	84 90	6.1 3	6.1	II	p	60 L
1734. (1958)	Isothiocyanate de méthyle	2477	3.2 6.1	99	3.2 6.1	3 6.1	II	p	60 L
1735. (1959)	Isovalérate de méthyle	2400	3.2	99	3.2	3	II	5 L	60 L
1736. (1674)	Jute voir Fibres								
1737. (1675)	Kapok voir Fibres								
1738. (1676)	Kelthane ou Dicofof	2761	9.2	55			III		

1739. (1677)	Képone ou Chlordecone	2761	9.2	46	-	-	I	-	-
1740. (1678)	KÉROSÈNES	1223	3.3	81	3.3	3	II	5 L	60 L
1741. (1679)	KÉROSÈNES	1223	NR	73	-	3	III	60 L	220 L
1742. (1688)	Krypton, comprimé ou Krypton	1056	2.2		2.2	2	X	75 kg	150 kg
1743. (1689)	Krypton, liquide réfrigéré	1970	2.2	46	2.2	2	X	50 kg	500 kg
1744. (1689)	Lactate d'antimoine	1550	NR		6.1	6.1	III	100 kg	200 kg
1745. (1690)	Lactate d'éthyle	1192	NR	73	3.3	3	III	60 L	220 L
1746. (1695)	LAQUE EN PAILLETES, HUMIDE, imprégnée d'alcool ou de solvant	1263	3.2	55	3.2	-	II	-	-
1747. (1696)	LAQUE EN PAILLETES, HUMIDE, imprégnée d'alcool ou de solvant	1263	3.3	55	3.3	-	II	-	-
1748. (1690)	Laques ou Bases pour laques, voir Peintures, Émaux, Laques, Colorants, Shellac, Vernis, Cirages, Encaustiques, Enduits d'apprêt (liquides), Bases pour laques ou Diluants, etc., (à l'exclusion des matières contenant de la nitrocellulose, pour lesquelles voir "Nitrocellulose") point d'éclair inférieur à 37.8°C	2761	6.1	46	-	-	I	-	-
1749. (1727)	Lindane	1226	9.2	55	3.2	3	II	5 L	60 L
1750. (1724)	Liquide pour briquets	1118	3.2		3.2	3	II	5 L	60 L
1751. (437)	LIQUIDE POUR FREINS, hydrauliques, point d'éclair inférieur à 23°C	1118	3.2		-	3	III	60 L	220 L
1752. (438)	LIQUIDE POUR FREINS, hydrauliques, point d'éclair inférieur à 23°C	1118	3.3		3.3	3	II	5 L	60 L
1753. (439)	LIQUIDE POUR FREINS, hydrauliques, point d'éclair inférieur à 37.8°C	1118	3.3		-	3	III	60 L	220 L
1754. (440)	LIQUIDE POUR FREINS, hydrauliques, point d'éclair inférieur à 37.8°C	1719	8	55	8	8	II	1 L	30 L
1755. (642)	Liquides alcalins, caustiques, n.s.a.*	1993	NR	73	-	-	III	-	-
1756. (773)	Liquides combustibles, n.s.a.	1760	8	46	8	8	I	0.5 L	2.5 L
1757. (801)	LIQUIDES CORROSIFS, N.S.A.*	1760	8		8	8	II	1 L	30 L
1758. (802)	LIQUIDES CORROSIFS, N.S.A.*	1760	8		8	8	III	5 L	60 L
1759. (803)	LIQUIDES CORROSIFS, N.S.A.*	2920	8	46	8	8	I	0.5 L	2.5 L
1760. (799)	LIQUIDES CORROSIFS, INFLAMMABLES, N.S.A.*	2920	3		3	3	II	1 L	30 L
1761. (800)	LIQUIDES CORROSIFS, INFLAMMABLES, N.S.A.*	2922	3		3	3	I	0.5 L	2.5 L
1762. (804)	LIQUIDES CORROSIFS, TOXIQUES, N.S.A.*	2922	6.1	46	8	8	II	1 L	30 L
1763. (805)	LIQUIDES CORROSIFS, TOXIQUES, N.S.A.*	2922	8		8	8	III	5 L	60 L
1764. (806)	LIQUIDES CORROSIFS, TOXIQUES, N.S.A.*	2922	8		8	8	I	0.5 L	2.5 L

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1765. (1490)	1610	6.1	46 48 89 99	6.1 3	6.1	I	P	P
1766. (1491)	1610	6.1	48 89 99	6.1 3	6.1	II	5 L	60 L
1767. (1409)	1993	3.1	102 46 99	3.1	3	I	1 L	30 L
1768. (1410)	1993	3.1	99	3.1	3	II	5 L	60 L
1769. (1411)	1993	—		—	3	III	60 L	220 L
1770. (1412)	1993	3.2	46	—	3	I	1 L	30 L
1771. (1413)	1993	3.2		3.2	3	II	5 L	60 L
1772. (1414)	1993	3.2		—	3	III	60 L	220 L
1773. (1415)	1993	—		—	3	I	1 L	30 L
1774. (1416)	1993	3.3	81	3.3	3	II	5 L	60 L
1775. (1417)	1993	3.3	81	—	3	III	60 L	220 L
1776. (1403)	2924	3.1 8	46	3.1 8	3	I	0.5 L	2.5 L
1777. (1404)	2924	3.1 8		3.1 8	3	II	1 L	5 L
1778. (1405)	2924	—		—	3	III	5 L	60 L
1779. (1406)	2924	3.2 8	46	3.2 8	3	I	0.5 L	2.5 L
1780. (1407)	2924	3.2 8		3.2 8	3	II	1 L	5 L
1781. (1408)	2924	—		—	3	III	5 L	60 L
1782. (1418)	1992	3.1 6.1	46 94 99	3.1 6.1	3 3 3	I	P	30 L
1783. (1419)	1992	3.1	99	3.1	3	II	1 L	60 L
1784. (1420)	1992	3.2	46	—	6.1	I	P	30 L
1785. (1421)	1992	3.2		3.2	6.1	II	1 L	60 L
1786. (1422)	1992	3.3	46	6.1	3	I	P	30 L
1787. (1423)	1992	3.3 6.1	81 81	3.3 6.1	6.1 6.1	II	1 L	60 L

1788. (2482)	Liquides pyrophoriques, n.s.a.*	2845	4.2	46 56 99	4.2	4.2	I	P	P
1789. (2389)	LIQUIDES TOXIQUES, N.S.A.*	2810	6.1	46 94 102	6.1	6.1	I	1 L	30 L
1790. (2390)	LIQUIDES TOXIQUES, N.S.A.*	2810	6.1	102	6.1	6.1	II	5 L	60 L
1791. (2391)	LIQUIDES TOXIQUES, N.S.A.*	2810	NR		6.1	6.1	III	60 L	220 L
1792. (2385)	LIQUIDES TOXIQUES, CORROSIFS, N.S.A.*	2927	6.1 8	46 56 94	6.1 8	6.1 8	I	0.5 L	2.5 L
1793. (2386)	LIQUIDES TOXIQUES, CORROSIFS, N.S.A.*	2927	6.1 8	56	6.1 8	6.1 8	II	1 L	30 L
1794. (2387)	LIQUIDES TOXIQUES, INFLAMMABLES, N.S.A.*	2929	6.1 3	46 94	6.1 3	6.1 3	I	1 L	30 L
1795. (2388)	LIQUIDES TOXIQUES, INFLAMMABLES, N.S.A.*	2929	6.1 3	46 94	6.1 3	6.1 3	II	5 L	60 L
1796. (1731)	Lithium ou Lithium, métallique, ou Lithium, en cartouches	1415	4.3	46 48 56	4.3	4.3	II	P	50 kg
1797. (1733)	Lithium-alkyles	2445	4.2	90 46 48	4.2	4.2	I	P	P
1798. (1740)	Litho-ferro-silicium	2830	4.3	56 46 48 56	4.3	4.3	II	P	50 kg
1799. (2545)	Machines frigorifiques, contenant des gaz liquéfiés, inflammables et non toxiques	1954	2.1	99		2	X	P	
1800. (2544)	Machines frigorifiques, contenant des gaz liquéfiés, ininflammables et non toxiques	2857	2.2	96 37	2.2	3	X		-
1801. (2546)	Machines frigorifiques, contenant du liquide inflammable	1993	3.1	55			II		-
1802. (1751)	Magnésium ou Magnésium, alliages de, avec plus de 50 pour cent de magnésium en copeaux, en granulés ou en rubans	1869	4.1		4.1	4.1	III	25 kg	100 kg
1803. (1769)	Magnésium, en poudre ou Magnésium, alliages de, en poudre	1418	4.3 4.2		4.3	4.3	II	15 kg	50 kg
1804. (1752)	Magnésium-alkyles	3053	4.2	46 100	4.2	4.2	I	P	P
1805. (1051)	Magnésium-diéthyle, voir Magnésium-alkyles								
1806. (1124)	Magnésium-diméthyle, voir Magnésium-alkyles								
1807. (1759)	Magnésium diphtényle	2005	4.2	46 48	4.2	4.2	I	P	P
1808. (1770)	Magnésium, résidu de	1869	4.3	55			III	-	-
1809. (1773)	Malathion	3018	9.2	55	-	-	II	-	-
1810. (1776)	Malonitrile	2647	6.1		6.1	6.1	II	25 kg	100 kg
1811. (1778)	Manèbe ou Préparations de manèbe, contenant au moins 60 pour cent de manèbe	2210	4.2 4.3	48 83	4.2 4.3	4.2 4.3	III	25 kg	100 kg
1812. (1777)	Manèbe ou Préparations de manèbe, stabilisées contre l'échauffement spontané	2968	4.3	48 84	4.3	4.3	III	25 kg	100 kg
1813. (2203)	Matières comburantes, n.s.a.*, liquides	1479	5.1	48 89	5.1	5.1	II	1 L	5 L

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1814. (2204)	Matières combustantes, n.s.a.* solides	1479	5.1	89	5.1	II	5 kg	25 kg
1815. (2199)	Matières combustantes, liquides, corrosives, n.s.a.*	913	5.1	40	—	II	—	—
1816. (2200)	Matières combustantes, liquides, toxiques, n.s.a.*	919	5.1	40	—	II	—	—
1817. (2201)	Matières combustantes, solides, corrosives, n.s.a.*	914	5.1	40	—	II	—	—
1818. (2202)	Matières combustantes, solides, toxiques, n.s.a.*	9200	5.1	40	—	II	—	—
1819. (1591)	Matières infectieuses, humaines, n.s.a.*	2814	6.2	46	6.2	I	50 ml	4 L
1820. (1592)	Matières infectieuses, non humaines, n.s.a.*	2900	6.2	46	—	I	50 ml	4 L
1821. (1772)	Matières magnétisées	2807	9.1	95	NR	III	NL	NL
1822. (2383)	Matières plastiques à base de nitrocellulose, spontanément inflammables n.s.a.*	2006	4.2	47	4.2	III	p	p
1823. (2486)	Matières plastiques à base de pyroxyline, voir: Matières plastiques à base de nitrocellulose, spontanément inflammables, n.s.a.	2982	7	48	—	X	—	—
1824. (2534)	Matières radioactives, n.s.a.	2911	7	48	—	X	—	—
1825. (2531)	Matières radioactives, appareils et articles manufacturés	2909	7	48	—	X	—	—
1826. (2528)	Matières radioactives, articles manufacturés à partir d'uranium naturel ou appauvri ou de thorium naturel	2912	7	100	—	X	—	—
1827. (2533)	Matières radioactives, de faible activité spécifique (FAS), n.s.a.	2908	7	48	—	X	—	—
1828. (2529)	Matières radioactives, emballages vides pour	2918	7	100	—	X	—	—
1829. (2530)	Matières radioactives, fissiles, n.s.a., Classes I, II ou III	2974	7	100	—	X	—	—
1830. (2535)	Matières radioactives, forme spéciale, n.s.a.	2910	7	100	—	X	—	—
1831. (2532)	Matières radioactives, quantité limitée, n.s.a.							

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1857. (2239)	Mercaptan méthylique perchloré	1670	6.1	46 56 90 94 99 102	6.1	6.1	I	P	30 L
1858. (1805)	MERCAPTANS, LIQUIDES, N.S.A., ou MERCAPTANS, EN MÉLANGE, LIQUIDES, N.S.A.	1228	3.1 6.1	46 62 90 99	3.1	3 6.1	II	P	60 L
1859. (1806)	MERCAPTANS, LIQUIDES, N.S.A., ou MERCAPTANS, EN MÉLANGE, LIQUIDES, N.S.A.	1228	3.2 6.1	62 90 99	3.2	3 6.1	II	P	60 L
1860. (1807)	MERCAPTANS, LIQUIDES, N.S.A., ou MERCAPTANS, EN MÉLANGE, LIQUIDES, N.S.A.	1228	3.3 6.1	62 81 90 99	3.3	3 6.1	II	P	60 L
1861. (1808)	Mercaptodiméthure	2757	9.2	55	—	—	II	—	—
1862. (1832)	Mercure	2809	8	95	—	8	I	2.5 L	2.5 L
1863. (1833)	Mercure	2809	8	46 48	8	—	III	—	—
1864. (1850)	MERCURE, COMPOSÉS DU, LIQ- UIDES, N.S.A.	2024	6.1	46 94	6.1	6.1	I	1 L	30 L
1865. (1851)	MERCURE, COMPOSÉS DU, LIQ- UIDES, N.S.A.	2024	6.1	—	6.1	6.1	II	5 L	60 L
1866. (1852)	MERCURE, COMPOSÉS DU, LIQ- UIDES, N.S.A.	2024	NR	—	6.1	6.1	III	60 L	220 L
1867. (1853)	MERCURE, COMPOSÉS DU, SOLIDES, N.S.A.	2025	6.1	46 93	6.1	6.1	I	5 kg	50 kg
1868. (1854)	MERCURE, COMPOSÉS DU, SOLIDES, N.S.A.	2025	6.1	—	6.1	6.1	II	25 kg	100 kg
1869. (1855)	MERCURE, COMPOSÉS DU, SOLIDES, N.S.A.	2025	NR	—	6.1	6.1	III	100 kg	200 kg
1870. (1457)	Mercuré fulminant	—	—	47	—	—	—	—	—
1871. (2657)	Métabisulfite de sodium	2693	8	34 55	—	—	III	—	—
1872. (2428)	Métabisulfure de potassium	2693	8	34 55	—	—	III	—	—
1873. (1876)	Métaldéhyde	1332	4.1	—	4.1	4.1	III	25 kg	100 kg
1874. (102)	Métaux alcalino-terreux, alliages de, n.s.a.	1393	4.3	46 48 99	4.3	4.3	II	15 kg	50 kg
1875. (103)	Métaux alcalino-terreux, amalgames de, n.s.a.	1392	4.3	46 48	4.3	4.3	I	P	15 kg
1876. (96)	Métaux alcalino-terreux, dispersions de, n.s.a. voir Métaux alcalins, dispersions de, n.s.a.	—	—	—	—	—	—	—	—

1877. (97)	Métaux alcalins, alliages de, <i>liquides</i>	1421	4.3	46 48 56 99	4.3	4.3	I	P	I L
1878. (98)	Métaux alcalins, amalgames de, n.s.a., <i>liquides</i>	1389	4.3	46 48	4.3	4.3	I	P	I L
1879. (99)	Métaux alcalins, amalgames de, n.s.a., <i>solides</i>	1389	4.3	46 48	4.3	4.3	I	P	15 kg
1880. (100)	Métaux alcalins, amides de, n.s.a.	1390	4.3	46 48 99	4.3	4.3	II	15 kg	50 kg
1881. (101)	Métaux alcalins, dispersions de, n.s.a., ou Métaux alcalino-terreux, dispersions de, n.s.a.	1391	4.3	46 48 99	4.3	4.3	I	P	I L
1882. (2483)	Métaux pyrophoriques, n.s.a.* ou Alliages pyrophoriques, n.s.a.*	1383	4.2	46 48 56 99	4.2	4.2	II	P	P
1883. (1872)	Métaux-alkyles, n.s.a.*	2003	4.2	102 46 48	4.2	4.2	I	P	P
1884. (1873)	MÉTAUX-ALKYLES, EN SOLUTION, N.S.A.*	9195	3.1	99	-	-	II	-	-
1885. (1874)	MÉTAUX-ALKYLES, EN SOLUTION, N.S.A.*	9195	3.2	46 40	-	-	II	-	-
1886. (1875)	MÉTAUX-ALKYLES, EN SOLUTION, N.S.A.*	9195	3.3	40 81	-	-	II	-	-
1887. (200)	Métavanadate d'ammonium	2859	6.1	73	6.1	6.1	II	25 kg	100 kg
1888. (2430)	Métavanadate de potassium	2864	6.1	73	6.1	6.1	II	25 kg	100 kg
1889. (510)	Méthacrylate de n-butyle	2227	NR	73	3.3	3	III	60 L	220 L
1890. (1092)	Méthacrylate de diméthylaminoéthyle	2522	6.1	73	6.1	6.1	II	5 L	60 L
1891. (1336)	Méthacrylate d'éthyle	2277	3.2	84	3.2	3	II	5 L	60 L
1892. (1962)	Méthacrylate de méthyle, monomère, stabilisé	1247	3.2	84	3.2	3	II	5 L	60 L
1893. (1881)	Méthane, comprimé, ou Méthane, ou Gaz naturels, comprimés (contenant une forte proportion de méthane)	1971	2.1	56 80 99	2.1	2	X	P	150 kg
1894. (1882)	Méthane, liquide réfrigéré, ou Gaz naturels, liquides réfrigérés (contenant une forte proportion de méthane)	1972	2.1	102 56 80 100 102	2.1	2 3	X	P	P
1895. (1883)	Méthane et hydrogène, en mélange, voir Hydrogène et méthane, en mélange								
1896. (1884)	Méthanol ou Alcool méthylique	1230	3.2 6.1	73	3.2 6.1	3 6.1	II	1 L	60 L
1897. (1886)	Méthiocarb voir Mercaptodiméthur								
1898. (1887)	Méthoxychlor	2761	9.2	46 55	-	-	I	-	-
1899. (1889)	Méthoxy-4 méthyl-4 pentanone-2	2293	NR	73	3.3	3	III	60 L	220 L
1900. (1627)	Méthacrylate d'isobutyle	2283	NR	73	3.3	3	III	60 L	220 L
1901. (1927)	Méthyl chlorosilane	2534	4.3 3 8	46 3 8	3.2 8	4.3 8	I	P	I L

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
Méthyl cyclohexane (1929)	2296	3.2		3.2	3	II	5 L	60 L
Méthylcyclohexanols (1930)	2617	NR	73	3.3	3	III	60 L	220 L
Méthylcyclohexanone (1931)	2297	NR	73	3.3	3	III	60 L	220 L
Méthylcyclopentane (1933)	2298	3.2		3.2	3	II	5 L	60 L
Méthyl-1 pipéridine (1980)	2399	3.2		3.2	3	II	5 L	60 L
Méthyl-2 butène-1 (1914)	2459	3.1	46 90 99 46 56 99	3.1	3	I	P	30 L
Méthyl-2 butène-2 (1915)	2460	3.1		3.1	3	II	5 L	60 L
Méthyl-2 éthyl-5 pyridine (1944)	2300	8		6.1	6.1	III	60 L	220 L
Méthyl-2 furanne ou Méthylfuranne (1910)	2301	3.1	99	3.1	3	II	5 L	60 L
Méthyl-2 pentanol-2 (1911)	2560	3.3	81	3.3	3	II	5 L	60 L
Méthyl-3 butanone-2 (1975)	2397	3.2		3.2	3	II	5 L	60 L
Méthyl-3 butène-1 (1913)	2561	3.2	46 56 89	3.2	3	I	1 L	30 L
Méthyl-5 hexanone-2 (1950)	2302	NR	73	3.3	3	III	60 L	220 L
Méthylacétone (1891)	1232	3.2		3.2	3	II	5 L	60 L
Méthylacétylène-propadiène, stabilisé, en mélange (1916)	1060	2.1	52 56 84	2.1	2 3	X	P	150 kg
Méthylacroléine (1917)	2396	3.2	102	3.2	3	II	1 L	60 L
Méthylal (1894)	1234	3.1	46 56 90 99	3.1	3	II	P	60 L
Méthylamine, anhydride (1899)	1061	2.1 9.2	99 56 99	2.1	2 3	X	P	150 kg
Méthylamine, en solution aqueuse (1900)	1235	3.1 9.2	102 99 47	3.1	3	II	5 L	60 L
Méthylamine dinitramine et ses sels, secs (1901)		—	47	—	—	—	—	—
Méthylamine nitroforme (1902)		—	47	—	—	—	—	—

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1953. (1997)	Monochloroéthane, voir Chloroéthane							
1954. (1605)	1792	8	46 56 90 99	8	8	II	p	50 kg
1955. (1998)	Monoéthanolamine, voir Éthanolamine							
1956. (1999)	Monoéthylamine, voir Éthylamine							
1957. (1711)	Mononitrorésorcinate de plomb (sec)							
1958. (512)	2101	5.2	48 56 83	5.2	5.2	II	5 kg	10 kg
1959. (513)	2100	5.2	99 56 83	5.2	5.2	II	5 L	10 L
1960. (514)	2099	5.2 E	46 48 56 83	5.2 E	5.2 E	II	p	p
1961. (515)	2105	5.2	99 56 83	5.2	5.2	II	5 kg	10 kg
1962. (2431)	2033	8	46	8	8	II	15 kg	50 kg
1963. (2664)	1825	8	46	8	8	II	15 kg	50 kg
1964. (2000)	2054	3.3	81	3.3	3	II	5 L	60 L
1965. (225)	2017	6.1 8	46 48 56 90 99	6.1 8	6.1 8	II	p	50 kg
1966. (226)	2016	6.1	102 46 48 90 99 102	6.1	6.1	II	p	100 kg
1967. (2006)	Musc xylène, voir tert-Butyl-5 trinitro-							
1968. (2007)	Naled							
1969. (2016)	2783	9.2	55	-	-	II	-	-
	1334	4.1	4.1	4.1	4.1	III	25 kg	100 kg
		9.2						

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
1995. (319)	Nitrate azidoéthyle		—	47	—	—	—	—	—
1996. (842)	Nitrate cuivrique	1479	5.1 9.2	55	—	—	II	—	—
1997. (150)	Nitrate d'aluminium	1438	5.1	5.1	5.1	5.1	III	25 kg	100 kg
1998. (201)	Nitrate d'ammonium contenant 0,2 pour cent au maximum de matière combustible, y compris toute matière organique complétée en carbone, à l'exclusion de toute autre matière ajoutée	1942	5.1	46 83 100	5.1	5.1	III	25 kg	100 kg
1999. (208)	Nitrate d'ammonium, liquide (solution concentrée, chaude)	2426	5.1	46	p	5.1	II	p	p
2000. (242)	Nitrate d'amyle	1112	3.3	81	3.3	3	II	5 L	60 L
2001. (2598)	Nitrate d'argent	1493	5.1 9.2	46 48 47	5.1	5.1	II	5 kg	25 kg
2002. (24)	Nitrate d'argent acétylénique		—	—	—	—	—	—	—
2003. (346)	Nitrate de baryum	1446	5.1	5.1	5.1	5.1	II	5 kg	25 kg
2004. (366)	Nitrate de benzène diazonium, sec		6.1	47	6.1	6.1	—	—	—
2005. (567)	Nitrate de caesium	1451	5.1	—	5.1	5.1	III	25 kg	100 kg
2006. (589)	Nitrate de calcium	1454	5.1	—	5.1	5.1	III	25 kg	100 kg
2007. (747)	Nitrate de chrome	2720	5.1	—	5.1	5.1	III	25 kg	100 kg
2008. (2921)	Nitrate de cobalt trinitrotétramine		—	47	—	—	—	—	—
2009. (797)	Nitrate de cuivre tétramine		—	47	—	—	—	—	—
2010. (1165)	Nitrate de di-(bétanitroxéthyl) ammonium		—	47	—	—	—	—	—
2011. (1028)	Nitrate de didyme	1465	5.1	—	5.1	5.1	III	25 kg	100 kg
2012. (1339)	Nitrate d'éthyle	1993	3.1	55	p	—	II	—	—
2013. (407)	Nitrate de beryllium	2464	5.1 6.1	—	5.1 6.1	5.1 6.1	II	5 kg	25 kg
2014. (1482)	Nitrate de guanidine	1467	9.2	46	5.1	5.1	III	25 kg	100 kg
2015. (1669)	Nitrate d'isopropyle	1222	5.1 E	—	5.1	5.1	II	5 L	60 L
2016. (1746)	Nitrate de lithium	2722	3.2	48	3.2	3	III	25 kg	100 kg
2017. (1765)	Nitrate de magnésium	1474	5.1	48	5.1	5.1	III	25 kg	100 kg
2018. (1780)	Nitrate de manganèse	2724	5.1	48	5.1	5.1	III	25 kg	100 kg

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2046. (1816)	Nitrate mercurique	1625	5.1 6.1 9.2	99	6.1	6.1	II	25 kg	100 kg
2047. (1612)	Nitrate nitropentamine d'irridium			47	—	—	—	—	—
2048. (2324)	Nitrate phénylmercurique	1895	6.1		6.1	6.1	II	25 kg	100 kg
2049. (2055)	Nitrates, inorganiques, n.s.a.	1477	5.1	48	5.1	5.1	II	5 kg	25 kg
2050. (917)	Nitrates de diazonium (secs)		—	47	—	—	—	—	—
2051. (2054)	Nitrates des composés de diazonium		—	47	—	—	—	—	—
2052. (36)	Nitrile acrylique, stabilisé	1093	3.2 6.1 9.2	46 51 56	3.2 6.1	3 6.1	I	p	30 L
2053. (209)	Nitrite d'ammonium		—	102	—	—	—	—	—
2054. (243)	Nitrite d'amyle	1113	3.1	99	3.1	3	II	5 L	60 L
2055. (1340)	Nitrite d'éthyle, solutions de	1194	3.1	46 56 83 88	3.1	3	I	p	p
2056. (1018)	Nitrite de diethylhexylammonium	2687	NR	99	6.1	6.1	III	100 kg	200 kg
2057. (1966)	Nitrite de méthyle	2455	2.1	47	p	p	X	p	p
2058. (2038)	Nitrite de nickel	2726	5.1		5.1	5.1	III	25 kg	100 kg
2059. (2435)	Nitrite de potassium	1488	5.1	46	5.1	5.1	II	5 kg	25 kg
2060. (2667)	Nitrite de sodium	1500	5.1 9.2	46	5.1	5.1	III	25 kg	100 kg
2061. (2668)	Nitrite de sodium et nitrate de potassium, en mélanges, voir Nitrate de potassium et nitrite de sodium, en mélange								
2062. (3088)	Nitrite de zinc ammoniacal	1512	5.1	46	p	5.1	II	5 kg	25 kg
2063. (516)	Nitrites de butyle	2351	3.2	48	3.2	3	II	5 L	60 L
2064. (2067)	Nitrites inorganiques, n.s.a.	2627	5.1	48	5.1	5.1	II	5 kg	25 kg
2065. (2066)	Nitrites inorganiques, en mélange avec des composés de l'ammonium		—	57 47	—	—	—	—	—

2066. (2117)	Nitroamidon, humidifié, uniformément, avec au moins 20 pour cent d'eau, en masse	1337	4.1	10	4.1	4.1	I	1 kg	15 kg
				46					
				48					
				58					
				99					
2067. (2118)	Nitroamidon, humidifié, uniformément, avec au moins 30 pour cent d'alcool, ou de solvant	1337	3.1	46	-	-	I	-	-
				48					
				55					
				58					
				47					
2068. (2068)	N-Nitroaniline				-	-	-	-	-
2069. (2069)	Nitroanilines, (<i>o</i> -, <i>m</i> -, <i>p</i> -)	1661	6.1	73	6.1	6.1	II	25 kg	100 kg
2070. (2070)	Nitroanisole	2730	NR		6.1	6.1	III	60 L	220 L
2071. (2072)	Nitrobenzène ou Nitrobenzène, liquide	1662	6.1		6.1	6.1	II	5 L	60 L
2072. (2072)	Nitrobromobenzène	2732	NR	73	6.1	6.1	III	60 L	220 L
2073. (2075)	Nitrocellulose, avec de l'alcool, (contenant au moins 25 pour cent d'alcool), en masse, et 12,6 pour cent au maximum d'azote, en masse sèche	2556	4.1	10	4.1	4.1	II	1 kg	15 kg
				29					
				46					
				48					
				56					
				58					
				89					
				99					
2074. (2080)	Nitrocellulose, avec matière plastifiante, (contenant au moins 18 pour cent de plastifiant, en masse) et 12,6 pour cent au maximum d'azote, en masse sèche	2557	4.1	29	4.1	4.1	II	1 kg	15 kg
				46					
				48					
				83					
				89					
2075. (2081)	Nitrocellulose, avec de l'eau, (contenant au moins 25 pour cent d'eau, en masse)	2555	4.1	10	4.1	4.1	II	15 kg	50 kg
				29					
				46					
				48					
				58					
				89					
				99					
2076. (2076)	Nitrocellulose, en solution, inflammable, contenant au maximum 12,6 pour cent d'azote, en masse sèche, et au maximum 55 pour cent de nitrocellulose, point d'éclair inférieur à 23°C	2059	3.2	41	3.2	3	II	5 L	60 L
2077. (2077)	Nitrocellulose, en solution, inflammable, contenant au maximum 12,6 pour cent d'azote, en masse sèche, et au maximum 55 pour cent de nitrocellulose, point d'éclair égal ou supérieur à 23°C mais égal ou inférieur à 31,8°C	2060	3.3	41	3.3	3	II	5 L	60 L
2078. (2078)	Nitrocellulose, en solution, inflammable, contenant au maximum 12,6 pour cent d'azote, en poids sec, et au maximum 55 pour cent de nitrocellulose, point d'éclair égal ou supérieur à 37,8°C mais égal ou inférieur à 61°C	2060	3.3	41	3.3	3	II	5 L	60 L
				56					
				63					
				73					
2079. (2082)	Nitrochlorobenzènes, voir Chloronitrobenzènes	2446	NR		6.1	6.1	III	100 kg	200 kg
2080. (2084)	Nitrocésols								
2081. (2086)	Nitro-éthane	2842	3.3	81	3.3	3	III	60 L	220 L

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2082. (2088) 2083. (2100)		Nitroéthylène, polymère de	—	47	—	—	—	—	—
		Nitroglycérine, en solution alcoolique, avec 1 pour cent au maximum de nitro- glycérine	3.2	9 48	3.2	3	II	P	5 L
2084. (2101) 2085. (2102)		Nitroglycérine, liquide, non désensibilisée	—	47	—	—	—	—	—
		Nitroguanidine, (guanite) humidifiée, uniformément, avec au moins 20 pour cent d'eau, en masse	4.1	10 46 48 58 99	4.1	4.1	I	1 kg	15 kg
2086. (2105) 2087. (2107) 2088. (2108)		Nitro-1 hydantoïne	—	47	—	—	—	—	—
		Nitromannite, (sec)	—	47	—	—	—	—	—
		Nitrométhane	3.3	48 81 90	3.3	3	II	P	60 L
2089. (2110) 2090. (2111) 2091. (2112) 2092. (2114) 2093. (2115) 2094. (2116) 2095. (2120) 2096. (2122) 2097. (2123) 2098. (2124) 2099. (2128) 2100. (1747)		Nitronaphtalène	4.1	4.1	4.1	4.1	III	25 kg	100 kg
		Nitrophénols (<i>o-m-p-</i>)	9.2	6.1	6.1	6.1	III	100 kg	200 kg
		M-Nitrophényl dinitrométhane	—	47	—	—	—	—	—
		Nitropropanes	NR	73	3.3	3	III	60 L	220 L
		p-Nitrosodiméthylaniline	4.2	48	4.2	4.2	II	15 kg	50 kg
		Nitrosilanes	—	47	—	—	—	—	—
		Nitrosucres	—	47	—	—	—	—	—
		Nitrotoluènes, (<i>o-m-p-</i>), liquides	6.1	102	6.1	6.1	II	5 L	60 L
		Nitrotoluènes, (<i>o-m-p-</i>), solides	9.2	102	6.1	6.1	II	25 kg	100 kg
		Nitrotoluidines (mono)	NR	—	6.1	6.1	III	100 kg	200 kg
		Nitroxylènes, (<i>o-m-p-</i>)	6.1	—	6.1	6.1	II	5 L	60 L
		Nitruure de lithium	4.3	46 48 56 99	4.3	4.3	I	P	15 kg
2101. (1861) 2102. (2579) 2103. (2129)		Nitruure de mercure	—	47	—	—	—	—	—
		Nitruure de sélénium	—	47	—	—	—	—	—
		Nonanes	3.3	81	3.3	3	II	5 L	60 L

2104. (2130)	Nonyltrichlorosilane	1799	8	46 56 90	8	8	II	P	30 L
2105. (1862)	Nucléinate de mercure	1639	6.1	90	6.1	6.1	II	25 kg	100 kg
2106. (2131)	Octadécyltrichlorosilane	1800	8	46 56 90	8	8	II	P	30 L
2107. (2132)	Octadiène	2309	3.2		3.2	3	III	60 L	220 L
2108. (2134)	Octafluorobutène-2	2422	2.2		2.2	2	X	75 kg	150 kg
2109. (2135)	Octafluorocyclobutane (RC318)	1976	2.2		2.2	2	X	75 kg	150 kg
2110. (2136)	Octafluoropropane (R218)	2424	2.2		2.2	2	X	75 kg	150 kg
2111. (2137)	Octanes	1262	3.2		3.2	3	II	5 L	60 L
2112. (2719)	Octanitrate de sucrose, (sec)		-	47	-		-		
2113. (2143)	Octyltrichlorosilane	1801	8	46 56 90	8	8	II	P	30 L
2114. (1863)	Oléate de mercure, ou Oléate mercurique	1640	6.1		6.1	6.1	II	25 kg	100 kg
2115. (1817)	Oléate mercurique voir Oléate de mercure								
2116. (2146)	Oléum, voir Acide sulfurique, fumant								
2117. (1456)	Or fulminant			47		-			-
2118. (1341)	Orthoformiate d'éthyle	2524	3.3	81	3.3	3	II	5 L	60 L
2119. (1968)	Orthosilicate de méthyle	2606	3.2	46	3.2	3	I	P	30 L
2120. (2797)	Orthoitanate de propyle	2413	3.3	99 81	6.1 3.3	6.1 3	II	5 L	60 L
2121. (843)	Oxalate cuivrique	2449	9.2	55	-	-	II	-	-
2122. (210)	Oxalate d'ammonium	2449	9.2	55	-	-	III	-	-
2123. (2599)	Oxalate d'argent, (sec)		-	47	-	-	-	-	-
2124. (1342)	Oxalate d'éthyle	2525	NR	73	6.1	6.1	III	60 L	220 L
2125. (1372)	Oxalate de fer ammoniacal	9119	9.2	49	-	-	III	-	-
2126. (2198)	Oxalates, solubles dans l'eau	2449	9.2		6.1	6.1	III	100 kg	200 kg
2127. (2347)	Oxybromure de phosphore	1939	8	46 56 90	8	8	II	P	50 kg
2128. (2348)	Oxybromure de phosphore, fondu	2576	8	46	8	8	II	P	P
2129. (2349)	Oxychlorure de phosphore	1810	8	56	8	8	II	P	30 L
2130. (2581)	Oxychlorure de sélénium	2879	8	90	8	8	I	0.5 L	2.5 L
2131. (2949)	Oxychlorure de vanadium et tétrachlorure de titane, en mélange	2443	8	56 99 55	6.1	6.1	II	-	-

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2132. (1865) Oxycyanure de mercure, désensibilisé, ou avec un flegmatisant	1642	6.1	46 84	6.1	6.1	II	25 kg	100 kg
2133. (1819) Oxycyanure mercurique voir Oxycyanure de mercure, désensibilisé								
2134. (347) Oxyde de baryum	1884	8		6.1	6.1	III	100 kg	200 kg
2135. (499) Oxyde de butylène-1,2, stabilisé	3022	3.1	84 100	—	3	II	5 L	60 L
2136. (590) Oxyde de calcium	1910	8		NIR	8	III	25 kg	100 kg
2137. (630) Oxyde de carbone	1016	2.1 6.1	56 99	2.1 2.3	2 3	X	p	25 kg
2138. (632) Oxyde de carbone, liquide réfrigéré	9202	2.1 6.1	102 47	—	6.1	X	—	—
2139. (631) Oxyde de carbone et hydrogène, en mélange	2600	2.1 6.1	56 88	2.3 2.1	2 3	X	p	p
2140. (1323) Oxyde d'éthylène, pur ou avec de l'azote	1040	2.1 6.1	99 102	2.1 2.3	2 3	X	p	25 kg
2141. (1324) Oxyde d'éthylène et dioxyde de carbone, en mélange, voir Dioxyde de carbone et oxyde d'éthylène en mélange								
2142. (1325) Oxyde d'éthylène et oxyde de propylène, en mélange, à 30 pour cent au maximum d'oxyde d'éthylène	2983	3.1 6.1	46 56	3.1 6.1	3 6.1	I	p	30 L
2143. (1614) Oxyde de fer, usé ou Fer spongieux, usé (provenant de la purification du gaz de houille)	1376	4.2	99 56 88 99	4.2	4.2	III	p	p
2144. (1864) Oxyde de mercure, ou Oxyde mercurique ou Oxyde mercurieux, noir	1641	6.1		6.1	6.1	II	25 kg	100 kg
2145. (1869) Oxyde de mésityle	1229	3.3	46 81	3.3	3	II	5 L	60 L
2146. (2436) Oxyde de potassium, voir Monoxyde de potassium								
2147. (2471) Oxyde de propylène	1280	3.1 9.2	33 46 56 90	3.1	3	I	p	30 L
2148. (2580) Oxyde de sélénium	2811	6.1 9.2	99 55	—	—	II	—	—
2149. (2852) Oxyde de tri-(aziri-dinyl-1) phosphine, en solution	2501	6.1		6.1	6.1	II	5 L	60 L
2150. (1522) Oxydehexafluoropropylène	1956	2.2	55	—	—	X	—	—
2151. (1830) Oxyde mercurieux, noir, voir Oxyde de mercure								

Oxyde mercurique, voir Oxyde de mer-

2152.
(18/8)

Oxyde nitrique

2153.
(2064)

Oxyde nitrique et tétr oxyde d'azote, en mélange

2154.
(2065)

Oxydes d'azote, n.s.a.

2155.
(2093)Oxygène, comprimé, ou Oxygène
Oxygène et dioxyde de carbone, en mélange, voir Dioxyde de carbone-oxygène, en mélange
Oxygène et gaz rares, en mélange, voir
Gaz rares et oxygène, en mélange2156.
(2205)

Oxygène liquide réfrigéré, ou Oxygène liquide pressurisé

2157.
(2207)

Oxygène liquide réfrigéré, ou Oxygène liquide pressurisé

2158.
(2208)

Oxygène liquide réfrigéré, ou Oxygène liquide pressurisé

2159.
(2206)

Oxytrichlorure de vanadium

2160.
(2948)

Papier traité au nitrate, non stable

2161.
(2053)

Papier, traité avec des huiles non saturées, incomplètement séché (y compris le papier carbone)

2162.
(2215)

Paraformaldéhyde

2163.
(2216)

Paraldéhyde

2164.
(2217)

Parathion éthylque, voir Parathion

2165.
(1343)

Parathion(s), en mélange(s), liquide(s)

2166.
(2221)

Parathion(s), en mélange(s), sec(s)

2167.
(2220)

Parathion(s), liquide(s)

2168.
(2219)

Parathion(s) et gaz comprimés, en mélange

2169.
(2218)

Parathion-méthyle, en mélange, liquide, (contenant 25 pour cent au maximum de parathion-méthyle)

2170.
(1971)

Parathion-méthyle, en mélange, liquide, (contenant plus de 25 pour cent de parathion-méthyle)

2171.
(1972)

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2172, (1970)	Parathion-méthyle, en mélange, sec	2783	6.1	55	—	II	—	—
2173, (1969)	Parathion-méthyle, liquide	3018	9.2	—	—	—	—	—
2174, (2222)	PCB, voir Diphenyles polychlorés	6.1	55	—	—	—	—	—
2175, (2210)	PEINTURES, ÉMAUX, LAQUES, COLORANTS, SHELLAC, VERNIS, CIRAGES, ENCAUSTIQUES (LIQUIDES), ENDUITS D'APPRÊT, BASES POUR LAQUES ou DILUANTS, etc.; (à l'exclusion des matières contenant de la nitrocellulose, pour lesquelles, voir «Nitrocellulose»), point d'éclair inférieur à 37.8°C	3.2	3.2	3.2	3	II	5 L	60 L
2176, (2211)	PEINTURES, ÉMAUX, LAQUES, COLORANTS, SHELLAC, VERNIS, CIRAGES, ENCAUSTIQUES (LIQUIDES), ENDUITS D'APPRÊT, BASES POUR LAQUES, ou DILUANTS, etc.; (à l'exclusion des matières contenant de la nitrocellulose, pour lesquelles, voir «Nitrocellulose»), point d'éclair inférieur à 37.8°C	1263	3.2	3.2	3	III	60 L	220 L
2177, (2212)	PEINTURES, ÉMAUX, LAQUES, COLORANTS, SHELLAC, VERNIS, CIRAGES, ENCAUSTIQUES (LIQUIDES), ENDUITS D'APPRÊT, BASES POUR LAQUES, ou DILUANTS, etc.; (à l'exclusion des matières contenant de la nitrocellulose, pour lesquelles, voir «Nitrocellulose»), point d'éclair inférieur à 37.8°C	1263	3.3	3.3	3	II	5 L	60 L
2178, (2213)	PEINTURES, ÉMAUX, LAQUES, COLORANTS, SHELLAC, VERNIS, CIRAGES, ENCAUSTIQUES (LIQUIDES), ENDUITS D'APPRÊT, BASES POUR LAQUES, ou DILUANTS, etc.; (à l'exclusion des matières contenant de la nitrocellulose, pour lesquelles, voir «Nitrocellulose»), point d'éclair inférieur à 37.8°C	1263	3.3	3.3	3	III	60 L	220 L
2179, (2214)	Peintures, émaux, laques, colorants, shellac, vernis, cirages, encaustiques (liquides), enduits d'apprêt, bases pour laques, ou diluants, etc.; (à l'exclusion des matières contenant de la nitrocellulose, pour lesquelles, voir «Nitrocellulose»), point d'éclair égal ou supérieur à 37.8°C mais inférieur à 61°C	1263	NR	73	3	III	60 L	220 L

2180. (2224)	Pentaborane	1380	4.2 6.1	46 48 56 99	4.2 6.1	I	P
2181. (2350)	Pentabromure de phosphore	2691	8	102 46 56 90	8	II	P 50 kg
2182. (2225)	Pentachloréthane (R120)	1669	6.1	46 48 56 90	6.1	II	5 L 60 L
2183. (2669)	Pentachlorophénate de sodium, y compris les mélanges de pentachlorophénate de sodium et tétrachlorophénate de sodium	2567	6.1	102	6.1	II	25 kg 100 kg
2184. (2226)	Pentachlorophénoï	2020	6.1 9.2	55	6.1	II	—
2185. (265)	Pentachlorure d'antimoine, en solution	1731	8 9.2	8	8	II	1 L 30 L
2186. (264)	Pentachlorure d'antimoine, liquide, ou	1730	8 9.2	46	8	II	1 L 30 L
2187. (1996)	Pentachlorure de molybdène	2508	8	8	8	III	25 kg 100 kg
2188. (2351)	Pentachlorure de phosphore	1806	8	46 48 56 90	8	II	P 50 kg
2189. (266)	Pentafluorure d'antimoine	1732	8 6.1	90 46 56 90	8 6.1	II	P 30 L
2190. (445)	Pentafluorure de brome	1745	5.1 6.1 8	46 56 99	5.1 6.1 8	I	P P
2191. (668)	Pentafluorure de chlore	2548	2.3 5.1 8	102 46 48 52 56 88	2.3 5.1 6.1 8	X	P P
2192. (1606)	Pentafluorure d'iode	2495	5.1 6.1	99 46 56 99	5.1 6.1	I	P 2.5 L
2193. (2352)	Pentafluorure de phosphore	2198	2.3	46 48 56 88 99	2.3 6.1	X	P P
2194. (2228)	Pentaméthylheptane	2286	NR	102 73	3.3	III	60 L 220 L
2195. (2230)	n-Pentane ou Pentane	1265	3.1	46 56 90	3.1	I	P 30 L
2196. (2229)	Pentanédione-2,4	2310	3.3	99 81	3.3	III	60 L 220 L
2197. (2489)	Pentanitrate de québrachiol		—	47	—	—	—
2198. (2231)	Pentanitroaniline (sec)		—	47	—	—	—
2199. (2232)	Pentanol-3, voir Alcools amyliques		—		—	—	—

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2200. (2553)	Pentaisulfure de phosphore, ne contenant ni phosphore jaune, ni phosphore blanc	1340	4.1 9.2	46 56 83 90	4.1	4.1	II	P	50 kg
2201. (2233)	Pentol-1	2705	8		8	8	II	1 L	30 L
2202. (304)	Pentoxyde d'arsenic, ou Pentoxyde d'arsenic, solide	1559	6.1 9.2		6.1	6.1	II	25 kg	100 kg
2203. (2950)	Pentoxyde de vanadium, non fondu	2862	9.2 9.2	46	6.1	6.1	II	25 kg	100 kg
2204. (2670)	Percarbonates de sodium	2467	5.1		5.1	5.1	III	25 kg	100 kg
2205. (211)	Perchlorate d'ammonium	1442	5.1 E	30 46 99	5.1	5.1	II	5 kg	25 kg
2206. (348)	Perchlorate de baryum, ou Perchlorate de baryum, en solution	1447	5.1 6.1		5.1 6.1	5.1	II	5 kg	25 kg
2207. (591)	Perchlorate de calcium, ou Perchlorate de calcium, en solution	1455	5.1		5.1	5.1	II	5 kg	25 kg
2208. (1344)	Perchlorate d'éthyle		—	47	—	—	—	—	—
2209. (1551)	Perchlorate d'hydrazine		—	47	—	—	—	—	—
2210. (1766)	Perchlorate de magnésium	1475	5.1		5.1	5.1	II	5 kg	25 kg
2211. (1903)	Perchlorate de méthylamine, (sec)		—	47	—	—	—	—	—
2212. (2020)	Perchlorate de naphthylamine		—	47	—	—	—	—	—
2213. (2071)	Perchlorate de n-nitrobenzène diazonium		—	47	—	—	—	—	—
2214. (2315)	Perchlorates de m-phénylène diamine		—	47	—	—	—	—	—
2215. (1713)	Perchlorate de plomb	1470	5.1 6.1		5.1 6.1	5.1	II	5 kg	25 kg
2216. (2437)	Perchlorate de potassium	1489	5.1	46	5.1	5.1	II	5 kg	25 kg
2217. (2480)	Perchlorate de pyridine		—	47	—	—	—	—	—
2218. (2671)	Perchlorate de sodium	1502	5.1	46	5.1	5.1	II	5 kg	25 kg
2219. (2697)	Perchlorate de strontium	1508	5.1	46	5.1	5.1	II	5 kg	25 kg
2220. (2757)	Perchlorate de tétraméthylammonium, (sec)		—	47	—	—	—	—	—
2221. (2863)	Perchlorate de trichlorométhyle		—	47	—	—	—	—	—
2222. (918)	Perchlorates de diazonium (secs)		—	47	—	—	—	—	—
2223. (2235)	Perchlorates, inorganiques, n.s.a.	1481	5.1	46 102	5.1	5.1	II	5 kg	25 kg

Perchloréthylène, voir Tétrachloréthylène

2224. (2238)	Perfluorobutène-2, voir Octafluorobutène-2	9190	5.1	40 46 48	—	II	—
2225. (2241)	Permanganate d'ammonium				—		
2226. (212)							
2227. (349)	Permanganate de baryum	1448	5.1	5.1	5.1	II	5 kg
2228. (592)	Permanganate de calcium	1456	6.1 5.1	6.1 5.1	6.1 5.1	II	25 kg
2229. (2438)	Permanganate de potassium	1490	5.1	5.1	5.1	II	25 kg
2230. (2672)	Permanganate de sodium	1503	9.2 5.1	5.1	5.1	II	25 kg
2231. (3105)	Permanganate de zinc	1515	5.1	5.1	5.1	II	25 kg
2232. (2244)	Permanganates, inorganiques, n.s.a.	1482	5.1	5.1	5.1	II	25 kg
2233. (518)	Peroxyacétate de tert-butyle, à 52 pour cent au maximum, en solution	2096	5.2	48 56 99	5.2	II	10 L
2234. (519)	Peroxyacétate de tert-butyle, à 76 pour cent au maximum, en solution	2095	5.2 E	46 48 56 83 99	5.2 E	II	P
2235. (244)	Peroxybenzoate de tert-amyle, à 92 pour cent au maximum, en solution	3044	5.2	48 83 100	5.2	II	10 L
2236. (520)	Peroxybenzoate de tert-butyle, à 50 pour cent au maximum, avec un solide inorganique inerte	2890	5.2	56 99	5.2	II	10 kg
2237. (521)	Peroxybenzoate de tert-butyle, à 75 pour cent au maximum, en solution	2098	5.2	48 56 99	5.2	II	10 L
2238. (522)	Peroxybenzoate de tert-butyle, à plus de 75 pour cent en solution, ou Peroxybenzoate de tert-butyle, techniquement pur	2097	5.2 E	46 48 56 83 99	5.2 E	II	P
2239. (523)	Peroxycrotonate de tert-butyle, à 76 pour cent au maximum, en solution	2183	5.2	48 56 83 99	5.2	II	10 L
2240. (15)	Peroxyde d'acétylacétone, ou Diméthyl-3,5 dihydroxy-3,5 dioxolane-1,2 en solution à 40 pour cent au maximum, et contenant 9 pour cent au maximum d'oxygène libre, en masse	2080	5.2	46 48 56 83 99	5.2	II	10 L
2241. (28)	Peroxyde d'acétyle voir Peroxyde de diacétyle						
2242. (17)	Peroxyde d'acétyle benzoyle, à 45 pour cent au maximum, en solution	2081	5.2	46 48 56 83 99	5.2	II	10 L
2243. (16)	Peroxyde d'acétyle benzoyle, solide		—	—	—	—	—

ANNEXE II—Suite

LISTE II—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2244. (21)	Peroxyde d'acétyle et de cyclohexane sulfonyle, à 82 pour cent au maximum, mouillé uniformément avec au moins 12 pour cent d'eau	2082 E	46 48 56 83 99 -10°C	5.2 E	5.2 E	I	p	p
2245. (20)	Peroxyde d'acétyle et de cyclohexane sulfonyle, en solution à 32 pour cent au maximum	2083	46 48 56 83 99 -10°C	5.2	5.2	II	p	p
2246. (202)	Peroxyde d'azote, liquéfié, ou Peroxyde d'azote, liquide	1067	46 52 56 79 88 99 -10°C	2.3 5.1 9.2	5.1 5.1 6.1	X	p	p
2247. (350)	Peroxyde de baryum	1449	102 48	5.1 6.1	5.1 6.1	II	5 kg	25 kg
2248. (395)	Peroxyde de benzoyle, voir Peroxyde de dibenzoyle							
2249. (404)	Peroxyde de tert-butylecumène, techniquement pur, ou Hydroperoxyde de tert-butylbenzène isopropyle	2091	48 56 83 99	5.2	5.2	II	5 L	10 L
2250. (517)	Peroxyde de tert-butyle, voir Peroxyde de di-tert-butyle							
2251. (593)	Peroxyde de calcium	1457	48	5.1	5.1	II	5 kg	25 kg
2252. (604)	Peroxyde de caprylyle, en solution, voir Peroxyde de di-n-octanoyle, en solution							
2253. (683)	Peroxyde de p-chlorobenzoyle, voir Peroxyde de di-4-chlorobenzoyle							
2254. (892)	Peroxyde de décanoyle voir Peroxyde de didécanoyle							
2255. (902)	Peroxyde de diacétyle ou Peroxyde d'acétyle, à 27 pour cent au maximum, en solution, (avec du phthalate de diméthyle ou autre /legmatissant approuvé)	2084	46 48 56 83 99 +20°C	5.2 I	5.2 I	II	p	p
2256. (924)	Peroxyde de dibenzoyle ou Peroxyde de benzoyle, à plus de 52 pour cent avec un solide inerte, ou Peroxyde de dibenzoyle ou Peroxyde de benzoyle, techniquement pur	2085	5.2 E 46 48 56 83 99	5.2 E	5.2 E	I	p	p

2257. (922)	Peroxyde de dibenzoyl ou Peroxyde de benzoyl, à 72 pour cent au maximum en pâte	2087	5.2	46 48 50 56 83 99	5.2	46 48 50 56 83 99	II	10 kg	25 kg
2258. (921)	Peroxyde de dibenzoyl ou Peroxyde de benzoyl, à au moins 30 pour cent mais à 52 pour cent au maximum avec un solide inerte	2089	5.2	48 56 83 99	5.2	48 56 83 99	II	10 kg	25 kg
2259. (923)	Peroxyde de dibenzoyl ou Peroxyde de benzoyl, à 77 pour cent au maximum avec de l'eau	2090	5.2	46 48 56 99	5.2	46 48 56 99	II	5 kg	10 kg
2260. (920)	Peroxyde de dibenzoyl ou Peroxyde de benzoyl, à plus de 77 pour cent mais à moins de 95 pour cent avec de l'eau	2088	5.2 E	46 48 56 83 99	5.2 E	46 48 56 83 99	I	P	P
2261. (940)	Peroxyde de di-tert-butyle ou Peroxyde de tert-butyle, techniquement pur	2102	5.2 3	48 56 83 99	5.2 3	48 56 83 99	II	1 L	5 L
2262. (974)	Peroxyde de di-(chloro-4 benzoyl) ou Peroxyde de p-chlorobenzoyl, à 52 pour cent au maximum, en pâte	2114	5.2	48 56 83 99	5.2	48 56 83 99	II	5 kg	10 kg
2263. (975)	Peroxyde de di-(chloro-4 benzoyl) ou Peroxyde de p-chlorobenzoyl, à 52 pour cent au maximum, en solution	2115	5.2	48 56 83 99	5.2	48 56 83 99	II	5 L	10 L
2264. (976)	Peroxyde de di-(chloro-4 benzoyl) ou Peroxyde de p-chlorobenzoyl, à 75 pour cent au maximum, avec de l'eau	2113	5.2	46 48 56 83 99	5.2	46 48 56 83 99	II	5 kg	10 kg
2265. (1025)	Peroxyde de di-(dichloro-2,4 benzoyl) ou Peroxyde de dichloro-2,4 benzoyl, à 52 pour cent au maximum, en solution	2139	5.2	48 56 83 99	5.2	48 56 83 99	II	5 L	10 L
2266. (1026)	Peroxyde de di-(chloro-2,4 benzoyl) ou Peroxyde de dichloro-2,4 benzoyl, à 75 pour cent au maximum, avec de l'eau	2137	5.2	48 56 83 99	5.2	48 56 83 99	II	5 kg	10 kg
2267. (1024)	Peroxyde de di-(dichloro-2,4 benzoyl) ou Peroxyde de dichloro-2,4 benzoyl, à 52 pour cent au maximum, en pâte	2138	5.2	48 56 83 99	5.2	48 56 83 99	II	10 kg	25 kg
2268. (1014)	Peroxyde de dicumyle, à 50 pour cent au maximum, en solution	2121	5.2	55 83 99	5.2	55 83 99	II	-	-
2269. (1015)	Peroxyde de dicumyle, techniquement pur, ou Peroxyde de dicumyle, avec un solide inerte	2121	5.2	48 83 99	5.2	48 83 99	II	10 kg	25 kg
2270. (1022)	Peroxyde de didécanoyl ou Peroxyde de didécanoyl, techniquement pur	2120	5.2	46 48 56 83 99	5.2	46 48 56 83 99	II	P	P

+15°C
+20°C

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2271. (1072)	Peroxyde de diisobutyle, à 52 pour cent au maximum, en solution	2182	5.2 46 48 56 83 99 20°C	5.2	5.2	II	P	P
2272. (1065)	Peroxyde de di-(hydroxy-1 cyclohexyle), techniquement pur	2148	5.2 48 56 83 99 -10°C	5.2	5.2	II	5 kg	10 kg
2273. (1082)	Peroxyde de dilauroyle, ou Peroxyde de lauroyle, à 42 pour cent au maximum, en dispersion stable dans l'eau	2893	5.2 48 83 99	5.2	5.2	II	10 L	25 L
2274. (1083)	Peroxyde de dilauroyle ou Peroxyde de lauroyle, techniquement pur	2124	5.2 48 83	5.2	5.2	II	10 kg	25 kg
2275. (1094)	Peroxyde de di-(méthyl-2 benzoyle), à 85 pour cent au maximum, avec de l'eau	2593	5.2 46 48 56 83 99 +30°C +35°C	5.2 E	5.2 E	I	P	P
2276. (1134)	Peroxyde de di-(naphthoyl-1)		47					
2277. (1164)	Peroxyde de di-n-nonanoyle ou Peroxyde de pèlargonoyle, techniquement pur	2130	5.2 46 48 56 83 99 0°C	5.2	5.2	II	P	P
2278. (1169)	Peroxyde de di-n-octanoyle, en solution, ou Peroxyde de capryle, en solution	2129	5.2 46 48 56 83 99 +10°C	5.2	5.2	II		
2279. (1168)	Peroxyde de di-n-octanoyle ou Peroxyde de n-octanoyle, techniquement pur	2129	5.2 46 48 56 83 99 +10°C +15°C	5.2	5.2	II	P	P
2280. (1181)	Peroxyde de dipropionyle ou Peroxyde de propionyle, à 28 pour cent au maximum, en solution	2132	5.2 46 48 56 83 99 +10°C +15°C	5.2	5.2	II	P	P
2281. (1197)	Peroxyde de disuccinyle ou Peroxyde de succinyle, mouillé, uniforme, à 72 pour cent au maximum, avec de l'eau	2962	5.2 46 48 56 83 99 +10°C +15°C	5.2	5.2	I	P	P

2282. (1212)	Peroxyde de di-(triméthyl)-3,5,5 dioxolane-1,2 yle-3) à 50 pour cent au maximum, en pâte, avec un flegmatisant	2597	5.2	46 48 56 83 99	5.2	5.2	II	P	P
2283. (1213)	Peroxyde de di-(triméthyl)-3,5,5 hexanoyle ou Peroxyde d'isononanoyle, en solution, ou Peroxyde de di-(triméthyl)-3,5,5 hexanoyle, ou Peroxyde d'isononanoyle, techniquement pur	2128	5.2	+30°C 46 48 56 83 99	5.2	5.2	II	P	P
2284. (1576)	Peroxyde d'hydrogène, en solutions aqueuses, avec au moins 8 pour cent mais moins de 20 pour cent de peroxyde d'hydrogène (stabilisé au besoin)	2984	5.1	56 +10°C	5.1	5.1	III	2.5 L	30 L
2285. (1578)	Peroxyde d'hydrogène, en solutions aqueuses, avec au moins 20 pour cent mais 40 pour cent au maximum de peroxyde d'hydrogène (stabilisé au besoin)	2014	5.1 8	56 99	5.1 8	5.1 8	II	1 L	5 L
2286. (1577)	Peroxyde d'hydrogène, en solutions aqueuses, avec plus de 40 pour cent mais 60 pour cent au maximum de peroxyde d'hydrogène (stabilisé au besoin)	2014	5.1 8	46 56 78 89 99	5.1 8	5.1 8	I	P	P
2287. (1579)	Peroxyde d'hydrogène, stabilisé, ou Peroxyde d'hydrogène, en solutions aqueuses, stabilisé, avec plus de 60 pour cent de peroxyde d'hydrogène	2015	5.1 8	46 56 78 84 99	5.1 8	5.1 8	I	P	P
2288. (1628)	Peroxyde d'isobutylméthylcétone, voir Peroxyde de méthylisobutylcétone	1472	5.1		5.1	5.1	II	5 kg	25 kg
2289. (1692)	Peroxyde d'isononanoyle, voir Peroxyde de di-(triméthyl)-3,5,5 hexanoyle	1476	5.1		5.1	5.1	II	5 kg	25 kg
2290. (1698)	Peroxyde de lauroyle voir Peroxyde de dilauroyle	2126	5.2 I	38 46 56 83 99	5.2	5.2 I	I	1 L	5 L
2291. (1748)	Peroxyde de lithium								
2292. (1767)	Peroxyde de magnésium								
2293. (1955)	Peroxyde de méthylisobutylcétone, à 62 pour cent au maximum avec un flegmatisant, ou Peroxyde de méthylisobutylcétone, à 62 pour cent au maximum, avec 20 pour cent de méthylisobutylcétone et 20 pour cent de flegmatisant	2596	5.2	48 56 83 99	5.2	5.2	II	5 kg	10 kg
2294. (2138)	Peroxyde de n-octanoyle, voir Peroxyde de di-n-octanoyle								
2295. (2223)	Peroxyde de pélargonoyle, voir Peroxyde de di-n-nonanoyle								
2296. (536)	Peroxyde de phénylphthalide et de tert-butyle, techniquement pur								
2297. (1714)	Peroxyde de plomb, voir Dioxyde de plomb	1491	5.1	46 48 56 90	5.1	5.1	I	P	15 kg
2298. (2439)	Peroxyde de potassium								

ANNEXE II—Suite
LISTE II—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2299. (2458) 2300. (2673)	Peroxyde de propionyle, voir Peroxyde de diisopropyle Peroxyde de sodium	1504	5.1	46 48 56 90 47	5.1	5.1	I	p	15 kg
2301. (2680)	Peroxyde de sodium picryle		—	—	—	—	—	—	—
2302. (2698)	Peroxyde de strontium	1509	5.1	46	5.1	5.1	II	5 kg	25 kg
2303. (1198)	Peroxyde de succinyle ou Peroxyde de succinyle, techniquement pur	2135	5.2 E	46 48 56 83 99	5.2 E	5.2 E	I	p	p
2304. (2718)	Peroxyde de succinyle, voir Peroxyde de disuccinyle								
2305. (3106)	Peroxyde de zinc	1516	5.1	46	5.1	5.1	II	5 kg	25 kg
2306. (2147)	Peroxyde organique, liquide, ou Peroxyde organique, en solution, stable, n.s.a.	9183	5.2	47	—	—	X	—	—
2307. (2148)	Peroxyde organique, solide, stable, n.s.a.	9187	5.2	47	—	—	X	—	—
2308. (867)	Peroxyde(s) de cyclohexanone, à 72 pour cent au maximum, en pâte avec au plus 9 pour cent d'oxygène libre	2896	5.2 I	46 48 56 83 99	5.2	5.2 I	II	1 kg	5 kg
2309. (866)	Peroxyde(s) de cyclohexanone, à 72 pour cent au maximum, en solution, avec au plus 9 pour cent d'oxygène libre	2118	5.2 I	46 48 56 83 99	5.2	5.2 I	I	1 L	5 L
2310. (868)	Peroxyde(s) de cyclohexanone, à 90 pour cent au maximum, avec de l'eau	2119	5.2 I	46 48 56 83 99	5.2	5.2 I	I	1 kg	5 kg
2311. (865)	Peroxyde(s) de cyclohexanone, à plus de 90 pour cent avec de l'eau	2117	5.2 E I	46 48 56 83 99	5.2 E	5.2 E I	I	p	p
2312. (900)	Peroxydes de diacétone-alcool, à 57 pour cent au maximum en solution, avec au plus 9 pour cent de peroxyde d'hydrogène, au moins 26 pour cent de diacétone-alcool et au moins 9 pour cent d'eau; contenu total d'oxygène libre: 9 pour cent au maximum +30°C +35°C	2163	5.2	38 46 48 56 83 99	5.2	5.2	I	p	p

2313. (1932)	Peroxyde(s) de méthyl cyclohexanone, à 67 pour cent au maximum, en solution	3046	5.2 I	46 48 83 100 +35°C +40°C	-	5.2	I	P	P
2314. (1942)	Peroxyde(s) de méthyléthylcétone, à 50 pour cent au maximum, en solution, avec au plus 9 pour cent au maximum d'oxygène libre	2550	5.2 I	46 48 56 99 47	5.2	5.2 I	I	I L	5 L
2315. (1941)	Peroxyde(s) de méthyléthylcétone, à 50 pour cent au maximum, en solution, avec plus de 9 pour cent d'oxygène libre	2563	5.2 I	46 48 56 99 47	5.2	5.2	I	P	P
2316. (1943)	Peroxyde(s) de méthyléthylcétone, à 60 pour cent au maximum, en solution	2127	5.2 E I	38 46 48 56 83 99	5.2 E	5.2 E I	I	P	P
2317. (2245)	Peroxydes inorganiques, n.s.a.	1483	5.1	46 48 83 99	5.1	5.1	II	5 kg	25 kg
2318. (2150)	Peroxydes organiques, échantillons, n.s.a.	2255	5.2	47	5.2	5.2	X	P	P
2319. (2149)	Peroxydes organiques, en mélange	2756	5.2	47	5.2	5.2	X	P	P
2320. (2151)	Peroxydes organiques, quantités d'essai, n.s.a.	2899	5.2	47	5.2	5.2	X	P	P
2321. (524)	Peroxydicarbonate de n-butyle, voir Peroxydicarbonate de di-n-butyle	2895	5.2	46 48 83 99	5.2	5.2	II	P	P
2322. (962)	Peroxydicarbonate de cétyle, à 42 pour cent au maximum, en dispersion stable dans l'eau			+25°C 46 48 56 83 99	5.2	5.2	II	P	P
2323. (963)	Peroxydicarbonate de cétyle, technique-ment pur	2164	5.2	+30°C 46 48 56 83 99	5.2	5.2	II	P	P
2324. (1054)	Peroxydicarbonate d'éthyle, à 27 pour cent au maximum, en solution	2175	5.2	+20°C 46 48 56 83 99	5.2	5.2	II	P	P
2325. (1047)	Peroxydicarbonate d'éthyle-2 hexyle, à 42 pour cent au maximum, en dispersion stable dans l'eau	2960	5.2	0°C 46 48 83	5.2	5.2	II	P	P
2326. (1048)	Peroxydicarbonate d'éthyl-2 hexyle, à 77 pour cent au maximum, en solution	2123	5.2	-15°C -5°C 46 48 56 83 99 -15°C -5°C	5.2	5.2	II	P	P

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2327. (1049)	Peroxydicarbonate d'éthyl-2 hexyle, technique pur	2122	5.2 46 48 56 83 99 -20°C -10°C	5.2	5.2	II	p	p
2328. (1670)	Peroxydicarbonate d'isopropyle voir							
2329. (1196)	Peroxydicarbonate de diisopropyle Peroxydicarbonate d'octadécyle, à 85 pour cent au maximum, en solution, avec de l'alcool octadécyle	2592	5.2 48 56 83 99	5.2	5.2	II	5 kg	10 kg
2330. (926)	Peroxydicarbonate de dibenzoyl, à 87 pour cent au maximum avec de l'eau	2149	5.2 46 48 56 83 99	5.2 E	5.2 E	I	p	p
2331. (936)	Peroxydicarbonate de di (tert-butyl-4 cyclohexyle) à 42 pour cent au maximum, en dispersion stable dans l'eau	2894	5.2 46 48 56 83 99 +25°C +30°C	5.2	5.2	II	p	p
2332. (937)	Peroxydicarbonate de di (tert-butyl-4 cyclohexyle), techniquement pur	2154	5.2 46 48 56 83 99 +25°C +30°C	5.2	5.2	II	p	p
2333. (946)	Peroxydicarbonate de di-n-butyle ou Peroxydicarbonate de n-butyle, à 27 pour cent au maximum, en solution	2170	5.2 46 48 56 83 99 +30°C +35°C	5.2	5.2	II	p	p
2334. (947)	Peroxydicarbonate de di-n-butyle, ou Peroxydicarbonate de n-butyle, à 52 pour cent au maximum, en solution	2169	5.2 46 48 56 83 99 0°C +10°C	5.2	5.2	II	p	p

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2344. (1186)	Peroxydicarbonate de di-n-propyle, <i>techniquement pur</i>	2176	5.2 E	46 48 56 76 83 99 -25°C -15°C	5.2 E	5.2 E	I	P	P
2345. (525)	Peroxydiéthylacétate de tert-butyle, à 33 pour cent avec du Peroxybenzoate de tert-butyle, à 33 pour cent, et du solvant	2551	5.2	48 56 83 99	5.2	5.2	II	5 L	10 L
2346. (526)	Peroxydiéthylacétate de tert-butyle, <i>techniquement pur</i>	2144	5.2 E	46 48 56 83 99	5.2 E	5.2 E	II	P	P
2347. (245)	Peroxy-2 éthylohexanoate de tert-amyle, <i>techniquement pur</i>	2898	5.2	+20°C +25°C 46 48 56 99	5.2	5.2	II	P	P
2348. (532)	Peroxyisobutyrate de tert-butyle, à 52 pour cent au maximum, en solution	2562	5.2	+20°C +25°C 46 48 56 99	5.2	5.2	II	P	P
2349. (531)	Peroxyisobutyrate de tert-butyle, à plus de 52 pour cent mais à 77 pour cent au maximum, en solution	2142	5.2 E	+15°C +20°C 46 48 56 83 99	5.2 E	5.2 E	II	P	P
2350. (246)	Peroxyndécanoate de tert-amyle, à 75 pour cent au maximum avec du flegmatisant	2891	5.2	+15°C +20°C 46 48 56 83 99 0°C	5.2	5.2	II	P	P
2351. (534)	Peroxyndécanoate de tert-butyle, à 77 pour cent au maximum, en solution	2177	5.2	+10°C 46 48 56 83 99 0°C +10°C	5.2	5.2	II	P	P

2352. (535)	Peroxy-néodécanoate de tert-butyle, <i>techniquement pur</i>	2594	5.2	46 48 56 83 99 -5°C +5°C	5.2	5.2	5.2	II	P	P
2353. (839)	Peroxy-néodécanoate de cumyle, à 77 pour cent au maximum, en solution	2963	5.2	46 48 56 83 99 -10°C 0°C	5.2	5.2	5.2	II	P	P
2354. (2901)	Peroxy-2 phénoxyacétate de triméthyl-2,4,4-pentyle, à 37 pour cent au maximum, en solution	2961	5.2	46 48 83 99 -10°C 0°C	5.2	5.2	5.2	II	P	P
2355. (247)	Peroxy-pivalate de tert-amyle, à 77 pour cent au maximum, en solution	2957	5.2	46 48 56 83 99 -10°C 0°C	5.2	5.2	5.2	II	P	P
2356. (537)	Peroxy-pivalate de tert-butyle, à plus de 72 pour cent, mais à 77 pour cent au maximum, en solution	2110	5.2 E	46 48 56 83 99 +10°C +15°C	5.2 E	5.2	5.2	II	P	P
2357. (538)	Peroxy-pivalate de tert-butyle, à 72 pour cent au maximum, en solution	3047	5.2	46 48 100 0°C +10°C	5.2	—	5.2	II	P	P
2358. (840)	Peroxy-pivalate de cumyle, à 77 pour cent au maximum, en solution	2964	5.2	46 48 56 83 99 +10°C	5.2	5.2	5.2	II	P	P
2359. (213)	Persulfate d'ammonium	1444	5.1	46 48 56 83 99 -5°C +5°C	5.1	5.1	5.1	III	25 kg	100 kg
2360. (2440)	Persulfate de potassium	1492	5.1		5.1	5.1	5.1	III	25 kg	100 kg
2361. (2674)	Persulfate de sodium	1505	5.1		5.1	5.1	5.1	III	25 kg	100 kg
2362. (2248)	PESTICIDES LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., * point d'éclair inférieur à 23°C	3021	3.2 6.1	46 56	3.2 6.1	3.2 6.1	3.2 6.1	I	P	30 L
2363. (2249)	PESTICIDES LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., * point d'éclair inférieur à 23°C	3021	3.2 6.1	56	3.2 6.1	3.2 6.1	3.2 6.1	II	1 L	60 L
2364. (2250)	PESTICIDES LIQUIDES, TOXIQUES, INFLAMMABLES, N.S.A., * point d'éclair égal ou supérieur à 23°C	2903	6.1	46 56 89 94	6.1	6.1	6.1	I	1 L	30 L

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2365. (2251)	PESTICIDES, LIQUIDES, TOXIQUES, INFLAMMABLES, N.S.A., <i>point d'éclair égal ou supérieur à 23°C</i>	2903	6.1	56 89	6.1 3	6.1	5 L	60 L
2366. (2252)	PESTICIDES, LIQUIDES, TOXIQUES, N.S.A.*	2902	6.1	46 56 94	6.1	6.1	1 L	30 L
2367. (2253)	PESTICIDES, LIQUIDES, TOXIQUES, N.S.A.*	2902	6.1	56	6.1	6.1	5 L	60 L
2368. (2254)	PESTICIDES, LIQUIDES, TOXIQUES, N.S.A.*	2902	NR	6.1	6.1	6.1	60 L	220 L
2369. (2255)	PESTICIDES, SOLIDES, TOXIQUES, N.S.A.*	2588	6.1	46 93 102	6.1	6.1	5 kg	50 kg
2370. (2256)	PESTICIDES, SOLIDES, TOXIQUES, N.S.A.*	2588	6.1	102	6.1	6.1	25 kg	100 kg
2371. (2257)	PESTICIDES, SOLIDES, TOXIQUES, N.S.A.*	2588	NR	6.1	6.1	6.1	100 kg	200 kg
2372. (607)	PESTICIDES À BASE DE CARBA- MATE, LIQUIDES, INFLAMM- ABLES, TOXIQUES, N.S.A., <i>point d'éclair inférieur à 23°C</i>	2758	3.2 6.1	56 6.1	3.2 6.1	3 6.1	1 L	60 L
2373. (606)	PESTICIDES À BASE DE CARBA- MATE, LIQUIDES, INFLAMM- ABLES, TOXIQUES, N.S.A., <i>point d'éclair inférieur à 23°C</i>	2758	3.2 6.1	46 56	3.2 6.1	3 6.1	P	30 L
2374. (610)	PESTICIDES À BASE DE CARBA- MATE, LIQUIDES, TOXIQUES, N.S.A.	2992	6.1	46 56 94	6.1	6.1	1 L	30 L
2375. (612)	PESTICIDES À BASE DE CARBA- MATE, LIQUIDES, TOXIQUES, N.S.A.	2992	NR	6.1	6.1	6.1	60 L	220 L
2376. (611)	PESTICIDES À BASE DE CARBA- MATE, LIQUIDES, TOXIQUES, N.S.A.	2992	6.1	56	6.1	6.1	5 L	60 L
2377. (608)	PESTICIDES À BASE DE CARBA- MATE, LIQUIDES, TOXIQUES, INFLAMMABLES, N.S.A., <i>point d'éclair égal ou supérieur à 23°C</i>	2991	6.1	46 56 89	6.1 3	6.1	1 L	30 L
2378. (609)	PESTICIDES À BASE DE CARBA- MATE, LIQUIDES, TOXIQUES, INFLAMMABLES, N.S.A., <i>point d'éclair égal ou supérieur à 23°C</i>	2991	6.1	94 89	6.1 3	6.1	5 L	60 L
2379. (613)	PESTICIDES À BASE DE CARBA- MATE, SOLIDES, TOXIQUES, N.S.A.	2757	6.1	46 93	6.1	6.1	5 kg	50 kg
2380. (614)	PESTICIDES À BASE DE CARBA- MATE, SOLIDES, TOXIQUES, N.S.A.	2757	6.1	6.1	6.1	6.1	25 kg	100 kg
2381. (615)	PESTICIDES À BASE DE CARBA- MATE, SOLIDES, TOXIQUES, N.S.A.	2757	NR	6.1	6.1	6.1	100 kg	200 kg
2382. (784)	PESTICIDES À BASE DE CUIVRE, LIQUIDES, INFLAMMABLES, TOX- IQUES, N.S.A., <i>point d'éclair inférieur à 23°C</i>	2776	3.2 6.1	46 56	3.2 6.1	3 6.1	P	30 L

2383. (785)	PESTICIDES À BASE DE CUIVRE, LIQUIDES, INFLAMMABLES, TOX- IQUES, N.S.A., <i>point d'éclair inférieur à 23°C</i>	2776	3.2 6.1	56	3.2 6.1	3 6.1	II	1 L	60 L
2384. (786)	PESTICIDES À BASE DE CUIVRE, LIQUIDES, INFLAMMABLES, TOX- IQUES, N.S.A., <i>point d'éclair égal ou supérieur à 23°C</i>	3009	6.1	46 56 89 94	6.1 3	6.1	I	1 L	30 L
2385. (788)	PESTICIDES À BASE DE CUIVRE, LIQUIDES, TOXIQUES, N.S.A.	3010	6.1	46 56 94	6.1	6.1	I	1 L	30 L
2386. (789)	PESTICIDES À BASE DE CUIVRE, LIQUIDES, TOXIQUES, N.S.A.	3010	6.1	56	6.1	6.1	II	5 L	60 L
2387. (790)	PESTICIDES À BASE DE CUIVRE, LIQUIDES, TOXIQUES, N.S.A.	3010	NR		6.1	6.1	III	60 L	220 L
2388. (787)	PESTICIDES À BASE DE CUIVRE, LIQUIDES, TOXIQUES, INFLAMMABLES, N.S.A., <i>point d'éclair égal ou supérieur à 23°C</i>	3009	6.1	56 89	6.1 3	6.1	II	5 L	60 L
2389. (791)	PESTICIDES À BASE DE CUIVRE, SOLIDES, TOXIQUES, N.S.A.	2775	6.1	46 93	6.1	6.1	I	5 kg	50 kg
2390. (792)	PESTICIDES À BASE DE CUIVRE, SOLIDES, TOXIQUES, N.S.A.	2775	6.1		6.1	6.1	II	25 kg	100 kg
2391. (793)	PESTICIDES À BASE DE CUIVRE, SOLIDES, TOXIQUES, N.S.A.	2775	NR		6.1	6.1	III	100 kg	200 kg
2392. (378)	PESTICIDES À BASE DE DÉRIVÉS BENZOÏQUES, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., <i>point d'éclair inférieur à 23°C</i>	2770	3.2 6.1	46	3.2 6.1	3 6.1	I	P	30 L
2393. (379)	PESTICIDES À BASE DE DÉRIVÉS BENZOÏQUES, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., <i>point d'éclair inférieur à 23°C</i>	2770	3.2 6.1		3.2 6.1	3 6.1	II	1 L	60 L
2394. (382)	PESTICIDES À BASE DE DÉRIVÉS BENZOÏQUES, LIQUIDES, TOX- IQUES, N.S.A.	3004	6.1	46 94	6.1	6.1	I	1 L	30 L
2395. (383)	PESTICIDES À BASE DE DÉRIVÉS BENZOÏQUES, LIQUIDES, TOX- IQUES, N.S.A.	3004	6.1		6.1	6.1	II	5 L	60 L
2396. (384)	PESTICIDES À BASE DE DÉRIVÉS BENZOÏQUES, LIQUIDES, TOX- IQUES, N.S.A.	3004	NR		6.1	6.1	III	60 L	220 L
2397. (380)	PESTICIDES À BASE DE DÉRIVÉS BENZOÏQUES, LIQUIDES, TOX- IQUES, INFLAMMABLES, N.S.A., <i>point d'éclair égal ou supérieur à 23°C</i>	3003	6.1	46 89 94	6.1 3	6.1	I	1 L	30 L
2398. (381)	PESTICIDES À BASE DE DÉRIVÉS BENZOÏQUES, LIQUIDES, TOX- IQUES, INFLAMMABLES, N.S.A., <i>point d'éclair égal ou supérieur à 23°C</i>	3003	6.1	89	6.1 3	6.1	II	5 L	60 L
2399. (385)	PESTICIDES À BASE DE DÉRIVÉS BENZOÏQUES, SOLIDES, TOX- IQUES, N.S.A.	2769	6.1	46 93	6.1	6.1	I	5 kg	50 kg
2400. (386)	PESTICIDES À BASE DE DÉRIVÉS BENZOÏQUES, SOLIDES, TOX- IQUES, N.S.A.	2769	6.1		6.1	6.1	II	25 kg	100 kg
2401. (387)	PESTICIDES À BASE DE DÉRIVÉS BENZOÏQUES, SOLIDES, TOX- IQUES, N.S.A.	2769	NR		6.1	6.1	III	100 kg	200 kg
2402. (821)	PESTICIDES À BASE DE DÉRIVÉS DE LA COUMARINE, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., <i>point d'éclair inférieur à 23°C</i>	3024	3.2 6.1	46 100	-	3 6.1	I	P	30 L

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2403. (822)		3024	3.2 6.1	100	— 6.1	3 6.1	II	I L	60 L
2404. (825)		3026	6.1	46 94	—	6.1	I	I L	30 L
2405. (826)		3026	6.1	100	—	6.1	II	5 L	60 L
2406. (827)		3026	NR	100	—	6.1	III	60 L	220 L
2407. (823)		3025	6.1	46 89 94 100	—	6.1	I	I L	30 L
2408. (824)		3025	6.1	89 100	—	6.1	II	5 L	60 L
2409. (828)		3027	6.1	46 93	—	6.1	I	5 kg	50 kg
2410. (829)		3027	6.1	100	—	6.1	II	25 kg	100 kg
2411. (830)		3027	NR	100	—	6.1	III	100 kg	200 kg
2412. (2364)		2774	3.2 6.1	46 56	3.2 6.1	3 6.1	I	P	30 L
2413. (2365)		2774	3.2 6.1	56	3.2 6.1	3 6.1	II	I L	60 L
2414. (2366)		3007	6.1	46 56 89	6.1 3	6.1	I	I L	30 L
2415. (2367)		3007	6.1	94 56 89	6.1 3	6.1	II	5 L	60 L
2416. (2368)		3008	6.1	46 56 94	6.1	6.1	I	I L	30 L

2417. (12369)	PESTICIDES À BASE DE DÉRIVÉS DU PHTALIMIDE, LIQUIDES, TOX- IQUES, N.S.A.	3008	6.1	56	6.1	6.1	II	5 L	60 L
2418. (12370)	PESTICIDES À BASE DE DÉRIVÉS DU PHTALIMIDE, LIQUIDES, TOX- IQUES, N.S.A.	3008	NR		6.1	6.1	III	60 L	220 L
2419. (12371)	PESTICIDES À BASE DE DÉRIVÉS DU PHTALIMIDE, SOLIDES, TOX- IQUES, N.S.A.	2773	6.1	46 93	6.1	6.1	I	5 kg	50 kg
2420. (12372)	PESTICIDES À BASE DE DÉRIVÉS DE PHTALIMIDE, SOLIDES, TOX- IQUES, N.S.A.	2773	6.1		6.1	6.1	II	25 kg	100 kg
2421. (12373)	PESTICIDES À BASE DE DÉRIVÉS DU PHTALIMIDE, SOLIDES, TOX- IQUES, N.S.A.	2773	NR		6.1	6.1	III	100 kg	200 kg
2422. (1202)	PESTICIDES À BASE DE DITHI- OCARBAMATE, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., <i>point d'éclair inférieur à 23°C</i>	2772	3.2 6.1	46 56	3.2 6.1	3	I	P	30 L
2423. (1203)	PESTICIDES À BASE DE DITHI- OCARBAMATE, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., <i>point d'éclair inférieur à 23°C</i>	2772	3.2 6.1	56	3.2 6.1	3	II	1 L	60 L
2424. (1206)	PESTICIDES À BASE DE DITHI- OCARBAMATE, LIQUIDES, TOX- IQUES, N.S.A.	3006	6.1	46 56 94	6.1	6.1	I	1 L	30 L
2425. (1207)	PESTICIDES À BASE DE DITHI- OCARBAMATE, LIQUIDES, TOX- IQUES, N.S.A.	3006	6.1	56	6.1	6.1	II	5 L	60 L
2426. (1208)	PESTICIDES À BASE DE DITHI- OCARBAMATE, LIQUIDES, TOX- IQUES, N.S.A.	3006	NR		6.1	6.1	III	60 L	220 L
2427. (1204)	PESTICIDES À BASE DE DITHI- OCARBAMATE, LIQUIDES, TOX- IQUES, INFLAMMABLES, N.S.A., <i>point d'éclair égal ou supérieur à 23°C</i>	3005	6.1	46 56 89 94	6.1 3	6.1	I	1 L	30 L
2428. (1205)	PESTICIDES À BASE DE DITHI- OCARBAMATE, LIQUIDES, TOX- IQUES, INFLAMMABLES, N.S.A., <i>point d'éclair égal ou supérieur à 23°C</i>	3005	6.1	56 89	6.1 3	6.1	II	5 L	60 L
2429. (1209)	PESTICIDES À BASE DE DITHI- OCARBAMATE, SOLIDES, TOX- IQUES, N.S.A.	2771	6.1	46 93	6.1	6.1	I	5 kg	50 kg
2430. (1210)	PESTICIDES À BASE DE DITHI- OCARBAMATE, SOLIDES, TOX- IQUES, N.S.A.	2771	6.1		6.1	6.1	II	25 kg	100 kg
2431. (1211)	PESTICIDES À BASE DE DITHI- OCARBAMATE, SOLIDES, TOX- IQUES, N.S.A.	2771	NR		6.1	6.1	III	100 kg	200 kg
2432. (1837)	PESTICIDES À BASE DE MERCURE, LIQUIDES, INFLAMMABLES, TOX- IQUES, N.S.A., <i>point d'éclair inférieur à 23°C</i>	2778	3.2 6.1	46 56 99	3.2 6.1	3	I	P	30 L
2433. (1838)	PESTICIDES À BASE DE MERCURE, LIQUIDES, INFLAMMABLES, TOX- IQUES, N.S.A., <i>point d'éclair inférieur à 23°C</i>	2778	3.2 6.1	56 99	3.2 6.1	3	II	1 L	60 L
2434. (1843)	PESTICIDES À BASE DE MERCURE, LIQUIDES, TOXIQUES, N.S.A.	3012	NR		6.1	6.1	III	60 L	220 L
2435. (1841)	PESTICIDES À BASE DE MERCURE, LIQUIDES, TOXIQUES, N.S.A.	3012	6.1	46 56 94	6.1	6.1	I	1 L	30 L

ANNEXE II—Suite
LISTE II—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2436, (1842)	3012	6.1	56	6.1	6.1	II	5 L	60 L
2437, (1839)	3011	6.1	46	6.1	6.1	I	1 L	30 L
			56	3				
			89					
2438, (1840)	3011	6.1	94					
			56	6.1	6.1	II	5 L	60 L
			90	3				
2439, (1846)	2777	NR		6.1	6.1	III	100 kg	200 kg
2440, (1845)	2777	6.1		6.1	6.1	II	25 kg	100 kg
2441, (1844)	2777	6.1	46	6.1	6.1	I	5 kg	50 kg
2442, (2708)	2780	3.2	93	3.2	3	I	P	30 L
		6.1	56	6.1	6.1			
2443, (2709)	2780	3.2	56	3.2	3	II	1 L	60 L
		6.1		6.1	6.1			
2444, (2712)	3014	6.1	46	6.1	6.1	I	1 L	30 L
			56					
2445, (2713)	3014	6.1	94					
			56	6.1	6.1	II	5 L	60 L
2446, (2714)	3014	NR		6.1	6.1	III	60 L	220 L
2447, (2710)	3013	6.1	46	6.1	6.1	I	1 L	30 L
			56	3				
			89					
			94					
2448, (2711)	3013	6.1	56	6.1	6.1	II	5 L	60 L
			89	3				
2449, (2715)	2779	6.1	46	6.1	6.1	I	5 kg	50 kg
			93					
2450, (2716)	2779	6.1		6.1	6.1	II	25 kg	100 kg
2451, (2717)	2779	NR		6.1	6.1	III	100 kg	200 kg

2452. (2299)	PESTICIDES À BASE DE PHÉNOXY, LIQUIDES, INFLAMMABLES, TOX- IQUES, N.S.A., <i>point d'éclair inférieur à</i> <i>23°C</i>	2766	3.2 6.1	46 56 94	3.2 6.1	3 6.1	I	P	30 L
2453. (2300)	PESTICIDES À BASE DE PHÉNOXY, LIQUIDES, INFLAMMABLES, TOX- IQUES, N.S.A., <i>point d'éclair inférieur à</i> <i>23°C</i>	2766	3.2 6.1	56	3.2 6.1	3 6.1	II	1 L	60 L
2454. (2301)	PESTICIDES À BASE DE PHÉNOXY, LIQUIDES, INFLAMMABLES, TOX- IQUES, N.S.A., <i>point d'éclair égal ou</i> <i>supérieur à 23°C</i>	2999	6.1 9.2	46 56 89 94	6.1 3	6.1	I	1 L	30 L
2455. (2302)	PESTICIDES À BASE DE PHÉNOXY, LIQUIDES, TOXIQUES, INFLAMM- ABLES, N.S.A., <i>point d'éclair égal ou</i> <i>supérieur à 23°C</i>	2999	6.1 9.2	56 89	6.1 3	6.1	II	5 L	60 L
2456. (2303)	PESTICIDES À BASE DE PHÉNOXY, LIQUIDES, TOXIQUES, N.S.A.	3000	6.1	46 56 94	6.1	6.1	I	1 L	30 L
2457. (2304)	PESTICIDES À BASE DE PHÉNOXY, LIQUIDES, TOXIQUES, N.S.A.	3000	6.1	56	6.1	6.1	II	5 L	60 L
2458. (2305)	PESTICIDES À BASE DE PHÉNOXY, LIQUIDES, TOXIQUES, N.S.A.	3000	NR		6.1	6.1	III	60 L	220 L
2459. (2306)	PESTICIDES À BASE DE PHÉNOXY, SOLIDES, TOXIQUES, N.S.A.	2765	6.1	46 93	6.1	6.1	I	5 kg	50 kg
2460. (2307)	PESTICIDES À BASE DE PHÉNOXY, SOLIDES, TOXIQUES, N.S.A.	2765	6.1		6.1	6.1	II	25 kg	100 kg
2461. (2308)	PESTICIDES À BASE DE PHÉNOXY, SOLIDES, TOXIQUES, N.S.A.	2765	NR		6.1	6.1	III	100 kg	200 kg
2462. (2333)	PESTICIDES À BASE DE PHÉNYL URÉE, LIQUIDES, TOXIQUES, N.S.A.	3002	6.1	56	6.1	6.1	II	5 L	60 L
2463. (2334)	PESTICIDES À BASE DE PHÉNYL URÉE, LIQUIDES, TOXIQUES, N.S.A.	3002	NR		6.1	6.1	III	60 L	220 L
2464. (2335)	PESTICIDES À BASE DE PHÉNYL URÉE, SOLIDES, TOXIQUES, N.S.A.	2767	6.1	46	6.1	6.1	I	5 kg	50 kg
2465. (2336)	PESTICIDES À BASE DE PHÉNYL URÉE, SOLIDES, TOXIQUES, N.S.A.	2767	6.1	93	6.1	6.1	II	25 kg	100 kg
2466. (2337)	PESTICIDES À BASE DE PHÉNYL URÉE, SOLIDES, TOXIQUES, N.S.A.	2767	NR		6.1	6.1	III	100 kg	200 kg
2467. (2328)	PESTICIDES À BASE DE PHÉNYL URÉE, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., <i>point d'éclair</i> <i>inférieur à 23°C</i>	2768	3.2 6.1	46 56	3.2 6.1	3 6.1	I	P	30 L
2468. (2329)	PESTICIDES À BASE DE PHÉNYL URÉE, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., <i>point d'éclair</i> <i>inférieur à 23°C</i>	2768	3.2 6.1	56	3.2 6.1	3 6.1	II	1 L	60 L
2469. (2330)	PESTICIDES À BASE DE PHÉNYL URÉE, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., <i>point d'éclair égal</i> <i>ou supérieur à 23°C</i>	3001	6.1	46 56 89 94	6.1 3	6.1	I	1 L	30 L
2470. (2331)	PESTICIDES À BASE DE PHÉNYL URÉE, LIQUIDES, TOXIQUES, INFLAMMABLES, N.S.A., <i>point</i> <i>d'éclair égal ou supérieur à 23°C</i>	3001	6.1	56 89	6.1 3	6.1	II	5 L	60 L
2471. (2332)	PESTICIDES À BASE DE PHÉNYL URÉE, LIQUIDES, TOXIQUES, N.S.A.	3002	6.1	46 56 94	6.1	6.1	I	1 L	30 L

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2472. (153)	Pesticides à base de phosphore d'aluminium	3048	6.1	32 46 48	—	6.1	I	P	15 kg
2473. (2842)	PESTICIDES À BASE DE TRIAZINE, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., point d'éclair inférieur à 23°C	2764	3.2 6.1	100 46 56	3.2 6.1	3 6.1	I	P	30 L
2474. (2843)	PESTICIDES À BASE DE TRIAZINE, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., point d'éclair inférieur à 23°C	2764	3.2 6.1	56	3.2 6.1	3 6.1	II	I L	60 L
2475. (2846)	PESTICIDES À BASE DE TRIAZINE, LIQUIDES, TOXIQUES, N.S.A.	2998	6.1	46 56 94 56	6.1	6.1	I	I L	30 L
2476. (2847)	PESTICIDES À BASE DE TRIAZINE, LIQUIDES, TOXIQUES, N.S.A.	2998	6.1	56	6.1	6.1	II	5 L	60 L
2477. (2848)	PESTICIDES À BASE DE TRIAZINE, LIQUIDES, TOXIQUES, N.S.A.	2998	NR		6.1	6.1	III	60 L	220 L
2478. (2845)	PESTICIDES À BASE DE TRIAZINE, LIQUIDES, TOXIQUES, INFLAMMABLES, N.S.A., point d'éclair égal ou supérieur à 23°C	2997	6.1	56 90	6.1 3	6.1	II	5 L	60 L
2479. (2844)	PESTICIDES À BASE DE TRIAZINE, LIQUIDES, TOXIQUES, INFLAMMABLES, N.S.A., point d'éclair égal ou supérieur à 23°C	2997	6.1	46 56 90	6.1 3	6.1	I	I L	30 L
2480. (2849)	PESTICIDES À BASE DE TRIAZINE, SOLIDES, TOXIQUES, N.S.A.	2763	6.1	94	6.1	6.1	I	5 kg	50 kg
2481. (2850)	PESTICIDES À BASE DE TRIAZINE, SOLIDES, TOXIQUES, N.S.A.	2763	6.1	93	6.1	6.1	II	25 kg	100 kg
2482. (2851)	PESTICIDES À BASE DE TRIAZINE, SOLIDES, TOXIQUES, N.S.A.	2763	NR		6.1	6.1	III	100 kg	200 kg
2483. (285)	PESTICIDES ARSÉNICAUX, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., point d'éclair inférieur à 23°C	2760	3.2 6.1	46	3.2 6.1	3 6.1	I	P	30 L
2484. (286)	PESTICIDES ARSÉNICAUX, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., point d'éclair inférieur à 23°C	2760	3.2 6.1		3.2 6.1	3 6.1	II	I L	60 L
2485. (289)	PESTICIDES ARSÉNICAUX, LIQUIDES, TOXIQUES, N.S.A.	2994	6.1	46	6.1	6.1	I	I L	30 L
2486. (290)	PESTICIDES ARSÉNICAUX, LIQUIDES, TOXIQUES, N.S.A.	2994	6.1	94	6.1	6.1	II	5 L	60 L
2487. (291)	PESTICIDES ARSÉNICAUX, LIQUIDES, TOXIQUES, N.S.A.	2994	NR		6.1	6.1	III	60 L	220 L
2488. (287)	PESTICIDES ARSÉNICAUX, LIQUIDES, TOXIQUES INFLAMMABLES, N.S.A., point d'éclair égal ou supérieur à 23°C	2993	6.1	46 89 94	6.1 3	6.1	I	I L	30 L

2489. (288)	PESTICIDES ARSÉNIQUES, LIQUIDES, TOXIQUES INFLAMMABLES, N.S.A., point d'éclair égal ou supérieur à 23°C	2993	6.1	89	6.1 3	6.1	II	5 L	60 L
2490. (292)	PESTICIDES ARSÉNIQUES, SOLIDES, TOXIQUES, N.S.A.	2759	6.1	46	6.1	6.1	I	5 kg	50 kg
2491. (293)	PESTICIDES ARSÉNIQUES, SOLIDES, TOXIQUES, N.S.A.	2759	6.1	93	6.1	6.1	II	25 kg	100 kg
2492. (294)	PESTICIDES ARSÉNIQUES, SOLIDES, TOXIQUES, N.S.A.	2759	NR		6.1	6.1	III	100 kg	200 kg
2493. (411)	PESTICIDES BIPYRIDYLIQUES, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., point d'éclair inférieur à 23°C	2782	3.2 6.1	46 56	3.2 6.1	3 6.1	I	P	30 L
2494. (412)	PESTICIDES BIPYRIDYLIQUES, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., point d'éclair inférieur à 23°C	2782	3.2 6.1	56	3.2 6.1	3 6.1	II	1 L	60 L
2495. (415)	PESTICIDES BIPYRIDYLIQUES, LIQUIDES, TOXIQUES, N.S.A.	3016	6.1	46 56 94	6.1	6.1	I	1 L	30 L
2496. (416)	PESTICIDES BIPYRIDYLIQUES, LIQUIDES, TOXIQUES, N.S.A.	3016	6.1	56	6.1	6.1	II	5 L	60 L
2497. (417)	PESTICIDES BIPYRIDYLIQUES, LIQUIDES, TOXIQUES, N.S.A.	3016	NR		6.1	6.1	III	60 L	220 L
2498. (413)	PESTICIDES BIPYRIDYLIQUES, LIQUIDES, TOXIQUES, INFLAMMABLES, N.S.A., point d'éclair égal ou supérieur à 23°C	3015	6.1	46 56 89 94	6.1 3 89	6.1	I	1 L	30 L
2499. (414)	PESTICIDES BIPYRIDYLIQUES, LIQUIDES, TOXIQUES, INFLAMMABLES, N.S.A., point d'éclair égal ou supérieur à 23°C	3015	6.1	56 89	6.1 3	6.1	II	5 L	60 L
2500. (418)	PESTICIDES BIPYRIDYLIQUES, SOLIDES, TOXIQUES, N.S.A.	2781	6.1	46	6.1	6.1	I	5 kg	50 kg
2501. (419)	PESTICIDES BIPYRIDYLIQUES, SOLIDES, TOXIQUES, N.S.A.	2781	6.1	93	6.1	6.1	II	25 kg	100 kg
2502. (420)	PESTICIDES BIPYRIDYLIQUES, SOLIDES, TOXIQUES, N.S.A.	2781	NR		6.1	6.1	III	100 kg	200 kg
2503. (2161)	PESTICIDES ORGANOCOLORÉS, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., point d'éclair inférieur à 23°C	2762	3.2 6.1	46 56	3.2 6.1	3 6.1	I	P	30 L
2504. (2162)	PESTICIDES ORGANOCOLORÉS, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., point d'éclair inférieur à 23°C	2762	3.2 6.1	56	3.2 6.1	3 6.1	II	1 L	60 L
2505. (2165)	PESTICIDES ORGANOCOLORÉS, LIQUIDES, TOXIQUES, N.S.A.	2996	6.1	46 56 94	6.1	6.1	I	1 L	30 L
2506. (2166)	PESTICIDES ORGANOCOLORÉS, LIQUIDES, TOXIQUES, N.S.A.	2996	6.1	56	6.1	6.1	II	5 L	60 L
2507. (2167)	PESTICIDES ORGANOCOLORÉS, LIQUIDES, TOXIQUES, N.S.A.	2996	NR		6.1	6.1	III	60 L	220 L
2508. (2163)	PESTICIDES ORGANOCOLORÉS, LIQUIDES, TOXIQUES, INFLAMMABLES, N.S.A., point d'éclair égal ou supérieur à 23°C	2995	6.1	46 56 89	6.1 3 89	6.1	I	1 L	30 L
2509. (2164)	PESTICIDES ORGANOCOLORÉS, LIQUIDES, TOXIQUES, INFLAMMABLES, N.S.A., point d'éclair égal ou supérieur à 23°C	2995	6.1	94 56 89	6.1 3	6.1	II	5 L	60 L

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2510. (2168)	2761	6.1	46	6.1	6.1	I	5 kg	50 kg
2511. (2169)	2761	6.1	93	6.1	6.1	II	25 kg	100 kg
2512. (2170)	2761	NR		6.1	6.1	III	100 kg	200 kg
2513. (2171)	2784	3.2 6.1	46 56	3.2 6.1	3 6.1	I	P	30 L
2514. (2172)	2784	3.2 6.1	56	3.2 6.1	3 6.1	II	1 L	60 L
2515. (2175)	3018	6.1	46 56 94	6.1	6.1	I	1 L	30 L
2516. (2176)	3018	6.1	56	6.1	6.1	II	5 L	60 L
2517. (2177)	3018	NR		6.1	6.1	III	60 L	220 L
2518. (2173)	3017	6.1	46 56 89	6.1	6.1	I	1 L	30 L
2519. (2174)	3017	6.1	94 56 89	6.1	6.1	II	5 L	60 L
2520. (2178)	2783	6.1	46 93	6.1	6.1	I	5 kg	50 kg
2521. (2179)	2783	6.1		6.1	6.1	II	25 kg	100 kg
2522. (2180)	2783	NR		6.1	6.1	III	100 kg	200 kg
2523. (2187)	2787	3.2 6.1	46 56	3.2 6.1	3 6.1	I	P	30 L
2524. (2188)	2787	3.2 6.1	56	3.2 6.1	3 6.1	II	1 L	60 L
2525. (2191)	3020	6.1	46 56 94	6.1	6.1	I	1 L	30 L

2526. (2192)	PESTICIDES ORGANOSTAN- NIQUES, LIQUIDES, TOXIQUES, N.S.A.	3020	6.1	56	6.1	6.1	6.1	II	5 L	60 L
2527. (2193)	PESTICIDES ORGANOSTAN- NIQUES, LIQUIDES, TOXIQUES, N.S.A.	3020	NR		6.1	6.1	6.1	III	60 L	220 L
2528. (2189)	PESTICIDES ORGANOSTAN- NIQUES, LIQUIDES, TOXIQUES, INFLAMMABLES, N.S.A., point d'éclair égal ou supérieur à 23°C	3019	6.1	46 56 89	6.1 3	6.1	6.1	I	1 L	30 L
2529. (2190)	PESTICIDES ORGANOSTAN- NIQUES, LIQUIDES, TOXIQUES, INFLAMMABLES, N.S.A., point d'éclair égal ou supérieur à 23°C	3019	6.1	94 56 89	6.1 3	6.1	6.1	II	5 L	60 L
2530. (2194)	PESTICIDES ORGANOSTAN- NIQUES, SOLIDES, TOXIQUES, N.S.A.	2786	6.1	46 93	6.1	6.1	6.1	I	5 kg	50 kg
2531. (2195)	PESTICIDES ORGANOSTAN- NIQUES, SOLIDES, TOXIQUES, N.S.A.	2786	6.1		6.1	6.1	6.1	II	25 kg	100 kg
2532. (2196)	PESTICIDES ORGANOSTAN- NIQUES, SOLIDES, TOXIQUES, N.S.A.	2786	NR		6.1	6.1	6.1	III	100 kg	200 kg
2533. (2258)	Pétrole	1203	3.1	99	3.1	3	3	II	5 L	60 L
2534. (2259)	PÉTROLE BRUT, (point d'ébullition variant entre 140°C et 135°C), point d'éclair inférieur à -18°C	1267	3.1	99	3.1	3	3	II	5 L	60 L
2535. (2260)	PÉTROLE BRUT, (point d'ébullition variant entre 140°C et 135°C), point d'éclair inférieur à -18°C	1267	3.1		-	3	3	III	60 L	220 L
2536. (2261)	PÉTROLE BRUT, (point d'ébullition variant entre 140°C et 135°C), point d'éclair inférieur à 23°C	1267	3.2		3.2	3	3	II	5 L	60 L
2537. (2262)	PÉTROLE BRUT, (point d'ébullition variant entre 140°C et 135°C), point d'éclair inférieur à 23°C	1267	3.2		-	3	3	III	60 L	220 L
2538. (2263)	PÉTROLE BRUT, (point d'ébullition variant entre 140°C et 135°C), point d'éclair inférieur à 61°C	1267	3.3	81	3.3	3	3	II	5 L	60 L
2539. (2264)	PÉTROLE BRUT, (point d'ébullition variant entre 140°C et 135°C), point d'éclair inférieur à 37.8°C	1267	3.3		-	3	3	III	60 L	220 L
2540. (2265)	Pétrole brut, (point d'ébullition variant entre 140°C et 135°C), point d'éclair égal ou supérieur à 37.8°C, mais inférieur à 61°C	1267	NR	73	-	3	3	III	60 L	220 L
2541. (2266)	PÉTROLE, DISTILLATS DE, N.S.A., (point d'ébullition variant entre 140°C et 135°C), point d'éclair inférieur à -18°C	1268	3.1	46		3	3	I	1 L	30 L
2542. (2267)	PÉTROLE, DISTILLATS DE, N.S.A., (point d'ébullition variant entre 140°C et 135°C), point d'éclair inférieur à -18°C	1268	3.1	73	3.1	3	3	II	5 L	60 L
2543. (2268)	PÉTROLE, DISTILLATS DE, N.S.A., (point d'ébullition variant entre 140°C et 135°C), point d'éclair inférieur à -18°C	1268	3.1		-	3	3	III	60 L	220 L
2544. (2269)	PÉTROLE, DISTILLATS DE, N.S.A., (point d'ébullition variant entre 140°C et 135°C), point d'éclair inférieur à 23°C	1268	3.2	46	-	3	3	I	1 L	30 L
2545. (2270)	PÉTROLE, DISTILLATS DE, N.S.A., (point d'ébullition variant entre 140°C et 135°C), point d'éclair inférieur à 23°C	1268	3.2		3.2	3	3	II	5 L	60 L

ANNEXE II—Suite
LISTE II—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2546. (2271)	1268	3.2		—	3	III	60 L	220 L
PÉTROLE, DISTILLATS DE, N.S.A., (point d'ébullition variant entre 14°C et 135°C), point d'éclair inférieur à 23°C								
2547. (2272)	1268	3.3	46 81	—	3	I	1 L	30 L
PÉTROLE, DISTILLATS DE, N.S.A., (point d'ébullition variant entre 14°C et 135°C), point d'éclair inférieur à 61°C								
2548. (2273)	1268	3.3	81	3.3	3	II	5 L	60 L
PÉTROLE, DISTILLATS DE, N.S.A., (point d'ébullition variant entre 14°C et 135°C), point d'éclair inférieur à 61°C								
2549. (2274)	1268	3.3		—	3	III	60 L	220 L
PÉTROLE, DISTILLATS DE, N.S.A., (point d'ébullition variant entre 14°C et 135°C), point d'éclair inférieur à 37.8°C								
2550. (2275)	1268	NR	73	—	3	III	60 L	220 L
Pétrole, distillats de, n.s.a. (point d'ébullition variant entre 14°C et 135°C), point d'éclair égal ou supérieur à 37.8°C, mais inférieur à 61°C								
2551. (1678)								
PÉTROLE, LAMPANT, voir KÉRO- SÈNES								
2552. (2293)	2783	9.2	55	—	—	III	—	—
2553. (2294)	2311	NR	73	6.1	6.1	III	60 L	220 L
2554. (2295)	2312	6.1	46	6.1	6.1	II	P	P
2555. (2296)	1671	9.2	56	6.1	6.1	II	25 kg	100 kg
2556. (2297)	2821	9.2	102	6.1	6.1	II	5 L	60 L
2557. (2675)	2497	8		8	8	III	25 kg	100 kg
2558. (3107)	9160	9.2	49	—	—	III	—	—
2559. (2300)	2470	NR	73	6.1	6.1	III	60 L	220 L
2560. (2313)	1556	6.1	46 48 55	—	—	II	—	—
Phényldichlorarsine								
2561. (2314)	1673	9.2		6.1	6.1	III	100 kg	200 kg
2562. (2316)	2572	6.1	102	6.1	6.1	II	5 L	60 L
2563. (2318)	2337	6.1	46	6.1	6.1	I	1 L	30 L
2564. (2320)	2026	6.1	99 46 93	3 6.1 6.1	3 6.1 6.1	I	5 kg	50 kg
PHÉNYLMERCURIQUES, COM- POSÉS, N.S.A.								
2565. (2321)	2026	6.1	102	6.1	6.1	II	25 kg	100 kg
2566. (2322)	2026	NR		6.1	6.1	III	100 kg	200 kg
PHÉNYLMERCURIQUES, COM- POSÉS, N.S.A.								

2567. (2327)	Phényltrichlorosilane	1804	8	46 56	8	8	II	p	30 L
2568. (2338)	Phosgène	1076	2.3 8 8 9.2	46 52 56 79 88 99 102	2.3 8	2 6.1 8	X	p	p
2569. (229) 2570. (2339)	Phosphate acide d'amyle	2819	8	102	8	8	III	5 L	60 L
2571. (484)	Phospha-9 bicyclononanes	2940	4.2	48 56	4.2	4.2	II	15 kg	50 kg
2572. (1636)	Phosphate acide de butyle, <i>ou</i> Phosphate de butyle acide	1718	8	56	8	8	III	5 L	60 L
2573. (1073)	Phosphate acide d'isopropyle <i>ou</i> Phosphate acide d'isopropyle, solide	1793	8	56	8	8	III	25 kg	100 kg
2574. (151)	Phosphate acide diisooctylique	1902	8	55	8	8	III	5 L	60 L
2575. (29)	Phosphate d'aluminium, en solution	1760	8	55	—	—	II	—	—
2576. (2676)	Phosphate de butyle acide, <i>voir</i> Phosphate acide de butyle	9147	9.2	49	—	—	III	—	—
2577. (2677)	Phosphate de sodium, dibasique	9148	9.2	49	—	—	III	—	—
2578. (2152)	Phosphate de sodium, tribasique	1955	2.3	46 48 55	—	—	X	—	—
2579. (2157)	Phosphate organique, Composé de phosphate organique, <i>ou</i> Composé organique phosphoreux, en mélange avec des gaz comprimés	3018	6.1	46 55 56	—	—	I	—	—
2580. (2158)	PHOSPHATE ORGANIQUE, EN MÉLANGE, COMPOSÉ DE PHOSPHATE ORGANIQUE, EN MÉLANGE, <i>ou</i> COMPOSÉ ORGANIQUE PHOSPHOREUX, EN MÉLANGE, <i>liquide</i>	3018	6.1	55 56	—	—	II	—	—
2581. (2159)	PHOSPHATE ORGANIQUE, EN MÉLANGE, COMPOSÉ DE PHOSPHATE ORGANIQUE, EN MÉLANGE, <i>ou</i> COMPOSÉ ORGANIQUE PHOSPHOREUX, EN MÉLANGE, <i>liquide</i>	2783	6.1	46 55	—	—	I	—	—
2582. (2160)	PHOSPHATE ORGANIQUE, EN MÉLANGE, COMPOSÉ DE PHOSPHATE ORGANIQUE, EN MÉLANGE, <i>ou</i> COMPOSÉ ORGANIQUE PHOSPHOREUX, EN MÉLANGE, <i>solide ou sec</i>	2783	6.1	55	—	—	II	—	—
2583. (2153)	PHOSPHATE ORGANIQUE, COMPOSÉ DE PHOSPHATE ORGANIQUE, <i>ou</i> COMPOSÉ ORGANIQUE PHOSPHOREUX, <i>liquide</i>	3018	6.1	46 55 56	—	—	I	—	—

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2584. (2154)	PHOSPHATE ORGANIQUE, COM- POSÉ DE PHOSPHATE ORGANIQUE, <i>ou</i> COMPOSÉ ORGANIQUE PHOSPHOREUX, <i>liq- uide</i>	3018	6.1	55 56	—	—	II	—	—
2585. (2155)	PHOSPHATE ORGANIQUE, COM- POSÉ DE PHOSPHATE ORGANIQUE, <i>ou</i> COMPOSÉ ORGANIQUE PHOSPHOREUX, <i>solide ou sec</i>	2783	6.1	46 55	—	—	I	—	—
2586. (2156)	PHOSPHATE ORGANIQUE, COM- POSÉ DE PHOSPHATE ORGANIQUE, <i>ou</i> COMPOSÉ ORGANIQUE PHOSPHOREUX, <i>solide ou sec</i>	2783	6.1	55	—	—	II	—	—
2587. (2872)	Phosphate triétilique, <i>contenant plus de 3 pour cent d'isomère ortho</i>	2574	6.1	6.1	6.1	II	II	5 L	60 L
2588. (2340)	Phosphine	2199	2.3 2.1	46 48 52 56 79 88 99 102	2.3 2.1	2 3 6.1	X	p	p
2589. (877)	Phosphines de cyclooctadiène voir Phos- pha-9 bicyclononanes	2323	NR	73	3.3	3	III	60 L	220 L
2590. (2878)	Phosphite d'éthyle	2989	4.1	4.1	4.1	4.1	II	5 kg	25 kg
2591. (1716)	Phosphite de plomb dibasique	2329	3.3	81	3.3	3	III	60 L	220 L
2592. (2902)	Phosphite de triméthyle		—	47	—	—	—	—	—
2593. (2343)	Phosphore (blanc ou rouge) et un chlo- rate, en mélange	1338	4.1 9.2	46 56 90	4.1	4.1	III	p	100 kg
2594. (2344)	Phosphore amorphe, <i>ou</i> Phosphore amor- phe, rouge								
2595. (2361)	Phosphore blanc, fondu	2447	4.2 6.1 9.2	46 56 99	4.2 6.1	4.2 6.1	I	p	p
2596. (2362)	Phosphore, blanc <i>ou</i> jaune, sec <i>ou</i> recouv- ert d'eau <i>ou</i> en solution	1381	4.2 6.1 9.2	46 56 102	4.2 6.1	4.2 6.1	I	p	p
2597. (1348)	Phosphorodichloridate d'éthyle	1760	8	55	—	—	II	—	—
2598. (152)	Phosphure d'aluminium	1397	4.3 6.1	46 56 99 102	4.3 6.1	4.3 6.1	I	p	15 kg

2599. (594)	Phosphure de calcium	1360	4.3	46 48 90 99	4.3	4.3	I	p	15 kg
2600. (1768)	Phosphure de magnésium	2011	4.3 6.1	102 46 48 99	4.3 6.1	4.3 6.1	I	p	15 kg
2601. (1753)	Phosphure de magnésium-aluminium	1419	4.3	46 48 56 99	4.3	4.3	I	p	15 kg
2602. (2441)	Phosphure de potassium	2012	4.3 6.1	46 48 99	4.3 6.1	4.3 6.1	I	p	15 kg
2603. (2678)	Phosphure de sodium	1432	4.3 6.1	46 48 56 99	4.3 6.1	4.3 6.1	I	p	15 kg
2604. (2699)	Phosphure de strontium	2013	4.3 6.1	46 48 99	4.3 6.1	4.3 6.1	I	p	15 kg
2605. (3108)	Phosphure de zinc	1714	4.3 6.1	102 46 99	4.3 6.1	4.3 6.1	I	p	15 kg
2606. (2689)	Phosphures stanniques	1433	9.2 4.3	102 46 48 56 99	4.3	4.3	I	p	15 kg
2607. (542)	Phalate de n-butyle	9095	9.2	46 49	-	-	II	-	-
2608. (2374)	Picolines	2313	3.3	63	3.3	3	II	5 L	60 L
2609. (2679)	Picramate de sodium, humidifié, avec au moins 20 pour cent d'eau, en masse	1349	4.1	10 46 48 56 58 90 99	4.1	4.1	I	p	15 kg
2610. (3117)	Picramate de zirconium, humidifié, contenant au moins 20 pour cent d'eau, en masse	1517	5.1	99 46 48 56 58 90 99	5.1	5.1	I	p	15 kg
2611. (320)	Picrate azidoguanidine (sec)		-	47	-	-	-	-	-
2612. (214)	Picrate d'ammonium, humidifié uniformément avec au moins 10 pour cent d'eau, en masse	1310	4.1	10 46 48 58 99	4.1	4.1	I	0.5 kg	0.5 kg
2613. (2601)	Picrate d'argent, humidifié, avec au moins 30 pour cent d'eau, en masse	1347	4.1 E	10 46 48 58 99 47	4.1	4.1	I	p	p
2614. (2600)	Picrate d'argent, (sec)		-	47	-	-	-	-	-
2615. (2039)	Picrate de nickel		-	47	-	-	-	-	-

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2616. (1715)	Picrate de plomb, (sec)	—	47	—	—	—	—	—
2617. (2375)	Picrite, humide voir Nitroguanidine, humidifiée	NR	96	6.1	6.1	III	100 kg	200 kg
2618. (2378)	Pindone	2472	81	3.3	3	III	60 L	220 L
2619. (2379)	alpha-Pinène ou Pinène	2368	8	8	8	III	25 kg	100 kg
2620. (2381)	Pipérazine	2579	3.2	3.2	3	II	5 L	60 L
2621. (2382)	Pipéridine	2401	—	—	—	—	—	—
2622. (1458)	Platine fulminant	—	47	—	—	—	—	—
2623. (1704)	Plomb, composés solubles du, n.s.a.	2291	9.2	6.1	6.1	III	100 kg	200 kg
2624. (2766)	Plomb tétraéthyle, liquide	1649	46 55	6.1 3	—	I	—	—
2625. (2399)	Polyalkylamines, n.s.a. voir Alkylamines, n.s.a.	2211	44	9	9	III	100 kg	200 kg
2626. (2401)	Polystyrène expansible, en granules, imprégné d'un liquide inflammable	2818	8	8	8	II	1 L	30 L
2627. (215)	Polysulfure d'ammonium, en solution	2861	6.1	6.1	6.1	II	25 kg	100 kg
2628. (216)	Polyvanadate d'ammonium	—	—	—	—	—	—	—
2629. (643)	Potasse caustique, voir Hydroxyde de potassium	1420	4.3	4.3	4.3	II	p	50 kg
2630. (2429)	Potassium, alliages métalliques, ou Potassium, alliages métalliques, liquides	—	—	—	—	—	—	—
2631. (2410)	Potassium-carbonyle	1422	4.3	4.3	4.3	I	p	15 kg
2632. (2442)	Potassium et sodium, alliages de,	2257	4.3	4.3	4.3	II	p	50 kg
2633. (2402)	Potassium ou Potassium, métallique	—	—	—	—	—	—	—
2634. (1750)	Pourpre de Londres	1621	6.1	6.1	6.1	II	25 kg	100 kg
2635. (284)	Poussière arsénicale	1562	6.1	6.1	6.1	II	25 kg	100 kg
2636. (1398)	PRÉPARATIONS LIQUIDES INFLAMMABLES, N.S.A. Pour: - nettoyer émaux, laques, peintures, vernis, etc; - détacher, réduire ou diluer les liquides; - fabriquer des produits destinés à polir, vulcaniser, dégraisser ou enduire le cuir	1142	3.2	3.2	3	II	5 L	60 L

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2654. (3071)	PRODUITS DE PRÉSERVATION DES BOIS, LIQUIDES, <i>point d'éclair</i> <i>inférieur à 23°C</i>	1306	3.2	3.2	3	II	5 L	60 L
2655. (3072)	PRODUITS DE PRÉSERVATION DES BOIS, LIQUIDES, <i>point d'éclair</i> <i>inférieur à 23°C</i>	1306	3.2	6.1	3	III	60 L	220 L
2656. (3073)	PRODUITS DE PRÉSERVATION DES BOIS, LIQUIDES, <i>point d'éclair</i> <i>inférieur à 61°C</i>	1306	3.3	3.3 6.1	3	II	5 L	60 L
2657. (3074)	PRODUITS DE PRÉSERVATION DES BOIS, LIQUIDES, <i>point d'éclair</i> <i>inférieur à 37.8°C</i>	1306	3.3		3	III	60 L	220 L
2658. (3075)	Produits de préservation des bois, liquides, <i>point d'éclair égal ou supérieur à 37.8°C</i> <i>mais inférieur à 61°C</i>	1306	NR	—	3	III	60 L	220 L
2659. (174)	Produits nettoyants composés, émail, laque, etc.; vernis; antirouille; arboricide ou herbicide; ou vulcanisant; voir Liquides corrosifs, n.s.a., ou Liquides inflamm- ables, n.s.a., ou Liquides inflammables, en préparations, n.s.a., Acide chlorhydrique, en solution ou Matières combustibles, n.s.a., ou Peintures, etc., ou Liquides tox- iques, n.s.a.							
2660. (2242)	PRODUITS POUR PARFUMERIE, <i>avec des solvants dont le point d'éclair est</i> <i>inférieur à 61°C</i>	1266	3.2	3.2	3	II	15 L	60 L
2661. (2243)	PRODUITS POUR PARFUMERIE, <i>avec des solvants dont le point d'éclair est</i> <i>inférieur à 61°C</i>	1266	3.3	3.3	3	III	60 L	220 L
2662. (2446)	Propadiène, stabilisé	2200	2.1	2.1	2 3	X	P	150 kg
2663. (2447)	Propane	1978	2.1	2.1	2	X	P	150 kg
2664. (2448)	Propanéthiols	2402	3.1	3.1	3	II	5 L	60 L
2665. (2449)	Propanol ou Alcool propylique	1274	3.2	3.2	3	II	5 L	60 L
2666. (2450)	Propargite	2765	9.2	—	—	II	—	—
2667. (543)	Propionate butylique	1914	3.3	3.3	3	II	5 L	60 L
2668. (1350)	Propionate d'éthyle	1195	3.2	3.2	3	II	5 L	60 L
2669. (1629)	Propionate d'isobutyle	2394	3.2	3.2	3	II	5 L	60 L

2670. (1671)	Propionate d'isopropyle	2409	3.2			3	3.2	II	5 L	60 L
2671. (1981)	Propionate de méthyle	1248	3.2			3	3.2	II	5 L	60 L
2672. (2456)	Propionitrile	2404	3.2	99		3	3.2	II	1 L	60 L
2673. (2462)	Propyl benzène	2364	6.1	81		6.1	6.1	II	5 L	60 L
2674. (2461)	Propylamine	1277	3.3			3	3.3	II		
			3.1	46		3	3.1	II	P	60 L
				56						
				90						
				99						
2675. (2465)	Propylène	1077	2.1	56		2	2.1	X	P	150 kg
2676. (2467)	PROPYLÈNEDIAMINE-1,2	2258	3.2	102		3	3.2	II	1 L	30 L
2677. (2468)	PROPYLÈNEDIAMINE-1,2	2258	8	81		8	8	II	1 L	30 L
2678. (2470)	Propylène-imine, stabilisée	1921	3.3			8	3.3	II		
			8			8	8	I	P	30 L
			3.2	46		3	3.2			
				48						
				56						
				84						
2679. (2471)	Propyltrichlorosilane	1816	8	90		8	8	II	P	30 L
			3	56		3	3			
2680. (2125)	Protoxyde d'azote, comprimé, ou Protoxyde d'azote	1070	2.2	102		2	2.2	X	75 kg	150 kg
2681. (2126)	Protoxyde d'azote, liquide réfrigéré	2201	5.1			2	5.1	X	75 kg	150 kg
2682. (2127)	Protoxyde d'azote-dioxyde de carbone, en mélange, voir Dioxyde de carbone-protoxyde d'azote, en mélange		2.2			2	2.2			
			5.1							
2683. (2478)	Pyréthrines	9184	9.2	49				III		
2684. (2479)	Pyridine	1282	3.2			3	3.2	II	1 L	60 L
2685. (2770)	Pyrophosphate tétraéthylrique, en mélange, liquide	3018	6.1	46		6.1	6.1	II		
			9.2	55						
2686. (2769)	Pyrophosphate tétraéthylrique, en mélange, sec	2783	6.1	46				II		
			9.2	48						
2687. (2767)	Pyrophosphate tétraéthylrique et gaz comprimés, en mélange	1705	2.3	55		2	2.3	X	P	P
			9.2	48		6.1	6.1			
				56						
				88						
				99						
2688. (2768)	Pyrophosphate tétraéthylrique, liquide	3018	6.1	102				II		
			9.2	46						
2689. (2487)	Pyroxyline, en solution ou solvant, voir Nitrocellulose en solution, inflammable (NIP 2039)			55						
2690. (2488)	Pyrrolidine	1922	3.2	56		3	3.2	II	P	60 L
2691. (2490)	Quinolène	2656	9.2	90		6.1	6.1	III	60 L	220 L
2692. (2491)	R10, voir Tétrachlorure de charbon					3				

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2693. (2492)	R12, <i>voir</i> Dichlorodifluorométhane							
2694. (2493)	R12B1, <i>voir</i> Dichlorodifluoro-bromométhane							
2695. (2494)	R13, <i>voir</i> Chlorotrifluorométhane							
2696. (2495)	R13B1, <i>voir</i> Bromotrifluorométhane							
2697. (2496)	R14, <i>voir</i> Tétrafluorométhane							
2698. (2497)	R20, <i>voir</i> Chloroforme							
2699. (2498)	R21, <i>voir</i> Dichlorofluorométhane							
2700. (2499)	R22, <i>voir</i> Chlorodifluorométhane							
2701. (2500)	R23, <i>voir</i> Trifluorométhane							
2702. (2501)	R30, <i>voir</i> Dichlorométhane							
2703. (2502)	R40, <i>voir</i> Chlorure de méthyle							
2704. (2503)	R41, <i>voir</i> Fluorure de méthyle							
2705. (2504)	R110, <i>voir</i> Hexachloroéthane							
2706. (2505)	R114, <i>voir</i> Dichlorotétrafluoroéthane							
2707. (2506)	R115, <i>voir</i> Chloropentafluoroéthane							
2708. (2507)	R116, <i>voir</i> Hexafluoroéthane							
2709. (2508)	R120, <i>voir</i> Pentachloroéthane							
2710. (2509)	R124, <i>voir</i> Chlorotétrafluoroéthane							
2711. (2510)	R133a, <i>voir</i> Chlorotrifluoroéthane							
2712. (2511)	R140a, <i>voir</i> Trichloroéthane-1,1,1							
2713. (2512)	R143a, <i>voir</i> Trifluoroéthane							
2714. (2513)	R150a, <i>voir</i> Dichloroéthane-1,1							
2715. (2514)	R152a, <i>voir</i> Difluoroéthane							
2716. (2515)	R160, <i>voir</i> Chlorure d'éthyle							
2717. (2516)	R218, <i>voir</i> Octafluoropropane							

2718. (22517)	R500, voir Dichlorodifluorométhane et difluoréthane, etc.
2719. (22517)	R502, voir Chlorodifluorométhane et chloropentafluoréthane, etc.
2720. (22518)	R503, voir Chlorotrifluorométhane et trifluorométhane, etc.
2721. (22519)	R112a, voir Dichlorodifluoréthylène
2722. (22520)	R112a, voir Dichlorodifluoréthylène
2723. (22521)	R114, voir Tétrafluoréthylène
2724. (22522)	R120, voir Trichloréthylène
2725. (22523)	R130, voir Dichloréthylène
2726. (22524)	R132a, voir Difluoréthylène-1,1
2727. (22525)	R140, voir Chlorure de vinyle
2728. (22526)	R141, voir Fluorure de vinyle
2729. (1723)	RC-318, voir Octafluorocyclobutène
2730. (2541)	Radeaux de sauvetage, gonflables, ou Equipement de survie d'aéronef, ou Tobogans d'évacuation d'aéronefs, contenant du gaz comprimé inflammable, des signaux fumigènes, des fusées éclairantes, des allumettes qui n'exigent pas de grattoir et parfois un nécessaire de réparation comprenant un liquide inflammable
2731. (65)	Récepteurs de faible capacité, contenant du gaz comprimé, inflammable, non munis de moyen de dispersion, emballage perdu
2732. (157)	Réservoir de liquide du circuit de pression hydraulique (contenant un mélange d'hydrazine anhydre et de monométhylhydrazine) (carburant M86)
2733. (596)	Résinate d'aluminium
2734. (597)	Résinate de calcium
2735. (770)	Résinate de calcium, fondu
2736. (1781)	Résinate de cobalt, précipité
2737. (3110)	Résinate de manganèse
2738. (2548)	Résinate de zinc
2739. (2549)	RÉSINE, EN SOLUTION, point d'éclair inférieur à 23°C
	RÉSINE, EN SOLUTION, point d'éclair inférieur à 23°C

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2740. (2550) 2741. (2551) 2742. (2552) 2743. (2553) 2744. (2554) 2745. (2555) 2746. (2556)	RÉSINE, EN SOLUTION, point d'éclair inférieur à 37,8°C Résine, en solution, point d'éclair égal ou supérieur à 37,8°C, mais inférieur à 61°C RÉSINE, EN SOLUTION, TOXIQUE RÉSINE, EN SOLUTION, TOXIQUE RÉSINE, EN SOLUTION, TOXIQUE RÉSINE, EN SOLUTION, TOXIQUE Résorcinol RODENTICIDES, N.S.A.*, liquides	1866 1866 1896 1896 1896 1896 2876 1681	3,3 NR 6,1 6,1 NR 9,2 6,1	73 46 94 46 102 102 46 94	3,3 3,3 6,1 6,1 3 6,1 6,1 3	3 3 6,1 6,1 6,1 6,1 6,1 6,1	III III I II III III I I	60 L 60 L 1 L 5 L 60 L 60 L 100 kg 1 L	220 L 220 L 30 L 60 L 220 L 200 kg 30 L
2747. (2557) 2748. (2558) 2749. (2559)	RODENTICIDES, N.S.A.*, liquides RODENTICIDES, N.S.A.*, liquides RODENTICIDES, N.S.A.*, liquides RODENTICIDES, N.S.A.*, solides	1681 1681 1681 1681	6,1 6,1 NR 6,1	102 102 46 93	6,1 3 6,1 6,1	6,1 6,1 6,1 6,1	II III I I	5 L 60 L 5 kg 5 kg	60 L 220 L 50 kg
2750. (2560) 2751. (2561) 2752. (1386) 2753. (2569)	RODENTICIDES, N.S.A.*, solides RODENTICIDES, N.S.A.*, solides Rognures, Copeaux, Tourmures, ou Ébarbures de métaux ferreux, susceptibles de s'enflammer spontanément Rubidium ou Rubidium, métallique, ou Rubidium, en cartouches	1681 1681 2793 1423	6,1 NR 4,2 4,3	102 102 48 46	6,1 6,1 4,2 4,3	6,1 6,1 4,2 4,3	II III III I	25 kg 100 kg 25 kg p	100 kg 200 kg 100 kg 15 kg
2754. (332)	Sacs ayant contenu du nitrate de sodium, ou du nitrate de potassium, vides, non lavés	1359	4,1	34 46 48 56 99	4,1	4,1	III	p	100 kg
2755. (1867) 2756. (2049) 2757. (1760) 2758. (1707) 2759. (1552) 2760. (2574)	Salicylate de mercure, ou Salicylate mercurique Salicylate de nicotine Scories de magnésium, humides ou chaudes Scories de plomb (contenant au moins 3 pour cent d'acide libre) Sélénate d'hydrazine Sélénates ou Sélénites	1644 1657 1794 2630	6,1 6,1 9,1 6,1	102 47 55 46 56 99	6,1 6,1 8 6,1	6,1 6,1 — 6,1	II II — I	25 kg 25 kg — 5 kg	100 kg 100 kg — 50 kg

2761. (2682)	Sélénite de sodium	2630	6.1 9.2	56	6.1	6.1	II	25 kg	100 kg
2762. (2576)	Sélérites, voir Séléniates								
2763. (2582)	Sélénium, en poudre	2658	NR		6.1	6.1	III	100 kg	200 kg
2764. (1580)	Séléniure d'hydrogène, anhydre	2202	2.3 2.1	46 48 52 56 88 99 102	2.3 2.1 6.1	2 3 6.1	X	P	P
2765. (1897)	Sesquibromure de méthyl aluminium, voir Halogénures d'aluminium-alkyles								
2766. (1898)	Sesquichlorure de méthyl aluminium, voir Halogénures d'aluminium-alkyles								
2767. (2355)	Sesquisulfure de phosphore, ne contenant ni phosphore jaune, ni phosphore blanc	1341	4.1	46 56 83 90	4.1	4.1	II	P	50 kg
2768. (1219)	SICCATIFS POUR PEINTURES ou VERNIS, LIQUIDES, N.S.A., point d'éclair inférieur à 23°C	1168	3.2		3.2	3	II	5 L	60 L
2769. (1220)	SICCATIFS POUR PEINTURES ou VERNIS, LIQUIDES, N.S.A., point d'éclair inférieur à 23°C	1168	3.2		-	3	III	60 L	220 L
2770. (1221)	SICCATIFS POUR PEINTURES ou VERNIS, LIQUIDES, N.S.A., point d'éclair inférieur à 37.8°C	1168	3.3		3.3	3	II	5 L	60 L
2771. (1222)	SICCATIFS POUR PEINTURES ou VERNIS, LIQUIDES, N.S.A., point d'éclair inférieur à 37.8°C	1168	3.3		-	3	III	60 L	220 L
2772. (1223)	Siccatis pour peintures ou vernis, liquides, n.s.a., point d'éclair supérieur ou égal à 37.8°C mais inférieur à 61°C	1168	NR		-	3	III	60 L	220 L
2773. (1224)	Siccatis pour peintures ou vernis, solides, n.s.a.	1371	4.1		4.1	4.1	III	25 kg	100 kg
2774. (2588)	Silane	2203	2.3 2.1	46 48 56 99 102	2.1 3	2 3	X	P	P
2775. (1352)	Silicate d'éthyle, voir Silicate de tétraéthyle	1292	3.3	81	3.3	3	II	5 L	60 L
2776. (2771)	Silicate de tétraéthyle ou Silicate d'éthyle	1346	4.1		4.1	4.1	III	25 kg	100 kg
2777. (2589)	Silicium, en poudre, amorphe	1405	4.3	48	4.3	4.3	II	15 kg	50 kg
2778. (598)	Siliciure de calcium	2624	4.3	56	4.3	4.3	II	15 kg	50 kg
2779. (1771)	Siliciure de magnésium	1398	4.3		4.3	4.3	III	25 kg	100 kg
2780. (158)	Silico-aluminium, en poudre, non enrobé	1406	4.3	48	4.3	4.3	III	25 kg	100 kg
2781. (599)	Silico-calcium	1417	4.3	46 48 56 90	4.3	4.3	II	P	50 kg
2782. (1749)	Silico-lithium								

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2783. (588)	Silico-manganese-calcium	2844	4.3	4.3	4.3	III	25 kg	100 kg
2784. (217)	Silicofluorure d'ammonium, voir Fluorosilicate d'ammonium							
2785. (311)	Silicofluorure de zinc, voir Fluorosilicate de zinc							
2786. (2602)	Sisal, voir Fibres, sèches							
2787. (2605)	Sodium ou Sodium, métallique	1428	4.3 9.2	4.3	4.3	II	p	50 kg
2788. (2609)	Sodium, amalgame de	1424	4.3	4.3	4.3	I	p	15 kg
2789. (2658)	Sodium métallique voir Sodium							
2790. (2660)	Sodium métallique, alliage liquide de	1421	4.3 9.2	—	—	II	—	—
2791. (2659)	Sodium métallique, en dispersion dans des liquides organiques	1429	4.3 9.2	4.3	4.3	I	p	15 kg
2792. (2661)	Sodium et potassium, alliages de, voir Potassium et sodium, alliages de							
2793. (809)	SOLIDES CORROSIFS, N.S.A.*	1759	8	8	8	I	1 kg	25 kg
2794. (810)	SOLIDES CORROSIFS, N.S.A.*	1759	8	8	8	II	15 kg	50 kg
2795. (811)	SOLIDES CORROSIFS, N.S.A.*	1759	8	8	8	III	25 kg	100 kg
2796. (807)	SOLIDES CORROSIFS, INFLAMMABLES, N.S.A.*	2921	8	8	8	I	1 kg	25 kg
2797. (808)	SOLIDES CORROSIFS, INFLAMMABLES, N.S.A.*	2921	8	8	8	II	15 kg	50 kg
2798. (812)	SOLIDES CORROSIFS, TOXIQUES, N.S.A.*	2923	8	8	8	I	1 kg	25 kg
2799. (813)	SOLIDES CORROSIFS, TOXIQUES, N.S.A.*	2923	8	8	8	II	5 kg	50 kg
2800. (814)	SOLIDES CORROSIFS, TOXIQUES, N.S.A.*	2923	8	8	8	III	25 kg	100 kg
2801. (1425)	Solides inflammables, n.s.a.*	1325	4.1	4.1	4.1	II	15 kg	50 kg
2802. (1424)	Solides inflammables, corrosifs, n.s.a.*	2925	4.1 8	4.1 8	4.1 8	I	1 kg	15 kg
2803. (1426)	Solides inflammables, toxiques, n.s.a.*	2926	4.1 6.1	4.1 6.1	4.1 6.1	I	1 kg	15 kg

		2846	4.2	46 48 89	4.2	4.2	I	P	P
2804. (2484)	Solides pyrophoriques, n.s.a.*								
2805. (2396)	SOLIDES TOXIQUES, N.S.A.*	2811	6.1	102 46 93	6.1	6.1	I	5 kg	50 kg
2806. (2397)	SOLIDES TOXIQUES, N.S.A.*	2811	6.1	102	6.1	6.1	II	25 kg	100 kg
2807. (2398)	SOLIDES TOXIQUES, N.S.A.*	2811	NR		6.1	6.1	III	100 kg	200 kg
2808. (2392)	SOLIDES TOXIQUES, CORROSIFS, N.S.A.*	2928	6.1	46 93	6.1	6.1	I	1 kg	25 kg
2809. (2393)	SOLIDES TOXIQUES, CORROSIFS, N.S.A.*	2928	6.1	8	6.1	6.1	II	15 kg	50 kg
2810. (2394)	SOLIDES TOXIQUES, INFLAMMABLES, N.S.A.*	2930	6.1	46	6.1	6.1	I	1 kg	15 kg
2811. (2395)	SOLIDES TOXIQUES, INFLAMMABLES, N.S.A.*	2930	6.1	93	6.1	6.1	II	15 kg	50 kg
2812. (762)	SOLUTIONS DE REVÊTEMENT, point d'éclair inférieur à 23°C	1139	3.2	4.1	4.1	4.1	II	5 L	60 L
2813. (763)	SOLUTIONS DE REVÊTEMENT, point d'éclair inférieur à 23°C	1139	3.2		3.2	3	III	60 L	220 L
2814. (764)	SOLUTIONS DE REVÊTEMENT, point d'éclair inférieur à 61°C	1139	3.3	81	3.3	3	II	5 L	60 L
2815. (765)	SOLUTIONS DE REVÊTEMENT, point d'éclair inférieur à 61°C	1139	3.3	81	—	3	III	60 L	220 L
2816. (2014)	Solvant-naphta	1256	3.2		3.2	3	II	5 L	60 L
2817. (2015)	Solvant-naphta	1256	—		—	3	III	60 L	220 L
2818. (644)	Soude caustique, voir Hydroxyde de sodium	1350	NR		4.1	4.1	III	25 kg	100 kg
2819. (2723)	Soufre	2448	NR	73	4.1	—	III	—	—
2820. (2724)	Soufre, fondu		—	47	—	—	—	—	—
2821. (2722)	Soufre et chlorate, en mélanges pulvérisés	2025	6.1	55	—	—	II	—	—
2822. (1822)	Sous-sulfate de mercure	2811	9.2	55	—	—	III	—	—
2823. (1717)	Stéarate de plomb	2676	2.3	46	2.3	2	X	P	P
2824. (2691)	Stibine		2.1	48 56 88 99	2.1	6.1 3			
2825. (2692)	Strontium, alliages de	1434	4.3	102 48 99	4.3	4.3	II	15 kg	50 kg
2826. (2700)	Strychnine	1692	6.1	46 56 89	6.1	6.1	I	P	50 kg
2827. (2701)	Strychnine, en mélanges	1692	6.1	90	—	—	II	—	—
2828. (2702)	Strychnine, en mélanges	1692	9.2	46 55 56	—	—	III	—	—

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2829. (2704)	Strychnine, sel de, en mélanges	1692	6.1 9.2	46 55 56		II		
2830. (2705)	Strychnine, sel de, en mélanges	1692	9.2	102		III		
2831. (2703)	Strychnine, sels de	1692	6.1 9.2	46 56 46 89 90 102 47	6.1	I	p	50 kg
2832. (1718)	Styphnate de plomb, (sec)							
2833. (2706)	Styrène monomère, stabilisé	2055	3.3 9.2	81 84	3.3	II	5 L	60 L
2834. (2145)	Substances huilées, ou Vêtements huilés, ou Papier huilé, (produit fabriqué, correctement séché afin de prévenir un échauffement spontané)	9053	9.1	37 48 49		III		
2835. (2707)	Substances qui, au contact de l'eau, émettent des gaz inflammables, n.s.a.*	2813	4.3	100	4.3	II	p	15 kg
2836. (769)	Sulfamate cobalteux	9105	9.2	49		III		
2837. (218)	Sulfamate d'ammonium	9089	9.2	49		III		
2838. (746)	Sulfate chromique	9100	9.2	49		III		
2839. (844)	Sulfate cuivrique	9109	9.2	49		II		
2840. (845)	Sulfate cuivrique, ammoniacé	9110	9.2	49		II		
2841. (160)	Sulfate d'aluminium, en solution	1760	8	34		III		
2842. (159)	Sulfate d'aluminium, solide	9078	9.2	55 49		III		
2843. (1055)	Sulfate d'éthyle	1594	6.1	102	6.1	II	5 L	60 L
2844. (1585)	Sulfate d'hydroxylamine	2865	8	56	8	III	25 kg	100 kg
2845. (1128)	Sulfate de méthyle	1595	6.1	46 56 90 99	6.1	I	p	30 L
2846. (2040)	Sulfate de nickel	9141	9.2	102 49		III		
2847. (2030)	Sulfate de nickel ammoniacal	9138	9.2	49		III		
2848. (2051)	Sulfate de nicotine, en solution ou liquide	1658	6.1	102	6.1	II	5 L	60 L

2849. (2050)	Sulfate de nicotine, solide	1658	6.1	102	6.1	6.1	II	25 kg	100 kg
2850. (1719)	Sulfate de plomb, contenant plus de 3 pour cent d'acide libre	1794	8		8	8	II	15 kg	50 kg
2851. (2805)	Sulfate de thallium, solide	1707	9.2	55	—	—	II	—	—
2852. (2826)	Sulfate de titane, en solution contenant 45 pour cent au maximum d'acide sulfurique	1760	8	55	—	—	II	—	—
2853. (2954)	Sulfate de vanadyle	2931	9.2	60	6.1	6.1	II	25 kg	100 kg
2854. (3112)	Sulfate de zinc	9161	9.2	49	—	—	III	—	—
2855. (3124)	Sulfate de zirconium	9163	8	49	—	—	III	—	—
2856. (1387)	Sulfate ferreux	9125	9.2	49	—	—	III	—	—
2857. (1382)	Sulfate ferreux ammoniacal	9122	9.2	49	—	—	III	—	—
2858. (1379)	Sulfate ferrique	9121	9.2	49	—	—	III	—	—
2859. (1831)	Sulfate mercurieux	1628	6.1		6.1	6.1	II	25 kg	100 kg
2860. (1823)	Sulfate mercurique	1645	6.1		6.1	6.1	II	25 kg	100 kg
2861. (2653)	Sulphhydrate de sodium, en solution	2922	9.2	55	—	—	II	—	—
2862. (2652)	Sulphhydrate de sodium, en solution, contenant au moins 25 pour cent d'eau de cristallisation	2949	9.2		8	8	II	15 kg	50 kg
2863. (2651)	Sulphhydrate de sodium, solide, contenant moins de 25 pour cent d'eau de cristallisation	2318	4.2	48	4.2	4.2	II	15 kg	50 kg
2864. (221)	Sulfite d'ammonium	9090	9.2	49	—	—	III	—	—
2865. (220)	Sulfure d'ammonium, en solution	2683	8		8	8	II	1 L	30 L
2866. (269)	Sulfure d'antimoine, solide	1325	4.3	55	—	—	III	—	—
2867. (270)	Sulfure d'antimoine et un chlorate, en mélange	1557	6.1	47	—	—	—	—	—
2868. (306)	Sulfure d'arsenic, solide		9.2	55	6.1	—	II	—	—
2869. (305)	Sulfure d'arsenic et un chlorate, en mélange		—	47	—	—	—	—	—
2870. (629)	Sulfure de carbone, ou Disulfure de carbone	1131	3.1	46	3.1	3	I	P	P
			6.1	56	6.1	6.1			
			9.2	99					
			102						
2871. (640)	Sulfure de carboneyle	2204	2.3	46	2.3	2	X	P	25 kg
			2.1	48	2.1	3			
				52		6.1			
				79					
				99					
				102					
2872. (1180)	Sulfure de dipicryle, humidifié, uniforme, avec au moins 10 pour cent d'eau, en masse	2852	4.1	10	4.1	4.1	I	P	0.5 kg
				46					
				48					
				58					
				99					

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2873. (1056) Sulfure d'hydrogène, liquéfié ou Sulfure d'hydrogène (1581)		2375 1053	3.2 6.1 2.1 6.1 9.2		3.2 6.1 2.1 2.3 6.1	3 6.1 2 3 6.1	II X	1 L p	60 L p
2875. (1129) Sulfure de méthyle		1164	3.1	102 46 56 90 99	3.1	3	I	p	30 L
2876. (1720) Sulfure de plomb 2877. (2443) Sulfure de potassium anhydre, ou Sulfure de potassium, avec moins de 30 pour cent d'eau de cristallisation 2878. (2444) Sulfure de potassium, hydraté, avec au moins 30 pour cent d'eau de cristallisa- tion 2879. (2653) Sulfure de sodium, anhydre ou Sulfure de sodium, contenant moins de 30 pour cent d'eau de cristallisation 2880. (2684) Sulfure de sodium, hydraté, contenant au moins 30 pour cent d'eau 2881. (2445) Superoxyde de potassium 2882. (2685) Superoxyde de sodium		2291 1382 1847 1385 1849 2466 2547	9.2 4.2 8 4.2 8 5.1 5.1	55 46 48 48 46 48 90 99	— 4.2 8 4.2 5.1 5.1	— 4.2 8 4.2 5.1 5.1	— II II II I I	— 15 kg 15 kg 15 kg p p	— 50 kg 50 kg 50 kg 15 kg 15 kg
2883. (2740) 2,4,5-T, voir Acide trichloro-2,4,5 phé- noxyacétique 2884. (267) Tartrate antimoniopotassique 2885. (846) Tartrate cuivrique 2886. (222) Tartrate d'ammonium 2887. (2052) Tartrate de nicotine 2888. (2746) TDE ou Dichloro-1,1 di (p-chlorophé- nyl-2,2) éthane 2889. (2819) TEINTURES MÉDICINALES 2890. (2820) TEINTURES MÉDICINALES 2891. (2838) 2,4,5-TP, voir Acide trichloro-2,4,5 phé- noxypropionique 2892. (2930) Terébenthine		1551 9111 9091 1659 2761 1293 1293 1299	9.2 9.2 9.2 6.1 9.2 3.2 3.3 3.3	49 49 102 46 55 81 81	6.1 — — 6.1 — 3.2 3.3 3.3	6.1 — — 6.1 — 3 3 3	III II III II I II II III	100 kg — — 25 kg — 5 L 5 L 60 L	200 kg — — 100 kg — 60 L 60 L 220 L

2893. (2931)	TÉRÉBENTHINE, SUCCÉDANÉ DE, (point d'ébullition variant entre 14°C et 135°C), point d'éclair inférieur à 23°C	1300	3.2	3.2	3	II	5 L	60 L
2894. (2932)	TÉRÉBENTHINE, SUCCÉDANÉ DE, (point d'ébullition variant entre 14°C et 135°C), point d'éclair inférieur à 23°C	1300	3.2	-	3	III	60 L	220 L
2895. (2933)	TÉRÉBENTHINE, SUCCÉDANÉ DE, (point d'ébullition variant entre 14°C et 135°C), point d'éclair inférieur à 23°C	1300	3.3	3.3	3	II	5 L	60 L
2896. (2934)	TÉRÉBENTHINE, SUCCÉDANÉ DE, (point d'ébullition variant entre 14°C et 135°C), point d'éclair inférieur à 61°C	1300	3.3	-	3	III	60 L	220 L
2897. (2935)	TÉRÉBENTHINE, SUCCÉDANÉ DE, (point d'ébullition variant entre 14°C et 135°C), point d'éclair inférieur à 37.8°C	1300	NR	-	3	III	60 L	220 L
2898. (2752)	Terpinolène	2541	3.3	3.3	3	III	60 L	220 L
2899. (2753)	Tétrazidobenzène quinone	-	-	-	-	-	-	-
2900. (2754)	Tétrabrométhane ou Tétrabromure d'acé- tylène	2504	9.2	6.1	6.1	III	60 L	220 L
2901. (25)	Tétrabromure d'acétylène, voir Tétrabrométhane	2516	NR	6.1	6.1	III	100 kg	200 kg
2902. (637)	Tétrabromure de carbone	1702	6.1	6.1	6.1	II	5 L	60 L
2903. (2755)	Tétrachloréthène	1897	9.2	6.1	6.1	III	60 L	220 L
2904. (2756)	Tétrachloréthylène ou Perchloréthylène	1846	6.1	6.1	6.1	II	5 L	60 L
2905. (638)	Tétrachlorure de carbone, (R10)	-	9.2	-	-	-	-	-
2906. (2821)	Tétrachlorure d'étain, voir Chlorure stan- nique	1818	8	8	8	II	1 L	30 L
2907. (2590)	Tétrachlorure de silicium	1838	8	8	8	II	1 L	30 L
2908. (2827)	Tétrachlorure de titane	2444	8	8	8	I	P	2.5 L
2909. (2951)	Tétrachlorure de vanadium	-	-	46 56 90	2 3	X	P	150 kg
2910. (3126)	Tétrachlorure de zirconium	2503	8	8	8	III	25 kg	100 kg
2911. (2765)	Tétraréthylenepentamine	2320	8	8	8	III	5 L	60 L
2912. (2772)	Tétrafluoréthylène, stabilisé (R1114)	1081	2.1	2.1	2 3	X	P	150 kg
2913. (2773)	Tétrafluorhydrazine	-	-	2.3	-	X	-	-
2914. (2774)	Tétrafluorométhane (R14)	1982	2.2	2.2	2	X	75 kg	150 kg
2915. (2591)	Tétrafluorure de silicium	1859	2.3 8	2.3 8	2 6.1 8	X	P	25 kg

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

	Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2916. (2735)	Tétrafluore de soufre	2418	2.3	46 48 56 99 102	2.3	2 6.1	X	P	25 kg
2917. (2775)	Tétrahydro-1,2,3,6 benzaldéhyde	2498	8		3.3	3	III	60 L	220 L
2918. (2776)	Tétrahydrofuranne	2056	3.1	46 56 90 99	3.1	3	II	P	60 L
2919. (2777)	Tétrahydrofurfurylamine	2943	NR	99 73	3.3	3	III	60 L	220 L
2920. (2780)	Tétrahydro-1,2,3,6 pyridine	2410	3.2		3.2	3	II	5 L	60 L
2921. (2781)	Tétrahydrothiophène	2412	3.2		3.2	3	II	5 L	60 L
2922. (2787)	Tétraméthyl méthylènediamine	9069	9.1	49	—	—	III	—	—
2923. (2786)	Tétraméthylène diperoxyde dicarbamide		—	47	—	—	—	—	—
2924. (2788)	Tétraméthylsilane	2749	3.1	46 90 99	3.1	3	I	P	30 L
2925. (1160)	Téranitrate de dinitro-1,4 tétraméthylol-1,1,4,4 butane, (sec)		—	47	—	—	—	—	—
2926. (1782)	Téranitrate de mannitane		—	47	—	—	—	—	—
2927. (1948)	Téranitrate de a-méthyl glucoside		—	47	—	—	—	—	—
2928. (1949)	Trinitrate de a-méthyl glycérol		—	47	—	—	—	—	—
2929. (2227)	Téranitrate de pentaérythrite, (sec)		—	47	—	—	—	—	—
2930. (2789)	Téranitrodiglycérine		—	47	—	—	—	—	—
2931. (2790)	Téranitrométhane	1510	5.1	46 48 56 99 102	5.1	5.1	I	P	P
2932. (2791)	Téranitro-2,3,4,6 phénol		—	47	—	—	—	—	—
2933. (2792)	Téranitro-2,3,4,6 phényl méthylnitramine		—	47	—	—	—	—	—
2934. (2793)	Téranitro-2,3,4,6 phénylnitramine		—	47	—	—	—	—	—
2935. (2794)	Téranitrosoreinol, (sec)		—	47	—	—	—	—	—
2936. (2795)	Téranitroso-2,3,5,6 dinitro-1,4 benzène		—	47	—	—	—	—	—

ANNEXE II—Suite
LISTE II—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
2956. (2806)	Thia-4 pental	2785	NR	73	6.1	III	60 L	220 L
2957. (1099)	Thiochlorophosphate de méthyle	2922	8	99	3	—	—	—
2958. (223)	Thiocyanate d'ammonium	9092	9.2	49	—	—	—	—
2959. (1868)	Thiocyanate de mercure, ou Thiocyanate mercurique.	1646	6.1	6.1	6.1	II	25 kg	100 kg
2960. (1824)	Thiocyanate mercurique voir Thiocyanate de mercure	—	9.2	—	—	—	—	—
2961. (1721)	Thiocyanate de plomb	2291	9.2	55	—	III	—	—
2962. (2326)	Thiodichlorophényl-phosphine, ou Thiodichlorure de benzène phosphoreux	2799	8	46	8	II	P	30 L
2963. (369)	Thiodichlorure de benzène phosphoreux, voir Thiodichlorophénylphosphine	—	—	90	—	—	—	—
2964. (2808)	Thioglycol	2966	6.1	6.1	6.1	II	5 L	60 L
2965. (2812)	Thiophène	2414	3.2	3.2	3	II	5 L	60 L
2966. (2813)	Thiophosgène	2474	6.1	46	6.1	II	P	60 L
—	—	—	—	56	—	—	—	—
—	—	—	—	90	—	—	—	—
—	—	—	—	102	—	—	—	—
2967. (224)	Thiosulfate d'ammonium	9093	9.2	49	—	III	—	—
2968. (2815)	Thio-urée	2877	NR	6.1	6.1	III	100 kg	200 kg
2969. (2816)	Thirame	2771	9.2	55	—	III	—	—
2970. (2817)	Thorium métallique, pyrophorique	2975	7	47	7	—	—	—
—	—	—	4.2	—	4.2	—	—	—
—	—	—	E	—	—	—	—	—
2971. (1370)	Tissus, voir Fibres	—	—	—	—	—	—	—
2972. (2824)	Titane en poudre, mouillé, avec au moins 25 pour cent d'eau (un excès d'eau doit être apparent) (a) Produit mécaniquement, dimensions des particules inférieures à 53 micromètres; (b) Produit chimiquement, dimensions des particules inférieures à 840 micromètres	1352	4.1	46	4.1	II	P	50 kg
—	—	—	—	48	—	—	—	—
—	—	—	—	56	—	—	—	—
—	—	—	—	90	—	—	—	—
—	—	—	—	99	—	—	—	—
2973. (2823)	Titane, en poudre, sec (a) Produit mécaniquement, dimensions des particules comprises entre 3 et 53 micromètres; (b) Produit chimiquement, dimensions des particules comprises entre 10 et 840 micromètres	2546	4.2	46	4.2	II	P	50 kg
—	—	—	—	48	—	—	—	—
—	—	—	—	56	—	—	—	—
—	—	—	—	64	—	—	—	—
—	—	—	—	90	—	—	—	—
—	—	—	—	99	—	—	—	—
2974. (2825)	Titane spongieux, en grains, ou Titane spongieux, en poudre	2878	4.1	46	4.1	III	25 kg	100 kg
2975. (64)	Toboggans d'évacuation d'aéronefs, voir Radeaux de sauvetage, gonflables	—	—	99	—	—	—	—

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
3003. (274)	Trichlorure d'antimoine, en solution	1733	8	8	8	II	1 L	30 L
3004. (273)	Trichlorure d'antimoine, solide	1733	9.2	8	8	II	15 kg	50 kg
3005. (307)	Trichlorure d'arsenic, ou Chlorure d'arsenic	1560	9.2	6.1	6.1	I	1 L	30 L
3006. (2095)	Trichlorure d'azote	—	—	—	—	—	—	—
3007. (436)	Trichlorure de bore	1741	2.3	2.2	2	X	p	p
		8	8	8	8			
3008. (2357)	Trichlorure de phosphore	1809	8	8	8	II	p	30 L
3009. (2828)	Trichlorure de titane, en mélanges	2869	8	8	8	II	15 kg	50 kg
3010. (2829)	Trichlorure de titane, pyrophorique, ou Trichlorure de titane, en mélanges pyrophoriques	2441	4.2	4.2	4.2	II	15 kg	50 kg
		8	8	8	8			
3011. (2952)	Trichlorure de vanadium	2475	8	8	8	III	25 kg	100 kg
3012. (2875)	Triéthylamine	1296	3.2	3.2	3	II	5 L	60 L
3013. (2876)	Triéthylène phosphoramide voir Oxyde de tri-(aziridinyl-1), phosphine, en solution	2259	8	8	8	II	1 L	30 L
3014. (2877)	Triéthylène tétramine	2035	2.1	2.1	2	X	p	150 kg
3015. (2881)	Trifluoréthane, comprimé (R143a)	1082	2.1	2.1	2	X	p	150 kg
3016. (2880)	Trifluorochloréthylène, stabilisé	—	—	—	—	—	—	—
		102	102	102	102			
3017. (2882)	Trifluorométhane (R23)	1984	2.2	2.2	2	X	75 kg	150 kg
3018. (2883)	Trifluorométhyl-2 aniline	2942	NR	6.1	6.1	III	60 L	220 L
3019. (2884)	Trifluorométhyl-3 aniline	2948	6.1	6.1	6.1	II	5 L	60 L
3020. (276)	Trifluorure d'antimoine, en solution	1549	8	—	—	II	—	—
3021. (275)	Trifluorure d'antimoine, solide	1549	9.2	—	—	II	—	—
3022. (2096)	Trifluorure d'azote	2451	2.3	2.3	2	X	p	25 kg
					6.1			

3023. (391)	Trifluorure de benzyle	2338	3.2		3.2	3	II	5 L	60 L
3024. (431)	Trifluorure de bore	1008	2.3 8	46 52 56 79 88 99 102	2.3	2 6.1	X	P	P
3025. (434)	Trifluorure de bore dihydrate	2851	8		8	8	II	15 kg	50 kg
3026. (432)	Trifluorure de bore et acide acétique, combinaison de	1742	8		8	8	II	1 L	30 L
3027. (436)	Trifluorure de bore et acide propionique, combinaison de	1743	8		8	8	II	1 L	30 L
3028. (446)	Trifluorure de bore	1746	5.1 6.1 8	46 56 99 102	5.1 6.1 8	5.1 6.1 8	I	P	P
3029. (669)	Trifluorure de chlore	1749	2.3 5.1 8	102 46 48 52 56 88 99 102 47	2.3 5.1 8	2 5.1 6.1 8	X	P	P
3030. (2358)	Trifluorure de phosphore								
3031. (682)	Trifluorures de chlorobenzylidène	2234	NR	73	3.3	3	III	60 L	220 L
3032. (1639)	Trifluorures d'isocyanotobenzyle	2285	6.1		6.1	6.1	II	5 L	60 L
3033. (2074)	Trifluorures de nitrobenzyle	2306	6.1	56	6.1	6.1	II	5 L	60 L
3034. (2097)	Triiodure d'azote		-	47					
3035. (2098)	Triiodure d'azote monoamine			47					
3036. (2887)	Triisobutylène	2324	3.3	81	3.3	3	II	5 L	60 L
3037. (2888)	Trisocyanato-isocyanurate de diisocyanate d'isophtorone, en solution (à 70 pour cent, en masse)	2906	NR	73	3.3	3	III	60 L	220 L
3038. (2895)	Triméthyl-1,3,5 benzène	2325	NR	73	3.3	3	III	60 L	220 L
3039. (539)	Triméthyl-3,5,5 peroxyhexanoate de tert-butyle, techniquement pur	2104	5.2	48 56 83 99	5.2	5.2	II	5 L	10 L
3040. (2892)	Triméthylamine, anhydre	1083	2.1 9.2	46 56 99	2.1	2 3	X	P	150 kg
3041. (2893)	TRIMÉTHYLAMINE, EN SOLU- TIONS AQUEUSES, contenant au max- imum 50 pour cent de triméthylamine, en masse	1297	3.2 9.2	102 71	3.2	3	II	5 L	60 L
3042. (2894)	TRIMÉTHYLAMINE, EN SOLU- TIONS AQUEUSES, contenant au max- imum 50 pour cent de triméthylamine, en masse	1297	3.2 9.2	71	3.2	3	III	60 L	220 L

ANNEXE II—Suite

LISTE II—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
3043. (2897)	1298	3,2 8	46	3,2 8	3	I	p	2,5 L
3044. (2898)								
3045. (1163)	2326	8	90	8	8	III	5 L	60 L
3046. (2899)								
3047. (2903)	2327	8	47	8	8	III	5 L	60 L
3048. (2908)	9073	4,1	10 40 48 58	—	—	II	—	—
3049. (476)								
3050. (1469)			47	—	—	—	—	—
3051. (1603)			47	—	—	—	—	—
3052. (1479)			47	—	—	—	—	—
3053. (1480)			47	—	—	—	—	—
3054. (2106)			47	—	—	—	—	—
3055. (2885)			47	—	—	—	—	—
3056. (1987)			47	—	—	—	—	—
3057. (2905)			47	—	—	—	—	—
3058. (2919)			47	—	—	—	—	—
3059. (2913)			47	—	—	—	—	—
3060. (2918)			47	—	—	—	—	—
3061. (2917)			47	—	—	—	—	—
3062. (2909)			47	—	—	—	—	—
3063. (2906)			47	—	—	—	—	—
3064. (2914)	1354	4,1	10 46 48 58 99 100	4,1	4,1	I	0,5 kg	0,5 kg

ANNEXE II—Suite
LISTE II—Suite
MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I		Col. II	Col. III	Col. IV	Col. V	Col. VI	Col. VII	Col. VIII	Col. IX
3085. (2936)	Undécane	2330	NR	73	3,3	3	III	60 L	220 L
3086. (2939)	Uranium métallique, pyrophorique	2979	7	47	—	7	—	—	—
3087. (2943)	Urée-eau oxygénée	1511	4,2 5,1	48	5,1	4,2 5,1	III	25 kg	100 kg
3088. (2945)	Valéraldéhyde	2058	3,2	—	3,2	3	II	5 L	60 L
3089. (496)	Valérate de bis-(tert-butylperoxy)-4,4 n-butyle, à 52 pour cent au maximum, avec un solide inerte	2141	5,2	48 56 83	5,2	5,2	II	5 kg	10 kg
3090. (497)	Valérate de bis-(tert-butylperoxy)-4,4 n-butyle, <i>techniquement pur</i>	2140	5,2	48 56 83 99	5,2	5,2	II	5 L	10 L
3091. (2611)	Vanadate d'ammonium-sodium	2863	6,1	—	6,1	6,1	II	25 kg	100 kg
3092. (2955)	Véhicules auto-moteurs, <i>voir aussi</i>	—	9,1	96	—	—	—	—	—
3093. (2004)	Chaises roulantes, à moteur électrique	—	—	100	—	—	—	—	—
3094. (2967)	Véhicules motorisés, <i>voir</i> Véhicules auto-moteurs	—	—	—	—	—	—	—	—
3095. (2968)	Vinyl toluène, stabilisé, <i>isomères en mélange</i>	2618	3,3	81 84	3,3	3	III	60 L	220 L
3096. (3077)	Vinyltrichlorosilane, stabilisé	1305	3,2 8	46 56 84	3,2 8	3 8	I	p	2,5 L
3097. (3078)	Xénon	2036	2,2	90	2,2	2	X	75 kg	150 kg
3098. (3079)	Xénon, liquide réfrigéré	2591	2,2	46 56	2,2	2	X	50 kg	500 kg
3099. (3080)	XYLÈNES	1307	3,2 9,2	—	3,2	3	II	5 L	60 L
3100. (3081)	XYLÈNES	1307	3,3 9,2	81	3,3	3	II	5 L	60 L
3101. (3082)	XYLÈNES	1307	3,3 9,2	81	—	3	III	60 L	220 L
3102. (3083)	Xylénols	2261	6,1 9,2	102	6,1	6,1	II	25 kg	100 kg
3103. (3090)	Xylidines	1711	6,1	102	6,1	6,1	II	5 L	60 L
3104. (3109)	Zinc, cendres de	1435	4,3	48	4,3	4,3	III	25 kg	100 kg
3105. (1058)	Zinc, en poudre ou Zinc, poussière de	1436	4,3 4,2	46 48	4,3	4,3	II	15 kg	50 kg
3106. (1131)	Zinc-diéthyle	1366	4,2	46 99	4,2	4,2	I	p	p
3107. (1131)	Zinc-diméthyle	1370	4,2	46 99	4,2	4,2	I	p	p

3107. (3123)	Zirconium, déchets de	1932	4.2 E	46 56 88	4.2	4.2	III	P	P
3108. (3122)	Zirconium, en poudre, humidifié avec au moins 25 pour cent d'eau (un excès d'eau doit être apparent) (a) <i>Produit mécaniquement: dimensions des particules inférieures à 53 micromètres; (b) Produit chimiquement: dimensions des particules inférieures à 840 micromètres</i>	1358	4.1	46 48 56 83 90 99	4.1	4.1	II	P	50 kg
3109. (3121)	Zirconium, en poudre, sec, produit chimiquement, dimensions des particules inférieures à 10 micromètres		-	47	-	-	-	-	-
3110. (3120)	Zirconium, en poudre, sec, produit mécaniquement, dimensions des particules inférieures à 3 micromètres		-	47	-	-	-	-	-
3111. (3119)	Zirconium, en poudre, sec (a) <i>Produit mécaniquement: dimensions des particules comprises entre 3 et 53 micromètres; (b) Produit chimiquement: dimensions des particules comprises entre 10 et 840 micromètres</i>	2008	4.2	46 48 56 64 83 90 99	4.2	4.2	II	P	50 kg
3112. (3125)	Zirconium, en suspension dans un liquide, (non réactif)	1308	3.1	46 48 56 90 99	3.1	3	II	P	60 L
3113. (3114)	Zirconium, sec, en feuilles, rubans ou fils enroulés (épaisseur inférieure à 18 micromètres)	2009	4.2	48 99	4.2	4.2	III	25 kg	100 kg
3114. (3113)	Zirconium, sec, en feuilles, rubans ou fils enroulés (épaisseur égale ou supérieure à 18 micromètres mais inférieure à 254 micromètres)	2858	4.1	48	4.1	4.1	III	25 kg	100 kg

SCHEDULE III

(s. 2.1, 3.1, 4.1, 5.1, 6.1, 7.1, 8.1)

SPECIAL PROVISIONS

Where a special provision number appears in Column IV of an item of a List, the dangerous goods described in that item shall be handled, offered for transport or transported subject to the requirements in the special provision set out in the corresponding number in this Schedule.

1. The consignor shall add the name of the particular alkali metal in the product or substance in parentheses following the shipping name.

2. No person shall offer for transport or transport this substance by ship or by rail.

3. No person shall offer for transport or transport this substance on a container car, a freight container, a flat car or in a gondola car when it is packaged in metal containers.

4. Where these explosives contain chlorates, they shall be segregated from explosives containing ammonium nitrate or any other ammonium salt.

5. No person shall offer for transport or transport these fireworks on a passenger ship if the passengers are unberthed passengers.

6. No person shall offer for transport or transport dry mixtures of hexolites with more than 80 per cent RDX.

7. No person shall offer for transport or transport this substance or article by ship.

8. The consignor shall add, in parentheses and following the shipping name, the technical name of the particular metal salt in the product or substance.

9. The consignor may classify spirits of nitroglycerin of not more than 5 per cent concentration as specified in List II of Schedule II for the item "Nitroglycerin solution in alcohol", product identification number 1204, if

(a) the inner packaging for the liquid is a metal can the capacity of which is not greater than 1 L; and

(b) the can is contained in a wooden box that contains not more than 5 such cans.

10. The consignor may classify this product or substance as Division 1 of Class 4 if

(a) not less than 10 per cent of its mass or not less than the amount specified in the description of this item in List II of Schedule II, whichever is greater, is water;

(b) in the case of nitrocellulose, product identification number 2556, its mass comprises not less than 10 per cent alcohol;

(c) it is contained in an outer packaging with a capacity not greater than 500 g;

(d) it is not capable of

ANNEXE III

(art. 2.1, 3.1, 4.1, 5.1, 6.1, 7.1, 8.1)

DISPOSITIONS PARTICULIÈRES

La manutention, la demande de transport ou le transport d'une marchandise dangereuse mentionnée à la colonne I d'une liste, pour laquelle un numéro est indiqué à la colonne IV de la liste, sont soumis à la disposition particulière qui correspond à ce numéro.

1. L'expéditeur doit ajouter à l'appellation réglementaire le nom du métal alcalin, entre parenthèse, que contient le produit ou la matière.

2. Il est interdit de demander de transporter ou de transporter cette matière par navire ou par rail.

3. Il est interdit de demander de transporter ou de transporter cette matière à bord d'un wagon porte-conteneur, d'un conteneur de fret, d'un wagon plat ou d'un wagon-tombereau, lorsqu'elle est emballée dans un conteneur métallique.

4. Si ces explosifs contiennent des chlorates, ils doivent être séparés des explosifs qui contiennent du nitrate d'ammonium ou tout autre sel d'ammonium.

5. Il est interdit de demander de transporter ou de transporter ces objets pyrotechniques à bord d'un navire à passagers transportant des passagers de pont.

6. Il est interdit de demander de transporter ou de transporter des mélanges secs d'hexolites contenant plus de 80 pour cent de RDX.

7. Il est interdit de demander de transporter ou de transporter ces matières ou objets par navire.

8. L'expéditeur doit ajouter à l'appellation réglementaire l'appellation technique, entre parenthèse, du sel métallique que contient le produit ou la matière.

9. L'expéditeur peut classer la nitroglycérine contenue dans une solution alcoolique en une concentration non supérieure à 5 pour cent, de la façon indiquée à la liste II de l'annexe II à l'article désigné «Nitroglycérine, en solution alcoolique» (numéro d'identification du produit 1204), si

a) l'emballage intérieur est une boîte métallique d'une capacité maximale de 1 L; et

b) l'emballage extérieur est une caisse en bois qui contient au plus cinq boîtes du genre visé à l'alinéa a).

10. L'expéditeur peut classer cette matière ou ce produit dans la division 1 de la classe 4, si

a) la matière ou le produit contient de l'eau en une quantité au moins égale à 10 pour cent de sa masse ou à la quantité indiquée dans sa description à la liste II de l'annexe II, la plus élevée de ces valeurs étant à retenir;

b) dans le cas de la nitrocellulose (numéro d'identification du produit 2556), celle-ci contient au moins 10 pour cent d'alcool, en masse;

c) la matière ou le produit est contenu dans un emballage extérieur dont la capacité n'est pas supérieure à 500 g;

d) la matière ou le produit ne peut pas

- (i) being detonated by means of a No. 8 test blasting cap described in the UN Recommendations, at any temperature between 24°C and 27°C, or
- (ii) mass detonation through action of a booster; and
- (e) the packaging can reasonably be expected to maintain the quantity of water or alcohol referred to in paragraph (a) or (b) under normal conditions of transport.

11. Notwithstanding the entry for this product or substance in Column V of List I of Schedule II, no person shall offer for transport or transport these goods by aircraft, except on an aircraft having a maximum take-off weight of 5 670 kg or less, unless

- (a) the flight is entirely within Canada;
- (b) other means of transportation are inappropriate;
- (c) the net quantity of the goods is not greater than 75 kg;
- (d) the goods are accompanied by a person, other than a member of the crew, who is the owner of the goods or his agent; and
- (e) no passenger is carried on the aircraft.

12. No person shall offer for transport or transport this product or substance unless the consignor has marked the outer packaging or the small container that contains this product or substance with the words "sample for laboratory examination" or "échantillon pour fins d'épreuves" in letters at least 10 mm high.

13. No person shall offer for transport or transport samples of new explosives except in accordance with the *Explosives Act*.

14. No person shall offer for transport or transport these goods unless they contain at least 20 per cent water or alcohol by mass.

15. The consignor may classify the product or substance as Division 1 of Class 4 if

- (a) not less than 10 per cent of its mass or not less than the amount specified in the description of this item in List II of Schedule II, whichever is greater, is water;
- (b) the product or substance is contained in an outer packaging with a capacity not greater than 11.5 kg;
- (c) the product or substance is not capable of
 - (i) being detonated by means of a No. 8 test blasting cap described in the UN Recommendations, at any temperature between 24°C and 27°C, or
 - (ii) mass detonation through the action of a booster; and
- (d) the packaging can reasonably be expected to maintain the quantity of water specified in paragraph (a) under normal conditions of transport.

16. No person shall transport electric detonators within Canada on an aircraft that is carrying other explosives unless the detonators are contained in a detonator transportation container designed for the transportation of detonators.

- (i) à une température comprise entre 24°C et 27°C, être détonés au moyen d'une amorce d'essai n° 8 décrite dans les Recommandations de l'ONU, ni

(ii) détoner en masse sous l'action d'un renforçateur; et
 e) l'emballage est tel que l'on peut raisonnablement s'attendre à ce que, dans des conditions normales de transport, la quantité d'eau ou d'alcool mentionnée à l'alinéa a) ou b) demeure constante pendant la durée du transport.

11. Nonobstant l'inscription à la colonne V de la liste I de l'annexe II, il est interdit de demander de transporter ou de transporter ces marchandises à bord d'un aéronef, sauf un aéronef dont le poids maximal au décollage est égal ou inférieur à 5 670 kg, sauf si

- a) le vol est effectué entièrement au Canada;
- b) aucun autre moyen de transport ne convient;
- c) la quantité nette de marchandises n'est pas supérieure à 75 kg;
- d) les marchandises sont accompagnées par le propriétaire ou son mandataire, dont ni l'un ni l'autre n'est membre de l'équipage; et
- e) aucun passager n'est transporté à bord de l'aéronef.

12. Il est interdit de demander de transporter ou de transporter ce produit ou cette matière, à moins que l'expéditeur n'ait porté sur l'emballage extérieur ou sur le petit conteneur, en lettres d'au moins 10 mm de hauteur, la mention «échantillon pour fins d'épreuves» ou «sample for laboratory examination».

13. Il est interdit de demander de transporter ou de transporter des échantillons de nouveaux explosifs, autrement qu'en conformité avec la *Loi sur les explosifs*.

14. Il est interdit de demander de transporter ou de transporter ces marchandises, à moins qu'elles ne contiennent une quantité d'eau ou d'alcool égale ou supérieure à 20 pour cent de leur masse.

15. L'expéditeur peut classer cette matière ou ce produit dans la division 1 de la classe 4, si

- a) la matière ou le produit contient de l'eau, en une quantité au moins égale à 10 pour cent de sa masse ou à la quantité indiquée dans sa description à la liste II de l'annexe II, la plus élevée de ces valeurs étant à retenir;
- b) la matière ou le produit est contenu dans un emballage extérieur dont la capacité n'est pas supérieure à 11,5 kg;
- c) la matière ou le produit ne peut pas
 - (i) à une température comprise entre 24°C et 27°C, être détoné au moyen d'une amorce d'essai n° 8 décrite dans les Recommandations de l'ONU, ni
 - (ii) détoner en masse sous l'action d'un renforçateur; et
- d) l'emballage est tel que l'on peut raisonnablement s'attendre, dans des conditions normales de transport, que la quantité d'eau mentionnée à l'alinéa a) demeure constante pendant la durée du transport.

16. Il est interdit de transporter au Canada à bord du même aéronef des détonateurs électriques et d'autres explosifs, à moins que les détonateurs ne soient contenus dans un conteneur conçu pour le transport des détonateurs.

17. The consignor may add the words "blasting agent" or "explosif de sautage" in parentheses following the shipping name when the product or substance is in a transborder consignment if those words are no more prominent than the words in the shipping name.

18. The consignor shall add the technical name of the product or substance in parentheses following the shipping name.

19. Notwithstanding the entry for this product or substance in column V of List I of Schedule II, no person shall offer for transport or transport these goods by aircraft, except on an aircraft having a maximum take-off weight of 5 670 kg or less, unless

- (a) the flight is entirely within Canada;
- (b) other means of transportation are inappropriate;
- (c) the net quantity of the goods is not greater than 100 units;
- (d) the goods are accompanied by a person, other than a member of the crew, who is the owner of the goods or his agent; and
- (e) no passenger is carried on the aircraft.

20. No person shall offer for transport or transport octolites in a dry mixture with more than 80 per cent by mass of octogen.

21. Notwithstanding the entry for this product or substance in Column V of List I of Schedule II, no person shall offer for transport or transport these goods by aircraft, except on an aircraft having a maximum take-off weight of 5 670 kg or less, unless

- (a) the flight is entirely within Canada;
- (b) other means of transportation are inappropriate;
- (c) the net quantity of the goods is not greater than 25 kg;
- (d) the goods are accompanied by a person, other than a member of the crew, who is the owner of the goods or his agent; and
- (e) no passenger is carried on the aircraft.

22. Notwithstanding the entry for this product or substance in Column V of List I of Schedule II, no person shall offer for transport or transport any quantity of these explosives on an aircraft unless

- (a) the flight is entirely within Canada;
- (b) the aircraft is a Class 4 or 7 commercial service aircraft or aircraft registered as a private aircraft;
- (c) no person is carried on the aircraft, other than a member of the flight crew, an authorized Government representative, the owner of the explosives or his agent;
- (d) no other dangerous goods are carried as cargo on the aircraft;
- (e) no more than 1 000 electric detonators or detonator assemblies (Fuse Assemblies), other than detonating relays, are transported on the aircraft and, if any other explosives are being transported, those detonators or detonator assemblies are contained in a detonator transportation container;
- (f) in the case of a consignment of non-electric detonators, no other consignment on that aircraft contains explosives;

17. L'expéditeur d'un envoi transfrontalier peut ajouter à l'appellation réglementaire la mention «explosif de sautage» ou «blasting agent», entre parenthèses, si cette mention n'est pas plus en évidence que l'appellation réglementaire.

18. L'expéditeur doit ajouter à l'appellation réglementaire l'appellation technique du produit ou de la matière, entre parenthèses.

19. Nonobstant l'inscription à la colonne V de la liste I de l'annexe II, il est interdit de demander de transporter ou de transporter ces marchandises à bord d'un aéronef, sauf un aéronef dont le poids maximal au décollage est égal ou inférieur à 5 670 kg, sauf si

- a) le vol est effectué entièrement au Canada;
- b) aucun autre moyen de transport ne convient;
- c) la quantité nette de marchandises n'est pas supérieure à 100 unités;
- d) les marchandises sont accompagnées par le propriétaire ou son mandataire et ni l'un ni l'autre n'est membre de l'équipage; et
- e) aucun passager n'est transporté à bord de l'aéronef.

20. Il est interdit de demander de transporter ou de transporter un mélange sec d'octolites contenant plus de 80 pour cent d'octogène, en masse.

21. Nonobstant l'inscription à la colonne V de la liste I de l'annexe II, il est interdit de demander de transporter ou de transporter ces marchandises à bord d'un aéronef, sauf un aéronef dont le poids maximal au décollage est égal ou inférieur à 5 670 kg, sauf si

- a) le vol est effectué entièrement au Canada;
- b) aucun autre moyen de transport ne convient;
- c) la quantité nette de marchandises n'est pas supérieure à 25 kg;
- d) les marchandises sont accompagnées par le propriétaire ou son mandataire, et ni l'un ni l'autre n'est membre de l'équipage; et
- e) aucun passager n'est transporté à bord de l'aéronef.

22. Nonobstant l'inscription à la colonne V de la liste I de l'annexe II, il est interdit à toute personne de demander de transporter ou de transporter ces explosifs à bord d'un aéronef, sauf si

- a) le vol est effectué entièrement au Canada;
- b) l'aéronef est exploité dans le cadre d'un service aérien commercial des classes 4 ou 7 ou est immatriculé comme aéronef privé;
- c) les seules personnes à bord de l'aéronef sont les membres d'équipage, un fonctionnaire autorisé ou le propriétaire des explosifs ou son mandataire;
- d) aucune autre marchandise dangereuse n'est incluse dans la cargaison à bord de l'aéronef;
- e) il n'y a à bord de l'aéronef pas plus de 1 000 détonateurs ou ensembles de détonateurs et mèches de sûreté, autres que des relais de détonation, qui sont contenus, si d'autres explosifs sont transportés en même temps, dans un conteneur conçu pour le transport des détonateurs;

- (g) explosives are loaded and unloaded in an area remote from any building and as directed by the airport authority;
- (h) that person notifies Air Traffic Services that explosives will be transported;
- (i) that person receives permission to transport the explosives from authorities at the airport of departure and destination and any alternate airports; and
- (j) the pilot avoids, so far as possible, flying over any city, town, village or hamlet, or along a highway.

23. (1) These explosives may be transported within Canada, by road only, in bulk

- (a) in net explosives quantity of more than 100 kg but of not more than 1 000 kg per container if the containers
 - (i) are made of non-metallic materials or of non-sparking metals that are compatible with the explosive, and
 - (ii) are leakproof, securely closed and capable of withstanding normal conditions of transport by road; or
- (b) in a custom-built road tank that is not used for carriage by rail or ship if an Explosives Vehicle Certificate has been issued by the Director General with respect to that road tank.

(2) Bulk containers for road transport of these explosives, which have been authorized before the day of the coming into force of these Regulations by the Chief Inspector of Explosives, may continue in service after that day but where modifications or new designs are proposed, prior notification shall be made to the Director General before such containers are modified or changed.

24. No person shall offer for transport or transport more than 5 000 kg of this substance by road unless an Explosives Vehicle Certificate has been issued to the person

- (a) authorizing the transport of not more than 20 000 kg of this substance; and
- (b) specifying isolated highways on which this substance shall be transported.

25. No person shall transport more than 1 016 kg of distress signals on a passenger ship at one time.

26. No person shall transport more than 9 kg total net mass of these products or substances on a passenger ship at one time.

27. No person shall transport this substance if it is more sensitive than a substance that has the product identification number 0150 in List I of Schedule II.

28. The consignor shall ensure that the detonating fuse incorporates protective features so that the fuse is unlikely to be detonated during normal conditions of transport.

29. A consignor may classify nitrocellulose if

- f) dans le cas d'un envoi de détonateurs non électriques, l'aéronef ne transporte aucun autre envoi contenant des explosifs;
- g) les explosifs sont chargés et déchargés dans un endroit éloigné de tout bâtiment, conformément aux directives des responsables de l'aéroport;
- h) la personne avise le service de la circulation aérienne que des explosifs seront transportés;
- i) la personne obtient des responsables de l'aéroport de départ, de l'aéroport de destination et de tout aéroport intermédiaire la permission de transporter ces explosifs; et
- j) le pilote évite, dans la mesure du possible, de voler au-dessus des agglomérations d'habitations ou des routes principales.

23. (1) Il est permis de transporter ces explosifs en vrac à l'intérieur du Canada, uniquement par route,

- a) dans des conteneurs renfermant chacun une quantité nette d'explosifs supérieure à 100 kg mais n'excédant 1 000 kg, si ces conteneurs
 - (i) sont fabriqués d'un matériau non métallique ou d'un métal qui ne produit pas d'étincelles, qui sont compatibles avec les explosifs, et
 - (ii) sont étanches, hermétiquement fermés et capables de supporter les conditions normales du transport routier; ou
- b) dans une citerne routière fabriquée spécialement pour le transport de ces explosifs et qui n'est pas transportée à bord d'un wagon ou d'un navire, si le Directeur général a délivré pour cette citerne un certificat de véhicule d'explosifs.

(2) Les conteneurs de vrac servant au transport routier de ces explosifs, qui ont été autorisés par l'inspecteur en chef des explosifs avant la date d'entrée en vigueur du présent règlement, peuvent continuer d'être utilisés après cette date; cependant, si des changements de structure ou de conception sont prévus pour ces conteneurs, le Directeur général doit en être avisé avant qu'ils soient effectués.

24. Il est interdit à quiconque de demander de transporter ou de transporter par route plus de 5 000 kg de cette matière, à moins d'être titulaire d'un certificat de véhicule d'explosifs

- a) autorisant le transport d'au plus 20 000 kg de cette matière; et
- b) précisant les routes isolées devant être utilisées lors du transport de cette matière.

25. Il est interdit de transporter à bord d'un navire à passagers, au cours d'un même voyage, plus de 1 016 kg de signaux de détresse.

26. Il est interdit de transporter à bord d'un navire à passagers, au cours d'un même voyage, plus de 9 kg, masse nette, de ces produits.

27. Il est interdit de transporter cette matière si elle est plus sensible que la matière désignée par le numéro d'identification du produit 0150 à la liste I de l'annexe II.

28. L'expéditeur doit s'assurer que la fusée-détonateur est dotée de dispositifs de sécurité qui rendent improbable sa détonation dans des conditions normales de transport.

29. L'expéditeur peut classer la nitrocellulose si celle-ci

(a) the nitrocellulose fits the description of an item of List II of Schedule II; and

(b) the nitrocellulose is in a receptacle so constructed that explosion by reason of increased internal pressure cannot occur during transportation.

30. No person shall offer for transport or transport this product or substance as a Class 5 product or substance.

31. The consignor need not display the explosives subsidiary classification label required for products or substances with the letter "E" in Column III of List II of Schedule II when the product is packed in a fibre drum that has been coated internally or fitted with a plastic liner the contents of which do not exceed 50 kg.

32. The consignor shall only use this shipping name where the product or substance

(a) is stabilized to prevent reaction under normal conditions of transport;

(b) is diluted or packaged in such a way that it is not combustible when in contact with water;

(c) is not liable to auto-ignition; and

(d) does not evolve a flammable mixture of gases.

33. No person shall offer for transport or transport this substance by rail unless it is stabilized.

34. The labelling requirements set out in Part V of these Regulations and packaging requirements do not apply to the packaging of this substance but the consignor shall mark the packaging in a prominent place with the class and division number of this substance.

35. Where the product or substance contains less than 5 per cent oil, the packaging of this substance is exempt from labelling requirements set out in Part V of these Regulations and from packaging requirements but the consignor shall mark the packaging in a prominent place with the class and division number of the product or substance.

36. No person shall offer for transport or transport this substance when it is in a concentration greater than 72 per cent.

37. Where this article or substance is offered for transport or transported as a waste, the waste manifest and the notification for an international or transborder consignment of wastes are not required.

38. No person shall offer for transport or transport this substance in a transborder consignment or by ship on a home-trade voyage Class II, if it contains more than 9 per cent active oxygen, by mass, or in a domestic or international consignment if it contains more than 10 per cent active oxygen, by mass.

39. The temperature of this substance shall be maintained below 50°C during transport.

a) correspond à la description d'un article de la liste II de l'annexe II; et

b) est contenue dans un récipient fabriqué de façon à empêcher qu'il ne se produise, pendant le transport, aucune explosion à la suite d'une augmentation de la pression interne.

30. Il est interdit de demander de transporter ou de transporter cette matière ou ce produit comme une marchandise dangereuse de la classe 5.

31. L'expéditeur n'est pas tenu d'apposer l'étiquette de classification subsidiaire exigée pour les matières ou produits ayant la lettre «E» à la colonne III de la liste II de l'annexe II, si la matière ou le produit est emballé dans un fût en carton muni d'un revêtement intérieur ou d'une doublure de plastique et que la quantité par fût ne dépasse pas 50 kg.

32. L'expéditeur n'utilise cette appellation réglementaire que si la matière ou le produit

a) est stabilisé pour éviter toute réaction dans des conditions normales de transport;

b) est dilué ou emballé de façon à ne pas être combustible lorsqu'il est en contact avec de l'eau;

c) n'est pas susceptible de s'enflammer; et

d) ne produit pas de mélange de gaz inflammables.

33. Il est interdit de demander de transporter ou de transporter cette matière par rail, à moins qu'elle ne soit stabilisée.

34. L'emballage de cette matière n'est pas soumis aux exigences d'étiquetage énoncées à la partie V du présent règlement, ni aux exigences d'emballage; l'expéditeur doit cependant inscrire sur l'emballage les numéros de la classe et de la division de la matière, de façon qu'ils soient bien en évidence.

35. L'emballage d'une matière ou d'un produit qui contient moins de 5 pour cent d'huile n'est pas soumis aux exigences d'étiquetage énoncées à la partie V du présent règlement, ni aux exigences d'emballage; l'expéditeur doit cependant inscrire sur l'emballage les numéros de la classe et de la division du produit ou de la matière, de façon qu'ils soient bien en évidence.

36. Il est interdit de demander de transporter ou de transporter cette matière lorsque sa concentration est supérieure à 72 pour cent.

37. Le manifeste relatif aux déchets et la notification applicable à un envoi international de déchets ou à un envoi transfrontalier de déchets ne sont pas requis pour la demande ou le transport, en tant que déchets, de ces articles ou matières.

38. Il est interdit de demander de transporter ou de transporter cette matière comme un envoi transfrontalier ou à bord d'un navire au cours d'un voyage de cabotage, classe II, si elle contient plus de 9 pour cent d'oxygène libre, en masse, ou comme un envoi intérieur ou un envoi international, si elle contient plus de 10 pour cent d'oxygène libre, en masse.

39. La température de cette matière doit, durant le transport, être maintenue à une température inférieure à 50°C.

40. Where this product or substance has a product identification number set out in Column I of the Table to this section and is offered for transport or transported in an international consignment, the consignor shall use the shipping name in Column II and the Product Identification Number in Column III of the Table.

TABLE

Column I	Column II	Column III
Product Identification Number for use in Canada and U.S.A.	Shipping Name to be used outside Canada and the U.S.A.	Product Identification Number for use outside Canada and the U.S.A.
1574	Arsenic compounds, solid, n.o.s.	1557
9056	Poisonous solids, n.o.s.*	2811
9073	Flammable solids, poisonous, n.o.s.*	2926
9096	Poisonous solids, n.o.s.*	2811
9137	Corrosive liquids, n.o.s.*	1760
9180	Radioactive material, n.o.s.	2982
9185	Radioactive material, n.o.s.	2982
9190	Oxidizing substances, n.o.s.*	1479
9191	Oxidizing substances, n.o.s.*	1479
9193	Oxidizing substances, n.o.s.*	1479
9194	Oxidizing substances, n.o.s.*	1479
9195	Metal alkyls, n.o.s.*	2003
9199	Oxidizing substances, n.o.s.*	1479
9200	Oxidizing substances, n.o.s.*	1479
9201	Antimony compounds, inorganic, n.o.s.	1549

*See paragraph 4.9(c).

41. No person shall offer for transport or transport nitrocellulose in solution or wetted, if it contains more than 25 per cent by mass of a product or substance that has a primary classification of Division 1 or Division 2 of Class 3, unless

- (a) the nitrogen content is 12.6 per cent or less by mass; and
- (b) 55 per cent or less by mass of the solution consists of nitrocellulose.

42. No person shall offer for transport or transport a quantity greater than 500 g per inner receptacle of dibenzoyl peroxide that is technically pure, or that is mixed with an inert solid that constitutes not more than 5 per cent of the mixture.

43. The consignor shall use the shipping name "Propylene dichloride" and the product identification number 1279 when these mixtures contain more than 50 per cent propylene dichloride by mass and when they are offered for transport or transported in a domestic consignment, a transborder consignment or by ship on a home-trade voyage, Class II.

44. Where this product or substance is offered for transport or transported other than by aircraft and the outer packaging or small container for that product or substance is marked with the shipping name and product identification number, the consignor is not required to display a label to the outer packaging or small container.

40. Si le numéro d'identification du produit applicable à la matière ou au produit figure à la colonne I du tableau du présent article, l'expéditeur doit, pour la demande de transport ou le transport de cette matière ou de ce produit comme envoi international, utiliser l'appellation réglementaire précisée à la colonne II et le numéro d'identification du produit indiqué à la colonne III de ce tableau.

TABLEAU

Colonne I	Colonne II	Colonne III
Numéro d'identification du produit en usage au Canada et aux États-Unis	Appellation réglementaire à utiliser à l'extérieur du Canada et des États-Unis	Numéro d'identification du produit à utiliser à l'extérieur du Canada et des États-Unis
1574	Arsenic, composés solides de l', n.s.a.	1557
9056	Solides toxiques, n.s.a.*	2811
9073	Solides inflammables, toxiques, n.s.a.*	2926
9096	Solides toxiques, n.s.a.*	2811
9137	Liquides corrosifs, n.s.a.*	1760
9180	Matières radioactives, n.s.a.	2982
9185	Matières radioactives, n.s.a.	2982
9190	Matières comburantes, n.s.a.*	1479
9191	Matières comburantes, n.s.a.*	1479
9193	Matières comburantes, n.s.a.*	1479
9194	Matières comburantes, n.s.a.*	1479
9195	Métaux-alkyles, n.s.a.*	2003
9199	Matières comburantes, n.s.a.*	1479
9200	Matières comburantes, n.s.a.*	1479
9201	Antimoine, composés inorganiques de l', n.s.a.	1549

*Voir le sous-alinéa 4.9(c).

41. Il est interdit de demander de transporter ou de transporter de la nitrocellulose, en solution ou humidifiée, qui contient plus de 25 pour cent, en masse, d'une matière ou d'un produit dont la classification primaire est la division 1 ou la division 2 de la classe 3, sauf si

- a) la quantité d'azote présent est égale ou inférieure à 12,6 pour cent, en masse; et
- b) la quantité de nitrocellulose présente est égale ou inférieure à 55 pour cent, en masse.

42. Il est interdit de demander de transporter ou de transporter dans un récipient intérieur plus de 500 g de peroxyde de dibenzoyl techniquement pur ou en mélange avec un solide inerte qui représente au plus 5 pour cent du mélange.

43. L'expéditeur doit utiliser l'appellation réglementaire «Dichlorure de propylène» et le numéro d'identification du produit 1279 pour la demande de transport et le transport des mélanges contenant plus de 50 pour cent de dichlorure de propylène, en masse, à bord d'un navire au cours d'un voyage de cabotage, classe II, ou comme envoi intérieur ou envoi transfrontalier.

44. Pour la demande de transport ou le transport de cette matière ou de ce produit autrement que par aéronef, l'expéditeur n'est pas tenu d'apposer une étiquette sur l'emballage extérieur ou sur le petit conteneur, si l'un ou l'autre de ceux-ci porte déjà le numéro d'identification du produit.

45. Where any substance or product in this aerosol is subject to Special Provision 46, the aerosol is also subject to Special Provision 46.

46. No person shall offer for transport or transport this substance as limited quantities or consumer commodities.

47. No person shall handle, offer for transport or transport this article, product or substance.

48. No person shall offer for transport or transport this product or substance in bulk.

49. These Regulations do not apply to this product or substance when it is transported in an international consignment.

50. The consignor may package this product or substance in fibreboard drums coated internally with polyethylene or fitted with a plastic liner if the concentration of the product or substance is not greater than 55 per cent and the quantity per drum is not greater than 200 kg.

51. No person shall offer for transport or transport this product or substance unless it meets the requirements of the Self-Accelerating Decomposition Test (SADT) referred to in Part II of Schedule VI.

52. The consignor shall ensure that the placard and the product identification number required by these Regulations for this substance is displayed on the container or vehicle regardless of the quantity of the product or substance therein.

53. The consignor may package this product or substance in a steel drum with a plastic inner receptacle or liner if the product or substance is in a solvent and the capacity of the inner receptacle is not greater than 200 L.

54. The consignor shall classify powders of these products or substances that evolve hydrogen on contact with water or with water vapour as Division 3 of Class 4.

55. Where this product or substance has a product identification number set out in Column I of the Table to this section and is offered for transport or transported in an international consignment, the consignor shall use the shipping name set out in Column II of the Table.

45. Si la matière ou le produit contenu dans cet aérosol est soumis à la disposition particulière 46, l'aérosol tombe aussi sous le coup de cette disposition particulière.

46. Il est interdit de demander de transporter ou de transporter cette matière comme une quantité limitée ou comme un bien de consommation.

47. Il est interdit de manutentionner, de demander de transporter ou de transporter cet article, ce produit ou cette matière.

48. Il est interdit de demander de transporter ou de transporter ce produit ou cette matière en vrac.

49. Cette matière ou ce produit est exclu de l'application du présent règlement lorsqu'il fait partie d'un envoi international.

50. L'expéditeur peut emballer cette matière ou ce produit dans un fût en carton muni d'un revêtement intérieur de polyéthylène ou d'une doublure en plastique, si la concentration de la matière ou du produit ne dépasse pas 55 pour cent et que la quantité par fût n'est pas supérieure à 200 kg.

51. Il est interdit de demander de transporter ou de transporter cette matière ou ce produit, à moins qu'il ne réponde aux exigences de l'épreuve pour la détermination de la température de décomposition auto-accélérée (TDAC) visée à la partie II de l'annexe VI.

52. L'expéditeur doit s'assurer que la plaque et le numéro d'identification du produit exigés par le présent règlement sont apposés sur le conteneur ou le véhicule, quelle que soit la quantité de produit ou de matière qui s'y trouve.

53. L'expéditeur peut emballer cette matière ou ce produit dans un fût en acier muni d'une doublure ou d'un récipient intérieur en plastique, si cette matière ou ce produit est dans un solvant et que la capacité du récipient intérieur ne dépasse 200 L.

54. L'expéditeur doit classer ces matières ou ces produits comme des marchandises dangereuses de la division 3 de la classe 4, s'ils sont sous forme de poudre et s'ils dégagent de l'hydrogène au contact de l'eau ou de la vapeur d'eau.

55. Si le numéro d'identification du produit applicable au produit ou à la matière figure à la colonne I du tableau du présent article, l'expéditeur doit pour la demande de transport ou le transport de ce produit ou de cette matière comme envoi international, utiliser l'appellation réglementaire précisée à la colonne II de ce tableau.

TABLE

Column I	Column II
<i>P.I.N.</i>	<i>International Shipping Name</i>
1067	Nitrogen dioxide, liquefied or Nitrogen dioxide, liquid
1263	Paints, Enamels, Lacquers, Stains, Shellac, Varnish, Polishes, Fillers (Liquid), Lacquer Base or Thinners, etc.
1325	Flammable solids, n.o.s.*

TABLEAU

Colonne I	Colonne II
<i>N.I.P.</i>	<i>Appellations réglementaires internationales</i>
1067	Peroxyde d'azote, liquéfié, ou Peroxyde d'azote, liquide
1263	Peintures, émaux, laques, colorants, shellac, vernis, cirages, en caustiques, (liquides) enduits d'apprêt, bases pour laques, ou diluants, etc.
1325	Solides inflammables, n.s.a.*

TABLE—Con.

Column I	Column II
1337	Nitrostarch, wetted with not less than 20 per cent water, by mass
1383	Pyrophoric metals n.o.s.* or pyrophoric alloys n.o.s.*
1415	Lithium or Lithium metal or Lithium in cartridges
1421	Alkali metal-alloys, liquid
1445	Barium chlorate
1477	Nitrates, inorganic, n.o.s.
1479	Oxidizing substances, n.o.s.*
1549	Antimony compounds, inorganic, n.o.s.
1556	Arsenic compounds, liquid, n.o.s. including: Arsenates, n.o.s.; Arsenites, n.o.s.; Arsenic sulphides, n.o.s.; and Organic compounds of Arsenic, n.o.s.
1557	Arsenic compounds, solid, n.o.s.; including: Arsenates, n.o.s.; Arsenites, n.o.s.; Arsenic sulphides n.o.s.; and Organic compounds of Arsenic, n.o.s.
1566	Beryllium compounds, n.o.s.
1649	Motor fuel antiknock mixtures
1692	Strychnine or Strychnine salts
1707	Thallium compounds, n.o.s.
1759	Corrosive solids, n.o.s.*
1760	Corrosive liquids, n.o.s.*
1790	Hydrofluoric acid solution
1794	Lead sulphate with more than 3 per cent free acid
1869	Magnesium or Magnesium alloys with more than 50 per cent magnesium in pellets, turnings or ribbons
1954	Compressed or liquefied gases, flammable, n.o.s.*
1955	Compressed or liquefied gases, toxic, n.o.s.*
1956	Compressed or liquefied gases, n.o.s.*
1967	Insecticide gases, toxic, n.o.s.*
1980	Rare gases and oxygen mixtures
1986	Alcohols, toxic, n.o.s.
1989	Aldehydes, n.o.s.
1993	Flammable liquids, n.o.s.*
2020	Chlorophenols, solid
2025	Mercury compounds, solid, n.o.s.
2047	Dichloropropene
2121	Dicumyl peroxide, technically pure or Dicumyl peroxide with inert solid
2129	Di-n-octanoyl peroxide, or n-octanoyl peroxide, technically pure
2215	Maleic anhydride
2291	Lead compounds, soluble, n.o.s.
2443	Vanadium oxytrichloride
2449	Oxalates, water soluble
2557	Nitrocellulose with plasticizing substance (not less than 18 per cent, by mass); and not more than 12.6 per cent, nitrogen by dry mass
2570	Cadmium compounds
2584	Alkyl, aryl or toluene sulphonic acid, liquid with more than 5 per cent free sulphuric acid

TABLEAU—Suite

Colonne I	Colonne II
1337	Nitroamidon, humidifié, uniformément, avec au moins 20% d'eau, en masse
1383	Métaux pyrophoriques, n.s.a.*, ou Alliages pyrophoriques, n.s.a.*
1415	Lithium ou Lithium, métallique, ou Lithium, en cartouches
1421	Métaux alcalins, alliages de, liquides
1445	Chlorate de baryum
1477	Nitrates, inorganiques, n.s.a.
1479	Matières comburantes, n.s.a.*
1549	Antimoine, composés inorganiques de l', n.s.a.
1556	ARSENIC, COMPOSÉS LIQUIDES D', N.S.A., notamment: <i>Arsénates, n.s.a., Arsénites, n.s.a., Sulfure d'arsenic, n.s.a., et composés organiques d'arsenic, n.s.a.</i>
1557	ARSENIC, COMPOSÉS SOLIDES D', N.S.A.; notamment: <i>Arsénates, n.s.a., Arsénites, n.s.a., Sulfure d'arsenic, n.s.a., et composés organiques d'arsenic, n.s.a.</i>
1566	Béryllium, composés de, n.s.a.
1649	Antidétonants, mélanges pour carburants
1692	Strychnine ou Strychnine, sels de
1707	Thallium, composés du, n.s.a.
1759	Solides corrosifs, n.s.a.
1760	Liquides corrosifs, n.s.a.
1790	Acide fluorhydrique, en solution
1794	Sulfate de plomb contenant plus de 3% d'acide libre
1869	Magnésium ou Magnésium, alliages de, avec plus de 50% de magnésium en copeaux, en granulés ou en rubans
1954	Gaz comprimés ou liquéfiés inflammables, toxiques
1955	Gaz comprimés ou liquéfiés, toxiques, n.s.a.
1956	Gaz comprimés ou liquéfiés, n.s.a.
1967	Gaz insecticides toxiques, n.s.a.*
1980	Gaz rares et oxygène, en mélange
1986	Alcools, toxiques, n.s.a.
1989	Aldéhydes, n.s.a.
1993	Liquides inflammables, n.s.a.
2020	Chlorophénols, solides
2025	Mercure, composés du, solides, n.s.a.
2047	Dichloropropène
2121	Peroxyde de dicumyle, techniquement pur, ou Peroxyde de dicumyle, avec un solide inerte
2129	Peroxyde de di-n-octanyle ou Peroxyde de n-octanyle, techniquement pur
2215	Anhydride maléique
2291	Plomb, composés solubles du, n.s.a.
2443	Tétrachlorure de vanadium
2449	Oxalates, solubles dans l'eau
2557	Nitrocellulose, avec matière plastifiante, contenant au moins 18% de plastifiant, en masse, et au maximum 12,6% d'azote, en masse sèche
2570	Cadmium, composés de
2584	Acide alkyl, aryl ou toluène sulfonique, liquide, contenant plus de 5% d'acide sulfurique libre

TABLE—Conc.

Column I	Column II
2585	Alkyl, aryl or toluene sulphonic acid, solid with not more than 5 per cent free sulphuric acid
2683	Ammonium sulphide solution
2693	Bisulphites, inorganic aqueous, solution, n.o.s.
2757	Carbamate pesticides, solid, toxic, n.o.s.
2759	Arsenical pesticides, solid, toxic, n.o.s.
2761	Organochlorine pesticides, solid, toxic, n.o.s.
2762	Organochlorine pesticides, liquid, flammable, toxic, n.o.s., flash point less than 23°C
2765	Phenoxy pesticides, solid, toxic, n.o.s.
2767	Phenyl urea pesticides, solid, toxic, n.o.s.
2769	Benzoic derivative pesticides, solid, toxic, n.o.s.
2771	Dithiocarbamate pesticides, solid, toxic, n.o.s.
2781	Bipyridilium pesticides, solid, toxic, n.o.s.
2783	Organophosphorus pesticides, solid, toxic, n.o.s.
2794	Batteries, wet, filled with acid, electric storage
2796	Battery fluid, acid
2797	Battery fluid, alkali
2810	Poisonous liquids, n.o.s.*
2811	Poisonous solids, n.o.s.*
2813	Substances which in contact with water emit flammable gases, n.o.s.*
2845	Pyrophoric liquids, n.o.s.*
2902	Pesticides, liquid, toxic, n.o.s.*
2922	Corrosive liquids, poisonous, n.o.s.*
2924	Flammable liquids, corrosive, n.o.s.*
2992	Carbamate pesticides, liquid, toxic, n.o.s.
2994	Arsenical pesticides, liquid, toxic, n.o.s.
2995	Organochlorine pesticides, liquid, toxic, flammable, n.o.s. flash point not less than 23°C
2996	Organochlorine pesticides, liquid, toxic, n.o.s.
3004	Benzoic derivative pesticides, liquid, toxic, n.o.s.
3018	Organophosphorus pesticides, liquid, toxic, n.o.s.

*See paragraph 4.9 (c).

56. No person shall offer for transport or transport this product or substance in or on a passenger rail vehicle.

57. No person shall offer for transport or transport ammonium nitrites or mixtures of an inorganic nitrite with an ammonium salt.

58. Where this product or substance is offered for transport or transported with less water or alcohol than specified in the description under any of its shipping names in List II of Schedule II, the consignor shall offer for transport the product or substance pursuant to the *Explosives Act* and the Regulations made thereunder.

TABLEAU—Fin

Colonne I	Colonne II
2585	Acide alkyl, aryl ou toluène sulfonique, solide, contenant 5 % au maximum d'acide sulfurique libre
2683	Sulfure d'ammonium, en solution
2693	Bisulfites, inorganiques, solutions aqueuses de, n.s.a.
2757	Pesticides à base de carbamate, solides, toxiques, n.s.a.
2759	Pesticides arsénicaux, solides, toxiques, n.s.a.
2761	Pesticides organochlorés, solides, toxiques, n.s.a.
2762	Pesticides organochlorés, liquides, inflammables, toxiques, n.s.a., point d'éclair inférieur à 23°C
2765	Pesticides à base de phénoxy, solides, toxiques, n.s.a.
2767	Pesticides à base de phényl urée, solides, toxiques, n.s.a.
2769	Pesticides à base de dérivés benzoïques, solides, toxiques, n.s.a.
2771	Pesticides à base de dithiocarbamate, solides, toxiques, n.s.a.
2781	Pesticides bipyridyliques, solides, toxiques, n.s.a.
2783	Pesticides organophosphorés, solides, toxiques, n.s.a.
2794	Accumulateurs électriques, remplis d'électrolyte liquide acide
2796	Électrolyte pour accumulateurs, acide
2797	Électrolyte pour accumulateurs, alcalin
2810	Liquides toxiques, n.s.a.
2811	Solides toxiques, n.s.a.
2813	Substances qui, au contact de l'eau, émettent des gaz inflammables, n.s.a.*
2845	Liquides pyrophoriques, n.s.a.
2902	Pesticides liquides, toxiques, n.s.a.
2922	Liquides corrosifs, toxiques, n.s.a.
2924	Liquides inflammables, corrosifs, n.s.a.
2992	Pesticides à base de carbamate, liquides, toxiques, n.s.a.
2994	Pesticides arsénicaux, liquides, toxiques, n.s.a.
2995	Pesticides organochlorés, liquides, toxiques, inflammables, n.s.a., point d'éclair égal ou supérieur à 23°C
2996	Pesticides organochlorés, liquides, toxiques, n.s.a.
3004	Pesticides à base de dérivés benzoïques, liquides, toxiques, n.s.a.
3018	Pesticides organophosphorés, liquides, toxiques, n.s.a.

*Voir le sous-alinéa 4.9 c).

56. Il est interdit de demander de transporter ou de transporter ce produit ou cette matière à bord d'un véhicule ferroviaire à passagers.

57. Il est interdit de demander de transporter ou de transporter des nitrites d'ammonium ou des mélanges de nitrite inorganique et de sel d'ammonium.

58. Si ce produit ou cette matière contient une quantité d'eau ou d'alcool inférieure à celle précisée sous l'une de ses appellations réglementaires à la liste II de l'annexe II, l'expéditeur doit en demander le transport conformément à la *Loi sur les explosifs* et à ses règlements d'application.

59. No person shall handle, offer for transport or transport this product or substance by aircraft unless the packaging meets the criteria of Packing Group I.

60. Where this product or substance contains more than 51 per cent sulphuric acid, the consignor shall use the shipping name "Sulphuric acid", and the product identification number 1830.

61. No person shall offer for transport or transport chemically unstable mixtures of these products or substances.

62. No person shall offer for transport or transport isopropyl mercaptan and propyl mercaptan in or on a passenger railway vehicle or passenger road vehicle.

63. Where this product or substance has a flash point equal to or greater than 23°C but not greater than 61°C and is to be transported in a domestic or transborder consignment, the consignor shall classify this substance as Division 3 of Class 3.

64. No person shall offer for transport or transport this product or substance in a dry state if it contains particles of a size less than

- (a) 3 micrometres, when the product or substance has been mechanically produced; or
- (b) 10 micromètres, when the product or substance has been chemically produced.

65. No person shall offer for transport or transport the infectious substances, human or animal, set out in Schedule VII.

66. Where infectious substances are hazardous to both animals and humans, the consignor shall use the shipping name "Infectious substances, human, n.o.s.", and the product identification number 2814.

67. No person shall offer for transport or transport infected live animals.

68. The emergency temperature for this substance shall be 25°C in all cases and the consignor shall use only the following combinations of control temperature, packaging and quantity:

- (a) for a quantity of not more than 50 kg, the packaging shall be jars, bottles or bags in fibreboard boxes or fibreboard drums or wooden boxes at a control temperature of 20°C;
- (b) for a quantity of not more than 200 kg, the packaging shall be polyethylene coated or lined fibreboard drums at a control temperature of 15°C; and
- (c) for a quantity of not more than 220 L the packaging shall be steel drums with a plastic inner receptacle or liner at a control temperature of 15°C.

59. Il est interdit de manutentionner, de demander de transporter ou de transporter ce produit ou cette matière par aéronef, à moins que son emballage ne réponde aux critères du groupe d'emballage I.

60. L'expéditeur doit utiliser l'appellation réglementaire «acide sulfurique» et le numéro d'identification du produit 1830, si cette matière ou ce produit contient plus de 51 pour cent d'acide sulfurique.

61. Il est interdit de demander de transporter ou de transporter des mélanges chimiquement instables de ces produits ou matières.

62. Il est interdit de demander de transporter ou de transporter du mercaptan d'isopropyle ou du mercaptan de propyle à bord d'un véhicule ferroviaire à passagers ou d'un véhicule routier à passagers.

63. L'expéditeur doit classifier cette matière ou ce produit comme une marchandise dangereuse de la division 3 de la classe 3, si son point d'éclair est égal ou supérieur à 23°C mais ne dépasse pas 61°C et que la matière ou le produit est destiné à être transporté comme envoi intérieur ou envoi transfrontalier.

64. Il est interdit de demander de transporter ou de transporter cette matière ou ce produit à l'état sec, s'il contient des particules d'une taille inférieure

- a) à 3 micromètres, lorsque produites mécaniquement; ou
- b) à 10 micromètres, lorsque produites chimiquement.

65. Il est interdit de demander de transporter ou de transporter les matières infectieuses pour les êtres humains ou les animaux qui sont visées à l'annexe VII.

66. L'expéditeur doit utiliser l'appellation réglementaire «matières infectieuses humaines, n.s.a.» et le numéro d'identification du produit 2814, s'il s'agit de matières qui sont infectieuses à la fois pour les êtres humains et les animaux.

67. Il est interdit de demander de transporter ou de transporter des animaux vivants infectés.

68. La température d'urgence de cette matière est de 25°C dans tous les cas, et seules les combinaisons suivantes de température de régulation, d'emballage et de quantité sont permises:

- a) pour une quantité d'au plus 50 kg, les emballages à utiliser sont des jarres, des bouteilles ou des sacs placés dans des caisses en carton ou en bois ou dans des fûts en carton, et la température de régulation est de 20°C;
- b) pour une quantité d'au plus 200 kg, les emballages à utiliser sont des fûts avec revêtement ou doublure en plastique de polyéthylène, et la température de régulation est de 15°C;
- c) pour une quantité d'au plus 220 L, les emballages à utiliser sont des fûts en acier muni d'un récipient intérieur ou d'une doublure en plastique, et la température de régulation est de 15°C.

69. Where this substance is not in dispersion, the consignor shall package it in copper cartridges.

70. No person shall offer for transport or transport this product or substance in an intermodal portable tank when the concentration of the product or substance exceeds 40 per cent.

71. No person shall offer for transport or transport this product or substance in an intermodal portable tank when the concentration of the product or substance exceeds 30 per cent.

72. No person shall offer for transport or transport this product or substance in an intermodal portable tank when the concentration of the product or substance exceeds 36 per cent.

73. No person shall offer for transport or transport a consignment of this product or substance in a portable tank, unless that tank has been approved for all modes of transport that will be used for that consignment.

74. No person shall offer for transport or transport this product or substance in an aluminum tank or container.

75. No person shall offer for transport or transport this product or substance on a bus.

76. No person shall offer for transport or transport this product or substance in metal inner or outer packagings that fully enclose the product or substance.

77. Where this product or substance contains more than 1 per cent calcium carbide, the consignor shall use the shipping name "calcium carbide", and the product identification number 1402.

78. No consignor shall pack this product or substance with any other product or substance in the same outer packaging.

79. No rail carrier shall transport this product or substance unless the applicable placard is displayed on a white background in accordance with section 5.22 of these Regulations.

80. No person shall offer for transport or transport any concentration of methane unless the methane has a minimum purity of 98 per cent and contains no significant quantity of corroding components.

81. Where this product or substance is offered for transport or transported in a domestic consignment, a transborder consignment or by ship on a home-trade voyage, Class II, the primary classification of Division 3 of Class 3 shown in Column III of List II of Schedule II does not apply if the flashpoint of this product or substance is not less than 37.8°C and where there is a subsidiary classification, it becomes the primary classification, and where there is no subsidiary classification, these Regulations do not apply.

82. No person shall offer for transport or transport ammonium chlorite.

69. L'expéditeur doit emballer cette matière dans des cartouches en cuivre, si elle n'est pas en dispersion.

70. Il est interdit de demander de transporter ou de transporter ce produit ou cette matière dans une citerne portable intermodale, si sa concentration est supérieure à 40 pour cent.

71. Il est interdit de demander de transporter ou de transporter ce produit ou cette matière dans une citerne portable intermodale, si sa concentration est supérieure à 30 pour cent.

72. Il est interdit de demander de transporter ou de transporter ce produit ou cette matière dans une citerne portable intermodale, si sa concentration est supérieure à 36 pour cent.

73. Il est interdit de demander de transporter ou de transporter un envoi de ce produit ou de cette matière dans une citerne portable, à moins que celle-ci n'ait été homologuée pour tous les modes de transport à utiliser pour l'envoi.

74. Il est interdit de demander de transporter ou de transporter ce produit ou cette matière dans une citerne ou un conteneur en aluminium.

75. Il est interdit de demander de transporter ou de transporter ce produit ou cette matière à bord d'un autobus.

76. Il est interdit de demander de transporter ou de transporter ce produit ou cette matière dans un emballage intérieur ou un emballage extérieur en métal qui enferme complètement le produit ou la matière.

77. L'expéditeur doit utiliser l'appellation réglementaire «carbure de calcium» et le numéro d'identification du produit 1402, lorsque le produit ou la matière contient plus de 1 pour cent de carbure de calcium.

78. Il est interdit d'emballer ce produit ou cette matière avec un autre produit ou matière, dans le même emballage extérieur.

79. Il est interdit à tout transporteur ferroviaire de transporter ce produit ou cette matière, à moins que la plaque appropriée ne soit apposée sur un fond blanc conformément à l'article 5.22 du présent règlement.

80. Il est interdit de demander de transporter ou de transporter du méthane, sauf si le méthane est pur à 98 pour cent et ne contient pas de quantité importante d'agents corrosifs.

81. Dans le cas de la demande de transport ou du transport de ce produit ou de cette matière comme un envoi intérieur ou un envoi transfrontalier, ou par navire au cours d'un voyage de cabotage, classe II, la classification primaire division 3 de la classe 3 indiquée à la colonne III de la liste II de l'annexe II ne s'applique pas si le point d'éclair du produit ou de la matière est égal ou supérieur à 37,8°C et, lorsque le produit ou la matière a une classification subsidiaire, celle-ci devient la classification primaire, ou à défaut d'une classification subsidiaire, le produit ou la matière est exclue de l'application du présent règlement.

82. Il est interdit de demander de transporter ou de transporter du chlorite d'ammonium.

83. No person shall offer for transport or transport this product or substance if it does not meet the description set out under the shipping name in a List.

84. No person shall offer for transport or transport this substance without the inhibitor, stabilizer, phlegmatizer or other stabilizing materials specified in the description under the shipping name in a List.

85. No person shall offer for transport or transport by aircraft consignments of cosmetics containing aerosols unless he complies with Special Provision 97.

86. (1) No person shall offer for transport or transport an aircraft survival kit or bush survival kit, an inflatable life raft or an aircraft evacuation slide that contains

- (a) non-flammable compressed gas in cylinders as permitted by these Regulations,
- (b) smoke and illumination signal flares in plastic or fibre-board receptacles,
- (c) not more than 30 strike-anywhere matches packed within a cylindrical metal or composition receptacle with a screw-type closure and cushioned to prevent movement or friction, or
- (d) flammable liquids in strong inner packagings in a repair kit,

unless it is packed to prevent movement of the inner receptacles in a puncture-resistant kit case that is overpacked in a waterproof outer packaging.

(2) Survival kits not intended for the personal use of a passenger on an aircraft during the flight shall be carried as cargo.

87. The consignor may describe batteries as non-spillable if they are protected against short-circuits, are securely packaged and are capable of withstanding the vibration and pressure differential tests, specified in Packing Instruction 800 of the ICAO Technical Instructions, without leakage of battery fluid.

88. No person shall offer for transport or transport this substance by passenger aircraft or by cargo aircraft unless he complies with Special Provision A2 of the ICAO Technical Instructions.

89. When this substance is offered for transport or transported in an international consignment, the consignor shall package it as specified in the ICAO Technical Instructions or the IMDG Code, as appropriate.

90. No person shall offer for transport or transport this substance by passenger aircraft unless he complies with Special Provision A1 of the ICAO Technical Instructions.

83. Il est interdit de demander de transporter ou de transporter cette matière ou ce produit s'il ne correspond pas à la description donnée sous son appellation réglementaire dans une liste.

84. Il est interdit de demander de transporter ou de transporter cette matière, à moins qu'elle ne contienne l'inhibiteur, le stabilisant, le flegmatisant ou autre matériau stabilisant précisés dans la description qui figure sous son appellation réglementaire dans une liste.

85. Il est interdit à quiconque de demander de transporter ou de transporter par aéronef un envoi de cosmétiques comprenant des aérosols, à moins de se conformer à la disposition particulière 97.

86. (1) Il est interdit de demander de transporter ou de transporter de l'équipement de survie d'aéronef, de l'équipement de survie en forêt, des radeaux de sauvetage gonflables ou des toboggans d'évacuation d'aéronefs, qui contiennent

- a) un gaz comprimé ininflammable contenu dans une bouteille à gaz autorisée par le présent règlement,
- b) des signaux fumigènes ou éclairants, contenus dans des récipients en plastique ou en carton,
- c) un maximum de 30 allumettes qui n'exigent pas de grattoirs, emballées dans un récipient cylindrique en métal ou un récipient mixte doté d'un couvercle à pas de vis et munies de rembourrage de façon à éviter tout déplacement ou frottement, ou
- d) des liquides inflammables contenus dans des emballages intérieurs solides et faisant partie d'un nécessaire de réparation,

à moins que cet équipement, ces radeaux ou ces toboggans ne soient emballés, de façon que les récipients intérieurs ne puissent se déplacer, dans un étui à l'épreuve des perforations qui est protégé par un suremballage étanche.

(2) L'équipement de survie non destiné à l'usage d'un passager à bord d'un aéronef doit, durant le vol, être transporté comme fret.

87. L'expéditeur peut désigner un accumulateur comme étant inversable, si celui-ci est protégé contre les courts-circuits, est bien emballé et est capable de résister, sans qu'il y ait de fuite d'électrolyte, aux épreuves de vibration et de pression différentielle précisées à l'instruction d'emballage 800 des Instructions techniques de l'OACI.

88. Il est interdit à quiconque de demander de transporter ou de transporter cette matière à bord d'un aéronef de passagers, à moins de se conformer à la disposition particulière A2 des Instructions techniques de l'OACI.

89. Dans le cas de la demande de transport de cette substance comme envoi international, l'expéditeur doit l'emballer conformément aux Instructions techniques de l'OACI ou du Code IMDG, selon le cas.

90. Il est interdit à quiconque de demander de transporter ou de transporter cette matière à bord d'un aéronef de passagers, à moins de se conformer à la disposition particulière A1 des Instructions techniques de l'OACI.

91. No person shall offer for transport or transport these kits by aircraft unless he complies with the requirements of the ICAO Technical Instructions, including Special Provision A44.

92. No person shall offer for transport or transport by aircraft aerosols containing substances included in Class 8, Packing Group I or II, or substances included in Division 1 of Class 6, Packing Group I or II, other than tear gas substances to be used in tear gas devices.

93. No person shall offer for transport or transport solids that have an inhalation toxicity that requires assignment to Packing Group I

(a) on a passenger aircraft; or

(b) on a cargo aircraft in an outer packaging that contains more than 15 kg of the product or substance.

94. No person shall offer for transport or transport by aircraft liquids with a vapour inhalation toxicity that requires that they be assigned to Packing Group I.

95. These Regulations apply only to the offering for transport by aircraft of this product or substance.

96. Where these products or substances are offered for transport or transported by aircraft, the consignor shall comply with the requirements of the ICAO Technical Instructions.

97. Where the consignor offers these goods for transport by aircraft except by aircraft that is a Class 4 or 7 commercial service aircraft or an aircraft registered as a private aircraft by or under the *Aeronautics Act*, he shall comply with Packing Instruction 910 of the ICAO Technical Instructions.

98. No person shall offer for transport or transport this product or substance by ship unless it is rendered chemically stable.

99. No person shall offer for transport or transport this product, substance or article on a passenger ship.

100. Where these products or substances are offered for transport or transported by ship, the consignor shall comply with the requirements of the IMDG Code.

101. No person shall offer for transport or transport this substance on a passenger ship unless it is packaged in metal drums.

102. The consignor shall mark any shipping document accompanying a consignment of this product or substance with the words "SPECIAL COMMODITIES" or "MARCHANDISE SPÉCIALE" when this substance or product is transported by rail.

91. Il est interdit à quiconque de demander de transporter ou de transporter ces articles par aéronef, à moins de se conformer aux Instructions techniques de l'OACI, y compris la disposition particulière A44.

92. Il est interdit de demander le transport ou de transporter par aéronef des aérosols contenant des matières incluses dans la classe 8 et les groupes d'emballage I ou II, ou des matières incluses dans la division 1 de la classe 6 et les groupes d'emballage I ou II, à l'exception des gaz lacrymogènes ou des matières destinées à être utilisées dans des dispositifs à gaz lacrymogènes.

93. Il est interdit de demander de transporter ou de transporter des matières solides qui, en raison de leur toxicité par inhalation, entrent dans le groupe d'emballage I,

a) a bord d'un aéronef de passagers; ou

b) à bord d'un aéronef cargo, dans un emballage extérieur qui contient plus de 15 kg de ces matières.

94. Il est interdit de demander de transporter ou de transporter à bord d'un aéronef des matières liquides qui, en raison de leur toxicité par inhalation, entrent dans le groupe d'emballage I.

95. Le présent règlement ne s'applique qu'à la demande de transport par aéronef de ce produit ou de cette matière.

96. Dans le cas de la demande de transport ou du transport de ces produits ou matières par aéronef, l'expéditeur doit se conformer aux Instructions techniques de l'OACI.

97. L'expéditeur qui demande le transport de ces marchandises par aéronef, sauf un aéronef exploité dans le cadre d'un service aérien commercial des classes 4 ou 7 ou immatriculé comme aéronef privé en vertu de la *Loi sur l'aéronautique*, doit se conformer à l'instruction d'emballage 910 des Instructions techniques de l'OACI.

98. Il est interdit de demander de transporter ou de transporter cette matière ou ce produit par navire, à moins que la matière ou le produit ne soit chimiquement stable.

99. Il est interdit de demander de transporter ou de transporter ce produit, cette matière ou cet article à bord d'un navire à passagers.

100. Dans le cas de la demande de transport ou du transport de ces matières ou produits par navire, l'expéditeur doit se conformer aux exigences du Code IMDG.

101. Il est interdit de demander de transporter ou de transporter cette matière à bord d'un navire à passagers, à moins qu'elle ne soit emballée dans un fût métallique.

102. Lorsque cette matière ou ce produit est transporté par rail, l'expéditeur doit porter la mention «MARCHANDISE SPÉCIALE» ou «SPECIAL COMMODITIES» sur chaque document d'expédition accompagnant l'envoi.

FORM 1—Conc.

FORMULE 1—Fin

MANIFEST - MANIFESTEManifest Reference No.
N° de référence du manifesteReference No.'s of Other Manifest(s) used
N°s de référence des autres manifestes utilisés**C - CONSIGNEE (RECEIVER)
DESTINATAIRE**

Company Name - Nom de l'entreprise

Provincial No. - N° provincial

Address - Adresse

City - Ville

Prov.

Postal Code - Code postal

Receiving Site Address — Destination de l'expédition

City - Ville

Prov.

Postal Code - Code postal

Received - Réception
Time - HeureAM ☐PM ☐

Date (D/M/Y - J/M/A)

Quantity Received
Quantité reçueUnits
L/kg
UnitésIdentify any Shipment
Discrepancy/Problems/
Refusal
Identifier toute différence
entre manifeste et cargaison/
problèmes/refusHandling
Code
Code de
manutentionDecontamination
Décontamination
Packaging
Contenants
Yes
Oui
No
Non
Vehicle
Véhicule
Yes
Oui
No
NonIf Handling Code "Other" (Specify)
Si code de manutention "divers", spécifierIf waste to be re-transferred (specify company name)
Si le déchet doit être re-transféré, indiquer le nom de l'entreprise

Provincial No. - N° provincial

Address - Adresse

City - Ville

Prov.

Consignee Certification: I declare that the information contained in Part C is correct and complete.

Déclaration du destinataire: Je déclare que tous les renseignements à la partie C sont véridiques et complets.

Name of Authorized Person (Print)
Nom de l'agent autorisé (caractères d'imprimerie)

Tel. No. (Area Code) - N° de tél. (ind. rég.)

Signature

**EMERGENCY TELEPHONE
NUMBERS
N° DE TÉLÉPHONE EN CAS
D'URGENCE**Canutec (Call Collect)
Canutec (appeler à frais virés)

(613)-966-6666

Alberta

1-800-222-6514

British Columbia
Colombie-Britannique

(604) 387-5956

Manitoba

(204) 944-4888

New Brunswick
Nouveau-Brunswick

Zenith 4-9000

Newfoundland
Terre-Neuve

(709)-772-2083

Northwest Territories
Territoires du Nord-Ouest

(403)-920-8130

Nova Scotia
Nouvelle-Écosse

Zenith 4-9000

Ontario

Prince Edward Island
Île-du-Prince-Édouard

Zenith 4-9000

Quebec
Québec

(418)-643-4595

Saskatchewan

1-800-667-3503

Yukon Territory
Territoire du Yukon

(403)-667-7244

SCHEDULE V — ANNEXE V

PART I — PARTIE I

Labels/Étiquettes

Domestic Consignment /
Envoi intérieur

U S / Canada /
États-Unis / Canada

Figure 1

Division 1, 2 or 3
Division 1, 2 ou 3




Figure 1a

Division 1, 2 or 3
Division 1, 2 ou 3




Figure 2

Division 4



Figure 2a

Division 4



Figure 3

Division 5




Figure 3a

Division 5



Class 2 — Gases / Classe 2 — Gaz

Figure 4

Division 1




Figure 5

Division 2




Figure 6

Division 3




Figure 6a

Division 3





Figure 7


Division 4



Corrosive gas /
Gaz corrosif

Class 3 — Flammable liquids / Classe 3 — Liquides inflammables

Figure 8



Class 4 — Flammable solids, substances liable to spontaneous combustion, substances that on contact with water emit flammable gases /
 Classe 4 — Solides inflammables, matières sujettes à l'inflammation spontanée, matières qui, au contact de l'eau, dégagent des gaz inflammables

Figure 9




Figure 10





Figure 11



Class 5 — Oxidizing substances and organic peroxides /
 Classe 5 — Matières comburantes et peroxydes organiques

Figure 12

Division 1





Figure 13

Division 2



Class 6 — Poisonous (toxic) and infectious substances /
 Classe 6 — Matières toxiques et matières infectieuses

Figure 14

Division 1




Figure 15

Division 1






Figure 16

Division 2



Class 7 — Radioactive materials / Classe 7 — Matières radioactives

Figure 17




Radioactive white I / Blanc I

Figure 18



Radioactive yellow II / Jaune II

Figure 19



Radioactive yellow III / Jaune III

Class 8 — Corrosive /
Classe 8 — Matières corrosives

Figure 20



Class 9 — Miscellaneous products or substances /
Classe 9 — Matières ou produits divers

Figure 21



SCHEDULE V — ANNEXE V

PART II — PARTIE II

Placards/Plaques

Class 1 — Explosives / Classe 1 — Explosifs

Domestic Consignment /
Envoi intérieurU S / Canada /
États-Unis / Canada

Figure 1


Division 1, 2 or 3
Division 1, 2 ou 3

Figure 1a


Division 1, 2 or 3
Division 1, 2 ou 3

Figure 2

Division 4



Figure 2a

Division 4




Figure 3

Division 5




Figure 3a

Division 5



Class 2 — Gases / Classe 2 — Gaz

Figure 4

Division 1




Figure 5

Division 2




Figure 6

Division 3



Figure 6a

Division 3





Figure 7


Division 4



Corrosive gas /
Gaz corrosif

Class 3 — Flammable liquids / Classe 3 — Liquides inflammables

Figure 8



Class 4 — Flammable solids, substances liable to spontaneous combustion, substances that on contact with water emit flammable gases /
 Classe 4 — Solides inflammables, matières sujettes à l'inflammation spontanée, matières qui, au contact de l'eau, dégagent des gaz inflammables

Figure 9

Division 1




Figure 10

Division 2





Figure 11


Division 3



Class 5 — Oxidizing substances and organic peroxides /
 Classe 5 — Matières comburantes et peroxydes organiques

Figure 12

Division 1



Oxidizer / Comburant

Figure 13

Division 2



Organic peroxide / Peroxyde organique

Class 6 — Poisonous (toxic) and infectious substances /
 Classe 6 — Matières toxiques et matières infectieuses

Figure 14

Division 1



Poison /
ToxiquePacking groups I and II /
Groupes d'emballage I et II

Figure 15

Division 1

Harmful /
NocifPacking group III /
Groupe d'emballage III

Class 7 — Radioactive materials /
 Classe 7 — Matières radioactives

Class 8 — Corrosive /
 Classe 8 — Matières corrosives

Figure 16





Figure 17



Class 9 — Miscellaneous products or substances / Classe 9 — Matières ou produits divers

Figure 18


Other Placards/
Autres plaques

Figure 19



Figure 20



SCHEDULE V — ANNEXE V

PART III — PARTIE III

Signs/Écritaux


Oxygen depletion / Oxygène raréfié

Figure 1



Fumigation / Fumigation

Figure 2




SCHEDULE V — ANNEXE V

PART IV — PARTIE IV

Special labels or placards / Étiquettes ou plaques spéciales

Magnetized material / Matières magnétisées

Figure 1

Polychlorinated biphenyls /
Diphényles polychlorés

Package orientation / Sens du colis

Figure 2






Figure 3




Cargo aircraft only / Aéronef cargo seulement

Figure 4



Empty sign / Écriteau « vide »

Figure 5



SCHEDULE VI

(s. 3.10, 3.14, 3.25 and 7.6)

TEST METHODS

PART I

Closed Cup Test

1. The closed cup test

(a) for a liquid having a viscosity less than 5.8 mm²/s (45 S.U.S.) at 37.8°C, is the *Standard Test Method for Flash Point by Tag Closed Tester* ASTM D56-79;

(b) for a liquid having a viscosity not less than 5.8 mm²/s (45 S.U.S.) at 37.8°C, is the *Standard Test Methods for Flash Point by Pensky-Martens Closed Tester* ASTM D93-80;

(c) for an aviation turbine fuel, is the *Standard Test Methods for Flash Point by Setaflash Closed Tester* ASTM D3828-81; and

(d) for a paint, enamel, lacquer, varnish or similar product having a flash point between 0°C and 110°C and a viscosity less than 15 000 mm²/s (150 stokes) at 25°C determined in accordance with the *Standard Test Methods for Kinematic Viscosity of Transparent and Opaque Liquids (and the Calculation of Dynamic Viscosity)* ASTM D445-79, is the *Standard Test Methods for Flash Point of Liquids by Setaflash Closed Tester* ASTM D3278-82.

PART II

Self-accelerating Decomposition Test (SADT)

1. The Self-accelerating Decomposition Test (SADT)

(a) where conducted in Canada, shall be conducted in accordance with the requirements of section 11.5 of Chapter 11 of the *UN Recommendations*; and

(b) where conducted outside Canada, shall be conducted in accordance with any of the tests set out in Chapter 11 of the *UN Recommendations* that are recommended by the United Nations as being equivalent to the test set out in section 11.5 thereof.

PART III

Reid Vapour Test

1. The Reid Vapour Test shall be conducted in accordance with the *Standard Test Method for Vapour Pressure of Petroleum Products (Reid Method)* ASTM D323-82.

ANNEXE VI

(art. 3.10, 3.14, 3.25 et 7.6)

ÉPREUVES

PARTIE I

Épreuve en creuset fermé

1. L'épreuve en creuset fermé est

a) celle décrite dans la norme D56-79 de l'ASTM, intitulée *Standard Test Method for Flash Point by Tag Closed Tester*, dans le cas d'un liquide dont la viscosité à 37,8°C est inférieure à 5,8 mm²/s (45 S.U.S.);

b) celle décrite dans la norme D93-80 de l'ASTM, intitulée *Standard Test Methods for Flash Point by Pensky-Martens Closed Tester*, dans le cas d'un liquide dont la viscosité à 37,8°C est égale ou supérieure à 5,8 mm²/s (45 S.U.S.);

c) celle décrite dans la norme D3828-81 de l'ASTM, intitulée *Standard Test Methods for Flash Point by Setaflash Closed Tester*, dans le cas d'un carburant d'aviation pour moteur à turbine;

d) celle décrite dans la norme D3278-82 de l'ASTM, intitulée *Standard Test Methods for Flash Point of Liquids by Setaflash Closed Tester*, dans le cas d'une peinture, d'un émail, d'une laque, d'un vernis ou d'un autre produit similaire dont le point d'éclair est compris entre 0°C et 110°C et dont la viscosité à 25°C est inférieure à 15 000 mm²/s (150 stokes), telle que déterminée conformément à la norme D445-79 de l'ASTM, intitulée *Standard Test Methods for Kinematic Viscosity of Transparent and Opaque Liquids (and the Calculation of Dynamic Viscosity)*.

PARTIE II

Épreuve pour la détermination de la température de décomposition auto-accélérée (TDAC)

1. L'épreuve pour la détermination de la température de décomposition auto-accélérée (TDAC) est,

a) si elle est exécutée au Canada, celle décrite à l'article 11.5 du chapitre 11 des *Recommandations de l'ONU*; et

b) si elle est exécutée à l'extérieur du Canada, l'une des épreuves décrites au chapitre 11 des *Recommandations de l'ONU* et reconnues par l'ONU comme étant équivalentes à celle visée à l'alinéa a).

PARTIE III

Épreuve «Reid Vapour Test»

1. L'épreuve connue sous le nom de *Reid Vapour Test* est exécutée conformément à la méthode décrite dans la norme D323-82 de l'ASTM, intitulée *Standard Test Method for Vapour Pressure of Petroleum Products (Reid Method)*.

PART IV

Solvent Separation Test

1. The solvent separation test shall be conducted using a 100 mL measuring cylinder of the stoppered type that is 250 mm high and that has a uniform internal diameter of 30 mm over the calibrated section and carried out in the following manner:

- (a) the ambient temperature and the temperature of all the materials used during the test shall be 23°C;
- (b) the sample of the substance to be tested shall be stirred until it is of a uniform consistency and poured into the measuring cylinder up to the 100 mL mark;
- (c) the stopper shall be inserted and the measuring cylinder shall be left standing undisturbed for 24 hours; and
- (d) the height of the upper separated layer of clear solvent shall be measured and the percentage it represents of the total height of the sample calculated.

PART V

Kinematic Viscosity Test

1. The kinematic viscosity is determined by:

- (a) the *Standard Test Method for Viscosity of Paints, Varnishes and Lacquers by Ford Viscosity Cup* ASTM D1200-82; or
- (b) *Paints and Varnishes — Determination of Flow Cups* ISO 2431-80 as amended in 1981.

PART VI

Metal Corrosion Test

1. The Metal Corrosion Test is *Laboratory Corrosion Testing of Metals for the Process Industry* NACE TM-01-69 (Revised 1976).

SCHEDULE VII

(Sch. III)

INFECTIOUS SUBSTANCES

1. For the purpose of these Regulations, infectious substances are divided into three groups as follows:

- (a) Group IA, are the most dangerous infectious substances and includes
 - (i) the Infectious Substances listed in Table I to this Schedule, and
 - (ii) any other infectious substances that
 - (A) have a degree of virulence similar to that of any substance listed in that Table,
 - (B) pose a risk to the community similar to the risk posed by any substance listed in that Table,
 - (C) are not subject to available treatment or for which no treatment is available, or

PARTIE IV

Épreuve de séparation du solvant

1. L'épreuve de séparation du solvant est exécutée à l'aide d'une éprouvette de 100 mL munie d'un bouchon, mesurant 250 mm de hauteur et dont le diamètre intérieur dans la partie graduée est de 30 mm, et est réalisée comme suit:

- a) s'assurer que la température ambiante et celle des matériaux servant à l'épreuve sont de 23°C;
- b) agiter l'échantillon jusqu'à ce qu'il soit de consistance uniforme, puis verser dans l'éprouvette de façon à la remplir jusqu'au degré 100 mL;
- c) mettre le bouchon et laisser l'éprouvette reposer debout pendant 24 heures; et
- d) mesurer la hauteur de la couche supérieure de solvant qui s'est séparée, et calculer le pourcentage de cette couche par rapport à la hauteur totale de l'échantillon.

PARTIE V

Épreuve de viscosité cinématique

1. L'épreuve de viscosité cinématique est celle décrite dans:

- a) la norme D1200-82 de l'ASTM, intitulée *Standard Test Method for Viscosity of Paints, Varnishes and Lacquers by Ford Viscosity Cup*; ou
- b) la norme 2431-80 de l'ISO, intitulée *Peintures et vernis — Détermination du temps au moyen de coupes d'écoulement*, telle que modifiée en 1981.

PARTIE VI

Épreuve de corrosion de métaux

1. L'épreuve de corrosion de métaux est celle décrite dans la norme TM-01-69 de la NACE, intitulée *Laboratory Corrosion Testing of Metals for the Process Industry*, telle que révisée en 1976.

ANNEXE VII

(Ann. III)

MATIÈRES INFECTIEUSES

1. Pour l'application du présent règlement, les matières infectieuses sont réparties en trois groupes, à savoir:

- a) le groupe IA, dans lequel entrent les matières infectieuses les plus dangereuses, soit:
 - (i) les matières infectieuses énumérées au tableau I de la présente annexe, et
 - (ii) toute autre matière infectieuse
 - (A) dont le degré de virulence est similaire à celui d'une matière énumérée au tableau I,
 - (B) qui présente pour la collectivité un danger analogue à celui que comporte une matière énumérée au tableau I,
 - (C) qui résiste aux traitements disponibles ou pour laquelle il n'existe aucun traitement, ou

- (D) are diagnostic specimens that are likely to contain any of the substances listed in that Table;
- (b) Group IB, are dangerous infectious substances less dangerous than the infectious substances included in Group IA and includes
- (i) the Infectious Substances listed in Table II to this Schedule, and
 - (ii) any other infectious substances that
 - (A) have a degree of virulence similar to that of any substance listed in that Table,
 - (B) pose a risk to the community similar to the risk posed by any substance listed in that Table,
 - (C) are resistant to available treatment or for which no treatment is available, or
 - (D) are diagnostic specimens that are likely to contain any of the substances listed in that Table;
- (c) Group IC, are dangerous infectious substances that are less dangerous than the infectious substances in Group IB and includes
- (i) infectious substances that are not included in Group IA and Group IB but that pose a significant risk to the individual or the community, and
 - (ii) any diagnostic specimens that are likely to contain any of the substances referred to in subparagraph (i).

TABLE I

Infectious Substances, Human

Ebola virus

Hemorrhagic fever agents, including Crimean hemorrhagic fever (Congo), Junin, Machupo, Bolivian and Korean hemorrhagic fever viruses.

Herpesvirus simiae (B virus)

Lassa virus

Marburg virus

Rift Valley Fever virus

Tick-borne encephalitis virus complex, including Russian spring-summer encephalitis, Kyasanur forest disease, Omsk hemorrhagic fever and Central European encephalitis viruses

Whitepox viruses

Variola major or minor

Infectious Substances, Animal

African swine fever virus

Borna disease virus

Foot and mouth disease virus

Fowl plague virus

Goat pox virus

Hog cholera virus

Lumpy skin disease virus

Mycoplasma mycoides subspecies mycoides pathovar bovis

Newcastle disease virus

- (D) qui est un spécimen pour diagnostic susceptible de contenir des matières énumérées au tableau I;
- b) le groupe IB, dans lequel entrent les matières infectieuses qui sont moins dangereuses que celles du groupe IA, soit:
- (i) les matières infectieuses énumérées au tableau II de la présente annexe, et
 - (ii) toute autre matière infectieuse
 - (A) dont le degré de virulence est similaire à celui d'une matière énumérée au tableau II,
 - (B) qui présente pour la collectivité un danger analogue à celui que comporte une matière énumérée au tableau II,
 - (C) qui résiste aux traitements disponibles ou pour laquelle il n'existe aucun traitement, ou
 - (D) qui est un spécimen pour diagnostic susceptible de contenir des matières énumérées au tableau II;
- c) le groupe IC, dans lequel entrent les matières infectieuses qui sont moins dangereuses que celles du groupe IB, soit:
- (i) les matières infectieuses qui ne sont pas comprises dans les groupes IA ou IB, mais qui présentent un danger sérieux pour l'individu ou la collectivité, et
 - (ii) les spécimens pour diagnostic susceptibles de contenir des matières visées au sous-alinéa (i).

TABLEAU I

Matières infectieuses pour les êtres humains

Agents des fièvres hémorragiques, y compris ceux des fièvres hémorragiques de Crimée (Congo), de Bolivie ou de Corée et les virus de Junin ou de Machupo.

Complexe viral des encéphalites à tiques, y compris les virus de l'encéphalite russe verno-estivale, le virus originaire de la forêt de Kyasanur, et les virus de la fièvre hémorragique d'Omsk et de l'encéphalite centro-européenne.

Herpès virus simiae (Virus B du singe)

Virus Ebola

Virus Lassa

Virus de la vallée du Rift

Virus de Marburg

Virus de la variole (*Whitepox*)

Virus de la variole majeure ou variole mineure

Matières infectieuses pour les animaux

Virus du choléra des porcs

Virus de la dermatose (*Lumpy skin*)

Virus de l'exanthème vésiculeux du porc

Virus de la fièvre aphteuse (*Foot and Mouth*)

Virus de la fièvre porcine africaine

Virus de la maladie de Borna

Virus de la maladie de Newcastle

Virus de la maladie de Teschen

Virus de la maladie vésiculeuse du porc

Pasteurella multocida type B
 Peste des petits ruminants virus
 Pseudorabies virus
 Rinderpest virus
 Sheep pox virus
 Swine vesicular disease virus
 Teschen disease virus
 Vesicular exanthema virus
 Vesicular stomatitis virus

Virus Mycoplasma mycoides subspecies: mycoides pathovar bovis
 Virus Pasteurella multocida type B
 Virus de la peste aviaire
 Virus de la Rinderpest
 Virus de la peste des petits ruminants
 Virus de la pseudo-rage
 Virus de la stomatite vésiculeuse du porc
 Virus de la variole de la chèvre
 Virus de la variole du mouton

TABLE II

Infectious Substances, Human

Actinobacillus mallei
 Arbovirus, all species
 Bacillus anthracis
 Bartonella, all species
 Brucella abortus
 Brucella melitensis
 Chlamydia psittaci
 Coccidioides immitis
 Coxiella burnetti
 Francisella tularensis
 Histoplasma capsulatum
 Lymphocytic choriomeningitis virus (LCM)
 Mycobacterium bovis
 Mycobacterium tuberculosis
 Rabies virus
 Rickettsia, all species
 Yersinia pestis

Hybrid or mutant organisms developed during laboratory procedures, including DNA (deoxyribonucleic acid) recombinations, that require physical containment level D or higher by the Guidelines produced by the Medical Research Council of Canada entitled: "Directives for the handling of recombinant DNA and animal viruses and cells".

Oncogenic viruses that require physical containment level D or higher by the Guidelines of the Medical Research Council of Canada.

TABLEAU II

Matières infectieuses pour les êtres humains

Actinobacillus mallei
 Arbovirus, tous les genres
 Bacillus anthracis
 Bartonella, tous les genres
 Brucella abortus
 Brucella melitensis
 Chlamydia psittaci
 Coccidioides immitis
 Coxiella burnetti
 Francisella tularensis
 Histoplasma capsulatum
 Lymphocytic choriomeningitis (LCM) (virus)
 Mycobacterium bovis
 Mycobacterium tuberculosis
 Rage, virus de la
 Rickettsia, tous les genres
 Yersinia pestis

Organismes hybrides ou mutants développés au cours de travaux en laboratoires, y compris les molécules d'ADN (acide déoxyribonucléique) produites par recombinaison, pour lesquels un confinement physique de niveau D ou d'un niveau supérieur est requis aux termes de l'édition courante du guide intitulé *Directives concernant la manipulation de molécules d'ADN produites par recombinaison et des cellules et virus animaux*, publié par le Conseil de recherches médicales du Canada.

Virus oncogènes pour lesquels un confinement physique de niveau D ou d'un niveau supérieur est requis aux termes des directives du Conseil de recherches médicales du Canada.

SCHEDULE VIII

(s. 2.16, 2.25, 6.3 and 7.2)

LIMITED QUANTITIES AND CONSUMER COMMODITIES

Legend to Tables to this Schedule

1. The symbol \leq means "not exceeding".
2. "PE" means polyethylene plastic.

[465]

ANNEXE VIII

(art. 2.16, 2.25, 6.3 et 7.2)

QUANTITÉS LIMITÉES ET BIENS DE CONSOMMATION

Légende applicable aux tableaux de la présente annexe

1. Le symbole \leq signifie «égal ou inférieur à».
2. «PE» signifie plastique polyéthylène.

3. Where a quantity is listed under inner packaging, this quantity is the maximum quantity permitted in a single inner packaging. The number of individual inner packagings is not expressly limited.
 4. Where the Packing Group is "X", the packaging shall be in accordance with the physical or chemical properties of the substance or article.
 5. "CFC 6000" means Canadian Freight Classification CFC 6000, January, 1979 published by the Canadian Freight Association.
 6. "CGSB Standard 43-GP-123MP" means Canadian General Standards Board Provisional Standard for: Containers, Metal, Aerosol (TC-2P, TC-2Q), July, 1981.
3. Chacune des quantités indiquées pour les emballages intérieurs représente la quantité maximale autorisée pour un seul emballage intérieur. Il n'y a cependant aucune restriction quant au nombre d'emballages intérieurs que peut contenir un emballage extérieur.
 4. Pour le groupe d'emballage «X», l'emballage doit être choisi en fonction des propriétés physiques ou chimiques de la matière ou de l'objet auquel il est destiné.
 5. «CFC 6000» désigne la Canadian Freight Classification CFC 6000, publiée en janvier 1979 par l'Association canadienne du trafic des marchandises.
 6. «Norme 43-GP-123MP de l'ONGC» désigne la norme provisoire de l'Office des normes générales du Canada, intitulée «Récipients aérosols métalliques (TC-2P, TC-2Q)», de juillet 1981.

PART I

AEROSOL PACKAGINGS

TABLE 1

Primary Classification: 2.1 or 2.2 Subsidiary Classification: None

Packing Group: X State: Aerosol

Combination Packagings:

Standards for Outer Packagings	Standards for Inner Packagings		
	Glass Aerosol	Plastic Aerosol	Metal Aerosol
CFC 6000, Rule 40 Wooden or plywood boxes only Gross mass ≤ 30 kg	125 mL Notes 1 & 5	125 mL Notes 2 & 5	1 L Notes 3 & 5
CFC 6000, Rule 41 Fibreboard boxes Gross mass ≤ 30 kg	125 mL Notes 1 & 5	125 mL Notes 2 & 5	1 L Notes 3 & 5

TABLE 2

Primary Classification: 2.2 Subsidiary Classification: 5.1

Packing Group: X State: Aerosol

Combination Packagings:

Standards for Outer Packagings	Standards for Inner Packagings		
	Glass Aerosol	Plastic Aerosol	Metal Aerosol
CFC 6000, Rule 40 Wooden or plywood boxes only Gross mass ≤ 30 kg	125 mL Notes 1 & 5	125 mL Notes 2 & 5	1 L Notes 3 & 5
CFC 6000, Rule 41 Fibreboard boxes Gross mass ≤ 30 kg	125 mL Notes 1 & 5	125 mL Notes 2 & 5	1 L Notes 3 & 5

TABLE 3

Primary Classification: 3.1, 3.2 or 3.3 Subsidiary Classification: None

Packing Group: X State: Aerosol

Combination Packagings:

Standards for Outer Packagings	Standards for Inner Packagings		
	Glass Aerosol	Plastic Aerosol	Metal Aerosol
CFC 6000, Rule 40 Wooden or plywood boxes only Gross mass ≤ 30 kg	200 mL Notes 2 & 5	200 mL Notes 4 & 5	1 L Notes 3 & 5
Fibreboard boxes CFC 6000, Rule 41 Gross mass ≤ 30 kg	200 mL Notes 2 & 5	200 mL Notes 4 & 5	1 L Notes 3 & 5

PARTIE I

AÉROSOLS

TABLEAU 1

Classification primaire: 2.1 ou 2.2 Classification subsidiaire: Aucune

Groupe d'emballage: X État: Aérosol

Emballages combinés:

Normes pour emballages extérieurs	Normes pour emballages intérieurs		
	Aérosol en verre	Aérosol en plastique	Aérosol en métal
CFC 6000, Règle 40 Caisses en bois ou en contre-plaqué seulement Masse brute ≤ 30 kg	125 mL Notes 1 et 5	125 mL Notes 2 et 5	1 L Notes 3 et 5
CFC 6000, Règle 41 Caisses en carton Masse brute ≤ 30 kg	125 mL Notes 1 et 5	125 mL Notes 2 et 5	1 L Notes 3 et 5

TABLEAU 2

Classification primaire: 2.2 Classification subsidiaire: 5.1

Groupe d'emballage: X État: Aérosol

Emballages combinés:

Normes pour emballages extérieurs	Normes pour emballages intérieurs		
	Aérosol en verre	Aérosol en plastique	Aérosol en métal
CFC 6000, Règle 40 Caisses en bois ou en contre-plaqué seulement Masse brute ≤ 30 kg	125 mL Notes 1 et 5	125 mL Notes 2 et 5	1 L Notes 3 et 5
CFC 6000, Règle 41 Caisses en carton Masse brute ≤ 30 kg	125 mL Notes 1 et 5	125 mL Notes 2 et 5	1 L Notes 3 et 5

TABLEAU 3

Classification primaire: 3.1, 3.2 ou 3.3 Classification subsidiaire: Aucune

Groupe d'emballage: X État: Aérosol

Emballages combinés:

Normes pour emballages extérieurs	Normes pour emballages intérieurs		
	Aérosol en verre	Aérosol en plastique	Aérosol en métal
CFC 6000, Règle 40 Caisses en bois ou en contre-plaqué seulement Masse brute ≤ 30 kg	200 mL Notes 2 et 5	200 mL Notes 4 et 5	1 L Notes 3 et 5
CFC 6000, Règle 41 Caisses en carton Masse brute ≤ 30 kg	200 mL Notes 2 et 5	200 mL Notes 4 et 5	1 L Notes 3 et 5

TABLE 4

Primary Classification: 6.1

Subsidiary Classification: None

Packing Group: X

State: Aerosol

Combination Packagings:

Standards for Outer Packagings	Standards for Inner Packagings		
	Glass Aerosol	Plastic Aerosol	Metal Aerosol
CFC 6000, Rule 40 Wooden or plywood boxes only Gross mass ≤ 30 kg	125 mL Notes 1 & 5	125 mL Notes 2 & 5	250 mL Notes 3 & 5
CFC 6000, Rule 41 Fibreboard boxes Gross mass ≤ 30 kg	125 mL Notes 1 & 5	125 mL Notes 2 & 5	250 mL Notes 3 & 5

TABLE 5

Primary Classification: 8 Liquid

Subsidiary Classification: None

Packing Group: X

State: Aerosol

Combination Packagings:

Standards for Outer Packagings	Standards for Inner Packagings		
	Glass Aerosol	Plastic Aerosol	Metal Aerosol
CFC 6000, Rule 40 Wooden or plywood boxes only Gross mass ≤ 30 kg	125 mL Notes 1 & 5	125 mL Notes 2 & 5	625 mL Notes 3 & 5
CFC 6000, Rule 41 Fibreboard boxes Gross mass ≤ 30 kg	125 mL Notes 1 & 5	125 mL Notes 2 & 5	625 mL Notes 3 & 5

TABLE 6

Primary Classification: 8 Solid

Subsidiary Classification: None

Packing Group: X

State: Aerosol

Combination Packagings:

Standards for Outer Packagings	Standards for Inner Packagings		
	Glass Aerosol	Plastic Aerosol	Metal Aerosol
CFC 6000, Rule 40 Wooden or plywood boxes only Gross mass ≤ 30 kg	125 mL Notes 1 & 5	125 mL Notes 2 & 5	1 L Notes 3 & 5
CFC 6000, Rule 41 Fibreboard boxes Gross mass ≤ 30 kg	125 mL Notes 1 & 5	125 mL Notes 2 & 5	1 L Notes 3 & 5

TABLEAU 4

Classification primaire: 6.1

Classification subsidiaire: Aucune

Groupe d'emballage: X

État: Aerosol

Emballages combinés:

Normes pour emballages extérieurs	Normes pour emballages intérieures		
	Aérosol en verre	Aérosol en plastique	Aérosol en métal
CFC 6000, Règle 40 Caisses en bois ou en contre-plaqué seulement Masse brute ≤ 30 kg	125 mL Notes 1 et 5	125 mL Notes 2 et 5	250 mL Notes 3 et 5
CFC 6000, Règle 41 Caisses en carton Masse brute ≤ 30 kg	125 mL Notes 1 et 5	125 mL Notes 2 et 5	250 mL Notes 3 et 5

TABLEAU 5

Classification primaire: 8 Liquide

Classification subsidiaire: Aucune

Groupe d'emballage: X

État: Aerosol

Emballages combinés:

Normes pour emballages extérieurs	Normes pour emballages intérieures		
	Aérosol en verre	Aérosol en plastique	Aérosol en métal
CFC 6000, Règle 40 Caisses en bois ou en contre-plaqué seulement Masse brute ≤ 30 kg	125 mL Notes 1 et 5	125 mL Notes 2 et 5	625 mL Notes 3 et 5
CFC 6000, Règle 41 Caisses en carton Masse brute ≤ 30 kg	125 mL Notes 1 et 5	125 mL Notes 2 et 5	625 mL Notes 3 et 5

TABLEAU 6

Classification primaire: 8 Solide

Classification subsidiaire: Aucune

Groupe d'emballage: X

État: Aerosol

Emballages combinés:

Normes pour emballages extérieurs	Normes pour emballages intérieures		
	Aérosol en verre	Aérosol en plastique	Aérosol en métal
CFC 6000, Règle 40 Caisses en bois ou en contre-plaqué seulement Masse brute ≤ 30 kg	125 mL Notes 1 et 5	125 mL Notes 2 et 5	1 L Notes 3 et 5
CFC 6000, Règle 41 Caisses en carton Masse brute ≤ 30 kg	125 mL Notes 1 et 5	125 mL Notes 2 et 5	1 L Notes 3 et 5

TABLE 7

Primary Classification: 9.1

Subsidiary Classification: None

Packing Group: X

State: Aerosol

Combination Packagings:

Standards for Outer Packagings	Standards for Inner Packagings		
	Glass Aerosol	Plastic Aerosol	Metal Aerosol
CFC 6000, Rule 40 Wooden or plywood boxes only Gross mass ≤ 30 kg	125 mL Notes 1 & 5	125 mL Notes 2 & 5	1 L Notes 3 & 5
CFC 6000, Rule 41 Fibreboard boxes Gross mass ≤ 30 kg	125 mL Notes 1 & 5	125 mL Notes 2 & 5	1 L Notes 3 & 5

NOTES TO PART I

Note 1: Maximum internal gauge pressure must not exceed 105 kPa.

Note 2: Maximum internal gauge pressure must not exceed 175 kPa.

Note 3: The packaging must

- if the contents are at an internal gauge pressure not greater than 965 kPa at 55°C, be capable of withstanding an internal pressure of 1.5 times the equilibrium pressure of the contents at 55°C or comply with the requirements of specifications TC-2P or TC-2Q (CGSB Standard 43-GP-123MP);
- if the contents are at an internal gauge pressure greater than 965 kPa but not greater than 1105 kPa at 55°C, comply with the requirements of specifications TC-2P or TC-2Q (CGSB Standard 43-GP-123MP); or
- if the contents are at an internal gauge pressure greater than 1105 kPa but not greater than 1245 kPa at 55°C, comply with the requirements of specification TC-2Q (CGSB Standard 43-GP-123MP).

Note 4: Maximum internal gauge pressure must not exceed 250 kPa.

Note 5: (a) Each completed package filled for transport must, before it is transported, be heated until the pressure in the packaging is equivalent to the equilibrium pressure of the contents at 55°C without evidence of leakage, distortion or other defect;

- Aerosols containing biological products or medical preparations that could be deteriorated by heat need not comply with the requirements for individual testing if
 - the maximum volume does not exceed 570 mL,
 - the maximum internal gauge pressure does not exceed 965 kPa at 55°C, and

TABLEAU 7

Classification primaire: 9.1

Classification subsidiaire: Aucune

Groupe d'emballage: X

État: Aérosol

Emballages combinés:

Normes pour emballages extérieurs	Normes pour emballages intérieures		
	Aérosol en verre	Aérosol en plastique	Aérosol en métal
CFC 6000, Règle 40 Caisses en bois ou en contre-plaqué seulement Masse brute ≤ 30 kg	125 mL Notes 1 et 5	125 mL Notes 2 et 5	1 L Notes 3 et 5
CFC 6000, Règle 41 Caisses en carton Masse brute ≤ 30 kg	125 mL Notes 1 et 5	125 mL Notes 2 et 5	1 L Notes 3 et 5

NOTES APPLICABLES À LA PARTIE I

Note 1: La pression manométrique intérieure maximale ne doit pas dépasser 105 kPa.

Note 2: La pression manométrique intérieure maximale ne doit pas dépasser 175 kPa.

Note 3: L'emballage doit répondre aux conditions suivantes:

- si la pression manométrique intérieure du contenu à 55°C n'est pas supérieure à 965 kPa, l'emballage doit être capable de supporter une pression égale à 1,5 fois la pression d'équilibre du contenu à 55°C, ou être conforme aux spécifications TC-2P ou TC-2Q (ONGC—Norme 43-GP-123MP);
- si la pression manométrique intérieure du contenu à 55°C est supérieure à 965 kPa sans dépasser 1105 kPa, l'emballage doit être conforme aux spécifications TC-2P ou TC-2Q (ONGC—Norme 43-GP-123MP); ou
- si la pression manométrique intérieure du contenu à 55°C est supérieure à 1105 kPa sans dépasser 1245 kPa, l'emballage doit être conforme à la spécification TC-2Q (ONGC—Norme 43-GP-123MP).

Note 4: La pression manométrique intérieure maximale ne doit pas dépasser 250 kPa.

Note 5: (a) Chaque emballage rempli doit, avant le transport, être chauffé jusqu'à ce que la pression dans l'emballage atteigne la pression d'équilibre du contenu à 55°C, sans qu'il se produise de fuite, de déformation ou autre détérioration;

- Les aérosols contenant des produits biologiques ou des préparations médicales susceptibles de se détériorer à la chaleur peuvent être exemptés de l'épreuve visée à l'alinéa a), si
 - leur volume maximal ne dépasse pas 570 mL,
 - la pression manométrique intérieure maximale ne dépasse pas 965 kPa à 55°C, et

- (iii) one completed packaging out of each lot of 500 or less, filled for transport, has been heated until the pressure of the packaging is equivalent to the equilibrium pressure of the contents at 55°C without evidence of leakage, distortion or other defect; and

if the tested aerosol fails the test identified in subparagraph (iii), the complete lot is deemed to have failed the test.

PART II

Non-aerosol packagings

TABLE 1

Primary Classification: 2.1 or 2.2 *Subsidiary Classification:* Any
Packing Group: X *State:* Gas
Combination Packagings:

Standards for Outer Packagings	Standards for Inner Packagings	
	Any Packaging	Electronic Tubes
CFC 6000, Rule 40 Wooden or plywood boxes only Gross mass ≤ 30 kg	125 mL	500 mL Note 1
CFC 6000, Rule 41 Fibreboard boxes Gross mass ≤ 30 kg	125 mL	500 mL Note 1
CFC 6000, Rule 40 Metal boxes or drums only Gross mass ≤ 30 kg	125 mL	500 mL Note 1
CFC 6000, Rule 54 Fibre drums only Gross mass ≤ 30 kg	125 mL	500 mL Note 1

TABLE 2

Audible fire alarm systems powered by gas

Primary Classification: 2.2 *Subsidiary Classification:* None
Packing Group: X *State:* Gas
Combination Packagings:

Standards for Outer Packagings	Standards for Inner Packagings	
	Refillable Metal	Non-refillable Metal
CFC 6000, Rule 40 Wooden or plywood boxes only Gross mass ≤ 30 kg	570 mL Note 2	570 mL Note 2
CFC 6000, Rule 41 Fibreboard boxes Gross mass ≤ 30 kg	570 mL Note 2	570 mL Note 2
CFC 6000, Rule 40 Metal boxes only Gross mass ≤ 30 kg	570 mL Note 2	570 mL Note 2

- (iii) un emballage rempli, par lot de 500 ou moins, est chauffé avant le transport jusqu'à ce que la pression dans l'emballage atteigne la pression d'équilibre du contenu à 55°C, sans qu'il se produise de fuite, de déformation ou autre détérioration

et dans les cas où un aérosol ne passe pas l'épreuve mentionnée au sous-alinéa (iii), le lot au complet est réputé ne pas avoir passé l'épreuve.

PARTIE II

Emballages autres que les aérosols

TABLEAU 1

Classification primaire: 2.1 ou 2.2 *Classification subsidiaire:* Toutes
Groupe d'emballage: X *État:* Gaz
Emballages combinés:

Normes pour emballages extérieurs	Normes pour emballages intérieurs	
	Tous les emballages	Tubes électroniques
CFC 6000, Règle 40 Caisses en bois ou en contre-plaqué seulement Masse brute ≤ 30 kg	125 mL	500 mL Note 1
CFC 6000, Règle 41 Caisses en carton Masse brute ≤ 30 kg	125 mL	500 mL Note 1
CFC 6000, Règle 40 Caisses ou fûts en métal seulement Masse brute ≤ 30 kg	125 mL	500 mL Note 1
CFC 6000, Règle 54 Fûts en carton seulement Masse brute ≤ 30 kg	125 mL	500 mL Note 1

TABLEAU 2

Systèmes d'alarme sonores à gaz

Classification primaire: 2.2 *Classification subsidiaire:* Aucune
Groupe d'emballage: X *État:* Gaz
Emballages combinés:

Normes pour emballages extérieurs	Normes pour emballages intérieurs	
	Emballage réutilisable en métal	Emballage réutilisable non en métal
CFC 6000, Règle 40 Caisses en bois ou en contre-plaqué seulement Masse brute ≤ 30 kg	570 mL Note 2	570 mL Note 2
CFC 6000, Règle 41 Caisses en carton Masse brute ≤ 30 kg	570 mL Note 2	570 mL Note 2
CFC 6000, Règle 40 Caisses en métal seulement Masse brute ≤ 30 kg	570 mL Note 2	570 mL Note 2

TABLE 3

Primary Classification: 3.1 or 3.2 *Subsidiary Classification:* Any
Packing Group: II or III *State:* Liquid
Combination Packagings:

Standards for Outer Packagings	Standards for Inner Packagings			
	Glass	Earthenware	Plastic	Metal
CFC 6000, Rule 40 Wooden or plywood boxes only Gross mass ≤ 30 kg	500 mL Note 6	500 mL Note 6	500 mL Note 6	1 L Note 6
CFC 6000, Rule 41 Fibreboard boxes Gross mass ≤ 30 kg	500 mL Note 6	500 mL Note 6	500 mL Note 6	1 L Note 6

TABLE 4

Primary Classification: 3.3 *Subsidiary Classification:* Any
Packing Group: II or III *State:* Liquid
Combination Packagings:

Standards for Outer Packagings	Standards for Inner Packagings			
	Glass	Earthenware	Plastic	Metal
CFC 6000, Rule 40 Wooden or plywood boxes only Gross mass ≤ 30 kg	500 mL Note 6	500 mL Note 6	500 mL Note 6	5L Note 6
CFC 6000, Rule 41 Fibreboard boxes Gross mass ≤ 30 kg	500 mL Note 6	500 mL Note 6	500 mL Note 6	5 L Note 6

TABLE 5

Primary Classification: 4.1 *Subsidiary Classification:* Any
Packing Group: II or III *State:* Solid
Combination Packagings:

Standards for Outer Packagings	Standards for Inner Packagings			
	Glass	Plastic	Metal	Fibre
CFC 6000, Rule 40 Wooden or plywood boxes only Gross mass ≤ 10 kg	500 g	500 g	500 g	500 g
CFC 6000, Rule 41 Fibreboard boxes Gross mass ≤ 10 kg	500 g	500 g	500 g	500 g

TABLEAU 3

Classification primaire: 3.1 ou 3.2 *Classification subsidiaire:* Toutes
Groupe d'emballage: II ou III *État:* Liquide
Emballages combinés:

Normes pour emballages extérieurs	Normes pour emballages intérieurs			
	En verre	En grès	En plastique	En métal
CFC 6000, Règle 40 Caisses en bois ou en contre-plaqué seulement Masse brute ≤ 30 kg	500 mL Note 6	500 mL Note 6	500 mL Note 6	1 L Note 6
CFC 6000, Règle 41 Caisses en carton Masse brute ≤ 30 kg	500 mL Note 6	500 mL Note 6	500 mL Note 6	1 L Note 6

TABLEAU 4

Classification primaire: 3.3 *Classification subsidiaire:* Toutes
Groupe d'emballage: II ou III *État:* Liquide
Emballages combinés:

Normes pour emballages extérieurs	Normes pour emballages intérieurs			
	En verre	En grès	En plastique	En métal
CFC 6000, Règle 40 Caisses en bois ou en contre-plaqué seulement Masse brute ≤ 30 kg	500 mL Note 6	500 mL Note 6	500 mL Note 6	5L Note 6
CFC 6000, Règle 41 Caisses en carton Masse brute ≤ 30 kg	500 mL Note 6	500 mL Note 6	500 mL Note 6	5 L Note 6

TABLEAU 5

Classification primaire: 4.1 *Classification subsidiaire:* Toutes
Groupe d'emballage: II ou III *État:* Solide
Emballages combinés:

Normes pour emballages extérieurs	Normes pour emballages intérieurs			
	En verre	En plastique	En métal	En carton
CFC 6000, Règle 40 Caisses en bois ou en contre-plaqué seulement Masse brute ≤ 10 kg	500 g	500 g	500 g	500 g
CFC 6000, Règle 41 Caisses en carton Masse brute ≤ 10 kg	500 g	500 g	500 g	500 g

TABLE 6

Primary Classification: 4.2, 4.3 or 5.1 Subsidiary Classification: Any

Packing Group: II or III State: Liquid

Combination Packagings:

Standards for Outer Packagings	Standards for Inner Packagings		
	Glass	Plastic	Metal
CFC 6000, Rule 40 Wooden or plywood boxes only Gross mass ≤ 10 kg	625 mL Note 6	625 mL Note 6	625 mL Note 6
CFC 6000, Rule 41 Fibreboard boxes Gross mass ≤ 10 kg	625 mL Note 6	625 mL Note 6	625 mL Note 6

TABLE 7

Primary Classification: 4.2, 4.3 or 5.1 Subsidiary Classification: Any

Packing Group: II or III State: Solid

Combination Packagings:

Standards for Outer Packagings	Standards for Inner Packagings			
	Glass	Plastic	Metal	Fibre
CFC 6000, Rule 40 Wooden or plywood boxes only Gross mass ≤ 10 kg	500 g	500 g	500 g	500 g
CFC 6000, Rule 41 Fibreboard boxes Gross mass ≤ 10 kg	500 g	500 g	500 g	500 g

TABLE 8

Primary Classification: 5.2 Subsidiary Classification: Any

Packing Group: II or III State: Liquid

Combination Packagings:

Standards for Outer Packagings	Standards for Inner Packagings			
	Glass	Plastic	Metal	Fibre
CFC 6000, Rule 40 Wooden or plywood boxes only Net volume ≤ 2.5 L	50 mL Notes 3, 4 & 6	50 mL Notes 3, 4 & 6	50 mL Notes 3, 4 & 6	50 mL Notes 3, 4 & 6
CFC 6000, Rule 41 Fibreboard boxes Net volume ≤ 2.5 L	50 mL Notes 3, 4 & 6	50 mL Notes 3, 4 & 6	50 mL Notes 3, 4 & 6	50 mL Notes 3, 4 & 6

TABLEAU 6

Classification primaire: 4.2, 4.3 ou 5.1 Classification subsidiaire: Toutes

Groupe d'emballage: II ou III État: Liquide

Emballages combinés:

Normes pour emballages extérieurs	Normes pour emballages intérieurs		
	En verre	En plastique	En métal
CFC 6000, Règle 40 Caisses en bois ou en contre-plaqué seulement Masse brut ≤ 10 kg	625 mL Note 6	625 mL Note 6	625 mL Note 6
CFC 6000, Règle 41 Caisses en carton Masse brute ≤ 10 kg	625 mL Note 6	625 mL Note 6	625 mL Note 6

TABLEAU 7

Classification primaire: 4.2, 4.3 ou 5.1 Classification subsidiaire: Toutes

Groupe d'emballage: II ou III État: Solide

Emballages combinés:

Normes pour emballages extérieurs	Normes pour emballages intérieurs			
	En verre	En plastique	En métal	En carton
CFC 6000, Règle 40 Caisses en bois ou en contre-plaqué seulement Masse brute ≤ 10 kg	500 g	500 g	500 g	500 g
CFC 6000, Règle 41 Caisses en carton Masse brute ≤ 10 kg	500 g	500 g	500 g	500 g

TABLEAU 8

Classification primaire: 5.2 Classification subsidiaire: Toutes

Groupe d'emballage: II ou III

État: Liquide

Emballages combinés:

Normes pour emballages extérieurs	Normes pour emballages intérieurs			
	En verre	En plastique	En métal	En carton
CFC 6000, Règle 40 Caisses en bois ou en contre-plaqué seulement Volume net ≤ 2,5 L	50 mL Notes 3, 4 et 6	50 mL Notes 3, 4 et 6	50 mL Notes 3, 4 et 6	50 mL Notes 3, 4 et 6
CFC 6000, Règle 41 Caisses en carton Volume net ≤ 2,5 L	50 mL Notes 3, 4 et 6	50 mL Notes 3, 4 et 6	50 mL Notes 3, 4 et 6	50 mL Notes 3, 4 et 6

TABLE 9

Primary Classification: 5.2

Subsidiary Classification: Any

Packing Group: II or III

State: Solid

Combination Packagings:

Standards for Outer Packagings	Standards for Inner Packagings			
	Glass	Plastic	Metal	Fibre
CFC 6000, Rule 40 Wooden or plywood boxes only Net mas ≤ 2,5 kg	50 g Notes 3 & 4	50 g Notes 3 & 4	50 g Notes 3 & 4	50 g Notes 3 & 4
CFC 6000, Rule 41 Fibreboard boxes Net mass ≤ 2,5 kg	50 g Notes 3 & 4	50 g Notes 3 & 4	50 g Notes 3 & 4	50 g Notes 3 & 4

TABLE 10

Primary Classification: 6.1

Subsidiary Classification: Any

Packing Group: II

State: Liquid

Combination Packagings:

Standards for Outer Packagings	Standards for Inner Packagings		
	Glass	Metal	Plastic
CFC 6000, Rule 40 Wooden or plywood boxes only Gross mass ≤ 30 kg	250 mL Note 6	250 mL Note 6	PE, 250 mL Note 6
CFC 6000, Rule 41 Fibreboard boxes Gross mass ≤ 30 kg	250 mL Note 6	250 mL Note 6	PE, 250 mL Note 6
CFC 6000, Rule 40 Molded expanded polystyrene cases only Gross mass ≤ 30 kg	250 mL Note 6	250 mL Note 6	PE, 250 mL Note 6

TABLEAU 9

Classification primaire: 5.2

Classification subsidiaire: Toutes

Groupe d'emballage: II ou III

État: Solide

Emballages combinés:

Normes pour emballages extérieurs	Normes pour emballages intérieurs			
	En verre	En plastique	En métal	En carton
CFC 6000, Règle 40 Caisses en bois ou en contre-plaqué seulement Masse nette ≤ 2,5 kg	50 g Notes 3 et 4	50 g Notes 3 et 4	50 g Notes 3 et 4	50 g Notes 3 et 4
CFC 6000, Règle 41 Caisses en carton Masse nette ≤ 2,5 kg	50 g Notes 3 et 4	50 g Notes 3 et 4	50 g Notes 3 et 4	50 g Notes 3 et 4

TABLEAU 10

Classification primaire: 6.1

Classification subsidiaire: Toutes

Groupe d'emballage: II

État: Liquide

Emballages combinés:

Normes pour emballages extérieurs	Normes pour emballages intérieurs		
	En verre	En métal	En plastique
CFC 6000, Règle 40 Caisses en bois ou en contre-plaqué seulement Masse brute ≤ 30 kg	250 mL Note 6	250 mL Note 6	PE, 250 mL Note 6
CFC 6000, Règle 41 Caisses en carton Masse brute ≤ 30 kg	250 mL Note 6	250 mL Note 6	PE, 250 mL Note 6
CFC 6000, Règle 40 Caisses en polystyrène moulé et gonflé Masse brute ≤ 30 kg	250 mL Note 6	250 mL Note 6	PE, 250 mL Note 6

TABLE 11

Primary Classification: 6.1

Subsidiary Classification: Any

Packing Group: II

State: Solid

Combination Packagings:

Standards for Outer Packagings	Standards for Inner Packagings
CFC 6000, Rule 40 Wood boxes only, or CFC 6000, Rule 41 Fibreboard boxes, or CFC 6000, Rule 40 Molded expanded Polystyrene cases only Gross mass \leq 30 kg	glass, earthenware or composition bottles or jars, or metal packagings, or lock-corner sliding-lid wooden boxes, not exceeding 250 g or chipboard, pasteboard or fibre cartons, cans, boxes or tightly closed plastic bags or bottles compatible with contents, not exceeding 250 g
CFC 6000, Rule 40 Wood boxes only, or CFC 6000, Rule 41 Fibreboard boxes Gross mass \leq 30 kg	plastic bottles or jars, or chipboard, pasteboard or fibre cartons, cans or boxes, 250 g

TABLE 12

Primary Classification: 8

Subsidiary Classification: Any

Packing Group: II or III

State: Liquid

Combination Packagings:

Standards for Outer Packagings	Standards for Inner Packagings		
	Glass	Metal	Plastic
CFC 6000, Rule 40 Wooden or plywood boxes only Gross mass \leq 30 kg	625 mL Notes 5 & 6	625 mL Note 6	625 mL Note 6
CFC 6000, Rule 41 Fibreboard boxes Gross mass \leq 30 kg	625 mL Notes 5 & 6	625 mL Note 6	625 mL Note 6

TABLEAU 11

Classification primaire: 6.1

Classification subsidiaire: Toutes

Groupe d'emballage: II

État: Solide

Emballages combinés:

Normes pour emballages extérieurs	Normes pour emballages intérieurs
CFC 6000, Règle 40 Caisses en bois seulement, ou CFC 6000, Règle 41 Caisses en carton, ou CFC 6000, Règle 40 Caisses en polystyrène moulé et gonflé seulement Masse brute \leq 30 kg	Bouteilles ou jarres en verre ou en grès, ou bouteilles ou jarres mixtes, ou emballages en métal ou caisses en bois à angles joints munies de couvercles coulissants, d'une capacité d'au plus 250 g; boîtes ou caisses en carton dur, en carton gris, ou en carton collé, ou sacs ou bouteilles en plastique hermétiquement fermés et compatibles avec le contenu, d'une capacité, d'au plus 250 g
CFC 6000, Règle 40 Caisses en bois seulement, ou CFC 6000, Règle 41 Caisses en carton Masse brute \leq 30 kg	Bouteilles ou jarres en plastique, boîtes ou caisses en carton dur, en carton gris ou en carton collé, 250 g

TABLEAU 12

Classification primaire: 8

Classification subsidiaire: Toutes

Groupe d'emballage: II ou III

État: Liquide

Emballages combinés:

Normes pour emballages extérieurs	Normes pour emballages intérieurs		
	En verre	En métal	En plastique
CFC 6000, Règle 40 Caisses en bois ou en contre-plaqué seulement Masse brute \leq 30 kg	625 mL Notes 5 et 6	625 mL Note 6	625 mL Note 6
CFC 6000, Règle 41 Caisses en carton Masse brute \leq 30 kg	625 mL Notes 5 et 6	625 mL Note 6	625 mL Note 6

TABLE 13

Primary Classification: 8
Packing Group: II or III
Combination Packagings:

Subsidiary Classification: Any
State: Solid

Standards for Outer Packagings	Standards for Inner Packagings							
	Metal	Metal-Fibre	Rigid Plastic	Rigid Fibre	Earthenware	Glass	Flexible Plastic	Paper
CFC 6000, Rule 40 Wooden or plywood boxes only Gross mass ≤ 30 kg	5kg	5kg	5kg	5kg	2.5kg	2.5kg	2.5kg	2.5kg
CFC 6000, Rule 41 Fibreboard boxes Gross mass ≤ 30 kg	5kg	5kg	5kg	5kg	2.5kg	2.5kg	2.5kg	2.5kg
CFC 6000, Rule 40 Metal boxes or drums only Gross mass ≤ 30 kg	5kg	5kg	5kg	5kg	2.5kg	2.5kg	2.5kg	2.5kg
CFC 6000, Rule 54 Fibre drums Gross mass ≤ 30 kg	5kg	5kg	5kg	5kg	2.5kg	2.5kg	2.5kg	2.5kg

TABLEAU 13

Classification primaire: 8
Groupe d'emballage: II ou III
Emballages combinés:

Classification subsidiaire: Toutes
État: Solide

Normes pour emballages extérieurs	Normes pour emballages intérieurs							
	En métal	En fibre de métal	En plastique rigide	En carton rigide	En grès	En verre	En plastique flexible	En papier
CFC 6000, Règle 40 Caisses en bois ou en contre-plaqué seulement Masse brute ≤ 30 kg	5kg	5kg	5kg	5kg	2,5kg	2,5kg	2,5kg	2,5kg
CFC 6000, Règle 41 Caisses en carton Masse brute ≤ 30 kg	5kg	5kg	5kg	5kg	2,5kg	2,5kg	2,5kg	2,5kg
CFC 6000, Règle 40 Caisses ou fûts en métal Masse brute ≤ 30 kg	5kg	5kg	5kg	5kg	2,5kg	2,5kg	2,5kg	2,5kg
CFC 6000, Règle 54 Fûts en carton Masse brute ≤ 30 kg	5kg	5kg	5kg	5kg	2,5kg	2,5kg	2,5kg	2,5kg

NOTES TO PART II

Note 1: Maximum internal gauge pressure must not exceed 240 kPa.

Note 2: Maximum internal gauge pressure must not exceed 480 kPa at 21°C.

If refillable, the packaging must be designed and fabricated to withstand a burst pressure of not less than five times the equilibrium pressure of the contents at 55°C.

If non-refillable, the packaging must be designed and fabricated to withstand a burst pressure of not less than four times the equilibrium pressure of the contents at 55°C.

Note 3: Packagings, except plastic packagings not over 30 mL capacity, must be surrounded with non-combustible cushioning material.

Note 4: Packagings that are securely closed tubes not exceeding 5 mL capacity that are surrounded by non-combustible cushioning material with not more than 70 inner packages in an intermediate packaging that is a fibreboard box and with not more than 24 intermediate packages in an outer packaging, are acceptable.

Note 5: Inner packages of glass must be overpacked in intermediate metal cans, packed in outer packagings.

Note 6: Receptacles or packagings of liquid must not be liquid full at 55°C.

NOTES APPLICABLES À LA PARTIE II

Note 1: La pression manométrique intérieure maximale ne doit pas dépasser 240 kPa.

Note 2: La pression manométrique intérieure maximale ne doit pas dépasser 480 kPa à 21°C.

Un emballage réutilisable doit être conçu et fabriqué de façon à être capable de résister à une pression d'éclatement au moins cinq fois supérieure à la pression d'équilibre du contenu à 55°C.

Un emballage non réutilisable doit être conçu et fabriqué de façon à être capable de résister à une pression d'éclatement au moins quatre fois supérieure à la pression d'équilibre du contenu à 55°C.

Note 3: Les emballages, à l'exception de ceux en plastique d'une capacité maximale de 30 mL, doivent être protégés par un matériau incombustible.

Note 4: Il est permis d'utiliser comme emballages intérieurs des tubes d'une capacité maximale de 5 mL, à condition que ceux-ci soient fermés hermétiquement, qu'ils soient protégés par un matériau incombustible, qu'il n'y ait pas plus de 70 emballages intérieurs dans un même emballage intermédiaire, que ce dernier soit une boîte en carton et qu'un emballage extérieur ne contienne pas plus de 24 emballages intermédiaires.

Note 5: L'emballage intérieur en verre doit être suremballé dans un emballage intermédiaire en métal protégé par un emballage extérieur.

Note 6: Les récipients ou les emballages contenant des liquides ne doivent pas être complètement remplis à 55°C.

SCHEDULE IX

(s. 9.8)

FORM 1

REGISTRATION

1. ☐ Initial Registration☐ Subsequent Registration

2. Type of business (check prominent activity only)

☐ product manufacturing☐ importing☐ container handling facility☐ freight forwarding☐ transfer facility☐ distributing☐ warehousing☐ other (specify) _____


3. Company name and head office address

4. List of any other names under which the registrant does business in Canada and to which this registration applies.

5. Dangerous goods involved

Check each applicable type of dangerous goods in bulk or in packages to which this registration applies.

SCHEDULE IX (con.)
FORM 1 (con.)

	TYPE OF DANGEROUS GOODS		CLASSIFICATION	BULK	PACKAGED
(a)	EXPLOSIVES		1		
(b)	COMPRESSED GASES	— FLAMMABLE	2.1		
		— NON-FLAMMABLE	2.2		
		— POISONOUS	2.3		
		— CORROSIVE	2.4		
(c)	FLAMMABLE LIQUIDS	— GASOLINE	3.1		
		— OTHER (flashpoint less than -18°C)	3.1		
		— OTHER (flashpoint not less than -18°C but less than 23°C)	3.2		
		— OTHER (flashpoint not less than 23°C but less than 37.8°C)	3.3		
(d)	FLAMMABLE SOLIDS		4.1		
(e)	SPONTANEOUSLY COMBUSTIBLE SUBSTANCES		4.2		
(f)	DANGEROUS WHEN WET SUBSTANCES		4.3		
(g)	OXIDIZERS	— OXYGEN	5.1		
		— OTHER	5.1		
(h)	ORGANIC PEROXIDES		5.2		
(i)	POISONS		6.1		
(j)	INFECTIOUS SUBSTANCES		6.2		
(k)	RADIOACTIVE MATERIALS		7		
(l)	CORROSIVES		8		
(m)	MISCELLANEOUS DANGEROUS GOODS		9.1		
(n)	HAZARDOUS TO THE ENVIRONMENT		9.2		
(o)	DANGEROUS WASTES		9.3		

SCHEDULE IX (conc.)
FORM 1 (conc.)

6. Attach a list containing the following information for each of the company branch offices or other plant locations in Canada where dangerous goods are dealt with:

- (a) address of each company branch office or other plant location;
 - (b) each means of transport used to ship dangerous goods from plant site.
-

7. Information on the person completing this Form

- (a) name _____
 - (b) position _____
 - (c) address _____
 - (d) telephone number _____
(area code/number)
-

I certify that the above information is correct to the best of my knowledge

Signature

Date

ANNEXE IX

(art. 9.8)

FORMULE 1

INSCRIPTION

1. ☐ Inscription initiale☐ Réinscription

2. Genre d'entreprise (cocher seulement l'activité la plus importante)

☐ fabrication de produits☐ importation☐ manutention de conteneurs☐ groupement de frets☐ transbordement☐ distribution☐ entreposage☐ autre (préciser) _____


3. Raison sociale et siège social '

4. Raison sociale de toute(s) autre(s) entreprise(s) qu'exploite au Canada la personne qui s'inscrit et à laquelle (auxquelles) s'applique la présente inscription.

5. Marchandises dangereuses en cause

Cocher chaque type de marchandises dangereuses, en vrac ou emballées auquel s'applique la présente inscription.

ANNEXE IX (suite)
FORMULE 1—Suite

	TYPE DE MARCHANDISES DANGEREUSES		CLASSIFICATION	EN VRAC	EMBALLÉES
(a)	EXPLOSIFS		1		
(b)	GAZ COMPRIMÉS	— INFLAMMABLES	2.1		
		— ININFLAMMABLES	2.2		
		— TOXIQUES	2.3		
		— CORROSIFS	2.4		
(c)	LIQUIDES INFLAMMABLES	— ESSENCE	3.1		
		— AUTRES (point d'éclair inférieur à - 18°C)	3.1		
		— AUTRES (point d'éclair égal ou supérieur à - 18°C et inférieur à 23°C)	3.2		
		— AUTRES (point d'éclair égal ou supérieur à 23°C et inférieur à 37,8°C)	3.3		
(d)	SOLIDES INFLAMMABLES		4.1		
(e)	MATIÈRES SPONTANÉMENT INFLAMMABLES		4.2		
(f)	MATIÈRES RÉAGISSANT AU CONTACT DE L'EAU		4.3		
(g)	COMBURANTS	— OXYGÈNE	5.1		
		— AUTRE	5.1		
(h)	PEROXYDES ORGANIQUES		5.2		
(i)	MATIÈRES TOXIQUES		6.1		
(j)	MATIÈRES INFECTIEUSES		6.2		
(k)	MATIÈRES RADIOACTIVES		7		
(l)	MATIÈRES CORROSIVES		8		
(m)	MARCHANDISES DANGEREUSES DIVERSES		9.1		
(n)	MATIÈRES NOCIVES POUR L'ENVIRONNEMENT		9.2		
(o)	DÉCHETS DANGEREUX		9.3		

ANNEXE IX (fin)
FORMULE 1—Fin

6. Annexer une liste des succursales ou bâtiments de l'entreprise au Canada où des marchandises dangereuses sont manipulées, en y indiquant pour chacun les renseignements suivants:

(a) l'adresse;

(b) le ou les moyens de transport utilisés pour transporter les marchandises dangereuses à partir de ces endroits.

7. Renseignements sur la personne remplissant la présente formule

(a) nom _____

(b) fonction _____

(c) adresse _____

(d) téléphone _____

(code régional/numéro)

J'atteste qu'au meilleur de ma connaissance les renseignements donnés ci-dessus sont exacts.

Signature

Date

SCHEDULE IX

(s. 9.14)

FORM 2

DANGEROUS OCCURRENCE REPORT

(complete all applicable sections)

1. Type of dangerous occurrence (check all applicable boxes)

- ☐ Spill ☐ Leak ☐ Contamination
☐ Explosion ☐ Fire
 ☐ Property ☐ Human ☐ Environment

Other (please specify) _____

2. Date of dangerous occurrence _____
Y M D

3. Time of dangerous occurrence _____ (24 hr. system)

4. Location of dangerous occurrence: _____
City/Town/Municipality/Province

5. Residential Urban Commercial and Industrial Rural
 ☐ Area ☐ Core area ☐ Residential area ☐ Area ☐ Area

6. Dangerous occurrence happened:

- ☐ During transport ☐ During handling (specify) _____ ☐ During temporary storage

Other _____

SCHEDULE IX (con.)
FORM 2 (con.)

7. Complete A or B

A. Dangerous occurrence during transport

Or B. Dangerous occurrence during handling or temporary storage

I. Mode of transport:

☐ Road☐ Air☐ Rail☐ Marine

II. Type of vehicle: _____

III. Carrier (name and address)

I. Facility:

Terminal: ☐ Air ☐ Rail ☐ RoadPort: ☐ On shore ☐ On shipWarehouse: ☐ Bulk storage plant ☐ Other

Other _____

II. Name and address of the facility

8. Consignor (Name) _____

(Address) _____

9. Origin of consignment: _____

10. Destination of consignment: _____

11. Dangerous goods involved in the occurrence were: ☐ In bulk ☐ Packaged ☐ In containers

P.I.N.	Classification	Shipping Name	Type of Package	Total Mass or Volume of Shipment	Mass or Volume of Estimated Loss

SCHEDULE IX (conc.)
FORM 2 (conc.)

12. Describe the events leading to, during and resulting from the dangerous occurrence:

13. Number of Deaths: _____

14. Number of injured persons requiring hospitalization: _____

15. Evacuation of surrounding area: ☐ Yes ☐ No

16. Emergency response personnel at site of dangerous occurrence:

☐ Police ☐ Fire Department ☐ Other _____

17. Comments and additional information:

18. Information on the person completing this report

Name: _____

Title: _____

Address: _____

Telephone Number: _____
area code/number

I certify that this information is accurate to the best of my knowledge.

(Signature)

(Date)

ANNEXE IX
(art. 9.14)

FORMULE 2

RAPPORT SUR UN CAS DE DANGER

(Remplir les postes applicables)

1. Type de cas de danger (cocher les cases appropriées)

- ☐ Épanchement ☐ Fuite ☐ Contamination
☐ Explosion ☐ Incendie
- ☐ de personnes ☐ de biens ☐ de l'environnement

Autre (préciser) _____

2. Date du cas de danger _____
A M J

3. Heure du cas de danger _____ (système de 24h)

4. Lieu du cas de danger: _____
Ville/Municipalité/Province

5. Zone

<input type="checkbox"/> résidentielle	<input type="checkbox"/> Centre-ville	<input type="checkbox"/> Zone commerciale et résidentielle	<input type="checkbox"/> Zone industrielle	<input type="checkbox"/> Zone rurale
----------------------------------------	---------------------------------------	------------------------------------------------------------	--------------------------------------------	--------------------------------------

6. Cas de danger survenu:

☐ pendant le transport ☐ pendant la manutention (préciser) _____ ☐ pendant l'entreposage temporaire

Autre _____

ANNEXE IX (suite)
FORMULE 2 (suite)

7. Remplir A ou B

A. Cas de danger pendant le transport

I. Mode de transport:

- ☐ Routier ☐ Aérien
☐ Ferroviaire ☐ Maritime

II. Type de véhicule: _____

III. Transporteur (nom et adresse)

ou B. Cas de danger pendant la manutention ou l'entreposage temporaire

1. Installation:

Terminal: ☐ aérien ☐ ferroviaire ☐ routier

Port: ☐ à terre ☐ à bord du navire

Entrepôt: ☐ installation d'entreposage en vrac ☐ autre

Autre _____

II. Nom et adresse de l'installation

8. Expéditeur (Nom) _____

(Adresse) _____

9. Point de départ de l'envoi: _____

10. Destination de l'envoi: _____

11. Les marchandises dangereuses mises en cause dans le cas de danger étaient:

- ☐ en vrac ☐ dans des emballages ☐ dans des conteneurs

N.I.P.	Classification	Appellation réglementaire	Type d'emballage	Masse ou volume total de l'expédition	Perte estimative en masse ou en volume

ANNEXE IX (fin)
FORMULE 2 (fin)

12. Décrire les événements aboutissant au cas de danger, la situation pendant le cas de danger et les conséquences qui en résultent:

13. Nombre de décès: _____

14. Nombre de personnes blessées nécessitant l'hospitalisation: _____

15. Évacuation de la zone environnante: ☐ Oui ☐ Non

16. Personnel d'intervention d'urgence sur les lieux du cas de danger:

☐ Police ☐ Service d'incendie ☐ Autre _____

17. Renseignements additionnels et observations:

18. Renseignements sur la personne remplissant le présent rapport

Nom: _____

Fonction: _____

Adresse: _____

Numéro de Téléphone: _____
(Code régional/numéro)

J'atteste qu'au meilleur de ma connaissance les renseignements donnés ci-dessus sont exacts

(Signature)

(Date)

SCHEDULE X

(s. 11.1)

FORM 1

APPLICATION AND PERMIT FOR
EQUIVALENT LEVEL OF SAFETY

ANNEXE X

(art. 11.1)

FORMULE 1

DEMANDE ET PERMIS DE
NIVEAU ÉQUIVALENT DE SÉCURITÉ

PART 1—PARTIE 1—APPLICATION—DEMANDE TO BE COMPLETED BY APPLICANT—À REMPLIR PAR LE REQUÉRANT	FOR DEPARTMENT USE RÉSERVÉ AU MINISTRE
	RECEIVED—REÇU LE
	TDG NO.—N ^o TDG

COMPANY NAME—RAISON SOCIALE

ADDRESS—ADRESSE

TELEPHONE—TÉLÉPHONE
() EXT.
POSTE

PROVINCE/STATE—ÉTAT

COUNTRY—PAYS

POSTAL CODE—CODE POSTAL

INTENDED USE OR PURPOSE OF PERMIT—UTILISATION PRÉVUE DU PERMIS

☐ CONTINUING
CONTINUE☐ DETERMINATE
DÉTERMINÉE☐ SPECIFIC
SPÉCIFIQUE☐ GENERAL
GÉNÉRALE☐ EMERGENCY
URGENCE

DANGEROUS GOODS IDENTIFICATION—IDENTIFICATION DES MARCHANDISES DANGEREUSES

SHIPPING NAME APPELLATION RÉGLEMENTAIRE	CLASS CLASSE	PIN NIP	METHOD OF CONTAINMENT OF EACH UNIT CONTENANT UNITAIRE	TOTAL QUANTITY QUANTITÉ TOTALE

MODES OF TRANSPORT CONCERNED—MODES DE TRANSPORT VISÉS

☐ RAIL—FERROVIAIRE ☐ ROAD—ROUTIER ☐ AIR—AÉRIEN ☐ WATER—MARITIME

ENCLOSE ALL APPLICABLE PERTINENT DATA INCLUDING CALCULATIONS, LITERATURE, DRAWINGS, SHIPMENT DATE, ROUTE, PRODUCT SAFETY SHEET, ETC.

JOINDRE TOUS DOCUMENTS OU DONNÉES APPROPRIÉS, Y COMPRIS CALCULS, BROCHURES, SCHÉMAS, DATE D'EXPÉDITION, ITINÉRAIRE, FICHE ANALYTIQUE DE SÉCURITÉ, ETC.

STATEMENT OUTLINING NEED FOR PERMIT—RAISON POUR LAQUELLE LE PERMIS EST DEMANDÉ

PROVISIONS OF THE *TRANSPORTATION OF DANGEROUS GOODS ACT* AND OF THE *TRANSPORTATION OF DANGEROUS GOODS REGULATIONS* FROM WHICH A PERMIT FOR EQUIVALENT LEVEL OF SAFETY IS REQUESTEDDISPOSITIONS DE LA *LOI SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES* ET DU *RÈGLEMENT SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES* VISÉES PAR LA DEMANDE DE PERMIS DE NIVEAU ÉQUIVALENT DE SÉCURITÉ

PROPOSED MANNER IN WHICH DANGEROUS GOODS ARE TO BE HANDLED, OFFERED FOR TRANSPORT OR TRANSPORTED, AND MEASURES TO BE TAKEN TO OBTAIN AN EQUIVALENT LEVEL OF SAFETY: (ENCLOSE ALL APPLICABLE PERTINENT DATA INCLUDING CALCULATIONS, LITERATURE, DRAWINGS, SHIPMENT DATE, ROUTE, PRODUCT SAFETY SHEET, ETC.)

MANIÈRE PRÉVUE POUR LA MANUTENTION, LA DEMANDE DE TRANSPORT OU LE TRANSPORT DES MARCHANDISES DANGEREUSES ET MESURES PROPOSÉES POUR ASSURER UN NIVEAU DE SÉCURITÉ ÉQUIVALENT: (JOINDRE TOUS DOCUMENTS OU DONNÉES APPROPRIÉS, Y COMPRIS CALCULS, BROCHURES, SCHÉMAS, DATE D'EXPÉDITION, ITINÉRAIRE, FICHE ANALYTIQUE DE SÉCURITÉ, ETC.)

FORM 1—Conc.

FORMULE 1—Fin

EQUIVALENT STANDARD AND SOURCE (COMPLETE REFERENCE)
NORME ÉQUIVALENTE ET ORGANISME RESPONSABLE (CITER RÉFÉRENCES)

INFORMATION ON THE PERSON COMPLETING
THIS APPLICATION

RENSEIGNEMENTS SUR LA PERSONNE
REMPLISSANT LA PRÉSENTE DEMANDE

NAME — NOM _____

POSITION — FONCTION _____

ADDRESS — ADRESSE _____

TELEPHONE — TÉLÉPHONE _____

AREA CODE/NUMBER — CODE RÉGIONAL/NUMÉRO

SIGNATURE _____

DATE _____

PART II—PERMIT FOR EQUIVALENT LEVEL OF SAFETY
PARTIE II—PERMIS DE NIVEAU ÉQUIVALENT DE SÉCURITÉ

FOR DEPARTMENT USE—RÉSERVÉ AU MINISTÈRE

DATE RECEIVED—REÇU LE

☐ CTC/CCT ☐ CCG ☐ LIOD ☐ PROV

CONSULTING AGENCY/AGENCE CONSULTÉE

MODE

TELEPHONE—TÉLÉPHONE

PERMIT ISSUED—PERMIS DÉLIVRÉ

TO/À:

BY:
PAR:

DATE:

CONDITIONS:

USE OR PURPOSE UTILISATION	EQUIVALENT LEVEL OF SAFETY NIVEAU ÉQUIVALENT DE SÉCURITÉ	NO. N°	PERMIT NO.—N° DU PERMIS
CONTINUING—CONTINUE	C/X <input type="checkbox"/>		EXPIRY DATE—DATE D'EXPIRATION
DETERMINATE—DÉTERMINÉE	D/X <input type="checkbox"/>		
SPECIFIC—SPÉCIFIQUE	S/X <input type="checkbox"/>		
GENERAL—GÉNÉRALE	G/X <input type="checkbox"/>		SIGNATURE OF ISSUING AUTHORITY
EMERGENCY—URGENCE	E/X <input type="checkbox"/>		

SCHEDULE X

(s. 11.11)

FORM 2

APPLICATION AND PERMIT
FOR EXCEPTION

ANNEXE X

(art. 11.11)

FORMULE 2

DEMANDE ET PERMIS
DE DÉROGATION

PART 1—PARTIE 1—APPLICATION—DEMANDE TO BE COMPLETED BY APPLICANT—À REMPLIR PAR LE REQUÉRANT	FOR DEPARTMENT USE RÉSERVÉ AU MINISTRE
	RECEIVED—REÇU LE
	TDG NO.—N ^o TDG

COMPANY NAME—RAISON SOCIALE

ADDRESS—ADRESSE

TELEPHONE—TÉLÉPHONE
() EXT.
POSTE

PROVINCE/STATE—ÉTAT

COUNTRY—PAYS

POSTAL CODE—CODE POSTAL

INTENDED USE OR PURPOSE OF PERMIT—UTILISATION PRÉVUE DU PERMIS

☐ CONTINUING CONTINUE
 ☐ DETERMINATE DÉTERMINÉE
 ☐ SPECIFIC SPÉCIFIQUE
 ☐ GENERAL GÉNÉRALE
 ☐ EMERGENCY URGENCE

DANGEROUS GOODS IDENTIFICATION—IDENTIFICATION DES MARCHANDISES DANGEREUSES

SHIPPING NAME APPELLATION RÉGLEMENTAIRE	CLASS CLASSE	PIN NIP	METHOD OF CONTAINMENT OF EACH UNIT CONTENANT UNITAIRE	TOTAL QUANTITY QUANTITÉ TOTALE

MODES OF TRANSPORT CONCERNED—MODES DE TRANSPORT VISÉS

☐ RAIL—FERROVIAIRE
 ☐ ROAD—ROUTIER
 ☐ AIR—AÉRIEN
 ☐ WATER—MARITIME

STATEMENT OUTLINING NEED FOR PERMIT—RAISON POUR LAQUELLE LE PERMIS EST DEMANDÉ

PROVISIONS OF THE *TRANSPORTATION OF DANGEROUS
GOODS ACT* AND OF THE *TRANSPORTATION OF
GOODS REGULATIONS* FROM WHICH EXCEPTION
IS REQUESTEDDISPOSITIONS DE LA *LOI SUR LE TRANSPORT
DES MARCHANDISES DANGEREUSES* ET DU *RÈGLEMENT
SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES*
VISÉES PAR LA DEMANDE DE DÉROGATIONINFORMATION ON THE PERSON COMPLETING
THIS APPLICATIONRENSEIGNEMENTS SUR LA PERSONNE
REMPLISSANT LA PRÉSENTE DEMANDE

NAME—NOM _____

POSITION—FONCTION _____

ADDRESS—ADRESSE _____

TELEPHONE—TÉLÉPHONE _____

AREA CODE/NUMBER—CODE RÉGIONAL/NUMÉRO

SIGNATURE

DATE

FORM 2—Conc.

FORMULE 2—Fin

 PART II—PERMIT FOR EXCEPTION
 PARTIE II—PERMIS DE DÉROGATION

FOR DEPARTMENT USE—RÉSERVÉ AU MINISTÈRE

DATE RECEIVED—REÇU LE

CONSULTING AGENCY/AGENCE CONSULTÉE

☐ CTC/CCT ☐ CCG ☐ LIOD ☐ PROV

MODE

TELEPHONE—TÉLÉPHONE

PERMIT ISSUED—PERMIS DÉLIVRÉ

DATE:

BY:

PAR:

THIS PERMIT IS ISSUED TO:

CE PERMIS EST DÉLIVRÉ À:

 AND EXEMPTS THE PERSON NAMED HEREIN FROM THE FOLLOWING PROVISIONS OF THE TRANSPORTATION OF
 DANGEROUS GOODS ACT AND OF THE TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:

 ET EXCLUT LA PERSONNE SUSNOMMÉE DE L'APPLICATION DES DISPOSITIONS SUIVANTES DE LA LOI SUR LE TRANSPORT
 DES MARCHANDISES DANGEREUSES ET DU RÈGLEMENT SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES:

GEOGRAPHICAL AREA OF OPERATIONS:

ZONE GÉOGRAPHIQUE D'EXPLOITATION:

USE OR PURPOSE UTILISATION	EXCEPTION DÉROGATION	NO. N°	PERMIT NO.—N° DU PERMIS	
CONTINUING—CONTINUE	C/X <input type="checkbox"/>		EXPIRY DATE—DATE D'EXPIRATION	
DETERMINE—DÉTERMINÉE	D/X <input type="checkbox"/>			
SPECIFIC—SPÉCIFIQUE	S/X <input type="checkbox"/>			
GENERAL—GÉNÉRALE	G/X <input type="checkbox"/>		SIGNATURE OF ISSUING AUTHORITY	SIGNATURE DE L'AUTORITÉ ÉMETTRICE
EMERGENCY—URGENCE	E/X <input type="checkbox"/>			

SCHEDULE XI

(s. 13.4)

FORM 1





CERTIFICATE OF DESIGNATION
AS INSPECTOR

ANNEXE XI

(art. 13.4)

FORMULE 1

CERTIFICAT DE DÉSIGNATION
D'INSPECTEUR

AREA OF QUALIFICATION — DOMAINE DE COMPÉTENCE	
ISSUE DATE — DATE DE DÉLIVRANCE	EXPIRY DATE — DATE D'EXPIRATION
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>  This person is designated as an inspector for the purposes of the <i>Transportation of Dangerous Goods Act</i>. </p> </div> <div style="width: 45%;"> <p>  Cette personne est désignée inspecteur pour l'application de la <i>Loi sur le transport des marchandises dangereuses</i>. </p> </div> </div>	
NAME — NOM	
SIGNATURE OF THE INSPECTOR — SIGNATURE DE L'INSPECTEUR	
 *	
SIGNATURE OF THE MINISTER — SIGNATURE DU MINISTRE	
	

SCHEDULE XI

(s. 13.6)

FORM 2

CERTIFICATE

PROVIDED PURSUANT TO SUBSECTION 13(3)
OF THE
TRANSPORTATION OF DANGEROUS GOODS ACT

ANNEXE XI

(art. 13.6)

FORMULE 2

ATTESTATION

DÉLIVRÉE CONFORMÉMENT AU
PARAGRAPHE 13(3)
DE LA
LOI SUR LE TRANSPORT DES MARCHANDISES
DANGEREUSES

THIS IS TO CERTIFY THAT THE INSPECTOR
IDENTIFIED HEREUNDER HAS

L'INSPECTEUR SOUSSIGNÉ CERTIFIE QU'IL
A EFFECTUÉ

☐ INSPECTED
UNE VISITE

☐ SEIZED
UNE SAISIE

☐ TAKEN A SAMPLE OF THE FOLLOWING:
UNE PRISE D'ÉCHANTILLON DES ARTICLES CI-DESSOUS

DANGEROUS GOODS	PRODUCT IDENTIFICATION NUMBER NUMÉRO D'IDENTIFICATION DU PRODUIT		SHIPPING NAME - APPELLATION RÉGLEMENTAIRE
MARCHANDISES DANGEREUSES	QUANTITY - QUANTITÉ		MASS/VOLUME OF SAMPLE TAKEN MASSE/VOLUME DE L'ÉCHANTILLON
PACKAGING EMBALLAGE	TYPE,		
PACKAGES COLIS	NUMBER AFFECTED - NOMBRE		
CONTAINER CONTENEUR	IDENTIFICATION		
MEANS OF TRANSPORT	MODE	IDENTIFICATION	
MOYEN DE TRANSPORT	CARRIER - TRANSPORTEUR		
REASON FOR ACTION			
JUSTIFICATION DE L'INTERVENTION			

THE ABOVE WAS
LES ARTICLES
CI-DESSUS ONT ÉTÉ

☐ OPENED
OUVERTS

☐ UNSEALED
DESCELLÉS

FOR THE PURPOSE(S) STATED ONLY, AND WAS
RELEASED IN OTHERWISE GOOD CONDITION.
UNIQUEMENT AUX FINS SUSMENTIONNÉES
ET ONT ÉTÉ REMIS EN BON ÉTAT

RELEASED TO - REMIS À

NAME AND FUNCTION - NOM ET FONCTION

LOCATION - LIEU

TIME - HEURE

DATE

SIGNATURE OF INSPECTOR - SIGNATURE DE L'INSPECTEUR

CERTIFICATE OF DESIGNATION AS INSPECTOR No.
N° DU CERTIFICAT DE DÉSIGNATION D'INSPECTEUR

SIGNATURE OF PERSON IN CHARGE OF THE DANGEROUS GOODS - SIGNATURE DU RESPONSABLE DES MARCHANDISES DANGEREUSES

SCHEDULE XII

(s. 7.17, 7.19 and 12.1)

1. The letters "A", "B", "C", "D", "E", "F", "G", "H", "J", "K" or "L" in column III of Part I denote the compatibility group of the explosives.
2. The letter "E" in column III of Part II indicates that the product or substance is potentially explosive.
3. The letter "I" in column III of Part II indicates that the product or substance is potentially very damaging to eyes.
4. An alphanumeric designation preceded by the letter "R" in parenthesis in column I of Part II denotes the American Society of Heating, Refrigerating, and Air Conditioning Engineers designation of refrigerants.
5. The letters "N.O.S." or "n.o.s." are part of the International shipping name, and have the same meaning as in the ICAO Technical Instructions and the IMDG code.

ANNEXE XII

(art. 7.17, 7.19 et 12.1)

1. Les lettres «A», «B», «C», «D», «E», «F», «G», «H», «J», «K» et «L» à la colonne III de la partie I désignent les groupes de compatibilité respectifs des explosifs.
2. La lettre «E» à la colonne III de la partie II désigne que le produit ou la matière a des propriétés explosives.
3. La lettre «I» à la colonne III de la partie II désigne que le produit ou la matière est susceptible de causer des lésions graves de la cornée.
4. Les désignations alphanumériques qui figurent entre parenthèses à la colonne I de la partie II représentent les désignations respectives des réfrigérants attribuées par l'*American Society of Heating, Refrigerating and Air Conditioning Engineers*.
5. Les lettres «N.S.A.» ou «n.s.a.» font partie de l'appellation réglementaire internationale et s'entendent au sens des Instructions techniques de l'OACI et du Code IMDG.

PART I

EXPLOSIVES

Col. I	Col. II	Col. III	Col. IV
Description and Shipping Name	Product Identification Number	Classification	Special Provisions
Ammonium nitrate with more than 0.2 per cent combustible substances, including any organic substance calculated as carbon, to the exclusion of any other added substance	UN0222	1.1D	S3
Ammonium nitrate fertilizer which is more liable to explode than ammonium nitrate with 0.2 per cent combustible substances, including any organic substance calculated as carbon, to the exclusion of any other added substance	UN0223	1.1D	S3
Ammonium perchlorate	UN0402	1.1D	S3
Ammonium picrate, dry or wetted with less than 10 per cent water, by mass	UN0004	1.1D	S3
Ammunition, illuminating, with or without burster, expelling charge or propelling charge	UN0171	1.2G	S4
Ammunition, incendiary, (other than water-activated ammunition), without white phosphorus or phosphides, with or without burster, expelling charge or propelling charge	UN0009	1.2G	S4
Ammunition, incendiary, White Phosphorus, with burster, expelling charge or propelling charge	UN0243	1.2H	S4
Ammunition, smoke (other than water-activated ammunition), without white phosphorus or phosphides, with or without burster, expelling charge or propelling charge	UN0015	1.2G 8	S4
Ammunition, smoke (other than water-activated ammunition), without white phosphorus or phosphides, with or without burster, expelling charge or propelling charge	UN0016	1.3G 8	S4
Ammunition, smoke, white phosphorus, (other than water-activated ammunition) with burster, expelling charge or propelling charge	UN0245	1.2H	S4
Ammunition, tear-producing, with burster, expelling charge or propelling charge	UN0018	1.2G 6.1 8	S4
Ammunition, tear-producing, with burster, expelling charge or propelling charge	UN0019	1.3G 6.1 8	S4
Ammunition, toxic (other than water-activated ammunition), with burster, expelling charge, or propelling charge	UN0020	1.2K 6.1	S4
Ammunition, toxic (other than water-activated, ammunition), with burster, expelling charge or propelling charge	UN0021	1.3K 6.1	S4
Articles, explosive, n.o.s.*	UN0354	1.1L	S3
Articles, explosive, n.o.s.*	UN0355	1.2L	S4
Articles, pyrophoric	UN0380	1.2L	S4
Articles, pyrotechnic, for technical purposes	UN0428	1.1G	S3
Articles, pyrotechnic, for technical purposes	UN0429	1.2G	S4
Barium azide, dry or wetted with less than 50 per cent water, by mass	UN0224	1.1A 6.1	S3
Black powder, or Gunpowder, granular or as a meal	UN0027	1.1D	S3
Black powder, compressed or Gunpowder, compressed or Black powder in pellets or Gunpowder, in pellets	UN0028	1.1D	S3
Bombs, photo-flash	UN0037	1.1F	S3
Bombs, photo-flash	UN0038	1.1D	S3
Bombs, photo-flash	UN0039	1.2G	S4
Bombs with bursting charge	UN0033	1.1F	S3
Bombs with bursting charge	UN0034	1.1D	S3
Bombs with bursting charge	UN0035	1.2D	S4
Bombs with bursting charge	UN0291	1.2F	S4
Bombs with flammable liquid with bursting charge	UN0399	1.1J	S3
Bombs with flammable liquid with bursting charge	UN0400	1.2J	S4
Boosters, with detonator	UN0225	1.1B	S3
Boosters, with detonator	UN0268	1.2B	S4
Boosters, without detonator	UN0042	1.1D	S3
Boosters, without detonator	UN0283	1.2D	S4
Bursters, explosive	UN0043	1.1D	S3
Cartridges, flash	UN0049	1.1G	S3
Cartridges for weapons, blank	UN0326	1.1C	S4
Cartridges for weapons, blank	UN0413	1.2C	S4
Cartridges for weapons, with bursting charge	UN0005	1.1F	S3
Cartridges for weapons, with bursting charge	UN0007	1.2F	S4
Cartridges for weapons, with bursting charge (projectiles with propelling charge)	UN0006	1.1E	S3
Cartridges for weapons, with bursting charge (projectiles with propelling charge)	UN0321	1.2E	S4
Cartridges for weapons, inert projectile	UN0328	1.2C	S4
Cartridges, power device	UN0381	1.2C	S3
Charges, demolition	UN0048	1.1D	S3
Charges, depth	UN0056	1.1D	S3
Charges, explosive, commercial without detonator	UN0442	1.1D	S3
Charges, explosive, commercial without detonator	UN0443	1.2D	S4

PARTIE I

EXPLOSIFS

Col. I	Col. II	Col. III	Col. IV
Appellation réglementaire et description	Numéro d'identification du produit	Classification	Dispositions particulières
Acide picrique, voir Trinitrophénol			
Acide styphnique, voir Trinitrorésorcinol			
Acide trinitrobenzène sulfonique	UN0386	1.1L	S3
Acide trinitrobenzoïque, sec ou humidifié avec moins de 30% d'eau, en masse	UN0215	1.1D	S3
Amorces à percussion	UN0377	1.1B	S3
Artifice, type A	UN0333	1.1G	S3
Artifice, type B	UN0334	1.2G	S4
Azoture de baryum, sec ou humidifié avec moins de 50% d'eau, en masse	UN0224	1.1A	S3
		6.1	
Azoture de plomb humidifié avec pas moins de 20% d'eau, en masse, ou d'un mélange d'alcool et d'eau	UN0129	1.1A	S3
Bombes avec charge d'éclatement	UN0033	1.1F	S3
Bombes avec charge d'éclatement	UN0034	1.1D	S3
Bombes avec charge d'éclatement	UN0035	1.2D	S4
Bombes avec charge d'éclatement	UN0291	1.2F	S4
Bombes contenant un liquide inflammable avec charge d'éclatement	UN0399	1.1J	S3
Bombes contenant un liquide inflammable avec charge d'éclatement	UN0400	1.2J	S4
Bombes éclairantes	UN0420	1.1G	S3
Bombes éclairantes	UN0421	1.2G	S4
Bombes, photo-éclair	UN0037	1.1F	S3
Bombes, photo-éclair	UN0038	1.1D	S3
Bombes, photo-éclair	UN0039	1.2G	S4
Bombes, photo-éclair	UN0204	1.2F	S4
Capsules de sondage, explosives	UN0296	1.1F	S3
Capsules de sondage, explosives	UN0374	1.1E	S3
Capsules de sondage, explosives	UN0375	1.2E	S4
Capsules de sondage, explosives	UN0049	1.1G	S3
Cartouches-éclair	UN0326	1.1C	S4
Cartouches pour armes à blanc	UN0413	1.2C	S3
Cartouches pour armes à projectile inerte	UN0328	1.2C	S4
Cartouches pour armes avec charge d'éclatement	UN0005	1.1F	S3
Cartouches pour armes avec charge d'éclatement	UN0007	1.2F	S4
Cartouches pour armes avec charge d'éclatement (projectiles avec charge propulsive)	UN0006	1.1E	S3
Cartouches pour armes avec charge d'éclatement (projectiles avec charge propulsive)	UN0321	1.2E	S4
Cartouches pour pyromécanismes	UN0381	1.2C	S4
Charges creuses industrielles, sans détonateur	UN0059	1.1D	S3
Charges creuses industrielles, sans détonateur	UN0439	1.2D	S4
Charges creuses, souples, profilées à enveloppe métallique	UN0288	1.1D	S3
Charges de dispersion, explosives	UN0043	1.1D	S3
Charges explosives industrielles, sans détonateur	UN0442	1.1D	S3
Charges explosives industrielles, sans détonateur	UN0443	1.2D	S4
Charges propulsives pour canons	UN0279	1.1C	S3
Charges propulsives pour canons	UN0414	1.2C	S4
Charges propulsives pour moteurs-fusées	UN0271	1.1C	S3
Charges propulsives pour moteurs-fusées	UN0415	1.2C	S4
Charges propulsives pour moteurs-fusées, poudre composite	UN0273	1.1C	S3
Charges propulsives pour moteurs-fusées, poudre composite	UN0416	1.2C	S4
Chlorure de picryle, voir, Trinitrochlorobenzène			
Composants de chaîne pyrotechnique, n.s.a.	UN0382	1.2B	S4
Cordeau détonant à enveloppe métallique	UN0102	1.2D	S4
Cordeau détonant à enveloppe métallique	UN0290	1.1D	S3
Cordeau détonant souple	UN0065	1.1D	S4
Cyclonite, voir Cyclotriméthylènetrinitramine			
Cyclotétraméthylènetétranitramine humidifié ou Octogène humidifié avec pas moins de 15% d'eau, en masse ou Cyclotétraméthylènetétranitramine désensibilisé ou Octogène désensibilisé avec pas moins de 10% de flegmatissant, en masse	UN0226	1.1D	S3
Cyclotriméthylènetrinitramine humidifié, ou Cyclonite humidifié, ou Hexogène humidifié, ou RDX, humidifié avec pas moins de 15% d'eau, en masse, ou Cyclotriméthylènetrinitramine désensibilisé ou Cyclonite désensibilisé, ou Hexogène désensibilisé, ou RDX, désensibilisé, avec pas moins de 10% de flegmatissant, en masse	UN0072	1.1D 6.1	S3
Cyclotriméthylènetrinitramine et Cyclotétraméthylènetétranitramine, en mélanges, humidifiés avec pas moins de 15% d'eau, en masse ou Cyclotriméthylènetrinitramine et Cyclotétraméthylènetétranitramine, en mélanges, désensibilisés avec pas moins de 10% de flegmatissant, en masse	UN0391	1.1D	S3

PART I—Con.

EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV
Description and Shipping Name	Product Identification Number	Classification	Special Provisions
Charges, propelling, for cannon	UN0279	1.1C	S3
Charges, propelling, for cannon	UN0414	1.2C	S4
Charges, propelling, rocket motors	UN0271	1.1C	S3
Charges, propelling, for rocket motors	UN0415	1.2C	S4
Charges, propelling, for rocket motors, <i>composite mixture</i>	UN0273	1.1C	S3
Charges, propelling, for rocket motors, <i>composite mixture</i>	UN0416	1.2C	S4
Charges, shaped, commercial <i>without detonator</i>	UN0059	1.1D	S3
Charges, shaped, commercial <i>without detonator</i>	UN0439	1.2D	S4
Charges, shaped, flexible, linear, <i>metal clad</i>	UN0288	1.1D	S3
Charges, supplementary, explosive	UN0060	1.1D	S3
Components, explosive train, N.O.S.	UN0382	1.2B	S4
Contrivances, water-activated, <i>with burster, expelling charge or propelling charge</i>	UN0248	1.2L	S4
Contrivances, water-activated, <i>with burster, expelling charge or propelling charge</i>	UN0249	1.3L	S4
Cord, detonating, <i>flexible</i>	UN0065	1.1D	S4
Cord, detonating, or Fuse, detonating, <i>metal clad</i>	UN0102	1.2D	S4
Cord, detonating, or Fuse detonating, <i>metal clad</i>	UN0290	1.1D	S3
Cyclonite, <i>see</i> Cyclotrimethylenetrinitramine			
Cyclotetramethylenetetranitramine, wetted or HMX, wetted or Octogen, wetted with not less than 15 per cent water, by mass or Cyclotetramethylenetetranitramine, desensitized or HMX, desensitized or Octogen, desensitized with not less than 10 per cent phlegmatizer, by mass	UN0226	1.1D	S3
Cyclotrimethylenetrinitramine, wetted or Cyclonite, wetted or Hexogen, wetted or RDX, wetted with not less than 15 per cent water, by mass, or Cyclotrimethylenetrinitramine, desensitized or Cyclonite, desensitized or Hexogen, desensitized or RDX, desensitized with not less than 10 per cent phlegmatizer, by mass	UN0072	1.1D 6.1	S3
Cyclotrimethylenetrinitramine and Cyclotetramethylenetetranitramine mixtures, wetted with not less than 15 per cent water, by mass or Cyclotrimethylenetrinitramine and Cyclotetramethylenetetranitramine mixtures, desensitized with not less than 10 per cent phlegmatizer, by mass	UN0391	1.1D	S3
Detonator assemblies, non-electric, <i>for blasting</i>	UN0360	1.1B	S3
Detonators for ammunition	UN0073	1.1B	S3
Detonators for ammunition	UN0364	1.2B	S4
Detonators, electric, <i>for blasting</i>	UN0030	1.1B	S3
Detonators, non-electric, <i>for blasting</i>	UN0029	1.1B	S3
Diazodinitrophenol, wetted with not less than 40 per cent water, by mass, or mixture of alcohol and water	UN0074	1.1A	S3
Diethylene glycol dinitrate, desensitized with not less than 25 per cent non-volatile water-insoluble phlegmatizer, by mass	UN0075	1.1D	S3
Dinitrophenol, dry or wetted with less than 15 per cent water, by mass	UN0076	1.1D 6.1	S3
Dinitrophenolates, alkali metals, dry or wetted with less than 15 per cent water, by mass	UN0077	1.3C 6.1	S4
Dinitroresorcinol, dry or wetted with less than 15 per cent water, by mass	UN0078	1.1D	S3
Dipicrylamine, <i>see</i> Hexanitrodiphenylamine			
Dipicryl sulphide, dry or wetted with less than 10 per cent water, by mass	UN0401	1.1D	S3
Ethylene glycol mononitrate solution	NA9204	1.5D	S3
Explosive, blasting, type A	UN0081	1.1D	S3
Explosive, blasting, type B	UN0082	1.1D	S3
Explosive, blasting, type B	UN0331	1.5D	S3
Explosive, blasting, type C	UN0083	1.1D	S3
Explosive, blasting, type D	UN0084	1.1D	S3
Explosive, blasting, type E	UN0241	1.1D	S3
Explosive, blasting, type E	UN0332	1.5D	S3
Fireworks, type A	UN0333	1.1G	S3
Fireworks, type B	UN0334	1.2G	S4
Flares, aerial	UN0420	1.1G	S3
Flares, aerial	UN0421	1.2G	S4
Flares, surface	UN0418	1.1G	S3
Flares, surface	UN0419	1.2G	S4
Fracturing devices, explosive, <i>without detonator, for oil wells</i>	UN0099	1.1D	S3
Fuzes, detonating	UN0106	1.1B	S3
Fuzes, detonating	UN0107	1.2B	S4
Fuzes, detonating with protective features	UN0408	1.1D	S3
Fuzes, detonating with protective features	UN0409	1.2D	S4
Grenades, hand or rifle, with bursting charge	UN0284	1.1D	S3

PARTIE I—Suite

EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV
Appellation réglementaire et description	Numéro d'identification du produit	Classification	Dispositions particulières
Détonateurs, électriques, <i>pour le sautage</i>	UN0030	1.1B	S3
Détonateurs, non électriques, <i>pour le sautage</i>	UN0029	1.1B	S3
Détonateurs pour munitions	UN0073	1.1B	S3
Détonateurs pour munitions	UN0364	1.2B	S4
Diazodinitrophénol humidifié avec pas moins de 40 % d'eau, en masse, ou d'un mélange d'alcool et d'eau	UN0074	1.1A	S3
Dinitrate de diéthylène glycol désensibilisé avec pas moins de 25 % de flegmatisant non volatil insoluble dans l'eau, en masse	UN0075	1.1D	S3
Dinitrophénol sec ou humidifié avec moins de 15 % d'eau, en masse	UN0076	1.1D	S3
Dinitrophénolates, alcalins, secs ou humidifiés avec moins de 15 % d'eau, en masse	UN0077	6.1 1.3C	S4
Dinitrorésorcinol sec ou humidifié avec moins de 15 % d'eau, en masse	UN0078	1.1D	S3
Dipicrylamine, voir Hexanitrodiphénylamine			
Engins-fusées avec charge d'éclatement	UN0180	1.1F	S3
Engins-fusées avec charge d'éclatement	UN0181	1.1E	S3
Engins-fusées avec charge d'éclatement	UN0182	1.2E	S4
Engins-fusées avec charge d'éclatement	UN0295	1.2F	S4
Engins-fusées avec charge d'éclatement	UN0436	1.2C	S4
Engins-fusées à propergol liquide avec charge d'éclatement	UN0397	1.1J	S3
Engins-fusées à propergol liquide avec charge d'éclatement	UN0398	1.2J	S4
Engins hydroactifs, avec charge de dispersion, charge d'expulsion ou charge propulsive	UN0248	1.2L	S4
Engins hydroactifs avec charge de dispersion, charge d'expulsion ou charge propulsive	UN0249	1.3L	S4
Engrais au nitrate d'ammonium ayant une sensibilité supérieure à celle du nitrate d'ammonium contenant 0,2 % de matière combustible, y compris toute matière organique exprimée en équivalent carbone, à l'exclusion de toute autre matière	UN0223	1.1D	S3
Ensemble à détonateurs, non électriques, <i>pour le sautage</i>	UN0360	1.1B	S3
Explosif de sautage, type A ou Explosif de mine, type A	UN0081	1.1D	S3
Explosif de sautage, type B ou Explosif de mine, type B	UN0082	1.1D	S3
Explosif de sautage, type B ou Explosif de mine, type B	UN0331	1.5D	S3
Explosif de sautage, type C ou Explosif de mine, type C	UN0083	1.1D	S3
Explosif de sautage, type D ou Explosif de mine, type D	UN0084	1.1D	S3
Explosif de sautage, type E ou Explosif de mine, type E	UN0241	1.1D	S3
Explosif de sautage, type E ou Explosif de mine, type E	UN0332	1.5D	S3
Fulminate de mercure, humidifié avec pas moins de 20 % d'eau, en masse, ou d'un mélange d'alcool et d'eau	UN0135	1.1A	S3
Fusées-détonateurs	UN0106	1.1B	S3
Fusées-détonateurs	UN0107	1.2B	S4
Fusées détonateurs avec caractéristiques de protection	UN0408	1.1D	S3
Fusées détonateurs avec caractéristiques de protection	UN0409	1.2D	S4
Fusées porte-amarres	UN0238	1.2G	S4
Galette, humidifiée avec pas moins de 17 % d'alcool, en masse	UN0433	1.1C	S3
Grenades, à main ou à fusil, avec charge d'éclatement	UN0284	1.1D	S3
Grenades, à main ou à fusil, avec charge d'éclatement	UN0285	1.2D	S4
Grenades, à main ou à fusil, avec charge d'éclatement	UN0292	1.1F	S3
Grenades, à main ou à fusil, avec charge d'éclatement	UN0293	1.2F	S4
Grenades d'exercice, à main ou à fusil	UN0372	1.2G	S4
Grenades sous-marines	UN0056	1.1D	S3
Guanite, voir Nitroguanidine			
Guanyl nitrosaminoguanylidène hydrazine, humidifiée avec pas moins de 30 % d'eau, en masse	UN0113	1.1A	S3
Guanyl nitrosaminoguanyltétrazène humidifié ou Tétrazène humidifié, avec pas moins de 30 % d'eau, en masse ou d'un mélange d'alcool et d'eau	UN0114	1.1A	S3
Hexanitrate de mannitol humidifié ou Nitromannite humidifié avec pas moins de 40 % d'eau, en masse, ou d'un mélange d'alcool et d'eau	UN0133	1.1D	S3
Hexanitrodiphénylamine ou Dipicrylamine ou Hexyl	UN0079	1.1D	S3
Hexanitrostilbène	UN0392	1.1D	S3
Hexatonal, coulé	UN0393	1.1D	S3
Hexogène, voir Cyclotriméthylènetrinitramine			
Hexolite sèche ou humidifiée avec moins de 15 % d'eau, en masse	UN0118	1.1D	S3
Hexyl, voir Hexanitrodiphénylamine			
Inflammateurs	UN0121	1.1G	S3
Inflammateurs	UN0314	1.2G	S4
Matières explosives, n.s.a.	UN0357	1.1L	S3
Matières explosives, n.s.a.	UN0358	1.2L	S4

PART I—Con.

EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV
Description and Shipping Name	Product Identification Number	Classification	Special Provisions
Grenades, <i>hand or rifle, with bursting charge</i>	UN0292	1.1F	S3
Grenades, <i>hand or rifle, with bursting charge</i>	UN0285	1.2D	S4
Grenades, <i>hand or rifle, with bursting charge</i>	UN0293	1.2F	S4
Grenades, practice, <i>hand or rifle</i>	UN0372	1.2G	S4
Guanyl nitrosaminoguanylidene hydrazine, wetted with not less than 30 per cent water, by mass	UN0113	1.1A	S3
Guanyl nitrosaminoguanyltetrazene, wetted or Tetrazene, wetted with not less than 30 per cent water, by mass, or mixture of alcohol and water	UN0114	1.1A	S3
Hexanitrodiphenylamine or Dipicrylamine or Hexyl			
Hexanitrostilbene	UN0079	1.1D	S3
Hexatonal, cast	UN0392	1.1D	S3
Hexogen, <i>see</i> Cyclotrimethylenetrinitramine	UN0393	1.1D	S3
Hexolite, dry or wetted with less than 15 per cent water, by mass			
Hexyl, <i>see</i> Hexanitrodiphenylamine	UN0118	1.1D	S3
Igniters			
Igniters	UN0121	1.1G	S3
Jet perforating guns, charged, oil well, without detonator	UN0314	1.2G	S4
Lead azide, wetted with not less than 20 per cent water, by mass, or mixture of alcohol and water	UN0124	1.1D	S3
Lead azide, wetted with not less than 20 per cent water, by mass, or mixture of alcohol and water	UN0129	1.1A	S3
Lead nitroresorcinate, wetted with not less than 40 per cent water, by mass, or mixture of alcohol and water	NA9042	1.1A	S3
Lead styphnate, wetted or Lead trinitroresorcinate, wetted with not less than 20 per cent water, by mass, or mixture of alcohol and water	UN0130	1.1A	S3
Lead trinitroresorcinate, <i>see</i> Lead styphnate			
Mannitol hexanitrate, wetted or Nitromannite, wetted with not less than 40 per cent water, by mass, or mixture of alcohol and water	UN0133	1.1D	S3
Mercury fulminate, wetted with not less than 20 per cent water, by mass, or mixture of alcohol and water	UN0135	1.1A	S3
Methylamine nitrate solution			
Mines with bursting charge	NA9203	1.5D	S3
Mines with bursting charge	UN0136	1.1F	S3
Mines with bursting charge	UN0137	1.1D	S3
Mines with bursting charge	UN0138	1.2D	S4
Mines with bursting charge	UN0294	1.2F	S4
5-Nitrobenzotriazole	UN0385	1.1D	S3
Nitrocellulose, dry or wetted with less than 25 per cent water (or alcohol), by mass	UN0340	1.1D	S3
Nitrocellulose, unmodified or plasticized with less than 18 per cent plasticizing substance, by mass	UN0341	1.1D	S3
Nitroglycerin, desensitized with not less than 40 per cent non-volatile water-insoluble phlegmatizer, by mass	UN0143	1.1D 6.1	S3
Nitroglycerin, spirit of, with more than 1 per cent but not more than 10 per cent nitroglycerin in solution in alcohol	UN0144	1.1D	S3
Nitroguanidine, or Picrite dry or wetted with less than 20 per cent water, by mass	UN0282	1.1D	S3
Nitromannite, <i>see</i> Mannitol hexanitrate			
Nitrosoguanidine, wetted with not less than 10 per cent water, by mass	NA9052	1.1A	S3
Nitrostarch, dry or wetted with less than 20 per cent water, by mass	UN0146	1.1D	S3
Nitro urea	UN0147	1.1D	S3
Octogen, <i>see</i> Cyclotetramethylenetetranitramine			
Octol, <i>see</i> Octolite			
Octolite, or Octol dry or wetted with less than 15 per cent water, by mass	UN0266	1.1D	S3
Pentaerythrite tetranitrate, wetted or Pentaerythritol tetranitrate, wetted or PETN, wetted with not less than 25 per cent water, by mass or Pentaerythrite tetranitrate, desensitized or Pentaerythritol tetranitrate, desensitized or PETN, desensitized with not less than 15 per cent phlegmatizer, by mass	UN0150	1.1D	S3
Pentaerythrite tetranitrate or PETN with not less than 7 per cent wax by mass	UN0411	1.1D	S3
Pentaerythritol tetranitrate, <i>see</i> Pentaerythrite tetranitrate			
Pentolite, dry or wetted with less than 15 per cent water, by mass	UN0151	1.1D	S3
PETN, <i>see</i> Pentaerythrite tetranitrate			
Photo-flash powder, in units	UN0094	1.1G	S3
Photo-flash powder, in units	UN0096	1.2G	S4
Picramide, <i>see</i> Trinitroaniline			
Picric acid, <i>see</i> Trinitrophenol			
Picrite, <i>see</i> Nitroguanidine			
Picryl chloride, <i>see</i> Trinitrochlorobenzene			
Powder cake, wetted with not less than 17 per cent alcohol, by mass	UN0433	1.1C	S3
Powder, smokeless	UN0160	1.1C	S3

PARTIE I—Suite

EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV
Appellation réglementaire et description	Numéro d'identification du produit	Classification	Dispositions particulières
Mines avec charge d'éclatement	UN0136	1.1F	S3
Mines avec charge d'éclatement	UN0137	1.1D	S3
Mines avec charge d'éclatement	UN0138	1.2D	S4
Mines avec charge d'éclatement	UN0294	1.2F	S4
Moteurs-fusées	UN0280	1.1C	S3
Moteurs-fusées	UN0281	1.2C	S4
Moteurs-fusées à propergol liquide	UN0395	1.2J	S4
Moteurs-fusées contenant des liquides hypergoliques avec ou sans charge d'expulsion	UN0322	1.2L	S4
Munitions éclairantes avec ou sans charge de dispersion, charge d'expulsion ou charge propulsive	UN0171	1.2G	S4
Munitions fumigènes (autres que les munitions hydroactives) sans phosphore blanc ou phosphures, avec ou sans charge de dispersion, charge d'expulsion ou charge propulsive	UN0015	1.2G	S4
Munitions fumigènes (autres que les munitions hydroactives) sans phosphore blanc ou phosphures, avec ou sans charge de dispersion, charge d'expulsion ou charge propulsive	UN0016	1.3G	S4
Munitions fumigènes au phosphore blanc, (autres que les munitions hydroactives), avec charge de dispersion, charge d'expulsion ou charge propulsive	UN0245	1.2H	S4
Munitions incendiaires (autres que les munitions hydroactives) sans phosphore blanc ou phosphures, avec ou sans charge de dispersion, charge d'expulsion ou charge propulsive	UN0009	1.2G	S4
Munitions incendiaires, au phosphore blanc, avec charge de dispersion, charge d'expulsion ou charge propulsive	UN0243	1.2H	S4
Munitions lacrymogènes, avec charge de dispersion, charge d'expulsion ou charge propulsive	UN0018	1.2G	S4
Munitions lacrymogènes, avec charge de dispersion, charge d'expulsion ou charge propulsive	UN0019	1.3G	S4
Munitions toxiques (autres que les munitions hydroactives) avec charge de dispersion, charge d'expulsion ou charge propulsive	UN0020	1.2K	S4
Munitions toxiques (autres que les munitions hydroactives) avec charge de dispersion, charge d'expulsion ou charge propulsive	UN0021	1.3K	S4
Nitrate d'ammonium, contenant plus de 0,2% de matière combustible, y compris toute matière organique exprimée en équivalent carbone, à l'exclusion de toute autre matière	UN0222	1.1D	S3
Nitrate de l'éthylène glycol, solution	NA9204	1.5D	S3
Nitrate de méthylamine solution	NA9203	1.5D	S3
Nitrate d'urée, sec ou humidifié avec moins de 20% d'eau, en masse	UN0220	1.1D	S3
Nitroamidon sec ou humidifié avec moins de 20% d'eau, en masse	UN0146	1.1D	S3
Nitro-5 benzotriazol	UN0385	1.1D	S3
Nitrocellulose, sèche ou humidifiée avec moins de 25%, en masse, d'eau (ou d'alcool)	UN0340	1.1D	S3
Nitrocellulose, non modifiée ou plastifiée avec moins de 18% de matière plastifiante, en masse	UN0341	1.1D	S3
Nitroglycérine, désensibilisée avec pas moins de 40% de flegmatisant non volatil insoluble dans l'eau, en masse	UN0143	1.1D	S3
Nitroglycérine, en solution alcoolique avec plus de 1% mais pas plus de 10% de nitroglycérine	UN0144	1.1D	S3
Nitroguanidine ou Guanite sèche ou humidifiée avec moins de 20% d'eau, en masse	UN0282	1.1D	S3
Nitromannite, voir Hexanitrate de mannitol	NA9042	1.1A	S3
Nitrorésorcinate de plomb humidifié avec pas moins de 40% d'eau, en masse, ou d'un mélange d'alcool et d'eau	NA9052	1.1A	S3
Nitrosoguanidine humidifié avec pas moins de 10% d'eau, en masse	UN0147	1.1D	S3
Nitro-urée	UN0354	1.1L	S3
Objets explosifs, n.s.a.	UN0004	1.1D	S3
Picrate d'ammonium, sec ou humidifié avec moins de 10% d'eau, en masse	UN0027	1.1D	S3
Poudre noire sous forme de grains ou de pulvérin	UN0028	1.1D	S3
Poudre noire comprimée ou Poudre noire en pastilles	UN0094	1.1G	S3
Poudre photo-éclair, en unités	UN0096	1.2G	S4
Poudre photo-éclair, en unités	UN0160	1.1C	S3
Poudre sans fumée	UN0167	1.1F	S3
Projectiles avec charge d'éclatement	UN0168	1.1D	S3
Projectiles avec charge d'éclatement	UN0169	1.2D	S4
Projectiles avec charge d'éclatement	UN0324	1.2F	S4
Projectiles, avec charge d'éclatement	UN0346	1.2D	S4
Projectiles, avec charge de dispersion ou charge d'expulsion	UN0426	1.2F	S4
Projectiles, avec charge de dispersion ou charge d'expulsion	UN0434	1.2G	S4
Projectiles, avec charges de dispersion ou charge d'expulsion			

PART I—Conc.

EXPLOSIVES—Conc.

Col. I	Col. II	Col. III	Col. IV
Description and Shipping Name	Product Identification Number	Classification	Special Provisions
Primers, cap type	UN0377	1.1B	S3
Projectiles, with burster or expelling charge	UN0346	1.2D	S4
Projectiles, with burster or expelling charge	UN0426	1.2F	S4
Projectiles, with burster or expelling charge	UN0434	1.2G	S4
Projectiles, with bursting charge	UN0167	1.1F	S3
Projectiles, with bursting charge	UN0168	1.1D	S3
Projectiles, with bursting charge	UN0169	1.2D	S4
Projectiles, with bursting charge	UN0324	1.2F	S4
RDX, see Cyclotrimethylenetrinitramine			
Rocket motors	UN0280	1.1C	S3
Rocket motors	UN0281	1.2C	S4
Rocket motors, liquid fuelled	UN0395	1.2J	S4
Rocket motors, with hypergolic liquids, with or without an expelling charge	UN0322	1.2L	S4
Rockets, line-throwing	UN0238	1.2G	S4
Rockets, liquid fuelled with bursting charge	UN0397	1.1J	S3
Rockets, liquid fuelled with bursting charge	UN0398	1.2J	S4
Rockets with bursting charge	UN0180	1.1F	S3
Rockets with bursting charge	UN0181	1.1E	S3
Rockets with bursting charge	UN0182	1.2E	S4
Rockets with bursting charge	UN0295	1.2F	S4
Rockets, with expelling charge	UN0436	1.2C	S4
Signals, railway track, explosive	UN0192	1.1G	S3
Signals, distress, ship (other than water-activated contrivances)	UN0194	1.1G	S3
Signals, smoke, with explosive sound unit	UN0196	1.1G	S3
Signals, smoke, with explosive sound unit	UN0313	1.2G	S4
Sounding devices, explosive	UN0204	1.2F	S4
Sounding devices, explosive	UN0296	1.1F	S3
Sounding devices, explosive	UN0374	1.1E	S3
Sounding devices, explosive	UN0375	1.2E	S4
Styphnic acid, see Trinitroresorcinol			
Substances, explosive, n.o.s.*	UN0357	1.1L	S3
Substances, explosive, n.o.s.*	UN0358	1.2L	S4
Tetranitroaniline	UN0207	1.1D	S3
Tetrazene, see Guanyl nitrosaminoguanyletetrazene			
Tetryl, see Trinitrophenylmethylnitramine			
TNT, see Trinitrotoluene			
Torpedoes, with bursting charge	UN0329	1.1E	S3
Torpedoes, with bursting charge	UN0330	1.1F	S3
Trinitroaniline or Picramide	UN0153	1.1D	S3
Trinitroanisole	UN0213	1.1D	S3
Trinitrobenzene, dry or wetted with less than 30 per cent water, by mass	UN0214	1.1D	S3
Trinitrobenzenesulphonic acid	UN0386	1.1L	S3
Trinitrobenzoic acid, dry or wetted with less than 30 per cent water, by mass	UN0215	1.1D	S3
Trinitrochlorobenzene or Picryl chloride	UN0155	1.1D	S3
Trinitro-m-cresol	UN0216	1.1D	S3
Trinitrofluorenone	UN0387	1.1D	S3
Trinitronaphthalene	UN0217	1.1D	S3
Trinitrophenetole	UN0218	1.1D	S3
Trinitrophenol, or Picric acid, dry or wetted with less than 30 per cent water, by mass	UN0154	1.1D	S3
Trinitrophenylmethylnitramine or Tetryl	UN0208	1.1D	S3
Trinitroresorcinol, or Styphnic acid, dry or wetted with less than 20 per cent water, by mass, or mixture of alcohol and water	UN0219	1.1D	S3
Trinitroresorcinol, wetted or Styphnic acid, wetted with not less than 20 per cent water, by mass, or mixture of alcohol and water	UN0394	1.1D	S3
Trinitrotoluene, or TNT dry or wetted with less than 30 per cent water, by mass	UN0209	1.1D	S3
Trinitrotoluene and Trinitrobenzene mixtures or TNT and Trinitrobenzene mixtures or Trinitrotoluene mixtures or TNT and Hexanitrostilbene mixtures	UN0388	1.1D	S3
Trinitrotoluene mixtures containing Trinitrobenzene and Hexanitrostilbene or TNT mixtures containing Trinitrobenzene and Hexanitrostilbene	UN0389	1.1D	S3
Tritonal	UN0390	1.1D	S3
Urea nitrate, dry or wetted with less than 20 per cent water, by mass	UN0220	1.1D	S3
Warheads, rocket, with bursting charge	UN0286	1.1D	S3
Warheads, rocket, with bursting charge	UN0287	1.2D	S4
Warheads, rocket, with bursting charge	UN0369	1.1F	S3
Warheads, torpedo with bursting charge	UN0221	1.1D	S3

PARTIE I—Fin

EXPLOSIFS—Fin

Col. I	Col. II	Col. III	Col. IV
Appellation réglementaire et description	Numéro d'identification du produit	Classification	Dispositions particulières
RDX, voir Cyclotriméthylènetrinitramine			
Renforceurs avec détonateur	UN0225	1.1B	S3
Renforceurs avec détonateur	UN0268	1.2B	S4
Renforceurs sans détonateur	UN0042	1.1D	S3
Renforceurs sans détonateur	UN0283	1.2D	S4
Signaux de détresse de navires (autres que les engins hydroactifs)	UN0194	1.1G	S3
Signaux fumigènes avec charge explosive sonore	UN0196	1.1G	S3
Signaux fumigènes avec charge explosive sonore	UN0313	1.2G	S4
Styphnate de plomb humidifié ou Trinitrorésorcinate de plomb humidifié, avec pas moins de 20 % d'eau, en masse, ou d'un mélange d'alcool et d'eau	UN0130	1.1A	S3
Sulfure de dipicryle, sec ou humidifié avec moins de 10 % d'eau, en masse	UN0401	1.1D	S3
Têtes de guerre pour engins-fusées avec charge d'éclatement	UN0286	1.1D	S3
Têtes de guerre pour engins-fusées avec charge d'éclatement	UN0287	1.2D	S4
Têtes de guerre pour engins-fusées avec charge d'éclatement	UN0369	1.1F	S3
Têtes de guerre pour torpilles avec charge d'éclatement	UN0221	1.1D	S3
Tétranitraniline	UN0207	1.1D	S3
Tétranitrate de pentaérythrite humidifié ou Tétranitrate de pentaérythritol humidifié ou Penthrite humidifié ou PETN humidifié avec pas moins de 25 % d'eau, en masse ou Tétranitrate de pentaérythrite désensibilisé ou Tétranitrate de pentaérythritol désensibilisé ou Penthrite désensibilisé ou PETN désensibilisé avec pas moins de 15 % de flegmatisant, en masse	UN0150	1.1D	S3
Tétranitrate de pentaérythrite ou PETN contenant pas moins de 7 % de cire, en masse	UN0411	1.1D	S3
Tétranitrate de pentaérythritol, voir Tétranitrate de pentaérythrite			
Tétrazène, voir Guanil nitrosaminoguanilyltétrazène			
Tétryl, voir Trinitrophénylméthyltrinitramine			
TNT, voir Trinitrotoluène			
Torches de signalisation	UN0418	1.1G	S3
Torches de signalisation	UN0419	1.2G	S4
Torpilles avec charge d'éclatement	UN0329	1.1E	S3
Torpilles avec charge d'éclatement	UN0330	1.1F	S3
Torpilles de forage, explosives, sans détonateur pour les puits de pétrole	UN0099	1.1D	S3
Trinitraniline ou Picramide	UN0153	1.1D	S3
Trinitranisole	UN0213	1.1D	S3
Trinitrobenzène, sec ou humidifié avec moins de 30 % d'eau, en masse	UN0214	1.1D	S3
Trinitrochlorobenzène ou Chlorure de picryle	UN0155	1.1D	S3
Trinitro-m-crésol	UN0216	1.1D	S3
Trinitrofluorénone	UN0387	1.1D	S3
Trinitronaphtalène	UN0217	1.1D	S3
Trinitrophénétol	UN0218	1.1D	S3
Trinitrophénol ou Acide picrique sec ou humidifié avec moins de 30 % d'eau, en masse	UN0154	1.1D	S3
Trinitrophénylméthyltrinitramine ou Tétryl	UN0208	1.1D	S3
Trinitrorésorcinate de plomb, voir Styphnate de plomb			
Trinitrorésorcinol humidifié, ou Acide styphnique, humidifié avec pas moins de 20 % d'eau, en masse, ou d'un mélange d'alcool et d'eau	UN0394	1.1D	S3
Trinitrorésorcinol ou Acide styphnique sec ou humidifié avec moins de 20 % d'eau en masse, ou d'un mélange d'alcool et d'eau	UN0219	1.1D	S3
Trinitrotoluène ou TNT ou Tolu sec ou humidifié avec moins de 30 % d'eau, en masse	UN0209	1.1D	S3
Trinitrotoluène, mélanges, contenant du Trinitrobenzène et de l'Hexanitrostilbène ou TNT, mélanges, contenant du Trinitrobenzène et de l'Hexanitrostilbène ou Tolite, mélanges, contenant du Trinitrobenzène et de l'Hexanitrostilbène	UN0389	1.1D	S3
Trinitrotoluène et Trinitrobenzène, mélanges ou TNT et Trinitrobenzène, mélanges ou Tolite et Trinitrobenzène, mélanges ou Trinitrotoluène et Hexanitrostilbène, mélanges ou TNT et Hexanitrostilbène, mélanges ou Tolite et Hexanitrostilbène, mélanges	UN0388	1.1D	S3
Tritonal	UN0390	1.1D	S3

PART II

DANGEROUS GOODS OTHER THAN EXPLOSIVES

Col. I	Col. II	Col. III	Col. IV	Col. V
Description and Shipping Name	Product Identification Number	Classification	Special Provisions	Application
Acetaldehyde	1089	3.1	S5	
Acetone cyanohydrin	1541	9.2 6.1	S4	
Acetyl chloride	1717	9.2 3.2	S4	
Acetyl cyclohexanesulphonyl peroxide, <i>not more than 82 per cent, uniformly wetted with not less than 12 per cent water</i>	2082	8 9.2 E	S3	
Acetylene, dissolved or Acetylene	1001	2.1	S4	
Acrolein, inhibited	1092	3.1	S5	
Acrylonitrile, inhibited	1093	6.1 3.2	S5	
AEROSOLS, <i>containing more than 10 per cent by mass of total contents as a flammable gas, and more than 10 per cent poisonous material</i>	1950	9.2 2.1	S4	
AEROSOLS, <i>containing more than 10 per cent by mass of total contents as a non-flammable, non-poisonous gas, and more than 10 per cent poisonous material</i>	1950	6.1 2.3	S4	
AEROSOLS, <i>containing not more than 10 per cent by mass of total contents as a non-poisonous gas, with more than 10 per cent poisonous material</i>	1950	6.1	S4	
Aluminum alkyl halides	3052	4.2	S4	
Aluminum carbide	1394	4.3	S4	
Aluminum phosphide	1397	4.3	S4	
Ammonia, anhydrous, liquefied or Ammonia solutions, <i>relative density (specific gravity) less than 0.880 at 15°C in water, with more than 50 per cent ammonia</i>	1005	6.1 2.4 9.2	S5	
Antimony pentafluoride	1732	8	S4	
ARSENICAL PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., <i>flash point less than 23°C</i>	2760	6.1 3.2 6.1	S4	Packing Group I only
Arsine	2188	2.3	S4	
Azinphos-methyl mixture, liquid	3018	2.1 6.1	S4	
Azodiisobutyronitrile	2952	9.2 4.1	S4	
Beryllium, metal powder	1567	E 6.1	S4	
BIPYRIDILIUM PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., <i>flash point less than 23°C</i>	2782	4.1 3.2 6.1	S4	Packing Group I only
Boron trichloride	1741	2.3	S4	
Boron trifluoride	1008	8 2.3	S4	
Bromine or Bromine solutions	1744	8	S4	
Bromine chloride	2901	8 6.1 2.3	S3	Applies to Bromine only
Bromine pentafluoride	1745	5.1 6.1 8	S4	
Bromine trifluoride	1746	5.1 6.1 8	S4	
Bromobenzyl cyanides	1694	6.1	S4	
Butadiene, inhibited	1010	2.1	S5	
Butane or Butane mixtures	1011	2.1	S5	

PARTIE II

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS

Col. I	Col. II	Col. III	Col. IV	Col. V
Description et appellation réglementaire	Numéro d'identification du produit	Classification	Dispositions particulières	Application
Acétaldéhyde	1089	3.1 9.2	S5	
Acétylène, dissous, ou Acétylène	1001	2.1	S4	
Acide chlorhydrique, en solution ou Acide chlorhydrique	1789	8 9.2	S5	concentration supé- rieure à 50 pour cent
Acide chloronitrique	1798	8 9.2	S5	
Acide chloro-3 peroxybenzoïque, à 86 pour cent au maximum avec acide chloro-3 benzoïque	2755	5.2 E	S4	
Acide chlorosulfonique, (contenant ou non de l'anhydride sulfurique)	1754	8 9.2	S5	
Acide cyanhydrique, en solutions aqueuses, contenant 20 pour cent au maximum de cyanure d'hydrogène	1613	6.1 9.2	S4	
Acide fluorhydrique, en solution, à plus de 60 pour cent de fluorure d'hydrogène	1790	8 6.1 9.2	S4	
Acide fluorhydrique et acide sulfurique, en mélange	1786	8 6.1 9.2	S4	
Acide nitrique, à plus de 70 pour cent d'acide nitrique	2031	8 9.2	S5	
Acide nitrique, fumant, à plus de 70 pour cent et à 90 pour cent au maxi- mum	2032	8 5.1 6.1 9.2	S5	
Acide nitrique, rouge, fumant, à plus de 90 pour cent	2032	8 5.1 6.1 9.2	S5	
Acide perchlorique, à plus de 50 pour cent, mais à 72 pour cent au maxi- mum d'acide, en masse	1873	5.1 8	S4	
Acide pour gravure, liquide, n.s.a., contenant un mélange d'acides nitrique et hydrofluorique	1790	8 9.2	S4	
Acide sulfonitrique, en mélange résiduaire, à plus de 50 pour cent d'acide nitrique	1826	8 5.1 9.2	S5	
Acide sulfurique, à plus de 51 pour cent d'acide	1830	8 9.2	S5	
Acide sulfurique, fumant ou Oléum	1831	8 6.1 9.2	S5	
Acroléine, stabilisée	1092	3.1 6.1 9.2	S5	
AÉROSOLS, dont au maximum 10 pour cent du contenu total, en masse, est un gaz non toxique, et plus de 10 pour cent une matière toxique	1950	6.1	S4	
AÉROSOLS, dont plus de 10 pour cent du contenu total, en masse, est un gaz inflammable et plus de 10 pour cent une matière toxique	1950	2.1 6.1	S4	
AÉROSOLS, dont plus de 10 pour cent du contenu total, en masse, est un gaz ininflammable et non toxique, et plus de 10 pour cent une matière toxique	1950	2.3	S4	
Ammoniac, anhydre, liquéfié, ou Ammoniac, en solution aqueuse d'une densité à 15°C inférieure à 0,880 contenant plus de 50 pour cent d'ammo- niac	1005	2.4 9.2	S5	
Antidétonants, mélanges pour carburants	1649	6.1	S4	
Antidétonants, mélanges pour carburants, contenant des composés du plomb	1649	6.1 9.2	S4	
Arsine	2188	2.3 2.1	S4	
Azinphos-méthyle, en mélange, liquide	3018	6.1 9.2	S4	
Azodiisobutyronitrile	2952	4.1 E	S4	

PART II—Con.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V
Description and Shipping Name	Product Identification Number	Classification	Special Provisions	Application
Butylene	1012	2.1	S5	
tert-Butyl monoperoxymaleate, <i>technically pure</i>	2099	5.2	S4	
		E		
tert-Butyl peroxydiethylacetate, <i>technically pure</i>	2144	5.2	S3	
		E		
tert-Butyl peroxy-2-ethylhexanoate, <i>technically pure</i>	2143	5.2	S3	
		E		
tert-Butyl peroxyisobutyrate, <i>more than 52 per cent but not more than 77 per cent in solution</i>	2142	5.2	S3	
		E		
tert-Butyl peroxyisopropyl carbonate, <i>technically pure</i>	2103	5.2	S4	
		E		
tert-Butyl peroxyisovalate, <i>more than 72 per cent but not more than 77 per cent in solution</i>	2110	5.2	S3	
		E		
5-tert-Butyl-2,4,6-trinitro-m-xylene or Musk xylene	2956	4.1	S4	
		E		
Calcium carbide	1402	4.3	S4	
		9.2		
Calcium cyanide	1575	6.1	S4	
		9.2		
Calcium phosphide	1360	4.3	S4	
CARBAMATE PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S. <i>flash point less than 23°C</i>	2758	3.2	S4	
		6.1		Packing Group I only
Carbon dioxide and ethylene oxide mixtures with <i>more than 6 per cent ethylene oxide</i>	1041	2.1	S5	
		6.1		
Carbon disulphide or Carbon bisulphide	1131	3.1	S4	
		6.1		
		9.2		
Carbon monoxide	1016	2.1	S5	
		6.1		
Carbon monoxide and hydrogen mixture	2600	2.1	S5	
		6.1		
Carbonyl fluoride	2417	2.3	S4	
Carbonyl sulphide	2204	2.3	S4	
		2.1		
Chlordane, liquid	2762	3.1	S4	
		9.2		
Chlordane mixtures	2762	9.2	S4	
Chlorine	1017	2.4	S4	
		9.2		
Chlorine pentafluoride	2548	2.3	S3	
		5.1		
		8		
Chlorine trifluoride	1749	2.3	S3	
		5.1		
Chlorodifluoroethanes or Difluorochloroethanes (<i>R 142b</i>)	2517	2.1	S5	
3-Chloroperoxybenzoic acid, <i>not more than 86 per cent, with 3-chlorobenzoic acid</i>	2755	5.2	S4	
		E		
Chloropicrin and methyl bromide mixtures	1581	2.3	S4	
Chloropicrin and methyl chloride mixtures	1582	2.3	S4	
Chloropicrin and non-flammable, non-liquefied, compressed gas mixture	1955	2.3	S5	
CHLOROPICRIN MIXTURES, N.O.S.	1583	6.1	S4	
				Packing Group I only
Chlorosulphonic acid (<i>with or without sulphur trioxide</i>)	1754	8	S5	
		9.2		
Coal gas	1023	2.1	S4	
		6.1		
Compressed or Liquefied gases, flammable, n.o.s.*	1954	2.1	S4	
Compressed or Liquefied gases, flammable, toxic, n.o.s.*	1953	2.1	S3	
		6.1		
Compressed or Liquefied gases, toxic, n.o.s.*	1955	2.3	S3	

PARTIE II—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V
Description et appellation réglementaire	Numéro d'identification du produit	Classification	Dispositions particulières	Application
Béryllium, métallique, en poudre	1567	6.1 4.1	S4	
Brome <i>ou</i> Brome, en solution	1744	8 6.1	S4	concerne le brome seulement
Bromure d'hydrogène, anhydre	1048	2.4	S4	
Bromure de méthyle	1062	2.3	S4	
Bromure de méthyle et dibromure d'éthylène, en mélange, liquide	1647	6.1 9.2	S4	
Bromure de méthyle magnésium dans l'éther éthylique	1928	4.2	S4	
Bromure de vinyle, stabilisé	1085	2.1	S4	
Bromure de xylène	1701	6.1	S4	
Butadiène, stabilisé	1010	2.1	S5	
Butane <i>ou</i> Butane, en mélange	1011	2.1	S5	
Butylène	1012	2.1	S5	
tert-Butyl-5 trinitro-2,4,6 m-xylène <i>ou</i> Musc xylène	2956	4.1 E	S4	
Butyrate de di-(tert-butylperoxy)-3,3 éthyle, <i>techniquement pur</i>	2184	5.2 E	S4	
Carbonate d'isopropyle et de peroxy-tert-butyle, <i>techniquement pur</i>	2103	5.2 E	S4	
Carbure d'aluminium	1394	4.3	S4	
Carbure de calcium	1402	4.3 9.2	S4	
Chlordane, liquide	2762	3.1 9.2	S4	
Chlordane, en mélange	2762	9.2	S4	
Chlore	1017	2.4 9.2	S4	
Chlorodifluoroéthanés <i>ou</i> Difluorochloroéthanés (R142b)	2517	2.1	S5	
Chloropicrine et Bromure de méthyle, en mélange	1581	2.3	S4	
Chloropicrine et Chlorure de méthyle, en mélange	1582	2.3	S4	
Chloropicrine et gaz comprimés, ininflammables, non liquéfiés, en mélange	1955	2.3	S5	
CHLOROPICRINE EN MÉLANGE, N.S.A.	1583	6.1	S4	groupe d'emballage I seulement
Chlorure d'acétyle	1717	3.2 II 9.2	S4	
Chlorure de brome	2901	2.3 5.1 8	S3	
Chlorure de cyanogène	1589	2.3 9.2	S4	
Chlorure de dichloracétyle	1765	8	S5	
Chlorure d'éthyle (R160)	1037	2.1	S5	
Chlorure de fumaryle	1780	8	S4	
Chlorure d'hydrogène, anhydre	1050	2.4 9.2	S4	
Chlorure d'hydrogène, liquide réfrigéré	2186	2.4 9.2	S3	
Chlorure de méthyle (R40)	1063	2.1 6.1	S4	
Chlorure de méthyle et chlorure de méthylène, en mélange	1912	2.1	S4	
Chlorure de nitrosyle	1069	2.4	S3	
Chlorure de vinyle, stabilisé (R1140)	1086	2.1	S3	
Combustibles pyrophoriques, n.s.a.*	1375	4.2	S3	
Coumaphos, en mélange, liquides	3018	6.1 9.2	S4	
Cyanhydrine d'acétone	1541	6.1 9.2	S4	
Cyanogène, liquéfié, <i>ou</i> Cyanogène, en gaz	1026	2.3 2.1	S3	
Cyanure de calcium	1575	6.1 9.2	S4	
Cyanure de cuivre	1587	6.1	S4	

PART II—Con.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V
Description and Shipping Name	Product Identification Number	Classification	Special Provisions	Application
COPPER BASED PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., <i>flash point less than 23° C</i>	2776	3.2 6.1	S4	Packing Group I only
Copper cyanide	1587	6.1	S4	
CORROSIVE LIQUIDS, FLAMMABLE, N.O.S.*	2920	8 3	S5	Packing Group I only
CORROSIVE LIQUIDS, POISONOUS, N.O.S.*	2922	8 6.1	S5	
Coumaphos mixture, liquid	3018	6.1 9.2	S4	
Cyanogen chloride	1589	2.3 9.2	S4	
Cyanogen, liquefied or Cyanogen, gas	1026	2.3 2.1	S3	
Cyclohexanone peroxide(s), <i>more than 90 per cent, with water</i>	2117	5.2 E I	S4	
Cyclopropane, liquefied or Cyclopropane	1027	2.1	S4	
Deuterium	1957	2.1	S4	
Dibenzoyl peroxide, or Benzoyl peroxide, <i>more than 77 per cent but less than 95 per cent, with water</i>	2088	5.2 E	S4	
Dibenzoyl peroxide, or Benzoyl peroxide, <i>more than 52 per cent, with inert solid or Dibenzoyl peroxide, or Benzoyl peroxide, technically pure</i>	2085	5.2 E	S4	
Dibenzoyl peroxydicarbonate, <i>not more than 87 per cent, with water</i>	2149	5.2 E	S4	
Diborane or Diborane mixtures	1911	2.1 6.1	S4	
1,1-Di-(tert-butylperoxy) cyclohexane, <i>not more than 77 per cent in solu- tion</i>	2180	5.2 E	S4	
1,1-Di-(tert-butylperoxy) cyclohexane, <i>technically pure</i>	2179	5.2 E	S4	
Di-(sec-butyl) peroxydicarbonate, <i>technically pure</i>	2150	5.2 E	S3	
Di-(tert-butylperoxy) phthalate, <i>technically pure</i>	2106	5.2 E	S4	
Dichloroacetyl chloride	1765	8	S5	
Dichlorodimethyl ether, symmetrical	2249	6.1	S4	
Dichlorophenyl isocyanates	2250	6.1	S5	
Dichlorosilane	2189	2.3 2.1	S3	
Dicyclohexyl peroxydicarbonate, <i>technically pure</i>	2152	5.2 E	S3	
1,1-Difluoroethylene (<i>R1132a</i>)	1959	2.1	S4	
2,2-Dihydroperoxy propane, <i>not more than 25 per cent, with inert organic solid</i>	2178	5.2 E	S4	
Diisopropyl peroxydicarbonate, or Isopropyl peroxydicarbonate, <i>techni- cally pure</i>	2133	5.2 E	S3	
Dimethylamine, anhydrous	1032	2.1 9.2	S5	
Di-(2-methylbenzoyl) peroxide, <i>not more than 85 per cent, with water</i>	2593	5.2 E	S4	
Dimethyl chlorothiophosphate	2922	8	S5	
2,5-Dimethyl-2,5-di-(benzoylperoxy) hexane, <i>not more than 82 per cent, with inert solid</i>	2173	5.2 E	S4	
2,5-Dimethyl-2,5-di-(benzoylperoxy) hexane, <i>technically pure</i>	2172	5.2 E	S4	
2,5-Dimethyl-2,5-di-(tert-butylperoxy) hexyne-3, <i>technically pure</i>	2158	5.2 E	S4	
Dimethyldichlorosilane	1162	3.2 8	S4	

PARTIE II—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V
Description et appellation réglementaire	Numéro d'identification du produit	Classification	Dispositions particulières	Application
Cyanure d'hydrogène, anhydre, stabilisé	1051	6.1 3 9.2	S3	
Cyanure d'hydrogène, anhydre, stabilisé, <i>absorbé par un matériau poreux inerte</i>	1614	6.1	S4	
Cyanure de mercure, ou Cyanure mercurique	1636	6.1 9.2	S4	
Cyanure de méthyle, ou Acétonitrile	1648	3.2 6.1	S4	
Cyanure de potassium, <i>solide</i>	1680	6.1 9.2	S4	
Cyanure de sodium, <i>solide</i>	1689	6.1 9.2	S4	
Cyanure double de mercure et de potassium	1626	6.1	S4	
Cyanures de bromobenzyle	1694	6.1	S4	
Cyclopropane, liquéfié ou Cyclopropane	1027	2.1	S4	
DÉSINFECTANTS, N.S.A.*, <i>toxiques, liquides</i>	1601	6.1	S4	groupe d'emballage I seulement
Deutérium	1957	2.1	S4	
Diborane ou Diborane, en mélange	1911	2.1 6.1	S4	
Di-(tert-butyl peroxy)-1, 1 cyclohexane, <i>en solution, à 77 pour cent au maximum</i>	2180	5.2 E	S4	
Di-(tert-butyl peroxy)-1, 1 cyclohexane, <i>techniquement pur</i>	2179	5.2 E	S4	
Dichlorosilane	2189	2.3 2.1	S3	
Dichlorure éthylphosphoneux, anhydre	2845	4.2	S3	
Dichlorure méthylphosphoneux	2845	4.2	S3	
Difluoro-1, 1 éthylène (R1132a)	1959	2.1	S4	
Di fluorure d'oxygène	2190	2.3	S3	
Di-(hydroperoxy)-2, 2 propane, à 25 pour cent au maximum avec un solide organique inerte	2178	5.2 E	S4	
Diméthylamine, anhydre	1032	2.1 9.2	S5	
Diméthyl-2, 5 di-(benzoylperoxy)-2, 5 hexane, à 82 pour cent au maximum avec un solide inerte	2173	5.2 E	S4	
Diméthyl-2, 5 di-(benzoylperoxy)-2, 5 hexane, <i>techniquement pur</i>	2172	5.2 E	S4	
Diméthyl-2, 5 di-(tert-butylperoxy)-2, 5 hexyne-3, <i>techniquement pur</i>	2158	5.2 E	S4	
Diméthyldichlorosilane	1162	3.2 8	S4	
Diméthyl-2,5 di-(hydroperoxy)-2, 5 hexane ou Dihydroperoxyde de diméthylhexane, à 82 pour cent au maximum, avec de l'eau	2174	5.2 E	S4	
Diméthylhydrazine, asymétrique, ou Diméthyl-1, 1 hydrazine	1163	3.2 8	S4	
Diméthylhydrazine, symétrique ou Diméthyl-1, 2 hydrazine	2382	3.2 6.1	S4	
Diméthyl-2, 2 propane, autre que le pentane et ses isomères	2044	2.1	S5	
Dinitrobenzènes	1587	6.1 9.2	S4	
N, N'-Dinitroso-N, N'-diméthyltétraphtalamide, en pâte, à 72 pour cent au maximum	2973	4.1 E	S4	
N, N'-Dinitrosopentaméthylène tétramine, à 82 pour cent au maximum avec un flegmatisant	2972	4.1 E	S4	
Dioxyde de carbone et oxyde d'éthylène, en mélange, avec plus de 6 pour cent d'oxyde d'éthylène	1041	2.1 6.1	S5	
Dioxyde de soufre, liquéfié, ou Dioxyde de soufre	1079	2.3	S5	
Diperoxyphthalate de tert-butyle, <i>techniquement pur</i>	2106	5.2 E	S4	
Diphénylamine-chlorarsine	1698	6.1	S3	
Diphénylchlorarsine	1699	6.1	S3	

PART II—Con.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V
Description and Shipping Name	Product Identification Number	Classification	Special Provisions	Application
2,5-Dimethyl-2, 5-dihydroperoxy hexane, or Dimethylhexane dihydroperoxide, <i>not more than 82 per cent, with water</i>	2174	5.2 E	S4	
Dimethyl ether	1033	2.1	S5	
Dimethylhydrazine, symmetrical or 1,2-Dimethylhydrazine	2382	3.2 6.1	S4	
Dimethylhydrazine, unsymmetrical or 1,1-Dimethylhydrazine	1163	3.2 8	S4	
2,2-Dimethyl propane, <i>other than pentane and isopentane</i>	2044	2.1	S5	
Dimethylzinc	1370	4.2	S4	
Dinitrobenzenes	1597	6.1 9.2	S4	
N,N'-Dinitroso-N,N'-dimethyl terephthalamide, <i>not more than 72 per cent as a paste</i>	2973	4.1 E	S4	
N,N'-Dinitrosopentamethylene tetramine, <i>not more than 82 per cent, with phlegmatizer</i>	2972	4.1 E	S4	
Diphenylamine chloroarsine	1698	6.1	S3	
Diphenylchloroarsine	1699	6.1	S3	
Di-n-propyl peroxydicarbonate, <i>technically pure</i>	2176	5.2 E	S3	
DISINFECTANTS, N.O.S.*, <i>poisonous, liquid</i>	1601	6.1	S4	Packing Group I only
Disuccinic acid peroxide, or Succinic acid peroxide, <i>technically pure</i>	2135	5.2 E	S4	
Disulfoton	3018	6.1 9.2	S4	
Disulfoton mixture, liquid	3018	6.1 9.2	S4	
DITHIOCARBAMATE PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S. <i>flash point less than 23°C</i>	2772	3.2 6.1	S5	Packing Group I only
Etching acid, liquid, <i>n.o.s. containing a mixture of nitric and hydrofluoric acids</i>	1790	8 9.2	S4	
Ethane, compressed or Ethane	1035	2.1	S5	
Ethane, refrigerated liquid	1961	2.1	S5	
Ethion	3018	6.1 9.2	S3	
Ethylamine or Monoethylamine	1036	2.1 9.2	S5	
Ethyl chloride (R160)	1037	2.1	S5	
Ethyl-3,3-di-(tert-butylperoxy) butyrate, <i>technically pure</i>	2184	5.2 E	S4	
Ethylchloroarsine	1892	6.1	S3	
Ethylchlorosilane	1183	4.3 3 8	S4	
Ethylene, compressed or Ethylene	1962	2.1	S5	
Ethylene, refrigerated liquid	1038	2.1	S5	
Ethyleneimine, inhibited	1185	6.1 3	S3	
Ethylene oxide, <i>pure or with nitrogen</i>	1040	2.1	S5	
Ethyl methyl ether	1039	6.1 2.1	S5	
Ethyl phosphonous dichloride, anhydrous	2845	4.2	S3	
FLAMMABLE LIQUIDS, CORROSIVE, N.O.S.*	2924	3.1 8	S4	Packing Group I only
FLAMMABLE LIQUIDS, POISONOUS, N.O.S.*	1992	3.1 6.1	S4	Packing Group I only
Fluorine, compressed or Fluorine	1045	2.3 5.1	S3	
Fuel, pyrophoric, <i>n.o.s.*</i>	1375	4.2	S3	
Fumaryl chloride	1780	8	S4	

PARTIE II—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V
Description et appellation réglementaire	Numéro d'identification du produit	Classification	Dispositions particulières	Application
Disulfoton	3018	6.1 9.2	S4	
Disulfoton, en mélange, liquide	3018	6.1 9.2	S4	
Dithiopyrophosphate tétraéthylique et des gaz, en solution, <i>ou</i> Dithiopyrophosphate tétraéthylique et des gaz, en mélanges	1703	2.3	S3	
Éthane, comprimé, <i>ou</i> Éthane	1035	2.1	S5	
Éthane, liquide réfrigéré	1961	2.1	S5	
Éther dichlorodiméthylque, symétrique	2249	6.1	S4	
Éther méthyléthylique	1039	2.1	S5	
Éther méthylque	1033	2.1	S5	
Éther méthylvinyle, stabilisé	1087	2.1	S5	
Éthion	3018	6.1 9.2	S3	
Éthyl-2 peroxyhexanoate de tert-butyle, <i>techniquement pur</i>	2143	5.2 E	S3	
Éthylamine <i>ou</i> Monoéthylamine	1036	2.1 9.2	S5	
Éthylchlorarsine	1892	6.1	S3	
Éthylchlorosilane	1183	4.3 3 8	S4	
Éthylène, comprimé, <i>ou</i> Éthylène	1962	2.1	S5	
Éthylène, liquide réfrigéré	1038	2.1	S5	
Éthylèneimine, stabilisée	1185	6.1 3	S3	
Fluor, comprimé, <i>ou</i> Fluor	1045	2.3 5.1	S3	
Fluorure de carbonyle	2417	2.3	S4	
Fluorure d'hydrogène, anhydre	1052	2.4 6.1 9.2	S3	
Fluorure de méthyle (R41)	2454	2.1	S5	
Fluorure de sulfuryle	2191	2.3	S4	
Fluorure de vinyle, stabilisé (R1141)	1860	2.1	S3	
Gaz comprimés <i>ou</i> liquéfiés, inflammables, n.s.a.*	1954	2.1	S4	
Gaz comprimés <i>ou</i> liquéfiés, inflammables, toxiques, n.s.a.*	1953	2.1 6.1	S3	
Gaz comprimés <i>ou</i> liquéfiés, toxiques, n.s.a.*	1955	2.3	S3	
Gaz de houille	1023	2.1 6.1	S4	
Gaz d'huile	1071	2.1 6.1	S4	
Gaz de pétrole, liquéfiés, n.s.a., <i>ou</i> Gaz liquéfiés de pétrole	1075	2.1	S5	
Gaz frigorigènes, n.s.a.*, <i>ou</i> Gaz dispersants, n.s.a.*, <i>inflammables</i>	1954	2.1	S5	
Gaz insecticides toxiques, n.s.a.*	1967	2.3	S3	
Gaz lacrymogènes, n.s.a.*, liquides	1693	6.1	S4	
Gaz lacrymogènes, n.s.a.*, solides	1693	6.1	S4	
Germane	2192	2.3 2.1	S3	
Halogénures d'aluminium-alkyle	3052	4.2	S4	
Hexafluoracétone	2420	2.3	S3	
Hexafluorure de sélénium	2194	2.3	S3	
Hexafluorure de tellure	2195	2.3	S4	
Hexafluorure de tungstène	2196	2.3	S3	
Hexafluorure d'uranium, de faible activité spécifique, <i>contenant 0,7 pour cent au maximum d'uranium 235</i>	2978	7 8	S3	
Hexafluorure d'uranium, fissile, <i>contenant plus de 0,7 pour cent d'uranium 235</i>	2977	7 8	S3	
Hexaméthyl-3,3,6,6,9,9 tétracyclononane-1,2,4,5 <i>techniquement pur</i>	2165	5.2 E	S4	
Hydrazine anhydre, <i>ou</i> Hydrazine, en solutions aqueuses, <i>contenant plus de 64 pour cent d'hydrazine, en masse</i>	2029	3.3 6.1 8	S4	

PART II—Con.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V
Description and Shipping Name	Product Identification Number	Classification	Special Provisions	Application
Germane	2192	2.3 2.1	S3	
Hexaethyl tetraphosphate and compressed gas mixtures	1612	2.3	S3	
Hexafluoroacetone	2420	2.3	S3	
3,3,6,6,9,9-Hexamethyl-1,2,4,5-tetraoxocyclononane, <i>technically pure</i>	2165	5.2	S4	
Hydrazine, anhydrous <i>or</i> Hydrazine, aqueous solutions, <i>with more than 64 per cent hydrazine, by mass</i>	2029	E 3.3 6.1 8	S4	
Hydrocarbon gases, compressed, or nonliquefied n.o.s.* <i>or</i> Hydrocarbon gases mixtures, compressed, or nonliquefied, n.o.s.*	1964	2.1	S5	
Hydrocarbon gases, liquefied, n.o.s.* <i>or</i> Hydrocarbon gases mixtures, liquefied, n.o.s.*	1965	2.1	S5	
Hydrochloric acid solution <i>or</i> Hydrochloric acid	1789	8 9.2	S5	Greater than 50 per cent concentration
Hydrocyanic acid, aqueous solutions, <i>with not more than 20 per cent hydrogen cyanide</i>	1613	6.1 9.2	S4	
Hydrofluoric acid and sulphuric acid mixtures	1786	8 6.1 9.2	S4	
Hydrofluoric acid solution, <i>more than 60 per cent hydrogen fluoride</i>	1790	8 6.1 9.2	S4	
Hydrogen, compressed <i>or</i> Hydrogen	1049	2.1	S5	
Hydrogen, refrigerated liquid <i>or</i> Hydrogen, liquefied	1966	2.1	S4	
Hydrogen and methane mixtures, compressed	2034	2.1	S4	
Hydrogen bromide, anhydrous	1048	2.4	S4	
Hydrogen chloride, anhydrous	1050	2.4 9.2	S4	
Hydrogen chloride, refrigerated liquid	2186	2.4 9.2	S3	
Hydrogen cyanide, anhydrous, stabilized	1051	6.1 3 9.2	S3	
Hydrogen cyanide, anhydrous, stabilized, <i>absorbed in a porous inert material</i>	1614	6.1	S4	
Hydrogen fluoride, anhydrous	1052	2.4 6.1 9.2	S3	
Hydrogen iodide, anhydrous	2197	2.4	S4	
Hydrogen peroxide, aqueous solutions, <i>with more than 40 per cent but not more than 60 per cent hydrogen peroxide (stabilized as necessary)</i>	2014	5.1 8	S5	
Hydrogen peroxide, stabilized <i>or</i> Hydrogen peroxide, aqueous solutions, stabilized, <i>with more than 60 per cent hydrogen peroxide</i>	2015	5.1 8	S4	
Hydrogen selenide, anhydrous	2202	2.3	S3	
Hydrogen sulphide, liquefied <i>or</i> Hydrogen sulphide	1053	2.1 2.1 6.1 9.2	S5	
Infectious substances, human, n.o.s.*	2814	6.2	S1	
Infectious substances, non-human, n.o.s.*	2900	6.2	S1	
Insecticide gases, toxic, n.o.s.*	1967	2.3	S3	
Iodine pentafluoride	2495	5.1 6.1	S3	
Isobutane <i>or</i> Isobutane mixtures	1969	2.1	S5	
Isobutylene	1055	2.1	S5	
Magnesium aluminum phosphide	1419	4.3	S4	
Magnesium diphenyl	2005	4.2	S4	
Magnesium phosphide	2011	4.3 6.1	S4	

PARTIE II—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V
Description et appellation réglementaire	Numéro d'identification du produit	Classification	Dispositions particulières	Application
Hydrocarbures gazeux, comprimés, ou non liquéfiés, n.s.a.,* <i>ou</i> Hydrocarbures gazeux, en mélange, comprimés ou non liquéfiés, n.s.a.*	1964	2.1	S5	
Hydrocarbures gazeux, liquéfiés, n.s.a.,* <i>ou</i> hydrocarbures gazeux, en mélange, liquéfiés, n.s.a.*	1965	2.1	S5	
Hydrogène, comprimé <i>ou</i> Hydrozène	1049	2.1	S5	
Hydrogène et méthane, en mélange, comprimés	2034	2.1	S4	
Hydrogène, liquide réfrigéré <i>ou</i> Hydrogène, liquéfié	1966	2.1	S4	
Hydrogénosulfate de nitrosyle	2308	8	S5	
Iodure d'hydrogène, anhydre	2197	2.4	S4	
Isobutane <i>ou</i> Isobutane, en mélange	1969	2.1	S5	
Isobutylène	1055	2.1	S5	
Isocyanates de dichlorophényle	2250	6.1	S5	
LIQUIDES CORROSIFS INFLAMMABLES, N.S.A.*	2920	8	S5	groupe d'emballage I seulement
		3		
LIQUIDES CORROSIFS, TOXIQUES, N.S.A.*	2922	8	S5	
		6.1		
LIQUIDES INFLAMMABLES, CORROSIFS, N.S.A.*	2924	3.1	S4	groupe d'emballage I seulement
		8		
LIQUIDES INFLAMMABLES, TOXIQUES, N.S.A.*	1992	3.1	S4	groupe d'emballage I seulement
		6.1		
Liquides pyrophoriques, n.s.a.*	2845	4.2	S3	
LIQUIDES TOXIQUES, CORROSIFS, N.S.A.*	2927	6.1	S4	groupe d'emballage I seulement
		8		
LIQUIDES TOXIQUES, INFLAMMABLES, N.S.A.*	2929	6.1	S4	groupe d'emballage I seulement
		3		
Magnésium diphenyle	2005	4.2	S4	
Matières infectieuses, humaines, n.s.a.*	2814	6.2	S1	
Matières infectieuses, non humaines, n.s.a.*	2900	6.2	S1	
Matières radioactives, de faible activité spécifique (<i>FAS</i>), n.s.a.	2912	7	S4	
Matières radioactives, fissiles, n.s.a. <i>Classes I, II ou III</i>	2918	7	S2	
MÉDICAMENTS, N.S.A.*, <i>toxiques, liquides</i>	1851	6.1	S4	groupe d'emballage I seulement
Mercaptan méthylique	1064	2.1	S4	
		6.1		
		9.2		
MERCAPTANS, LIQUIDES, N.S.A., <i>ou</i> MERCAPTANS, EN	1228	3.1	S4	
MÉLANGE, LIQUIDES, N.S.A.		6.1		
MERCAPTANS, LIQUIDES, N.S.A., <i>ou</i> MERCAPTANS, EN	1228	3.2	S5	
MÉLANGE, LIQUIDES, N.S.A.		6.1		
Méthane, comprimé, <i>ou</i> Méthane, <i>ou</i> Gaz naturels, comprimés (<i>contenant une forte proportion de méthane</i>)	1971	2.1	S5	
Méthane, liquide réfrigéré, <i>ou</i> Gaz naturels, liquides réfrigérés (<i>contenant une forte proportion de méthane</i>)	1972	2.1	S5	
Méthyl chlorosilane	2534	4.3	S4	
		3		
		8		
Méthylacétylène propadiène, stabilisé, en mélange	1060	2.1	S4	
Méthylacroléine	2396	3.2	S5	
		6.1		
Méthylamine, anhydre	1061	2.1	S5	
		9.2		
Méthyldichlorarsine	1556	2.3	S3	
Méthyldichlorosilane	1242	3.2	S4	
		8		
Mévinphos	3018	6.1	S3	
		9.2		
Mévinphos, en mélange, liquide	3018	6.1	S4	
		9.2		

PART II—Con.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V
Description and Shipping Name	Product Identification Number	Classification	Special Provisions	Application
MEDICINES, N.O.S.*, <i>toxic, liquid</i>	1851	6.1	S4	Packing Group I only
MERCAPTANS, LIQUID, N.O.S. <i>or</i> MERCAPTAN MIXTURES, LIQUID, N.O.S.	1228	3.1	S4	
MERCAPTANS, LIQUID, N.O.S. <i>or</i> MERCAPTAN MIXTURES, LIQUID, N.O.S.	1228	6.1 3.2	S5	
Mercuric potassium cyanide	1626	6.1	S4	
MERCURY BASED PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S. <i>flash point less than 23°C</i>	2778	3.2 6.1	S4	Packing Group I only
Mercury cyanide <i>or</i> Mercuric cyanide	1636	6.1 9.2	S4	
Methacrylaldehyde	2396	3.2 6.1	S5	
Methane, compressed <i>or</i> Methane <i>or</i> Natural gas, compressed (<i>with high methane content</i>)	1971	2.1	S5	
Methane, refrigerated liquid <i>or</i> Natural gas, refrigerated liquid (<i>with high methane content</i>)	1972	2.1	S5	
Methyl acetylene and propadiene mixtures, stabilized	1060	2.1	S4	
Methylamine, anhydrous	1061	2.1 9.2	S5	
Methyl bromide	1062	2.3	S4	
Methyl bromide and ethylene dibromide mixtures, liquid	1647	6.1 9.2	S4	
Methyl chloride (<i>R40</i>)	1063	2.1 6.1	S4	
Methyl chloride and methylene chloride mixtures	1912	2.1	S4	
Methyl chlorosilane	2534	4.3 3 8	S4	
Methyl cyanide <i>or</i> Acetonitrile	1648	3.2 6.1	S4	
Methyldichloroarsine	1556	2.3	S3	
Methyldichlorosilane	1242	3.2 8	S4	
Methyl ethyl ketone peroxide(s), <i>not more than 60 per cent in solution</i>	2127	5.2 E I	S4	
Methyl fluoride (<i>R41</i>)	2454	2.1	S5	
Methyl magnesium bromide in ethyl ether	1928	4.2	S4	
Methyl mercaptan	1064	2.1 6.1 9.2	S4	
Methyl phosphonous dichloride	2845	4.2	S3	
Mevinphos	3018	6.1 9.2	S3	
Mevinphos mixture, liquid	3018	6.1 9.2	S4	
Motor fuel antiknock mixtures	1649	6.1	S4	
Motor fuel antiknock mixtures containing lead compounds	1649	6.1 9.2	S4	
Nickel ammonium sulphate	1259	6.1 3	S4	
Nitrating acid mixtures spent, <i>more than 50 per cent nitric acid</i>	1826	8 5.1 9.2	S5	
Nitric acid, <i>more than 70 per cent nitric acid</i>	2031	8 9.2	S5	
Nitric acid, fuming, <i>more than 70 per cent and not more than 90 per cent</i>	2032	8 5.1 6.1 9.2	S5	

PARTIE II—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V
Description et appellation réglementaire	Numéro d'identification du produit	Classification	Dispositions particulières	Application
Monoperoxy maléate de tert-butyle, <i>techniquement pur</i>	2099	5.2 E	S4	
Nickel-carbonyle	1259	6.1 3	S4	
Nitrile acrylique, stabilisé	1093	3.2 6.1 9.2	S5	
Oxyde de carbone	1016	2.1 6.1	S5	
Oxyde de carbone et hydrogène, en mélange	2600	2.1 6.1	S5	
Oxyde d'éthylène, <i>pur ou avec de l'azote</i>	1040	2.1 6.1	S5	
Oxyde de propylène	1280	3.1 9.2	S5	
Oxyde nitrique	1660	2.3 5.1	S4	
Oxyde nitrique et tétroxide d'azote, en mélange	1975	2.3 5.1	S4	
Oxydes d'azote, n.s.a.	1067	2.3 5.1 9.2	S4	
Oxygène liquide réfrigéré, ou Oxygène liquide pressurisé	1073	2.2 5.1	S5	
Parathion(s), en mélange(s), liquide(s)	3018	6.1 9.2	S4	
Parathion(s), liquide(s)	3018	6.1 9.2	S4	
Parathion(s) et gaz comprimés, en mélange	1967	2.3 9.2	S3	
Pentafluorure d'antimoine	1732	8 6.1	S4	
Pentafluorure de brome	1745	5.1 6.1 8	S4	
Pentafluorure de chlore	2548	2.3 5.1 8	S3	
Pentafluorure d'iode	2495	5.1 6.1	S3	
Pentafluorure de phosphore	2198	2.3	S3	
Peroxyde d'acétyle et de cyclohexane sulfonyle, à 82 pour cent au maximum, mouillé uniformément avec au moins 12 pour cent d'eau	2082	5.2	S3	
Peroxyde d'azote, liquéfié, ou Peroxyde d'azote, liquide	1067	E 2.3 5.1 9.2	S4	
Peroxyde de dibenzoyl ou Peroxyde de benzoyl, à plus de 52 pour cent avec un solide inerte, ou Peroxyde de dibenzoyl ou Peroxyde de benzoyl, <i>techniquement pur</i>	2085	5.2 E	S4	
Peroxyde de dibenzoyl ou Peroxyde de benzoyl, à plus de 77 pour cent mais à moins de 95 pour cent avec de l'eau	2088	5.2 E	S4	
Peroxyde de di-(méthyl-2 benzoyl), à 85 pour cent au maximum, avec de l'eau	2593	5.2 E	S4	
Peroxyde d'hydrogène, en solutions aqueuses, avec plus de 40 pour cent mais 60 pour cent au maximum de peroxyde d'hydrogène (stabilisé au besoin)	2014	5.1 8	S5	
Peroxyde d'hydrogène, stabilisé, ou Peroxyde d'hydrogène, en solutions aqueuses, stabilisé, avec plus de 60 pour cent de peroxyde d'hydrogène	2015	5.1 8	S4	
Peroxyde de succinyle ou Peroxyde de succinyle, <i>techniquement pur</i>	2135	5.2 E	S4	
Peroxyde(s) de cyclohexanone, à plus de 90 pour cent avec de l'eau	2117	5.2 E I	S4	

PART II—Con.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V
Description and Shipping Name	Product Identification Number	Classification	Special Provisions	Application
Nitric acid, red, fuming, <i>more than 90 per cent</i>	2032	8 5.1 6.1 9.2	S5	
Nitric oxide	1660	2.3 5.1	S4	
Nitric oxide and nitrogen tetroxide, mixtures	1975	2.3 5.1	S4	
Nitrogen dioxide, liquefied <i>or</i> Nitrogen dioxide, liquid	1067	2.3 5.1 9.2	S4	
Nitrogen oxides, n.o.s.	1067	2.3 5.1 9.2	S4	
Nitrogen trifluoride	2451	2.3	S3	
Nitrogen trioxide	2421	2.3	S4	
Nitrohydrochloric acid	1798	8 9.2	S5	
Nitrosyl chloride	1069	2.4	S3	
Nitrosylsulphuric acid	2308	8	S5	
Oil gas	1071	2.1 6.1	S4	
Organic phosphate, Organic phosphate compound, <i>or</i> Organic phosphorus compound, mixed with compressed gas	1955	2.3	S3	
ORGANIC PHOSPHATE, ORGANIC PHOSPHATE COMPOUND, <i>or</i> ORGANIC PHOSPHORUS COMPOUND, liquid	3018	6.1	S4	Packing Group I only
ORGANIC PHOSPHATE MIXTURE, ORGANIC PHOSPHATE COMPOUND MIXTURE, <i>or</i> ORGANIC PHOSPHORUS COMPOUND MIXTURE, liquid	3018	6.1	S4	Packing Group I only
ORGANOCHLORINE PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., <i>flash point less than 23°C</i>	2762	3.2 6.1	S4	Packing Group I only
ORGANOPHOSPHORUS PESTICIDES, LIQUID, FLAMMABLE, TOXIC, <i>flash point less than 23°C</i>	2784	3.2 6.1	S4	Packing Group I only
ORGANOPHOSPHORUS PESTICIDES, LIQUID, TOXIC, FLAMMABLE, <i>flash point not less than 23°C</i>	3017	6.1	S4	Packing Group I only
ORGANOPHOSPHORUS PESTICIDES, LIQUID, TOXIC, N.O.S.	3018	6.1	S4	Packing Group I only
ORGANOTIN PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., <i>flash point less than 23°C</i>	2787	3.2 6.1	S4	Packing Group I only
Oxygen, refrigerated liquid <i>or</i> Oxygen, pressurized liquid	1073	2.2 5.1	S5	
Oxygen difluoride	2190	2.3	S3	
Parathion(s) and compressed gas mixture	1967	2.3 9.2	S3	
Parathion(s), liquid	3018	6.1 9.2	S4	
Parathion(s) mixture(s), liquid	3018	6.1 9.2	S4	
Perchloric acid, <i>more than 50 per cent but not more than 72 per cent acid, by mass</i>	1873	5.1 8	S4	
PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S.* <i>flash point less than 23°C</i>	3021	3.2 6.1	S5	Packing Group I only
Petroleum gases, liquefied, n.o.s. <i>or</i> Liquefied petroleum gas	1075	2.1	S5	
Phenol, molten	2312	6.1 9.2	S5	
Phenol, solid <i>or</i> Phenol	1671	6.1 9.2	S5	

PARTIE II—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V
Description et appellation réglementaire	Numéro d'identification du produit	Classification	Dispositions particulières	Application
Peroxyde(s) de méthyléthylcétone, à 60 pour cent au maximum, en solution	2127	5.2 E I	S4	
Peroxydicarbonate de dibenzoyle, à 87 pour cent au maximum avec de l'eau	2149	5.2 E	S4	
Peroxydicarbonate de di-(sec-butyle), techniquement pur	2150	5.2 E	S3	
Peroxydicarbonate de dicyclohexyle, techniquement pur	2152	5.2 E	S3	
Peroxydicarbonate de diisopropyle ou Peroxydicarbonate d'isopropyle, techniquement pur	2133	5.2 E	S3	
Peroxydicarbonate de di-n-propyle, techniquement pur	2176	5.2 E	S3	
Peroxydiéthylacétate de tert-butyle, techniquement pur	2144	5.2 E	S3	
Peroxyisobutyrate de tert-butyle, à plus de 52 pour cent mais à 77 pour cent au maximum, en solution	2142	5.2 E	S3	
Peroxyphosphate de tert-butyle, à plus de 72 pour cent, mais à 77 pour cent au maximum, en solution	2110	5.2 E	S3	
PESTICIDES LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A.,* point d'éclair inférieur à 23°C	3021	3.2 6.1	S5	groupe d'emballage I seulement
PESTICIDES À BASE DE CARBAMATE, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., point d'éclair inférieur à 23°C	2758	3.2 6.1	S4	groupe d'emballage I seulement
PESTICIDES À BASE DE CUIVRE, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., point d'éclair inférieur à 23°C	2776	3.2 6.1	S4	groupe d'emballage I seulement
PESTICIDES À BASE DE DITHIOCARBAMATE, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., point d'éclair inférieur à 23°C	2772	3.2 6.1	S5	groupe d'emballage I seulement
PESTICIDES À BASE DE MERCURE, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., point d'éclair inférieur à 23°C	2778	3.2 6.1	S4	groupe d'emballage I seulement
PESTICIDES À BASE DE PHÉNOXY, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., point d'éclair inférieur à 23°C	2766	3.2 6.1	S5	groupe d'emballage I seulement
PESTICIDES À BASE DE PHÉNYL URÉE, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., point d'éclair inférieur à 23°C	2768	3.2 6.1	S5	groupe d'emballage I seulement
PESTICIDES À BASE DE TRIAZINE, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., point d'éclair inférieur à 23°C	2764	3.2 6.1	S4	groupe d'emballage I seulement
PESTICIDES ARSÉNIQUES, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., point d'éclair inférieur à 23°C	2760	3.2 6.1	S4	groupe d'emballage I seulement
PESTICIDES BIPYRIDYLIQUES, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., point d'éclair inférieur à 23°C	2782	3.2 6.1	S4	groupe d'emballage I seulement
PESTICIDES ORGANOCHLORÉS, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., point d'éclair inférieur à 23°C	2762	3.2 6.1	S4	groupe d'emballage I seulement
PESTICIDES ORGANOPHOSPHORÉS LIQUIDES, INFLAMMABLES, TOXIQUES, point d'éclair inférieur à 23°C	2784	3.2 6.1	S4	groupe d'emballage I seulement
PESTICIDES ORGANOPHOSPHORÉS, LIQUIDES, TOXIQUES, N.S.A.	3018	6.1	S4	groupe d'emballage I seulement
PESTICIDES ORGANOPHOSPHORÉS, LIQUIDES, TOXIQUES, INFLAMMABLES, point d'éclair égal ou supérieur à 23°C	3017	6.1	S4	groupe d'emballage I seulement

PART II—Con.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Con.

Col. I	Col. II	Col. III	Col. IV	Col. V
Description and Shipping Name	Product Identification Number	Classification	Special Provisions	Application
PHENOXY PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S. <i>flash point less than 23°C</i>	2766	3.2 6.1	S5	Packing Group I only
PHENYL UREA PESTICIDES, TOXIC, N.O.S., <i>flash point less than 23°C</i>	2768	3.2 6.1	S5	
Phosgene	1076	2.3 8 9.2	S3	
Phosphine	2199	2.3 2.1	S3	
Phosphorus pentafluoride	2198	2.3	S3	Packing Group I only
Phosphorus white, molten	2447	4.2 6.1 9.2	S4	
Phosphorus, white or yellow, dry or under water or in solution	1381	4.2 6.1 9.2	S4	
POISONOUS LIQUIDS, CORROSIVE, N.O.S.*	2927	6.1 8	S4	
POISONOUS LIQUIDS, FLAMMABLE, N.O.S.*	2929	6.1 3	S4	Packing Group I only
POISONOUS SOLIDS, FLAMMABLE, N.O.S.*	2930	6.1 4.1	S4	
Potassium cyanide, solid	1680	6.1 9.2	S4	
Potassium phosphide	2012	4.3 6.1	S4	
Propadiene, inhibited	2200	2.1	S4	Packing Group I only
Propane	1978	2.1	S5	
Propylene	1077	2.1	S5	
Propylene oxide	1280	3.1 9.2	S5	
Pyrophoric liquids, n.o.s.*	2845	4.2	S3	Packing Group I only
Radioactive material, fissile, n.o.s., Class I, II or III	2918	7	S2	
Radioactive material, low specific activity (LSA), n.o.s.	2912	7	S4	
Refrigerant gases, n.o.s.*, or Dispersant gas, n.o.s.* flammable	1954	2.1	S5	
Selenium hexafluoride	2194	2.3	S3	Packing Group I only
Silane	2203	2.3 2.1	S3	
Silicon tetrafluoride	1859	2.3 8	S4	
Sodium cyanide, solid	1689	6.1 9.2	S4	
Sodium hydrosulphide, solid with less than 25 per cent water of crystallization	2318	4.2 9.2	S4	Packing Group I only
Sodium phosphide	1432	4.3 4.2 6.1	S3	
Stannic phosphides	1433	4.3	S3	
Stibine	2676	2.3 2.1	S4	
Strontium phosphide	2013	4.3 6.1	S4	Packing Group I only
Strychnine	1692	6.1 9.2	S4	
Strychnine mixtures	1692	6.1 9.2	S4	
Strychnine salts	1692	6.1 9.2	S4	
Strychnine salt mixtures	1692	6.1 9.2	S4	

PARTIE II—Suite

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Suite

Col. I	Col. II	Col. III	Col. IV	Col. V
Description et appellation réglementaire	Numéro d'identification du produit	Classification	Dispositions particulières	Application
PESTICIDES ORGANOSTANNIQUES, LIQUIDES, INFLAMMABLES, TOXIQUES, N.S.A., <i>point d'éclair inférieur à 23°C</i>	2787	3.2 6.1	S4	groupe d'emballage I seulement
Phénol, fondu	2312	6.1 9.2	S5	
Phénol, solide <i>ou</i> Phénol	1671	6.1 9.2	S5	
Phosgène	1076	2.3 8 9.2	S3	
Phosphate organique, Composé de phosphate organique, <i>ou</i> Composé organique phosphoreux, en mélange avec des gaz comprimés	1955	2.3	S3	
PHOSPHATE ORGANIQUE, EN MÉLANGE, COMPOSÉ DE PHOSPHATE ORGANIQUE, EN MÉLANGE, <i>ou</i> COMPOSÉ ORGANIQUE PHOSPHOREUX, EN MÉLANGE, <i>liquide</i>	3018	6.1	S4	groupe d'emballage I seulement
PHOSPHATE ORGANIQUE, COMPOSÉ DE PHOSPHATE ORGANIQUE, <i>ou</i> COMPOSÉ ORGANIQUE PHOSPHOREUX, <i>liquide</i>	3018	6.1	S4	groupe d'emballage I seulement
Phosphine	2199	2.3 2.1	S3	
Phosphore blanc, fondu	2447	4.2 6.1 9.2	S4	
Phosphore, blanc <i>ou</i> jaune, sec <i>ou</i> recouvert d'eau <i>ou</i> en solution	1381	4.2 6.1 9.2	S4	
Phosphure d'aluminium	1397	4.3 6.1	S4	
Phosphure de calcium	1360	4.3	S4	
Phosphure de magnésium	2011	4.3 6.1	S4	
Phosphure de magnésium-aluminium	1419	4.3	S4	
Phosphure de potassium	2012	4.3 6.1	S4	
Phosphure de sodium	1432	4.3 4.2 6.1	S3	
Phosphure de strontium	2013	4.3 6.1	S4	
Phosphure de zinc	1714	4.3 6.1 9.2	S4	
Phosphures stanniques	1433	4.3	S3	
Plomb tétraéthyle, liquide	1649	6.1 9.2	S4	
Propadiène, stabilisé	2200	2.1	S4	
Propane	1978	2.1	S5	
Propylène	1077	2.1	S5	
Pyrophosphate tétraéthylque et gaz comprimés, en mélange	1705	2.3 9.2	S3	
Sélénure d'hydrogène, anhydre	2202	2.3 2.1	S3	
Silane	2203	2.3 2.1	S3	
SOLIDES TOXIQUES, INFLAMMABLES, N.S.A.*	2930	6.1 4.1	S4	groupe d'emballage I seulement
Stibine	2676	2.3 2.1	S4	
Strychnine	1692	6.1 9.2	S4	
Strychnine, en mélanges	1692	6.1 9.2	S4	
Strychnine, sel de, en mélanges	1692	6.1 9.2	S4	

PART II—Conc.

DANGEROUS GOODS OTHER THAN EXPLOSIVES—Conc.

Col. I	Col. II	Col. III	Col. IV	Col. V
Description and Shipping Name	Product Identification Number	Classification	Special Provisions	Application
Sulphur dioxide, liquefied <i>or</i> Sulphur dioxide	1079	2.3	S5	
Sulphuric acid, fuming <i>or</i> Oleum	1831	8	S5	
		6.1		
		9.2		
Sulphuric acid, <i>more than 51 per cent acid</i>	1830	8	S5	
		9.2		
Sulphur tetrafluoride	2418	2.3	S3	
Sulphur trioxide, inhibited	1829	8	S4	
Sulphuryl fluoride	2191	2.3	S4	
Tear gas substances, n.o.s.*, liquid	1693	6.1	S4	
Tear gas substances, n.o.s.*, solid	1693	6.1	S4	
Tellurium hexafluoride	2195	2.3	S4	
Tetraethyl dithiopyrophosphate and gases, in solution <i>or</i> Tetraethyl dithiopyrophosphate and gases, mixtures	1703	2.3	S3	
Tetraethyl lead, liquid	1649	6.1	S4	
		9.2		
Tetraethyl pyrophosphate and compressed gas mixtures	1705	2.3	S3	
		9.2		
Tetrafluoroethylene, inhibited (<i>R1114</i>)	1081	2.1	S4	
Tetranitromethane	1510	5.1	S3	
Thiophosgene	2474	6.1	S3	
TRIAZINE PESTICIDES, LIQUID, FLAMMABLE, TOXIC, N.O.S., <i>flash point less than 23°C</i>	2764	3.2	S4	Packing Group I only
		6.1		
Trichlorosilane	1295	4.3	S4	
		3		
		8		
Trifluorochloroethylene, inhibited	1082	2.1	S5	
Trifluoroethane, compressed (<i>R143a</i>)	2035	2.1	S5	
Trimethylamine, anhydrous	1083	2.1	S5	
		9.2		
Tungsten hexafluoride	2196	2.3	S3	
Uranium hexafluoride, fissile <i>containing more than 0.7 per cent Uranium-235</i>	2977	7	S3	
		8		
Uranium hexafluoride, low specific activity <i>containing not more than 0.7 per cent Uranium-235</i>	2978	7	S3	
		8		
Vinyl bromide, inhibited	1085	2.1	S4	
Vinyl chloride, inhibited (<i>R1140</i>)	1086	2.1	S3	
Vinyl fluoride, inhibited (<i>R1141</i>)	1860	2.1	S3	
Vinyl methyl ether, inhibited	1087	2.1	S5	
Xylyl bromide	1701	6.1	S4	
Zinc phosphide	1714	4.3	S4	
		6.1		
		9.2		

PARTIE II—Fin

MARCHANDISES DANGEREUSES AUTRES QUE LES EXPLOSIFS—Fin

Col. I	Col. II	Col. III	Col. IV	Col. V
Description et appellation réglementaire	Numéro d'identification du produit	Classification	Dispositions particulières	Application
Strychnine, sels de	1692	6.1 9.2	S4	
Sulphhydrate de sodium, solide, <i>contenant moins de 25 pour cent d'eau de cristallisation</i>	2318	4.2 9.2	S4	
Sulfure de carbone, <i>ou</i> Disulfure de carbone	1131	3.1 6.1 9.2	S4	
Sulfure de carbonyle	2204	2.3 2.1	S4	
Sulfure d'hydrogène, liquéfié <i>ou</i> Sulfure d'hydrogène	1053	2.1 6.1 9.2	S5	
Tétrafluoréthylène, stabilisé (<i>R1114</i>)	1081	2.1	S4	
Tétrafluorure de silicium	1859	2.3 8	S4	
Tétrafluorure de soufre	2418	2.3	S3	
Tétranitrométhane	1510	5.1	S3	
Tétraphosphate hexaéthylique et gaz comprimés, mélanges de	1612	2.3	S3	
Thiochlorophosphate de méthyle	2922	8	S5	
Thiophosgène	2474	6.1	S3	
Trichlorosilane	1295	4.3 3 8	S4	
Trichlorure de bore	1741	2.3 8	S4	
Trifluoréthane, comprimé (<i>R143a</i>)	2035	2.1	S5	
Trifluorochloréthylène, stabilisé	1082	2.1	S5	
Trifluorure d'azote	2451	2.3	S3	
Trifluorure de bore	1008	2.3 8	S4	
Trifluorure de brome	1746	5.1 6.1	S4	
Trifluorure de chlore	1749	2.3 5.1	S3	
Triméthylamine, anhydre	1083	2.1 9.2	S5	
Trioxyde d'azote	2421	2.3	S4	
Trioxyde de soufre, stabilisé	1829	8	S4	
Zinc-diméthyle	1370	4.2	S4	

EXPLANATORY NOTE

(This note is not part of the Regulation, but is intended only for information purposes.)

These Regulations

- (a) prescribe the classification, the documentation, the safety marks and the safety standards for the dangerous goods when they are being handled, offered for transport or transported;
- (b) provide for the notification of persons directed to do anything under section 28 of the Act;
- (c) prescribe the manner in which a permit shall be applied for and issued under section 27(1) or paragraph 3(3)(c) of the Act;
- (d) prescribe the persons by whom and circumstances in which an agent shall be appointed pursuant to subsection 19(2) of the Act; and
- (e) provide for the qualification, training and examination of inspectors.

NOTE EXPLICATIVE

(La présente note ne fait pas partie du règlement et n'est publiée qu'à titre d'information.)

Le règlement

- a) détermine la classification, les documents, les indications de danger et les normes de sécurité des marchandises dangereuses, lorsque celles-ci sont manutentionnées ou transportées ou qu'elles font l'objet d'une demande de transport;
- b) prévoit la notification de l'ordre prévu à l'article 28 de la Loi aux personnes qu'il vise;
- c) précise les modalités de demande et de délivrance des permis visés au paragraphe 27(1) et à l'alinéa 3(3)c) de la Loi;
- d) désigne les personnes tenues de nommer un mandataire en vertu du paragraphe 19(2) de la Loi et précise les circonstances dans lesquelles une désignation doit se faire; et
- e) fixe les conditions de compétence, de formation et d'examen à satisfaire par les inspecteurs.

